

# Bruno Turlin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7075560/publications.pdf>

Version: 2024-02-01

118  
papers

8,401  
citations

50276

46  
h-index

45317

90  
g-index

126  
all docs

126  
docs citations

126  
times ranked

8400  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | A New Mouse Liver-specific Gene, Encoding a Protein Homologous to Human Antimicrobial Peptide Hepsidin, Is Overexpressed during Iron Overload. <i>Journal of Biological Chemistry</i> , 2001, 276, 7811-7819. | 3.4 | 1,438     |
| 2  | Insulin resistance-associated hepatic iron overload. <i>Gastroenterology</i> , 1999, 117, 1155-1163.  | 1.3 | 461       |
| 3  | Noninvasive prediction of fibrosis in C282Y homozygous hemochromatosis. <i>Gastroenterology</i> , 1998, 115, 929-936.   | 1.3 | 306       |
| 4  | Liver pathology in genetic hemochromatosis: A review of 135 homozygous cases and their bioclinical correlations. <i>Gastroenterology</i> , 1992, 102, 2050-2059.  | 1.3 | 299       |
| 5  | Transdifferentiation of hepatocyte-like cells from the human hepatoma HepaRG cell line through bipotent progenitor. <i>Hepatology</i> , 2007, 45, 957-967.  | 7.3 | 295       |
| 6  | Reversibility of hepatic fibrosis in treated genetic hemochromatosis: A study of 36 cases. <i>Hepatology</i> , 2006, 44, 472-477.   | 7.3 | 211       |
| 7  | Interleukin-33 overexpression is associated with liver fibrosis in mice and humans. <i>Journal of Cellular and Molecular Medicine</i> , 2010, 14, 1726-1739.  | 3.6 | 210       |
| 8  | Primary liver cancer in genetic hemochromatosis: A clinical, pathological, and pathogenetic study of 54 cases. <i>Gastroenterology</i> , 1993, 104, 228-234.  | 1.3 | 201       |
| 9  | Increased extracellular matrix remodeling is associated with tumor progression in human hepatocellular carcinomas. <i>Hepatology</i> , 2001, 34, 82-88.   | 7.3 | 178       |
| 10 | Hepsidin levels in humans are correlated with hepatic iron stores, hemoglobin levels, and hepatic function. <i>Blood</i> , 2005, 106, 746-748.  | 1.4 | 170       |
| 11 | Fibrillar collagen scoring by second harmonic microscopy: A new tool in the assessment of liver fibrosis. <i>Journal of Hepatology</i> , 2010, 52, 398-406.   | 3.7 | 157       |
| 12 | Preneoplastic significance of hepatic iron-free foci in genetic hemochromatosis: A study of 185 patients. <i>Hepatology</i> , 1993, 18, 1363-1369.  | 7.3 | 151       |
| 13 | Differentiation Between Heterozygotes and Homozygotes in Genetic Hemochromatosis by Means of a Histological Hepatic Iron Index: A Study of 192 Cases. <i>Hepatology</i> , 1993, 17, 30-34.                    | 7.3 | 147       |
| 14 | Pathology of hepatic iron overload. <i>World Journal of Gastroenterology</i> , 2007, 13, 4755.  | 3.3 | 146       |
| 15 | Histologic Features of the Liver in Insulin Resistance-associated Iron Overload. <i>American Journal of Clinical Pathology</i> , 2001, 116, 263-270.  | 0.7 | 132       |
| 16 | Liver fibrosis in genetic hemochromatosis. <i>Journal of Hepatology</i> , 1992, 16, 122-127.  | 3.7 | 128       |
| 17 | A Reappraisal of Hepatic Siderosis in Patients With End-Stage Cirrhosis: Practical Implications for the Diagnosis of Hemochromatosis. <i>American Journal of Surgical Pathology</i> , 1997, 21, 669-675.      | 3.7 | 117       |
| 18 | Increased liver iron stores in patients with hepatocellular carcinoma developed on a noncirrhotic liver. <i>Hepatology</i> , 1995, 22, 446-450.   | 7.3 | 115       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Molecular profiling of stroma identifies osteopontin as an independent predictor of poor prognosis in intrahepatic cholangiocarcinoma. <i>Hepatology</i> , 2013, 58, 1992-2000.   | 7.3  | 113       |
| 20 | Aceruloplasminemia: new clinical, pathophysiological and therapeutic insights. <i>Journal of Hepatology</i> , 2002, 36, 851-856.  | 3.7  | 111       |
| 21 | Value of immunohistochemical Ki-67 and p53 determinations as predictive factors of outcome in renal cell carcinoma. <i>Urology</i> , 2000, 55, 501-505.   | 1.0  | 109       |
| 22 | Mueller matrix polarimetry for improved liver fibrosis diagnosis. <i>Optics Letters</i> , 2012, 37, 1061.   | 3.3  | 100       |
| 23 | Iron and hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2001, 16, 491-494.   | 2.8  | 91        |
| 24 | Fibrogenesis in pediatric cholestatic liver disease: Role of taurocholate and hepatocyte-derived monocyte chemoattractant protein-1 in hepatic stellate cell recruitment. <i>Hepatology</i> , 2009, 49, 533-544.                  | 7.3  | 91        |
| 25 | Liver iron concentration and distribution in chronic hepatitis C before and after interferon treatment. <i>Gut</i> , 1997, 41, 115-120.   | 12.1 | 87        |
| 26 | Severe Prenatal Renal Anomalies Associated with Mutations in HNF1B or PAX2 Genes. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013, 8, 1179-1187.  | 4.5  | 87        |
| 27 | Human hepatocellular carcinomas with a periportal phenotype have the lowest potential for early recurrence after curative resection. <i>Hepatology</i> , 2017, 66, 1502-1518.   | 7.3  | 87        |
| 28 | IR optical fiber sensor for biomedical applications. <i>Vibrational Spectroscopy</i> , 2003, 32, 23-32.   | 2.2  | 86        |
| 29 | In situ detection of matrix metalloproteinase-2 (MMP2) and the metalloproteinase inhibitor TIMP2 transcripts in human primary hepatocellular carcinoma and in liver metastasis. <i>Journal of Hepatology</i> , 1997, 26, 593-605. | 3.7  | 85        |
| 30 | Pathology of Hepatic Iron Overload. <i>Seminars in Liver Disease</i> , 2011, 31, 260-271.   | 3.6  | 84        |
| 31 | Novel mutation in ferroportin 1 gene is associated with autosomal dominant iron overload. <i>Journal of Hepatology</i> , 2003, 39, 286-289.   | 3.7  | 79        |
| 32 | Aminobisphosphonate-pretreated dendritic cells trigger successful $\hat{V}^39\hat{V}^2$ T cell amplification for immunotherapy in advanced cancer patients. <i>Cancer Immunology, Immunotherapy</i> , 2010, 59, 1611-1619.        | 4.2  | 77        |
| 33 | Improvement in Liver Pathology of Patients With $\hat{I}^2$ -Thalassemia Treated With Deferasirox for at Least 3 Years. <i>Gastroenterology</i> , 2011, 141, 1202-1211.e3.  | 1.3  | 73        |
| 34 | Metabolic imaging of tissues by infrared fiber-optic spectroscopy: an efficient tool for medical diagnosis. <i>Journal of Biomedical Optics</i> , 2004, 9, 404.   | 2.6  | 71        |
| 35 | CXCR7 is up-regulated in human and murine hepatocellular carcinoma and is specifically expressed by endothelial cells. <i>European Journal of Cancer</i> , 2012, 48, 138-148.   | 2.8  | 68        |
| 36 | Chalcogenide glass fibers used as biosensors. <i>Journal of Non-Crystalline Solids</i> , 2003, 326-327, 430-433.  | 3.1  | 64        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Tumor hepatocytes and basement membrane—Producing cells specifically express two different forms of the endostatin precursor, collagen XVIII, in human liver cancers. <i>Hepatology</i> , 2001, 33, 868-876.    | 7.3 | 60        |
| 38 | Differences in Early Acetaminophen Hepatotoxicity between Obese <i>ob/ob</i> and <i>db/db</i> Mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2012, 342, 676-687.                          | 2.5 | 60        |
| 39 | Clinical significance of cell proliferation, microvessel density, and CD44 adhesion molecule expression in renal cell carcinoma. <i>Human Pathology</i> , 2001, 32, 1209-1215.                                  | 2.0 | 59        |
| 40 | Sex and Acquired Cofactors Determine Phenotypes of Ferroportin Disease. <i>Gastroenterology</i> , 2011, 140, 1199-1207.e2.  | 1.3 | 59        |
| 41 | Expression of HLA-G by mast cells is associated with hepatitis C virus-induced liver fibrosis. <i>Journal of Hepatology</i> , 2014, 60, 245-252.  | 3.7 | 58        |
| 42 | Squamous Cell Carcinoma Arising in a Hepatic Forgut Cyst. <i>Pathology Research and Practice</i> , 2002, 198, 697-700.  | 2.3 | 57        |
| 43 | Increased body iron stores in elite road cyclists. <i>Medicine and Science in Sports and Exercise</i> , 2002, 34, 876-880.  | 0.4 | 56        |
| 44 | Prediction of liver fibrosis in patients with features of the metabolic syndrome regardless of alcohol consumption. <i>Hepatology</i> , 2004, 39, 1639-1646.  | 7.3 | 54        |
| 45 | Chromosome instability in human hepatocellular carcinoma depends on p53 status and aflatoxin exposure. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2008, 653, 6-13.           | 1.7 | 50        |
| 46 | Interferon and ursodeoxycholic acid combined therapy in the treatmet of chronic viral C hepatitis: Results from a controlled randomized trial in 80 patients. <i>Hepatology</i> , 1995, 21, 322-327.            | 7.3 | 46        |
| 47 | Iron and neoplasia. <i>Journal of Hepatology</i> , 1998, 28, 21-25.   | 3.7 | 44        |
| 48 | Hepcidin in Iron Metabolism. <i>Current Protein and Peptide Science</i> , 2005, 6, 279-291.   | 1.4 | 43        |
| 49 | Chronic Ethanol Consumption Lessens the Gain of Body Weight, Liver Triglycerides, and Diabetes in Obese <i>ob/ob</i> Mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009, 331, 23-34.     | 2.5 | 43        |
| 50 | Pathology Analysis Reveals That Dysplastic Pancreatic Ductal Lesions Are Frequent in Patients With Hereditary Pancreatitis. <i>Clinical Gastroenterology and Hepatology</i> , 2010, 8, 206-212.                 | 4.4 | 43        |
| 51 | Immunohistological Analysis of Glutathione Transferase A4 Distribution in Several Human Tissues Using a Specific Polyclonal Antibody. <i>Journal of Histochemistry and Cytochemistry</i> , 2001, 49, 1573-1579. | 2.5 | 40        |
| 52 | A robust collagen scoring method for human liver fibrosis by second harmonic microscopy. <i>Optics Express</i> , 2010, 18, 25794.   | 3.4 | 40        |
| 53 | Assessment of hepatic steatosis: comparison of quantitative and semiquantitative methods in 108 liver biopsies. <i>Liver International</i> , 2009, 29, 530-535.   | 3.9 | 39        |
| 54 | AFP-specific immunotherapy impairs growth of autochthonous hepatocellular carcinoma in mice. <i>Journal of Hepatology</i> , 2011, 54, 115-121.  | 3.7 | 39        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | Noninvasive assessment of liver fibrosis in C282Y homozygous <sc>HFE</sc> hemochromatosis. <i>Liver International</i> , 2015, 35, 1731-1738.  | 3.9  | 39        |
| 56 | C4d: A Marker for Hepatic Transplant Rejection. <i>Transplantation Proceedings</i> , 2006, 38, 2333-2334.   | 0.6  | 38        |
| 57 | Carbonyl-iron supplementation induces hepatocyte nuclear changes in BALB/CJ male mice. <i>Journal of Hepatology</i> , 1999, 30, 926-934.  | 3.7  | 37        |
| 58 | Liver Transplantation for Hepatocellular Carcinoma Without Preoperative Tumor Biopsy. <i>Transplantation</i> , 2008, 86, 1068-1076.   | 1.0  | 37        |
| 59 | Epithelial cell adhesion molecule is a prognosis marker for intrahepatic cholangiocarcinoma. <i>Journal of Surgical Research</i> , 2014, 192, 117-123.  | 1.6  | 37        |
| 60 | A novel transforming growth factor beta-induced long noncoding RNA promotes an inflammatory microenvironment in human intrahepatic cholangiocarcinoma. <i>Hepatology Communications</i> , 2018, 2, 254-269.           | 4.3  | 37        |
| 61 | Upregulation of the tumor suppressor gene menin in hepatocellular carcinomas and its significance in fibrogenesis. <i>Hepatology</i> , 2006, 44, 1296-1307.   | 7.3  | 36        |
| 62 | Common genetic variation in alcohol-related hepatocellular carcinoma: a case-control genome-wide association study. <i>Lancet Oncology</i> , The, 2022, 23, 161-171.  | 10.7 | 36        |
| 63 | Centrilobular necrosis after orthotopic liver transplantation: A longitudinal clinicopathologic study in 71 patients. <i>Liver Transplantation</i> , 1995, 1, 285-289.  | 1.8  | 35        |
| 64 | Acoustic radiation force impulse imaging for assessing liver fibrosis in alcoholic liver disease. <i>World Journal of Gastroenterology</i> , 2016, 22, 4926.  | 3.3  | 35        |
| 65 | Non-Alcoholic Steatohepatitis as a Risk Factor for Intrahepatic Cholangiocarcinoma and Its Prognostic Role. <i>Cancers</i> , 2020, 12, 3182.  | 3.7  | 34        |
| 66 | Fibrous nests in human hepatocellular carcinoma express a Wnt-induced gene signature associated with poor clinical outcome. <i>International Journal of Biochemistry and Cell Biology</i> , 2016, 81, 195-207.        | 2.8  | 32        |
| 67 | Non-invasive assessment of liver fibrosis by transient elastography in post transfusional iron overload. <i>European Journal of Haematology</i> , 2008, 80, 337-340.  | 2.2  | 30        |
| 68 | Myriocin prevents muscle ceramide accumulation but not muscle fiber atrophy during short-term mechanical unloading. <i>Journal of Applied Physiology</i> , 2016, 120, 178-187.  | 2.5  | 29        |
| 69 | De novo HAPLN1 expression hallmarks Wnt-induced stem cell and fibrogenic networks leading to aggressive human hepatocellular carcinomas. <i>Oncotarget</i> , 2016, 7, 39026-39043.                                    | 1.8  | 29        |
| 70 | Hemochromatosis after the gene discovery: revisiting the diagnostic strategy. <i>Journal of Hepatology</i> , 1998, 28, 14-18.   | 3.7  | 28        |
| 71 | Upregulation of DNA repair genes in active cirrhosis associated with hepatocellular carcinoma. <i>FEBS Letters</i> , 2005, 579, 95-99.  | 2.8  | 27        |
| 72 | Regression of Fibrosis Stage With Treatment Reduces Long-Term Risk of Liver Cancer in Patients With Hemochromatosis Caused by Mutation in HFE. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 1851-1857. | 4.4  | 26        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Overexpression of matrix metalloproteinase-2 and tissue inhibitor of matrix metalloproteinase-2 in liver from patients with gastrointestinal adenocarcinoma and no detectable metastasis. , 1997, 74, 426-432.                         |     | 25        |
| 74 | Invariant natural killer T cell-deficient mice display increased CCL4-induced hepatitis associated with CXCL1 overexpression and neutrophil infiltration. European Journal of Immunology, 2011, 41, 1720-1732.                         | 2.9 | 24        |
| 75 | Stearoyl coenzyme A desaturase 1 expression and activity are increased in the liver during iron overload. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2001, 1535, 275-284.   | 3.8 | 23        |
| 76 | Adding the oxygen carrier M101 to a cold-storage solution could be an alternative to HOPE for liver graft preservation. JHEP Reports, 2020, 2, 100119.   | 4.9 | 23        |
| 77 | Magnetic Resonance Iron-Free Nodules in Genetic Hemochromatosis. American Journal of Gastroenterology, 1999, 94, 1083-1086.  | 0.4 | 22        |
| 78 | Prokineticin 2/Bv8 is expressed in Kupffer cells in liver and is down regulated in human hepatocellular carcinoma. World Journal of Gastroenterology, 2008, 14, 1182.  | 3.3 | 22        |
| 79 | Gene expression profiling of the tumor microenvironment in human intrahepatic cholangiocarcinoma. Genomics Data, 2016, 7, 229-232.   | 1.3 | 21        |
| 80 | Assessment of liver iron overload by 3T MRI. Abdominal Radiology, 2017, 42, 1713-1720.   | 2.1 | 21        |
| 81 | Iron overload disorders. Clinics in Liver Disease, 2002, 6, 481-496.   | 2.1 | 19        |
| 82 | Impact of stroma LOXL2 overexpression on the prognosis of intrahepatic cholangiocarcinoma. Journal of Surgical Research, 2016, 203, 441-450.   | 1.6 | 19        |
| 83 | Histological assessment of liver siderosis.. Journal of Clinical Pathology, 1997, 50, 971-971.   | 2.0 | 18        |
| 84 | Low hepatic iron concentration: evaluation of two complementary methods, colorimetric assay and iron histological scoring. Journal of Clinical Pathology, 1999, 52, 430-434.   | 2.0 | 16        |
| 85 | Safety and Efficacy of 6-thioguanine as a Second-line Treatment for Autoimmune Hepatitis. Clinical Gastroenterology and Hepatology, 2018, 16, 290-291.   | 4.4 | 16        |
| 86 | Development of 99mTc labelled Lipiodol: biodistribution following injection into the hepatic artery of the healthy pig. Nuclear Medicine Communications, 2004, 25, 291-297.  | 1.1 | 14        |
| 87 | Alveolar haemorrhage revealing epitheloid haemangioendothelioma. Respiratory Medicine, 1997, 91, 111-114.  | 2.9 | 11        |
| 88 | Laminin isoforms in non-tumoral and tumoral human livers. Journal of Hepatology, 1998, 28, 691-699.  | 3.7 | 11        |
| 89 | Retransplantation for Acute Liver Failure Due to Combined Antiviral Agents in an HIV-HCV Coinfected Liver Transplant Recipient. Transplantation, 2005, 80, 1136-1138.  | 1.0 | 11        |
| 90 | Performance of B-mode ratio and 2D shear wave elastography for the detection and quantification of hepatic steatosis and fibrosis after liver transplantation. European Journal of Gastroenterology and Hepatology, 2020, 32, 222-230. | 1.6 | 10        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 91  | Fatal acetaminophen poisoning with hepatic microvesicular steatosis in a child after repeated administration of therapeutic doses. <i>Forensic Science International</i> , 2020, 310, 110258.  | 2.2  | 10        |
| 92  | Interferon and ursodeoxycholic acid combined therapy in chronic viral C hepatitis: controlled randomized trial in 203 patients. <i>Digestive and Liver Disease</i> , 2000, 32, 29-33.  | 0.9  | 9         |
| 93  | <title>Biological tissue infrared analysis by chalcogenide glass optical fiber spectroscopy</title>. , 2001, , .   |      | 9         |
| 94  | Fast and Non-Invasive Medical Diagnostic Using Mid Infrared Sensor. <i>Irbm</i> , 2016, 37, 116-123.   | 5.6  | 8         |
| 95  | High vascular endothelial growth factor (VEGF) expression in chemically-induced hepatic microcancers in mice. <i>Journal of Hepatology</i> , 2002, 37, 620-624.  | 3.7  | 7         |
| 96  | Improved Liver Function and Decreased Hepatitis C Viral Load After Tacrolimus Was Replaced by Cyclosporine. <i>Transplantation Proceedings</i> , 2005, 37, 2871-2872.  | 0.6  | 7         |
| 97  | Hepcidin induction limits mobilisation of splenic iron in a mouse model of secondary iron overload. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2010, 1802, 339-346.   | 3.8  | 7         |
| 98  | Mitochondrial Abnormalities in Patients with HIV-HCV Co-infection as Compared to Patients with HCV Mono-infection. <i>HIV Clinical Trials</i> , 2011, 12, 54-60.   | 2.0  | 7         |
| 99  | Liver clear cell foci and viral infection are associated with non-cirrhotic, non-fibrolamellar hepatocellular carcinoma in young patients from South America. <i>Scientific Reports</i> , 2018, 8, 9945.   | 3.3  | 7         |
| 100 | Treatment of Sideroblastic Anemia with Chloroquine. <i>New England Journal of Medicine</i> , 1995, 332, 614-614.   | 27.0 | 6         |
| 101 | High rate of long-term virological response after a 1-year course of interferon $\tilde{\pm}$ ribavirin in chronic hepatitis C relapsers. Results of a 191 patients randomized trial. <i>Liver International</i> , 2003, 23, 255-261.              | 3.9  | 6         |
| 102 | Direct Effects of 3 Combinations of Enalapril, Metoprolol, and Spironolactone on Cardiac Remodeling in Dilated Cardiomyopathic Hamsters. <i>Journal of Cardiac Failure</i> , 2006, 12, 752-758.  | 1.7  | 6         |
| 103 | Transcripts of ceruloplasmin but not hepcidin, both major iron metabolism genes, exhibit a decreasing pattern along the portocentral axis of mouse liver. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2008, 1782, 239-249. | 3.8  | 6         |
| 104 | Well-differentiated liver cancers reveal the potential link between ACE2 dysfunction and metabolic breakdown. <i>Scientific Reports</i> , 2022, 12, 1859.  | 3.3  | 6         |
| 105 | Serum increase and liver overexpression of carbohydrate 19.9 antigen in patients with genetic haemochromatosis.. <i>Gut</i> , 1994, 35, 1107-1111.   | 12.1 | 5         |
| 106 | Interferon and ursodeoxycholic acid combined therapy in the treatment of chronic viral C hepatitis: Results from a controlled randomized trial in 80 patients*1. <i>Hepatology</i> , 1995, 21, 322-327.  | 7.3  | 5         |
| 107 | Non-C282Y familial iron overload: evidence for locus heterogeneity in haemochromatosis.. <i>Journal of Medical Genetics</i> , 1998, 35, 954-956.   | 3.2  | 5         |
| 108 | Mid-infrared fibre evanescent wave spectroscopy of serum allows fingerprinting of the hepatic metabolic status in mice. <i>Analyst, The</i> , 2016, 141, 6259-6269.  | 3.5  | 5         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Metallomic profile in non-cirrhotic hepatocellular carcinoma supports a phenomenon of metal metabolism adaptation in tumor cells. <i>Scientific Reports</i> , 2021, 11, 14195.   | 3.3 | 5         |
| 110 | Patterns of intermediate filaments, VLA integrins and HLA antigens in a new human biliary epithelial cell line sensitive to interferon- $\beta$ . <i>Journal of Hepatology</i> , 1997, 26, 1287-1299.  | 3.7 | 4         |
| 111 | The effects of a maintenance therapy with peg-interferon alpha-2a on liver fibrosis in HIV/HCV co-infected patients: A randomized controlled trial. <i>Journal of Infection</i> , 2013, 67, 313-321.   | 3.3 | 4         |
| 112 | Early diagnosis of NAFLD-NASH transition using mid infrared spectroscopy. , 2016, 2016, 3602-3605.   |     | 3         |
| 113 | Semi-Quantitative Assessment of Hemosiderin Distribution Accurately Reflects Reductions in Liver Iron Concentration Following Therapy with Deferasirox (Exjade <sup>®</sup> , ICL670) or Deferoxamine in Patients with Transfusion-Dependent Anemia.. <i>Blood</i> , 2005, 106, 2708-2708. | 1.4 | 3         |
| 114 | HLA-G Is Widely Expressed by Mast Cells in Regions of Organ Fibrosis in the Liver, Lung and Kidney. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12490.  | 4.1 | 3         |
| 115 | Effect of ursodeoxycholic acid on liver iron stores and distribution in rats with normal or iron-supplemented diet. <i>Liver</i> , 1997, 17, 30-34.  | 0.1 | 1         |
| 116 | The Pathology of Hepatic Iron Overload. , 2012, , 345-355.   |     | 1         |
| 117 | Establishment of a new human biliary epithelial cell line: A model for immunological studies. <i>Human Immunology</i> , 1996, 47, 26.  | 2.4 | 0         |
| 118 | A growing transplanted kidney. <i>CKJ: Clinical Kidney Journal</i> , 2010, 3, 417-419.   | 2.9 | 0         |