

Traolach Brugha

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7078935/publications.pdf>

Version: 2024-02-01

161
papers

34,358
citations

13865

67
h-index

5988

160
g-index

165
all docs

165
docs citations

165
times ranked

44835
citing authors

#	ARTICLE	IF	CITATIONS
1	Non-suicidal self-harm: an evolving epidemiology. <i>Psychological Medicine</i> , 2023, 53, 283-283.	4.5	2
2	Longitudinal symptomatic interactions in long-standing schizophrenia: a novel five-point analysis based on directed acyclic graphs. <i>Psychological Medicine</i> , 2023, 53, 1371-1378.	4.5	4
3	Autism epidemiology: distinguishing between identification and prevalence. <i>Progress in Neurology and Psychiatry</i> , 2022, 26, 4-6.	0.9	6
4	Influence of positive and negative symptoms on hedonic and eudaemonic well-being in people with schizophrenia: A longitudinal analysis from the EuroSc study. <i>Schizophrenia Research</i> , 2022, 244, 21-28.	2.0	2
5	Autism identification across ethnic groups: a narrative review. <i>Advances in Autism</i> , 2021, 7, 241-255.	1.0	21
6	The Early Impact of the COVID-19 Pandemic on Acute Care Mental Health Services. <i>Psychiatric Services</i> , 2021, 72, 242-246.	2.0	50
7	Social skills interventions in young adults with autism spectrum disorder: comment on Chien et al.. <i>Psychological Medicine</i> , 2021, , 1-2.	4.5	1
8	The mediating role of depression in pathways linking positive and negative symptoms in schizophrenia. A longitudinal analysis using latent variable structural equation modelling. <i>Psychological Medicine</i> , 2020, 50, 566-574.	4.5	12
9	Psychotic symptoms and sensory impairment: Findings from the 2014 adult psychiatric morbidity survey. <i>Schizophrenia Research</i> , 2020, 215, 357-364.	2.0	11
10	Data Resource Profile: Adult Psychiatric Morbidity Survey (APMS). <i>International Journal of Epidemiology</i> , 2020, 49, 361-362e.	1.9	36
11	Testing adults by questionnaire for social and communication disorders, including autism spectrum disorders, in an adult mental health service population. <i>International Journal of Methods in Psychiatric Research</i> , 2020, 29, e1814.	2.1	19
12	Estimating global injuries morbidity and mortality: methods and data used in the Global Burden of Disease 2017 study. <i>Injury Prevention</i> , 2020, 26, i125-i153.	2.4	44
13	The Prevalence of Diabetes in Autistic Persons: A Systematic Review. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2020, 16, 212-225.	1.2	11
14	Prevalence of non-suicidal self-harm and service contact in England, 2000â€“14: repeated cross-sectional surveys of the general population. <i>Lancet Psychiatry</i> , 2019, 6, 573-581.	7.4	268
15	Study protocol: an investigation of the prevalence of autism among adults admitted to acute mental health wards: a cross-sectional pilot study. <i>BMJ Open</i> , 2019, 9, e033169.	1.9	1
16	Positive and negative symptoms in schizophrenia: A longitudinal analysis using latent variable structural equation modelling. <i>Schizophrenia Research</i> , 2019, 204, 58-64.	2.0	32
17	Cost-effectiveness of PoNDER health visitor training for mothers at lower risk of depression: findings on prevention of postnatal depression from a cluster-randomised controlled trial. <i>Psychological Medicine</i> , 2019, 49, 1324-1334.	4.5	13
18	Smell identification function in early-onset Alzheimerâ€™s disease and mild cognitive impairment. <i>International Psychogeriatrics</i> , 2019, 31, 1065-1070.	1.0	8

#	ARTICLE	IF	CITATIONS
19	Global, regional, and national age-sex-specific mortality and life expectancy, 1950â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1684-1735.	13.7	716
20	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1736-1788.	13.7	4,989
21	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1923-1994.	13.7	3,269
22	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1789-1858.	13.7	8,569
23	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 2091-2138.	13.7	335
24	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1859-1922.	13.7	2,123
25	Changes in health in the countries of the UK and 150 English Local Authority areas 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018, 392, 1647-1661.	13.7	192
26	CDC autism rate: misplaced reliance on passive sampling?. <i>Lancet, The</i> , 2018, 392, 732-733.	13.7	7
27	The effects of improving sleep on mental health (OASIS): a randomised controlled trial with mediation analysis. <i>Lancet Psychiatry, the</i> , 2017, 4, 749-758.	7.4	459
28	Psychosocial functioning, quality of life and clinical correlates of comorbid alcohol and drug dependence syndromes in people with schizophrenia across Europe. <i>Psychiatry Research</i> , 2016, 239, 301-307.	3.3	46
29	Prevalence and treatment of common mental disorders in the English national population, 1993â€“2007. <i>British Journal of Psychiatry</i> , 2016, 209, 150-156.	2.8	25
30	Why are suicidal thoughts less prevalent in older age groups? Age differences in the correlates of suicidal thoughts in the English Adult Psychiatric Morbidity Survey 2007. <i>Journal of Affective Disorders</i> , 2015, 177, 42-48.	4.1	13
31	Religious discrimination and common mental disorders in England: a nationally representative population-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1723-1729.	3.1	19
32	Gender differences in intimate partner violence and psychiatric disorders in England: results from the 2007 adult psychiatric morbidity survey. <i>Epidemiology and Psychiatric Sciences</i> , 2014, 23, 189-199.	3.9	63
33	Trends in suicidal ideation in England: the National Psychiatric Morbidity Surveys of 2000 and 2007. <i>Psychological Medicine</i> , 2014, 44, 175-183.	4.5	12
34	Estimated verbal IQ and the odds of problem gambling: a population-based study. <i>Psychological Medicine</i> , 2014, 44, 1739-1749.	4.5	15
35	Profiling disordered eating patterns and body mass index (BMI) in the English general population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 783-793.	3.1	28
36	Feelings of loneliness among adults with mental disorder. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 5-13.	3.1	204

#	ARTICLE	IF	CITATIONS
37	The structure of paranoia in the general population. <i>British Journal of Psychiatry</i> , 2013, 202, 419-427.	2.8	202
38	The relationship between personal debt and specific common mental disorders. <i>European Journal of Public Health</i> , 2013, 23, 108-113.	0.3	113
39	The population impact of common mental disorders and long-term physical conditions on disability and hospital admission. <i>Psychological Medicine</i> , 2013, 43, 921-931.	4.5	6
40	Occupations, work characteristics and common mental disorder. <i>Psychological Medicine</i> , 2013, 43, 961-973.	4.5	50
41	The contribution of work and non-work stressors to common mental disorders in the 2007 Adult Psychiatric Morbidity Survey. <i>Psychological Medicine</i> , 2012, 42, 829-842.	4.5	72
42	Age and birth cohort differences in depression in repeated cross-sectional surveys in England: the National Psychiatric Morbidity Surveys, 1993 to 2007. <i>Psychological Medicine</i> , 2012, 42, 2047-2055.	4.5	40
43	Increased Prevalence of Insomnia and Changes in Hypnotics Use in England over 15 Years: Analysis of the 1993, 2000, and 2007 National Psychiatric Morbidity Surveys. <i>Sleep</i> , 2012, 35, 377-384.	1.1	139
44	The lifetime and past-year prevalence of dual diagnosis in people with schizophrenia across Europe: findings from the European Schizophrenia Cohort (EuroSC). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 607-616.	3.2	59
45	Methodology and reporting of systematic reviews and meta-analyses of observational studies in psychiatric epidemiology: Systematic review. <i>British Journal of Psychiatry</i> , 2012, 200, 446-453.	2.8	38
46	The influence of disability on suicidal behaviour. <i>Alter</i> , 2012, 6, 1-12.	0.9	34
47	Physical ill health, disability, dependence and depression: Results from the 2007 national survey of psychiatric morbidity among adults in England. <i>Disability and Health Journal</i> , 2012, 5, 102-110.	2.8	47
48	Importance of Thinking Locally for Mental Health: Data from Cross-Sectional Surveys Representing South East London and England. <i>PLoS ONE</i> , 2012, 7, e48012.	2.5	33
49	Insomnia, worry, anxiety and depression as predictors of the occurrence and persistence of paranoid thinking. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 1195-1203.	3.1	190
50	Prevalence of Same-Sex Behavior and Orientation in England: Results from a National Survey. <i>Archives of Sexual Behavior</i> , 2012, 41, 631-639.	1.9	40
51	Age and birth cohort differences in the prevalence of common mental disorder in England: National Psychiatric Morbidity Surveys 1993-2007. <i>British Journal of Psychiatry</i> , 2011, 198, 479-484.	2.8	49
52	Health of national service veterans: an analysis of a community-based sample using data from the 2007 Adult Psychiatric Morbidity Survey of England. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 559-566.	3.1	15
53	Child sexual abuse reported by an English national sample: characteristics and demography. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 255-262.	3.1	44
54	Happiness across age groups: results from the 2007 National Psychiatric Morbidity Survey. <i>International Journal of Geriatric Psychiatry</i> , 2011, 26, 608-614.	2.7	37

#	ARTICLE	IF	CITATIONS
55	Universal prevention of depression in women postnatally: cluster randomized trial evidence in primary care. <i>Psychological Medicine</i> , 2011, 41, 739-748.	4.5	93
56	Sexual abuse and psychiatric disorder in England: results from the 2007 Adult Psychiatric Morbidity Survey. <i>Psychological Medicine</i> , 2011, 41, 709-719.	4.5	156
57	Personal debt and suicidal ideation. <i>Psychological Medicine</i> , 2011, 41, 771-778.	4.5	154
58	Mental and personality disorders and abstinence from alcohol: results from a national household survey. <i>Psychological Medicine</i> , 2011, 41, 809-818.	4.5	14
59	Mental well-being and mental illness: findings from the Adult Psychiatric Morbidity Survey for England 2007. <i>British Journal of Psychiatry</i> , 2011, 199, 23-28.	2.8	117
60	Concomitants of paranoia in the general population. <i>Psychological Medicine</i> , 2011, 41, 923-936.	4.5	217
61	Childhood sexual abuse and psychosis: data from a cross-sectional national psychiatric survey in England. <i>British Journal of Psychiatry</i> , 2011, 199, 29-37.	2.8	233
62	Persecutory ideation and insomnia: Findings from the second British National Survey Of Psychiatric Morbidity. <i>Journal of Psychiatric Research</i> , 2010, 44, 1021-1026.	3.1	87
63	Job insecurity, socio-economic circumstances and depression. <i>Psychological Medicine</i> , 2010, 40, 1401-1407.	4.5	139
64	Common mental disorders, unemployment and welfare benefits in England. <i>Public Health</i> , 2010, 124, 675-681.	2.9	54
65	Suicidal Ideation, Self-Harm And Attempted Suicide: Results From The British Psychiatric Morbidity Survey 2000. <i>European Psychiatry</i> , 2010, 25, 427-431.	0.2	87
66	Borderline personality disorder: health service use and social functioning among a national household population. <i>Psychological Medicine</i> , 2009, 39, 1721.	4.5	72
67	Suicide Attempts, Gender, and Sexual Abuse: Data From the 2000 British Psychiatric Morbidity Survey. <i>American Journal of Psychiatry</i> , 2009, 166, 1135-1140.	7.2	124
68	Clinical effectiveness of health visitor training in psychologically informed approaches for depression in postnatal women: pragmatic cluster randomised trial in primary care. <i>BMJ: British Medical Journal</i> , 2009, 338, a3045-a3045.	2.3	171
69	Predictors of employment status change over 2 years in people with schizophrenia living in Europe. <i>Epidemiology and Psychiatric Sciences</i> , 2009, 18, 344-351.	3.9	27
70	Psychopathy among prisoners in England and Wales. <i>International Journal of Law and Psychiatry</i> , 2009, 32, 134-141.	0.9	140
71	The co-morbidity of personality disorder and clinical syndromes in prisoners. <i>Criminal Behaviour and Mental Health</i> , 2009, 19, 321-333.	0.8	36
72	The influence of limitation in activity of daily living and physical health on suicidal ideation: results from a population survey of Great Britain. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 608-613.	3.1	51

#	ARTICLE	IF	CITATIONS
73	The British Mental Health Survey Programme: achievements and latest findings. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 899-904.	3.1	78
74	Direct medical mental health care costs of schizophrenia in France, Germany and the United Kingdom – Findings from the European Schizophrenia Cohort (EuroSC). <i>European Psychiatry</i> , 2009, 24, 216-224.	0.2	27
75	What is the relative importance of self reported psychotic symptoms in epidemiological studies? Results from the ESEMeD-Catalonia Study. <i>Schizophrenia Research</i> , 2008, 102, 261-269.	2.0	39
76	Debt, income and mental disorder in the general population. <i>Psychological Medicine</i> , 2008, 38, 1485-1493.	4.5	277
77	Depression and common mental disorders in lone parents: results of the 2000 National Psychiatric Morbidity Survey. <i>Psychological Medicine</i> , 2008, 38, 335-342.	4.5	74
78	Urban residence, victimhood and the appraisal of personal safety in people with schizophrenia: results from the European Schizophrenia Cohort (EuroSC). <i>Psychological Medicine</i> , 2008, 38, 591-597.	4.5	37
79	Public health significance of mixed anxiety and depression: beyond current classification. <i>British Journal of Psychiatry</i> , 2008, 192, 171-177.	2.8	174
80	The Relation between Body Mass Index, Mental Health, and Functional Disability: A European Population Perspective. <i>Canadian Journal of Psychiatry</i> , 2008, 53, 679-688.	1.9	47
81	Correlates of Subjective Quality of Life in People With Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2008, 196, 87-94.	1.0	83
82	Rates and correlates of employment in people with schizophrenia in the UK, France and Germany. <i>British Journal of Psychiatry</i> , 2007, 191, 30-37.	2.8	294
83	Burden on caregivers of people with schizophrenia: Comparison between Germany and Britain. <i>British Journal of Psychiatry</i> , 2007, 190, 333-338.	2.8	108
84	The spectrum of suicidal ideation in Great Britain: comparisons across a 16-74 years age range. <i>Psychological Medicine</i> , 2007, 37, 795-805.	4.5	54
85	A prospective study of Quality of life in schizophrenia in three European countries. <i>Schizophrenia Research</i> , 2007, 93, 194-202.	2.0	61
86	Why people do not take their psychotropic drugs as prescribed: results of the 2000 National Psychiatric Morbidity Survey. <i>Acta Psychiatrica Scandinavica</i> , 2007, 116, 47-53.	4.5	65
87	Age variation in life events and their relationship with common mental disorders in a national survey population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 611-616.	3.1	51
88	Residential area and social contacts in schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 617-622.	3.1	18
89	Personality Disorder and Cardiovascular Disease. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 69-74.	2.2	115
90	Social Capital and Mental Health. Edited by K. McKenzie and T. Harpham. (Pp. 176; £25.00; ISBN) Tj ETQq0 0 0 rgBTj/Overlock 10 Tf 50	4.5	

#	ARTICLE	IF	CITATIONS
91	Violence and psychiatric morbidity in the national household population of Britain: public health implications. <i>British Journal of Psychiatry</i> , 2006, 189, 12-19.	2.8	106
92	Insomnia Comorbidity and Impact and Hypnotic Use by Age Group in a National Survey Population Aged 16 to 74 Years. <i>Sleep</i> , 2006, 29, 1391-1397.	1.1	221
93	Worry content across the lifespan: an analysis of 16- to 74-year-old participants in the British National Survey of Psychiatric Morbidity 2000. <i>Psychological Medicine</i> , 2006, 36, 1625-1633.	4.5	47
94	Predictors of mental health service utilization in the 12½ months before imprisonment: analysis of results from a national prisons survey. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006, 40, 548-553.	2.3	2
95	Relationship between parental psychopathology, parenting strategies and child mental health. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 509-514.	3.1	135
96	Obsessive-compulsive disorder and personality disorder. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 862-867.	3.1	53
97	Predictors of Mental Health Service Utilization in the 12 Months before Imprisonment: Analysis of Results from a National Prisons Survey. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006, 40, 548-553.	2.3	13
98	Violence and Psychiatric Morbidity in a National Household Population--A Report from the British Household Survey. <i>American Journal of Epidemiology</i> , 2006, 164, 1199-1208.	3.4	109
99	Primary group size, social support, gender and future mental health status in a prospective study of people living in private households throughout Great Britain. <i>Psychological Medicine</i> , 2005, 35, 705-714.	4.5	52
100	Recalibration methods to enhance information on prevalence rates from large mental health surveys. <i>International Journal of Methods in Psychiatric Research</i> , 2005, 14, 3-13.	2.1	9
101	The European Schizophrenia Cohort. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 707-717.	3.1	58
102	Psychiatric and social aspects of suicidal behaviour in prisons. <i>Psychological Medicine</i> , 2005, 35, 257-269.	4.5	160
103	Psychosis in the Community and in Prisons: A Report From the British National Survey of Psychiatric Morbidity. <i>American Journal of Psychiatry</i> , 2005, 162, 774-780.	7.2	129
104	The distribution of the common mental disorders: social inequalities in Europe. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2005, 1, 14.	1.2	157
105	Size and burden of depressive disorders in Europe. <i>European Neuropsychopharmacology</i> , 2005, 15, 411-423.	0.7	205
106	Trends in service use and treatment for mental disorders in adults throughout Great Britain. <i>British Journal of Psychiatry</i> , 2004, 185, 378-384.	2.8	104
107	What determines access to medium secure psychiatric provision?. <i>Journal of Forensic Psychiatry and Psychology</i> , 2004, 15, 1-6.	1.0	10
108	Prevalence and correlates of self-reported psychotic symptoms in the British population. <i>British Journal of Psychiatry</i> , 2004, 185, 298-305.	2.8	482

#	ARTICLE	IF	CITATIONS
109	Psychosis, victimisation and childhood disadvantage. <i>British Journal of Psychiatry</i> , 2004, 185, 220-226.	2.8	478
110	Access to medium secure psychiatric care in England and Wales. 3: The clinical needs of assessed patients. <i>Journal of Forensic Psychiatry and Psychology</i> , 2004, 15, 50-65.	1.0	15
111	Relapse in schizophrenia: costs, clinical outcomes and quality of life. <i>British Journal of Psychiatry</i> , 2004, 184, 346-351.	2.8	232
112	Risk factors and the prevalence of neurosis and psychosis in ethnic groups in Great Britain. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 939-946.	3.1	45
113	Prevalence of psychiatric disorder in Europe: the potential and reality of meta-analysis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 899-905.	3.1	52
114	Access to medium secure psychiatric care in England and Wales. 2: A qualitative study of admission decision-making. <i>Journal of Forensic Psychiatry and Psychology</i> , 2004, 15, 32-49.	1.0	15
115	Access to medium secure psychiatric care in England and Wales. 1: A national survey of admission assessments. <i>Journal of Forensic Psychiatry and Psychology</i> , 2004, 15, 7-31.	1.0	19
116	Surely you take complementary and alternative medicines?. <i>Psychiatric Bulletin</i> , 2004, 28, 36-39.	0.3	2
117	British Psychiatric Morbidity Survey. <i>International Review of Psychiatry</i> , 2003, 15, 14-18.	2.8	14
118	The influence of age and sex on the prevalence of depressive conditions: report from the National Survey of Psychiatric Morbidity. <i>International Review of Psychiatry</i> , 2003, 15, 74-83.	2.8	132
119	Socio-economic status, standard of living, and neurotic disorder. <i>International Review of Psychiatry</i> , 2003, 15, 91-96.	2.8	36
120	Substance misuse and psychiatric comorbidity: an overview of the OPCS National Psychiatric Morbidity Survey. <i>International Review of Psychiatry</i> , 2003, 15, 43-49.	2.8	29
121	Unequal access and unmet need: neurotic disorders and the use of primary care services. <i>International Review of Psychiatry</i> , 2003, 15, 115-122.	2.8	26
122	Nicotine, alcohol and drug dependence, and psychiatric comorbidity--results of a national household survey. <i>International Review of Psychiatry</i> , 2003, 15, 50-56.	2.8	56
123	Psychiatric morbidity in prisoners and solitary cellular confinement, II: special ('strip') cells. <i>Journal of Forensic Psychiatry and Psychology</i> , 2003, 14, 320-340.	1.0	15
124	Neurotic disorders and the receipt of psychiatric treatment. <i>International Review of Psychiatry</i> , 2003, 15, 108-114.	2.8	25
125	Psychiatric morbidity in prisoners and solitary cellular confinement, I: disciplinary segregation. <i>Journal of Forensic Psychiatry and Psychology</i> , 2003, 14, 298-319.	1.0	31
126	The National Psychiatric Morbidity Surveys of Great Britain--strategy and methods. <i>International Review of Psychiatry</i> , 2003, 15, 5-13.	2.8	13

#	ARTICLE	IF	CITATIONS
127	The National Psychiatric Morbidity Surveys of Great Britain—initial findings from the Household Survey. <i>International Review of Psychiatry</i> , 2003, 15, 29-42.	2.8	60
128	Social support networks and type of neurotic symptom among adults in British households. <i>Psychological Medicine</i> , 2003, 33, 307-318.	4.5	50
129	Lone mothers, social exclusion and depression. <i>Psychological Medicine</i> , 2003, 33, 715-722.	4.5	97
130	Psychiatric morbidity and substance use in young people aged 13–15 years: results from the Child and Adolescent Survey of Mental Health. <i>British Journal of Psychiatry</i> , 2003, 182, 509-517.	2.8	111
131	Psychosis and drug dependence: results from a national survey of prisoners. <i>British Journal of Psychiatry</i> , 2002, 181, 393-398.	2.8	120
132	The National Survey of Psychiatric Morbidity among Prisoners and the Future of Prison Healthcare. <i>Medicine, Science and the Law</i> , 2002, 42, 245-250.	1.0	22
133	The mental health of UK Gulf war veterans: phase 2 of a two phase cohort study. <i>BMJ: British Medical Journal</i> , 2002, 325, 576-576.	2.3	81
134	Ethnic differences in prisoners. <i>British Journal of Psychiatry</i> , 2002, 181, 481-487.	2.8	36
135	Ethnic differences in prisoners. <i>British Journal of Psychiatry</i> , 2002, 181, 473-480.	2.8	43
136	Drug use and initiation in prison: results from a national prison survey in England and Wales. <i>Addiction</i> , 2002, 97, 1551-1560.	3.3	131
137	Prisoners with Psychosis in England and Wales: A One-Year National Follow-Up Study. <i>Howard Journal of Criminal Justice</i> , 2002, 41, 01-13.	0.7	16
138	A general population comparison of the Composite International Diagnostic Interview (CIDI) and the Schedules for Clinical Assessment in Neuropsychiatry (SCAN). <i>Psychological Medicine</i> , 2001, 31, 1001-1013.	4.5	154
139	Nicotine, alcohol and drug dependence and psychiatric comorbidity. <i>British Journal of Psychiatry</i> , 2001, 179, 432-437.	2.8	250
140	Unequal access and unmet need: neurotic disorders and the use of primary care services. <i>Psychological Medicine</i> , 2000, 30, 1359-1367.	4.5	200
141	Neurotic disorders and the receipt of psychiatric treatment. <i>Psychological Medicine</i> , 2000, 30, 1369-1376.	4.5	140
142	Psychiatric disorder and dysfunction in the UK National Survey of Psychiatric Morbidity. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2000, 35, 191-197.	3.1	50
143	Validation of the Health of the Nation Outcome Scales. <i>British Journal of Psychiatry</i> , 1999, 174, 389-394.	2.8	93
144	A difference that matters: comparisons of structured and semi-structured psychiatric diagnostic interviews in the general population. <i>Psychological Medicine</i> , 1999, 29, 1013-1020.	4.5	179

#	ARTICLE	IF	CITATIONS
145	Cross validation of a general population survey diagnostic interview: a comparison of CIS-R with SCAN ICD-10 diagnostic categories. <i>Psychological Medicine</i> , 1999, 29, 1029-1042.	4.5	116
146	Socioeconomic status, standard of living, and neurotic disorder. <i>Lancet, The</i> , 1998, 352, 605-609.	13.7	173
147	Substance misuse and psychiatric comorbidity. <i>Addictive Behaviors</i> , 1998, 23, 909-918.	3.0	165
148	Severe mental illness in prisoners. <i>BMJ: British Medical Journal</i> , 1998, 317, 1025-1026.	2.3	22
149	The influence of age and sex on the prevalence of depressive conditions: report from the National Survey of Psychiatric Morbidity. <i>Psychological Medicine</i> , 1998, 28, 9-19.	4.5	293
150	The National Psychiatric Morbidity Surveys of Great Britain " initial findings from the Household Survey. <i>Psychological Medicine</i> , 1997, 27, 775-789.	4.5	363
151	The National Psychiatric Morbidity Surveys of Great Britain " strategy and methods. <i>Psychological Medicine</i> , 1997, 27, 765-774.	4.5	140
152	Stress Incubation and the Onset of Affective Disorders. <i>British Journal of Psychiatry</i> , 1993, 162, 358-362.	2.8	38
153	Antidepressants may not assist recovery in practice: a naturalistic prospective survey. <i>Acta Psychiatrica Scandinavica</i> , 1992, 86, 5-11.	4.5	65
154	The undertreatment of depression. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1992, 242, 103-108.	3.2	29
155	Gender, Social support and recovery from depressive disorders: a prospective clinical study. <i>Psychological Medicine</i> , 1990, 20, 147-156.	4.5	150
156	The relation between life events and social support networks in a clinically depressed cohort. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1990, 25, 308-313.	3.1	18
157	The University of Leicester new MRCPsych academic programme. <i>Psychiatric Bulletin</i> , 1989, 13, 428-431.	0.3	0
158	The Camberwell Collaborative Depression Study I. Depressed Probands: Adversity and the Form of Depression. <i>British Journal of Psychiatry</i> , 1988, 152, 754-765.	2.8	142
159	Social networks, social support and the type of depressive illness. <i>Acta Psychiatrica Scandinavica</i> , 1987, 76, 664-673.	4.5	42
160	The Interview Measure of Social Relationships: The description and evaluation of a survey instrument for assessing personal social resources. <i>Social Psychiatry Sozialpsychiatrie Psychiatrie Sociale</i> , 1987, 22, 123-128.	1.1	69
161	The List of Threatening Experiences: a subset of 12 life event categories with considerable long-term contextual threat. <i>Psychological Medicine</i> , 1985, 15, 189-194.	4.5	961