## Christopher D Etherton-Beer

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/70863/publications.pdf

Version: 2024-02-01

162 papers 4,122 citations

33 h-index 57 g-index

166 all docs

166 docs citations

166 times ranked 5195 citing authors

#	Article	IF	Citations
1	The feasibility and effect of deprescribing in older adults on mortality and health: a systematic review and metaâ€analysis. British Journal of Clinical Pharmacology, 2016, 82, 583-623.	2.4	329
2	Fall rates in hospital rehabilitation units after individualised patient and staff education programmes: a pragmatic, stepped-wedge, cluster-randomised controlled trial. Lancet, The, 2015, 385, 2592-2599.	13.7	178
3	Patient Education to Prevent Falls Among Older Hospital Inpatients. Archives of Internal Medicine, 2011, 171, 516-24.	3.8	162
4	Deprescribing in Frail Older People: A Randomised Controlled Trial. PLoS ONE, 2016, 11, e0149984.	2.5	158
5	Cognitive and brain changes associated with ischaemic heart disease and heart failure. European Heart Journal, 2012, 33, 1769-1776.	2.2	131
6	Measuring Falls Events in Acute Hospitalsâ€"A Comparison of Three Reporting Methods to Identify Missing Data in the Hospital Reporting System. Journal of the American Geriatrics Society, 2010, 58, 1347-1352.	2.6	118
7	Polypharmacy among older Australians, 2006–2017: a populationâ€based study. Medical Journal of Australia, 2019, 211, 71-75.	1.7	111
8	A Systematic Review of Interventions to Change Staff Care Practices in Order to Improve Resident Outcomes in Nursing Homes. PLoS ONE, 2015, 10, e0140711.	2.5	103
9	Quality use of medicines and health outcomes among a cohort of community dwelling older men: an observational study. British Journal of Clinical Pharmacology, 2011, 71, 592-599.	2.4	101
10	A Randomized Trial Comparing Digital Video Disc with Written Delivery of Falls Prevention Education for Older Patients in Hospital. Journal of the American Geriatrics Society, 2009, 57, 1458-1463.	2.6	93
11	Factors Associated with Self and Informant Ratings of the Quality of Life of People with Dementia Living in Care Facilities: A Cross Sectional Study. PLoS ONE, 2010, 5, e15621.	2.5	92
12	Safety and efficacy of fluoxetine on functional outcome after acute stroke (AFFINITY): a randomised, double-blind, placebo-controlled trial. Lancet Neurology, The, 2020, 19, 651-660.	10.2	90
13	Factors Associated With Older Patients' Engagement in Exercise After Hospital Discharge. Archives of Physical Medicine and Rehabilitation, 2011, 92, 1395-1403.	0.9	83
14	Falls After Discharge From Hospital: Is There a Gap Between Older Peoples' Knowledge About Falls Prevention Strategies and the Research Evidence?. Gerontologist, The, 2011, 51, 653-662.	3.9	83
15	Deprescribing in older people. Maturitas, 2016, 91, 115-134.	2.4	70
16	Cytochrome P450 metabolites of arachidonic acid are elevated in stroke patients compared with healthy controls. Clinical Science, 2011, 121, 501-507.	4.3	65
17	A pilot randomized controlled trial of deprescribing. Therapeutic Advances in Drug Safety, 2011, 2, 37-43.	2.4	62
18	Evaluation of the Sustained Effect of Inpatient Falls Prevention Education and Predictors of Falls After Hospital Discharge–Follow-up to a Randomized Controlled Trial. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2011, 66A, 1001-1012.	3.6	58

#	Article	lF	Citations
19	Cost effectiveness of patient education for the prevention of falls in hospital: economic evaluation from a randomized controlled trial. BMC Medicine, 2013, 11, 135.	5.5	56
20	Use of Potentially Harmful Medications and Health-Related Quality of Life among People with Dementia Living in Residential Aged Care Facilities. Dementia and Geriatric Cognitive Disorders Extra, 2012, 2, 361-371.	1.3	53
21	Contributors to cognitive impairment in congestive heart failure: a pilot case–control study. Internal Medicine Journal, 2009, 39, 600-605.	0.8	51
22	Tailored Education for Older Patients to Facilitate Engagement in Falls Prevention Strategies after Hospital Dischargeâ€"A Pilot Randomized Controlled Trial. PLoS ONE, 2013, 8, e63450.	2.5	51
23	Dietary Patterns Are Associated with Cognition among Older People with Mild Cognitive Impairment. Nutrients, 2012, 4, 1542-1551.	4.1	43
24	Brain and mood changes over 2 years in healthy controls and adults with heart failure and ischaemic heart disease. European Journal of Heart Failure, 2013, 15, 850-858.	7.1	42
25	Measurement properties of the Health Literacy Questionnaire (HLQ) among older adults who present to the emergency department after a fall: a Rasch analysis. BMC Health Services Research, 2017, 17, 605.	2.2	42
26	Evaluation of RESPOND, a patient-centred program to prevent falls in older people presenting to the emergency department with a fall: A randomised controlled trial. PLoS Medicine, 2019, 16, e1002807.	8.4	42
27	Stroke management: updated recommendations for treatment along the care continuum. Internal Medicine Journal, 2012, 42, 562-569.	0.8	40
28	Systemic markers of inflammation are independently associated with S100B concentration: results of an observational study in subjects with acute ischaemic stroke. Journal of Neuroinflammation, 2010, 7, 71.	7.2	39
29	Two-year course of cognitive function and mood in adults with congestive heart failure and coronary artery disease: the Heart-Mind Study. International Psychogeriatrics, 2012, 24, 38-47.	1.0	39
30	Medication appropriateness tool for coâ€morbid health conditions in dementia: consensus recommendations from a multidisciplinary expert panel. Internal Medicine Journal, 2016, 46, 1189-1197.	0.8	38
31	Deprescribing in frail older people – Do doctors and pharmacists agree?. Research in Social and Administrative Pharmacy, 2016, 12, 438-449.	3.0	38
32	â€~My independent streak may get in the way': how older adults respond to falls prevention education in hospital. BMJ Open, 2016, 6, e012363.	1.9	36
33	Liver unit admission following paracetamol overdose with concentrations below current UK treatment thresholds. QJM - Monthly Journal of the Association of Physicians, 2006, 100, 93-96.	0.5	35
34	Organisational Culture in Residential Aged Care Facilities: A Cross-Sectional Observational Study. PLoS ONE, 2013, 8, e58002.	2.5	34
35	Reducing falls in older adults recently discharged from hospital: a systematic review and meta-analysis. Age and Ageing, 2018, 47, 512-519.	1.6	34
36	Effect of Long-Term Homocysteine Reduction with B Vitamins on Arterial Wall Inflammation Assessed by Fluorodeoxyglucose Positron Emission Tomography: A Randomised Double-Blind, Placebo-Controlled Trial. Cerebrovascular Diseases, 2009, 27, 259-265.	1.7	33

#	Article	IF	Citations
37	Prescribing for Australians living with dementia: study protocol using the Delphi technique. BMJ Open, 2015, 5, e008048.	1.9	33
38	A Cluster-Randomised Trial of Staff Education to Improve the Quality of Life of People with Dementia Living in Residential Care: The DIRECT Study. PLoS ONE, 2011, 6, e28155.	2.5	31
39	Development and evaluation of an educational intervention for general practitioners and staff caring for people with dementia living in residential facilities. International Psychogeriatrics, 2011, 23, 221-229.	1.0	29
40	A Randomized Placebo Controlled Trial of Early Treatment of Acute Ischemic Stroke with Atorvastatin and Irbesartan. International Journal of Stroke, 2012, 7, 104-111.	5.9	29
41	Educators' perspectives about how older hospital patients can engage in a falls prevention education programme: a qualitative process evaluation. BMJ Open, 2015, 5, e009780.	1.9	28
42	Optimisation of medications used in residential aged care facilities: a systematic review and meta-analysis of randomised controlled trials. BMC Geriatrics, 2020, 20, 236.	2.7	28
43	Coronary heart disease is associated with regional grey matter volume loss: implications for cognitive function and behaviour. Internal Medicine Journal, 2008, 38, 599-606.	0.8	26
44	A clinical trial of nurse practitioner care in residential aged care facilities. Archives of Gerontology and Geriatrics, 2018, 77, 129-132.	3.0	26
45	Multifactorial falls prevention programmes for older adults presenting to the emergency department with a fall: systematic review and meta-analysis. Injury Prevention, 2019, 25, 557-564.	2.4	26
46	Falls After Hospital Discharge: A Randomized Clinical Trial of Individualized Multimodal Falls Prevention Education. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 74, 1511-1517.	3.6	26
47	Development of a Consensus List of Potentially Inappropriate Medications for Korean Older Adults. Annals of Geriatric Medicine and Research, 2018, 22, 121-129.	1.8	26
48	Current experiences and educational preferences of general practitioners and staff caring for people with dementia living in residential facilities. BMC Geriatrics, 2009, 9, 36.	2.7	25
49	Anticholinergic burden in older women: not seeing the wood for the trees?. Medical Journal of Australia, 2015, 202, 91-94.	1.7	25
50	Increasing patient activation through diabetes self-management education: Outcomes of DESMOND in regional Western Australia. Patient Education and Counseling, 2020, 103, 848-853.	2.2	25
51	Traditional Risk Factors for Incident Cardiovascular Events Have Limited Importance in Later Life Compared With the Health in Men Study Cardiovascular Risk Score. Stroke, 2011, 42, 952-959.	2.0	24
52	A concept analysis of deprescribing medications in older people. Journal of Pharmacy Practice and Research, 2018, 48, 132-148.	0.8	24
53	Evaluation of the effect of patient education on rates of falls in older hospital patients: Description of a randomised controlled trial. BMC Geriatrics, 2009, 9, 14.	2.7	22
54	Awareness of Cognitive Deficits in Older Adults With Cognitive-impairment-no-dementia (CIND). Alzheimer Disease and Associated Disorders, 2011, 25, 24-33.	1.3	22

#	Article	IF	CITATIONS
55	A stepped-wedge cluster randomised controlled trial for evaluating rates of falls among inpatients in aged care rehabilitation units receiving tailored multimedia education in addition to usual care: a trial protocol. BMJ Open, 2014, 4, e004195.	1.9	21
56	RESPOND $\hat{a}\in$ "a patient-centred programme to prevent secondary falls in older people presenting to the emergency department with a fall: protocol for a multicentre randomised controlled trial. Injury Prevention, 2015, 21, e1-e1.	2.4	21
57	Effectiveness of complex falls prevention interventions in residential aged care settings. JBI Database of Systematic Reviews and Implementation Reports, 2018, 16, 973-1002.	1.7	21
58	A research approach for coâ€designing education with healthcare consumers. Medical Education, 2021, 55, 574-581.	2.1	20
59	Deprescribing in older people. Australian Prescriber, 2020, 43, 114-120.	1.0	20
60	Perspectives of older adults regarding barriers and enablers to engaging in fall prevention activities after hospital discharge. Health and Social Care in the Community, 2020, 28, 1710-1722.	1.6	19
61	Evaluating the impact of a falls prevention community of practice in a residential aged care setting: a realist approach. BMC Health Services Research, 2018, 18, 21.	2.2	18
62	Evaluation of Tailored Falls Education on Older Adults' Behavior Following Hospitalization. Journal of the American Geriatrics Society, 2019, 67, 2274-2281.	2.6	18
63	The fitness for the Ageing Brain Study II (FABS II): protocol for a randomized controlled clinical trial evaluating the effect of physical activity on cognitive function in patients with Alzheimer's disease. Trials, 2010, 11, 120.	1.6	17
64	Do photographs, older adults $\hat{a} \in \mathbb{N}$ narratives and collaborative dialogue foster anticipatory reflection ( $\hat{a} \in \mathbb{C}$ ) in medical students?. BMC Medical Education, 2016, 16, 289.	2.4	17
65	Reducing falls after hospital discharge: a protocol for a randomised controlled trial evaluating an individualised multimodal falls education programme for older adults. BMJ Open, 2017, 7, e013931.	1.9	17
66	Undiagnosing to prevent overprescribing. Maturitas, 2019, 123, 67-72.	2.4	17
67	Homocysteine, Grey Matter and Cognitive Function in Adults with Cardiovascular Disease. PLoS ONE, 2012, 7, e33345.	2.5	16
68	â€~It promoted a positive culture around falls prevention': staff response to a patient education programme—a qualitative evaluation. BMJ Open, 2016, 6, e013414.	1.9	14
69	Potentially suboptimal prescribing of medicines for older Aboriginal Australians in remote areas. Medical Journal of Australia, 2019, 211, 119-125.	1.7	14
70	Depression Outcomes Among Patients Treated With Fluoxetine for Stroke Recovery. JAMA Neurology, 2021, 78, 1072.	9.0	14
71	Dementia in residential care: education intervention trial (DIRECT); protocol for a randomised controlled trial. Trials, 2010, 11, 63.	1.6	13
72	Expanding the Caring Lens: Nursing and Medical Students Reflecting on Images of Older People. Gerontology and Geriatrics Education, 2016, 37, 167-184.	0.8	13

#	Article	IF	CITATIONS
73	The patterns and implications of potentially suboptimal medicine regimens among older adults: a narrative review. Therapeutic Advances in Drug Safety, 2022, 13, 204209862211001.	2.4	13
74	Use of a risk nomogram to predict emergency department reattendance in older people after discharge: a validation study. Internal and Emergency Medicine, 2015, 10, 481-487.	2.0	12
<b>7</b> 5	Medication use to manage comorbidities for people with dementia: a systematic review. Journal of Pharmacy Practice and Research, 2018, 48, 356-367.	0.8	12
76	A Tailored Music-Motor Therapy and Real-Time Biofeedback Mobile Phone App (â€~GotRhythm') to Promote Rehabilitation Following Stroke: A Pilot Study. Neuroscience Insights, 2022, 17, 263310552211005.	1.6	12
77	Rating the quality of life of people with dementia living in residential care facilities in routine research practice. Age and Ageing, 2008, 38, 343-346.	1.6	11
78	Acute stroke and transient ischaemic attack management – time to act fast. Internal Medicine Journal, 2009, 39, 325-331.	0.8	11
79	Vascular cognitive impairment in dementia. Maturitas, 2014, 79, 220-226.	2.4	11
80	Grey Matter Changes Associated with Deficit Awareness in Mild Cognitive Impairment: A Voxel-Based Morphometry Study. Journal of Alzheimer's Disease, 2014, 42, 1251-1259.	2.6	11
81	Depressive symptoms and adverse outcomes from hospitalization in older adults: Secondary outcomes of a trial of falls prevention education. Archives of Gerontology and Geriatrics, 2015, 60, 96-102.	3.0	11
82	Depth of Field: Using photographs and narratives to explore and reflect on ageing. Reflective Practice, 2016, 17, 676-680.	1.4	11
83	Using a community of practice to evaluate falls prevention activity in a residential aged care organisation: a clinical audit. Australian Health Review, 2017, 41, 13.	1.1	11
84	Integrate healthcare to provide multidisciplinary consumerâ€centred medication management: report from a working group formed from the National Stakeholders' Meeting for the Quality Use of Medicines to Optimise Ageing in Older Australians. Journal of Pharmacy Practice and Research, 2018, 48, 459-466.	0.8	11
85	A mixed methods process evaluation of a person-centred falls prevention program. BMC Health Services Research, 2019, 19, 906.	2.2	11
86	Generating Real-World Evidence on the Quality Use, Benefits and Safety of Medicines in Australia: History, Challenges and a Roadmap for the Future. International Journal of Environmental Research and Public Health, 2021, 18, 13345.	2.6	11
87	Nurse led care coordination: Trial protocol and development of a best practice resource guide for a cluster controlled clinical trial in Australian aged care facilities. Archives of Gerontology and Geriatrics, 2014, 58, 15-19.	3.0	10
88	A randomized controlled trial of physical activity with individual goal-setting and volunteer mentors to overcome sedentary lifestyle in older adults at risk of cognitive decline: the INDIGO trial protocol. BMC Geriatrics, 2017, 17, 215.	2.7	10
89	Impact of tailored falls prevention education for older adults at hospital discharge on engagement in falls prevention strategies postdischarge: protocol for a process evaluation. BMJ Open, 2018, 8, e020726.	1.9	10
90	Exploring stakeholder roles in medication management for people living with dementia. Research in Social and Administrative Pharmacy, 2021, 17, 707-714.	3.0	10

#	Article	IF	Citations
91	Attitudes to Drug Use in Residential Aged Care Facilities: A Cross-Sectional Survey of Nurses and Care Staff. Drugs and Aging, 2021, 38, 697-711.	2.7	10
92	Statin Therapy and Cognition in Older People: What is the Evidence?. Current Clinical Pharmacology, 2015, 10, 185-193.	0.6	10
93	Perception of worsening health predicts mortality in older men: The Health in Men Study (HIMS). Archives of Gerontology and Geriatrics, 2012, 55, 363-368.	3.0	9
94	Exploring the enablers and barriers to implementing the Medication Appropriateness Tool for Comorbid Health conditions during Dementia (MATCH-D) criteria in Australia: a qualitative study. BMJ Open, 2017, 7, e017906.	1.9	9
95	Development and evaluation of an organisational culture change intervention in residential aged care facilities. Australasian Journal on Ageing, 2020, 39, 56-63.	0.9	9
96	Scoping Review: Intergenerational Resource Transfer and Possible Enabling Factors. International Journal of Environmental Research and Public Health, 2020, 17, 7868.	2.6	9
97	Anticholinergics and clinical outcomes amongst people with pre-existing dementia: A systematic review. Maturitas, 2021, 151, 1-14.	2.4	9
98	Applicability of explicit potentially inappropriate medication lists to the Australian context: A systematic review. Australasian Journal on Ageing, 2022, 41, 200-221.	0.9	9
99	Students and Teachers' Preferences for Undergraduate Dementia Education in Western Australia. Gerontology and Geriatrics Education, 2011, 32, 273-290.	0.8	8
100	Investigating the impact of a falls prevention community of practice in a residential agedâ€care setting: a mixed methods study protocol. Journal of Advanced Nursing, 2015, 71, 2977-2986.	3.3	8
101	Demystifying aged care for medical students. Clinical Teacher, 2017, 14, 100-103.	0.8	8
102	Survey of Australasian geriatricians' satisfaction with, and preferences for, continuing professional development. Internal Medicine Journal, 2016, 46, 805-811.	0.8	7
103	Models for community based day care for older people: A narrative review. Cogent Social Sciences, 2016, 2, 1267301.	1.1	7
104	Comparison of the HUI3 and the EQ-5D-3L in a nursing home setting. PLoS ONE, 2017, 12, e0172796.	2.5	7
105	Choosing a medication brand: Excipients, food intolerance and prescribing in older people. Maturitas, 2018, 107, 103-109.	2.4	7
106	A systematic review of frailty education programs for health care professionals. Australasian Journal on Ageing, 2022, 41, .	0.9	7
107	Long-term mortality following stroke, myocardial infarction and fractured neck of femur in Western Australia. Internal Medicine Journal, 2007, 37, 815-819.	0.8	6
108	Deprescribing: a guide for medication reviews. Journal of Pharmacy Practice and Research, 2016, 46, 358-367.	0.8	6

#	Article	IF	Citations
109	Does Free-Text Information in Falls Incident Reports Assist to Explain How and Why the Falls Occurred in a Hospital Setting?. Journal of Patient Safety, 2018, Publish Ahead of Print, e1472-e1479.	1.7	6
110	Evaluation of care staff knowledge, confidence, motivation and opportunity for preventing falls in residential aged care settings: A crossâ€sectional survey. International Journal of Older People Nursing, 2019, 14, e12224.	1.3	6
111	Memory loss. Medical Journal of Australia, 2012, 196, 114-117.	1.7	5
112	RAndomised controlled trial to imProve depression and the quality of life of people with Dementia using cognitive bias modification: RAPID study protocol. BMJ Open, 2014, 4, e005623-e005623.	1.9	5
113	Incidence, risk factors and the healthcare cost of falls postdischarge after elective total hip and total knee replacement surgery: protocol for a prospective observational cohort study. BMJ Open, 2016, 6, e011139.	1.9	5
114	A randomized-controlled trial of a patient-centred intervention in high-risk discharged older patients. European Journal of Emergency Medicine, 2018, 25, 237-241.	1.1	5
115	Using MRI art, poetry, photography and patient narratives to bridge clinical and human experiences of stroke recovery. Medical Humanities, 2020, 46, 243-249.	1.2	5
116	Embracing Cultural Diversity – Leadership Perspectives on Championing Meaningful Engagement for Residents Living with Advanced Dementia. Journal of Cross-Cultural Gerontology, 2020, 35, 49-67.	1.0	5
117	Measures Associated With Early, Late, and Persistent Clinically Significant Symptoms of Depression 1 Year After Stroke in the AFFINITY Trial. Neurology, 2022, 98, .	1.1	5
118	<scp>e</scp> â€ageing: Development and evaluation of a flexible online geriatric medicine educational resource for diverse learners. Australasian Journal on Ageing, 2013, 32, 222-228.	0.9	4
119	Prevalence of oropharyngeal antibiotic-resistant flora among residents of aged care facilities: a pilot study. Respirology, 2015, 20, 1139-1141.	2.3	4
120	RESPOND: a patient-centred programme to prevent secondary falls in older people presenting to the emergency department with a fall $\hat{\epsilon}$ protocol for a mixed methods programme evaluation. Injury Prevention, 2016, 22, 153-160.	2.4	4
121	Can a web-based community of practice be established and operated to lead falls prevention activity in residential care?. Geriatric Nursing, 2017, 38, 133-140.	1.9	4
122	Effectiveness of falls prevention interventions for older adults newly discharged from hospital: a systematic review protocol. JBI Database of Systematic Reviews and Implementation Reports, 2017, 15, 686-693.	1.7	4
123	Behavioural activation in nursing homes to treat depression (BAN-Dep): study protocol for a pragmatic randomised controlled trial. BMJ Open, 2019, 9, e032421.	1.9	4
124	Frailty, and not medicines with anticholinergic or sedative effects, predicts adverse outcomes in octogenarians admitted for myocardial infarction: Populationâ€level study. Australasian Journal on Ageing, 2021, 40, e155-e162.	0.9	4
125	A Randomized Controlled Trial on the Effects of a 6-Month Home-Based Physical Activity Program with Individual Goal-Setting and Volunteer Mentors on Physical Activity, Adherence, and Physical Fitness in Inactive Older Adults at Risk of Cognitive Decline: The INDIGO Study. Journal of Alzheimer's Disease. 2021. 84. 207-226.	2.6	4
126	Developing PHarmacie-R: A bedside risk prediction tool with a medicines management focus to identify risk of hospital readmission. Research in Social and Administrative Pharmacy, 2022, 18, 3137-3148.	3.0	4

#	Article	IF	Citations
127	Incidence and Associated Risk Factors for Falls in Older Adults Postdischarge Who Undergo Elective Total Hip Replacement Surgery—A Prospective Cohort Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 1814-1820.	3.6	4
128	The efficacy of deprescribing interventions on health outcomes in people aged over 65 years: a systematic review protocol. JBI Database of Systematic Reviews and Implementation Reports, 2014, 12, 124-134.	1.7	3
129	The effect of complex falls prevention interventions on falls in residential aged care settings. JBI Database of Systematic Reviews and Implementation Reports, 2017, 15, 236-244.	1.7	3
130	RESPOND: a programme to prevent secondary falls in older people presenting to the emergency department with a fall: protocol for an economic evaluation. Injury Prevention, 2017, 23, 124-130.	2.4	3
131	Evaluation of older people's knowledge, awareness, motivation and perceptions about falls and falls prevention in residential aged care homes: a tale of two cities. Ageing and Society, 2019, 39, 2541-2559.	1.7	3
132	The Well-Being of Carers of Older Aboriginal People Living in the Kimberley Region of Remote Western Australia: Empowerment, Depression, and Carer Burden. Journal of Applied Gerontology, 2021, 40, 693-702.	2.0	3
133	Mild cognitive impairment: To diagnose or not to diagnose. Australasian Journal on Ageing, 2021, 40, 111-115.	0.9	3
134	Incidence and Associated Risk Factors for Falls in Older Adults After Elective Total Knee Replacement Surgery. American Journal of Physical Medicine and Rehabilitation, 2022, 101, 454-459.	1.4	3
135	Tailored Education Increased Capability and Motivation for Fall Prevention in Older People After Hospitalization. Frontiers in Public Health, 2021, 9, 683723.	2.7	3
136	Effect of frailty on initiation of statins following incident acute coronary syndromes in patients aged ≥75 years. Maturitas, 2021, 153, 13-18.	2.4	3
137	Aged care staff perceptions of an online training program for responsive behaviours of residents with dementia. Australasian Journal on Ageing, 2021, , .	0.9	3
138	End of life care for older people admitted to hospital. Australasian Journal on Ageing, 2004, 23, 58-62.	0.9	2
139	Informing deprescribing decisions in older people: does the Product Information contain advice on medication use for older people and medication withdrawal?. Journal of Pharmacy Practice and Research, 2018, 48, 149-157.	0.8	2
140	Prevalence of frailty and pain in hospitalised adult patients in an acute hospital: a protocol for a point prevalence observational study. BMJ Open, 2021, 11, e046138.	1.9	2
141	Fall prevention education for older people being discharged from hospital: Educators' perspectives. Health Education Journal, 2021, 80, 908-920.	1.2	2
142	Reflecting on experiences of care: an exploratory qualitative descriptive study of the perspectives of stroke survivors, families and staff. BMJ Open, $2021, 11, e047559$ .	1,9	2
143	Pattern of prescription of psychotropics (antipsychotics, antidepressants and benzodiazepines) in Western Australian residential aged care facilities. Internal Medicine Journal, 2021, 51, 2140-2143.	0.8	2
144	Light acupuncture and five-element music therapy for nurses' mental health and well-being during and post-COVID-19: protocol for a randomised cross-over feasibility study. BMJ Open, 2022, 12, e057106.	1.9	2

#	Article	IF	CITATIONS
145	Systemic vascular function, measured with forearm flow mediated dilatation, in acute and stable cerebrovascular disease: a case-control study. Cardiovascular Ultrasound, 2010, 8, 46.	1.6	1
146	Systemic arterial inflammation, measured with 18FDG-PET, is common amongst subjects with both recent and prior cerebrovascular disease. Clinical Neurology and Neurosurgery, 2012, 114, 613-616.	1.4	1
147	Undiagnosing: Correcting the medical record to prevent over-intervention. Case Reports in Women's Health, 2019, 23, e00133.	0.5	1
148	â€~Everyone's nice, but …': A qualitative exploration of trainees' experiences of postgraduate geriatric medicine training in Australia. Australasian Journal on Ageing, 2021, , .	0.9	1
149	Development of a Toolkit to support sustainable culture change in residential aged care. Australasian Journal on Ageing, 2021, 40, 77-83.	0.9	1
150	Can big data improve the lives of people living, and dying, in residential aged care?. Maturitas, 2022, 166, 117-118.	2.4	1
151	Effectiveness of nurse-led volunteer support and technology-driven pain assessment in improving the outcomes of hospitalised older adults: protocol for a cluster randomised controlled trial. BMJ Open, 2022, 12, e059388.	1.9	1
152	The Medicines Intelligence Centre of Research Excellence: Co-creating real-world evidence to support the evidentiary needs of Australian regulators and payers International Journal of Population Data Science, 2021, 6, .	0.1	1
153	Is Use of "Feeders―Demeaning to Older People?. Journal of the American Medical Directors Association, 2008, 9, 454.	2.5	O
154	Feedback on the Clinical Practice Guidelines for the Management of Delirium in Older People in Australia. Australasian Journal on Ageing, 2009, 28, 98-98.	0.9	0
155	Multiresistant Escherichia coli in aged care: the gathering storm. Medical Journal of Australia, 2011, 195, 489-490.	1.7	O
156	Poisoning among older people with dementia: a wake up call. International Psychogeriatrics, 2015, 27, 1755-1756.	1.0	0
157	Evaluating a Novel Multifactorial Falls Prevention Activity Programme for Community-Dwelling Older People After Stroke: A Mixed-Method Feasibility Study. Clinical Interventions in Aging, 2020, Volume 15, 1099-1112.	2.9	0
158	Transcranial Direct Current Stimulation to Optimise Participation in Stroke Rehabilitation – A Sham-Controlled Cross-Over Feasibility Study. Neuroscience Insights, 2020, 15, 263310552092218.	1.6	0
159	Strong Carers, Strong Communities: a cluster randomised controlled trial to improve wellbeing of family carers of older people in remote Aboriginal communities. Rural and Remote Health, 2021, 21, 6078.	0.5	O
160	Holistic approach to undifferentiated acute severe behavioural disturbance in older emergency department patients. EMA - Emergency Medicine Australasia, 2021, 33, 1100-1105.	1.1	0
161	Letter to the Editor: Deprescribing in older people: helpful tools and proton pump inhibitors. Australian Prescriber, 2020, 43, 184-184.	1.0	O
162	Why is the use of inappropriate medicines so high in Aboriginal Australians?. International Psychogeriatrics, 2021, , 1-5.	1.0	0