Ingmar Skoog

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7086732/publications.pdf

Version: 2024-02-01

339 papers

23,372 citations

75 h-index 9861

g-index

372 all docs

372 docs citations

times ranked

372

21746 citing authors

#	Article	IF	CITATIONS
1	15-year longitudinal study of blood pressure and dementia. Lancet, The, 1996, 347, 1141-1145.	13.7	1,579
2	The Study on Cognition and Prognosis in the Elderly (SCOPE). Journal of Hypertension, 2003, 21, 875-886.	0.5	1,251
3	A Population-Based Study of Dementia in 85-Year-Olds. New England Journal of Medicine, 1993, 328, 153-158.	27.0	697
4	A systematic review including meta-analysis of work environment and depressive symptoms. BMC Public Health, 2015, 15, 738.	2.9	676
5	An 18-Year Follow-up of Overweight and Risk of Alzheimer Disease. Archives of Internal Medicine, 2003, 163, 1524.	3.8	671
6	Development of the EURO–D scale – a European Union initiative to compare symptoms of depression in 14 European centres. British Journal of Psychiatry, 1999, 174, 330-338.	2.8	612
7	Brain charts for the human lifespan. Nature, 2022, 604, 525-533.	27.8	518
8	The changing prevalence and incidence of dementia over time â€" current evidence. Nature Reviews Neurology, 2017, 13, 327-339.	10.1	503
9	Vascular dysfunction—The disregarded partner of Alzheimer's disease. Alzheimer's and Dementia, 2019, 15, 158-167.	0.8	454
10	A systematic review including meta-analysis of work environment and burnout symptoms. BMC Public Health, 2017, 17, 264.	2.9	442
11	A genome-wide association study with 1,126,563 individuals identifies new risk loci for Alzheimer's disease. Nature Genetics, 2021, 53, 1276-1282.	21.4	430
12	Tau and AÎ ² 42 in Cerebrospinal Fluid from Healthy Adults 21–93 Years of Age: Establishment of Reference Values. Clinical Chemistry, 2001, 47, 1776-1781.	3.2	420
13	Long-Term Risks of Death and Institutionalization of Elderly People in Relation to Deficit Accumulation at Age 70. Journal of the American Geriatrics Society, 2006, 54, 975-979.	2.6	394
14	Prevalence of Depression and Its Treatment in an Elderly Population: The Cache County Study. Archives of General Psychiatry, 2000, 57, 601-607.	12.3	362
15	Vascular cognitive impairment. Nature Reviews Disease Primers, 2018, 4, 18003.	30.5	358
16	Antihypertensive Medication Use and Incident Alzheimer Disease. Archives of Neurology, 2006, 63, 686.	4.5	325
17	Dementia in western Europe: epidemiological evidence and implications for policy making. Lancet Neurology, The, 2016, 15, 116-124.	10.2	322
18	Prevalence of idiopathic normal-pressure hydrocephalus. Neurology, 2014, 82, 1449-1454.	1.1	314

#	Article	IF	CITATIONS
19	Duration of preclinical, prodromal, and dementia stages of Alzheimer's disease in relation to age, sex, and <i>APOE</i> genotype. Alzheimer's and Dementia, 2019, 15, 888-898.	0.8	290
20	Mental Disorder in Elderly Suicides: A Case-Control Study. American Journal of Psychiatry, 2002, 159, 450-455.	7.2	261
21	Update on hypertension and Alzheimer's disease. Neurological Research, 2006, 28, 605-611.	1.3	256
22	Progress toward standardized diagnosis of vascular cognitive impairment: Guidelines from the Vascular Impairment of Cognition Classification Consensus Study. Alzheimer's and Dementia, 2018, 14, 280-292.	0.8	246
23	Midlife psychological stress and risk of dementia: a 35-year longitudinal population study. Brain, 2010, 133, 2217-2224.	7.6	240
24	Twenty-seven-year time trends in dementia incidence in Europe and the United States. Neurology, 2020, 95, e519-e531.	1.1	227
25	Blood Pressure and Risk of Dementia: Results from the Rotterdam Study and the Gothenburg H-70 Study. Dementia and Geriatric Cognitive Disorders, 2001, 12, 33-39.	1.5	222
26	A population study on blood-brain barrier function in 85-year-olds. Neurology, 1998, 50, 966-971.	1.1	215
27	Depression symptoms in late life assessed using the EURO–D scale. British Journal of Psychiatry, 1999, 174, 339-345.	2.8	202
28	Cerebrospinal Fluid Beta-Amyloid 42 Is Reduced before the Onset of Sporadic Dementia: A Population-Based Study in 85-Year-Olds. Dementia and Geriatric Cognitive Disorders, 2003, 15, 169-176.	1.5	170
29	Body Mass Index, Other Cardiovascular Risk Factors, and Hospitalization for Dementia. Archives of Internal Medicine, 2005, 165, 321.	3.8	168
30	Attempted Suicide in the Elderly: Characteristics of Suicide Attempters 70 Years and Older and a General Population Comparison Group. American Journal of Geriatric Psychiatry, 2010, 18, 57-67.	1.2	164
31	Protein Analysis in Cerebrospinal Fluid. European Neurology, 1993, 33, 129-133.	1.4	162
32	Effect of Baseline Cognitive Function and Antihypertensive Treatment on Cognitive and Cardiovascular Outcomes: Study on COgnition and Prognosis in the Elderly (SCOPE). American Journal of Hypertension, 2005, 18, 1052-1059.	2.0	161
33	Plasma and CSF neurofilament light. Neurology, 2019, 93, e252-e260.	1.1	160
34	Prevalence of depression: Comparisons of different depression definitions in population-based samples of older adults. Journal of Affective Disorders, 2017, 221, 123-131.	4.1	149
35	Dementia: The leading predictor of death in a defined elderly population. Neurology, 2004, 62, 1156-1162.	1.1	145
36	The Vascular Impairment of Cognition Classification Consensus Study. Alzheimer's and Dementia, 2017, 13, 624-633.	0.8	143

#	Article	IF	Citations
37	Common variants in Alzheimer's disease and risk stratification by polygenic risk scores. Nature Communications, 2021, 12, 3417.	12.8	140
38	Physical health and depressive symptoms in older Europeans. British Journal of Psychiatry, 2005, 187, 35-42.	2.8	139
39	Sleep Disturbances in Midlife Unrelated to 32-Year Diabetes Incidence. Diabetes Care, 2005, 28, 2739-2744.	8.6	137
40	Religion as a cross-cultural determinant of depression in elderly Europeans: results from the EURODEP collaboration. Psychological Medicine, 2001, 31, 803-814.	4.5	136
41	The incidence of first-onset depression in a population followed from the age of 70 to 85. Psychological Medicine, 2001, 31, 1159-1168.	4.5	133
42	A population study of apoE genotype at the age of 85: relation to dementia, cerebrovascular disease, and mortality. Journal of Neurology, Neurosurgery and Psychiatry, 1998, 64, 37-43.	1.9	130
43	Suicidal feelings in the last year of life in elderly people who commit suicide. Lancet, The, 1999, 354, 917-918.	13.7	129
44	Blood Pressure Trajectories From Midlife to Late Life in Relation to Dementia in Women Followed for 37 Years. Hypertension, 2012, 59, 796-801.	2.7	129
45	Midlife cardiovascular fitness and dementia. Neurology, 2018, 90, e1298-e1305.	1.1	128
46	Suicidal feelings in a population sample of nondemented 85-year-olds. American Journal of Psychiatry, 1996, 153, 1015-1020.	7.2	123
47	Tackling challenges in care of Alzheimer's disease and other dementias amid the COVIDâ€19 pandemic, now and in the future. Alzheimer's and Dementia, 2020, 16, 1571-1581.	0.8	122
48	Psychotic Symptoms and Paranoid Ideation in a Nondemented Population–Based Sample of the Very Old. Archives of General Psychiatry, 2002, 59, 53.	12.3	121
49	The relationship between blood pressure and dementia: a review. Biomedicine and Pharmacotherapy, 1997, 51, 367-375.	5 . 6	117
50	Mental Disorders and the Use of Psychotropic Drugs in an 85-Year-Old Urban Population. International Psychogeriatrics, 1993, 5, 33-48.	1.0	110
51	Depressive Disorders After 20 Months in Elderly Stroke Patients. Stroke, 2007, 38, 1860-1863.	2.0	110
52	Seven-Year Survival Rate After Age 85 Years: Relation to Alzheimer Disease and Vascular Dementia. Archives of Neurology, 1998, 55, 1226-1232.	4.5	110
53	A Population-Based Study on Blood Pressure and Brain Atrophy in 85-Year-Olds. Hypertension, 1998, 32, 404-409.	2.7	108
54	Depression, subthreshold depression and comorbid anxiety symptoms in older Europeans: Results from the EURODEP concerted action. Journal of Affective Disorders, 2014, 155, 266-272.	4.1	105

#	Article	IF	CITATIONS
55	Cognitive and physical activity and dementia. Neurology, 2019, 92, e1322-e1330.	1.1	105
56	Plasma amyloidâ \in î² and risk of Alzheimer's disease in the Framingham Heart Study. Alzheimer's and Dementia, 2015, 11, 249.	0.8	101
57	Midlife personality and risk of Alzheimer disease and distress. Neurology, 2014, 83, 1538-1544.	1.1	100
58	Hypertension, hypertension-clustering factors and Alzheimer's disease. Neurological Research, 2003, 25, 675-680.	1.3	98
59	Prevalence Estimates of Amyloid Abnormality Across the Alzheimer Disease Clinical Spectrum. JAMA Neurology, 2022, 79, 228.	9.0	97
60	Cognitive Impairment and Dementia 20 Months after Stroke. Neuroepidemiology, 2004, 23, 45-52.	2.3	96
61	The Relationship Between Cerebrospinal Fluid Biomarkers and Depression in Elderly Women. American Journal of Geriatric Psychiatry, 2007, 15, 832-838.	1.2	96
62	Modifiable Risk Factors for Prevention ofÂDementia in Midlife, Late Life and the Oldest-Old: Validation of the LIBRA Index. Journal of Alzheimer's Disease, 2017, 58, 537-547.	2.6	95
63	A Populationâ€Based Study on the Incidence of Dementia Disorders Between 85 and 88 Years of Age. Journal of the American Geriatrics Society, 1996, 44, 1455-1460.	2.6	92
64	A PROSPECTIVE POPULATION STUDY OF PSYCHOSOCIAL RISK FACTORS FOR LATE ONSET DEMENTIA. International Journal of Geriatric Psychiatry, 1996, 11, 15-22.	2.7	91
65	Psychiatric Disorders in the Elderly. Canadian Journal of Psychiatry, 2011, 56, 387-397.	1.9	91
66	The Gothenburg H70 Birth cohort study 2014–16: design, methods and study population. European Journal of Epidemiology, 2019, 34, 191-209.	5.7	89
67	A nonsynonymous mutation in PLCG2 reduces the risk of Alzheimer's disease, dementia with Lewy bodies and frontotemporal dementia, and increases the likelihood of longevity. Acta Neuropathologica, 2019, 138, 237-250.	7.7	87
68	Midlife respiratory function and Incidence of Alzheimer's disease: A 29-year longitudinal study in women. Neurobiology of Aging, 2007, 28, 343-350.	3.1	86
69	The epidemiology of affective disorders in the elderly. International Clinical Psychopharmacology, 1997, 12, S3-S14.	1.7	85
70	Vascular factors in suspected normal pressure hydrocephalus. Neurology, 2016, 86, 592-599.	1.1	85
71	Sleep disturbances and dementia risk: A multicenter study. Alzheimer's and Dementia, 2018, 14, 1235-1242.	0.8	85
72	Depression, cerebral atrophy, cognitive performance and incidence of dementia. British Journal of Psychiatry, 1999, 174, 249-253.	2.8	84

#	Article	IF	CITATIONS
73	A Review on Blood Pressure and Ischaemic White Matter Lesions. Dementia and Geriatric Cognitive Disorders, 1998, 9, 13-19.	1.5	82
74	Is lateâ€onset Alzheimer's disease really a disease of midlife?. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2015, 1, 122-130.	3.7	82
75	Prevalence of preclinical Alzheimer disease. Neurology, 2018, 90, e1682-e1691.	1.1	82
76	The influence of white matter lesions on neuropsychological functioning in demented and non-demented 85-year-olds. Acta Neurologica Scandinavica, 1996, 93, 142-148.	2.1	81
77	The Prevalence of White-Matter Lesions on Computed Tomography of the Brain in Demented and Nondemented 85-Year-Olds. Journal of Geriatric Psychiatry and Neurology, 1994, 7, 169-175.	2.3	80
78	The prevalence of psychotic, depressive and anxiety syndromes in demented and nonâ€demented 85â€yearâ€olds. International Journal of Geriatric Psychiatry, 1993, 8, 247-253.	2.7	79
79	Investigation of antihypertensive class, dementia, and cognitive decline. Neurology, 2020, 94, e267-e281.	1.1	78
80	Higher CSF interleukin-6 and CSF interleukin-8 in current depression in older women. Results from a population-based sample. Brain, Behavior, and Immunity, 2014, 41, 55-58.	4.1	75
81	Psychiatric epidemiology of old age: the H70 study – the NAPE Lecture 2003. Acta Psychiatrica Scandinavica, 2004, 109, 4-18.	4.5	73
82	Participation bias in longitudinal studies: experience from the population study of women in Gothenburg, Sweden. Scandinavian Journal of Primary Health Care, 2003, 21, 242-247.	1.5	71
83	ARTEMIDA Trial (A Randomized Trial of Efficacy, 12 Months International Double-Blind Actovegin). Stroke, 2017, 48, 1262-1270.	2.0	71
84	A 9-Year Prospective Population-Based Study on the Association Between the APOE*E4 Allele and Late-Life Depression in Sweden. Biological Psychiatry, 2015, 78, 730-736.	1.3	70
85	A Population-based Study of tau Protein and Ubiquitin in Cerebrospinal Fluid in 85-year-olds: Relation to Severity of Dementia and Cerebral Atrophy, but not to the Apolipoprotein E4 Allele. Experimental Neurology, 1995, 4, 433-442.	1.7	67
86	Stroke in 85-Year-Olds. Stroke, 2003, 34, 2617-2622.	2.0	67
87	Depression as a Risk Factor for the Incidence of First-Ever Stroke in 85-Year-Olds. Stroke, 2008, 39, 1960-1965.	2.0	66
88	Association of Cerebrospinal Fluid Neurofilament Light Protein With Risk of Mild Cognitive Impairment Among Individuals Without Cognitive Impairment. JAMA Neurology, 2019, 76, 187.	9.0	66
89	The prevalence of frontal variant frontotemporal dementia and the frontal lobe syndrome in a population based sample of 85 year olds. Journal of Neurology, Neurosurgery and Psychiatry, 2003, 74, 867-871.	1.9	65
90	Silent and Symptomatic Infarcts on Cranial Computerized Tomography in Relation to Dementia and Mortality. Stroke, 2004, 35, 1816-1820.	2.0	64

#	Article	IF	Citations
91	Self-rated health and its association with mortality in older adults in China, India and Latin America—a 10/66 Dementia Research Group study. Age and Ageing, 2017, 46, 932-939.	1.6	64
92	Soluble aggregates present in cerebrospinal fluid change in size and mechanism of toxicity during Alzheimer's disease progression. Acta Neuropathologica Communications, 2019, 7, 120.	5.2	64
93	Decreasing prevalence of dementia in 85-year olds examined 22 years apart: the influence of education and stroke. Scientific Reports, 2017, 7, 6136.	3.3	63
94	The High Prevalence of Anxiety Disorders After Stroke. American Journal of Geriatric Psychiatry, 2016, 24, 154-160.	1.2	60
95	Cerebrospinal fluid monoamine metabolites in 114 healthy individuals 18–88 years of age. European Neuropsychopharmacology, 1993, 3, 55-61.	0.7	59
96	Dental anxiety in relation to mental health and personality factors. European Journal of Oral Sciences, 2001, 109, 27-33.	1.5	58
97	Urate and risk of Alzheimer's disease and vascular dementia: A populationâ€based study. Alzheimer's and Dementia, 2019, 15, 754-763.	0.8	58
98	Prevalence and symptoms of intracranial arachnoid cysts: a population-based study. Journal of Neurology, 2016, 263, 689-694.	3.6	57
99	Secular trends in the prevalence of dementia and depression in Swedish septuagenarians 1976–2006. Psychological Medicine, 2013, 43, 2627-2634.	4.5	56
100	Preclinical amyloid pathology biomarker positivity: effects on tau pathology and neurodegeneration. Translational Psychiatry, 2017, 7, e995-e995.	4.8	56
101	Depressive symptoms and risk of stroke: the Rotterdam Study. Journal of Neurology, Neurosurgery and Psychiatry, 2008, 79, 997-1001.	1.9	55
102	Diagnostic Criteria Influence Dementia Prevalence. American Journal of Geriatric Psychiatry, 2007, 15, 1034-1045.	1.2	53
103	Secular changes in cognitive predictors of dementia and mortality in 70-year-olds. Neurology, 2010, 75, 779-785.	1.1	51
104	Determinants of Sexual Activity in Four Birth Cohorts of Swedish 70â€yearâ€olds Examined 1971–2001. Journal of Sexual Medicine, 2014, 11, 401-410.	0.6	51
105	Functional disability and ability 75-year-olds: a comparison of two Swedish cohorts born 30 years apart. Age and Ageing, 2014, 43, 636-641.	1.6	51
106	Hypertension and Related Factors in the Etiology of Alzheimer's Disease. Annals of the New York Academy of Sciences, 2002, 977, 29-36.	3.8	50
107	Prevalence of CT-detected cerebral abnormalities in an elderly Swedish population sample. Acta Neurologica Scandinavica, 2008, 118, 260-267.	2.1	49
108	Transitions across cognitive states and death among older adults in relation to education: A multistate survival model using data from six longitudinal studies. Alzheimer's and Dementia, 2018, 14, 462-472.	0.8	47

#	Article	IF	Citations
109	Three-Year Incidence of First-Onset Depressive Syndrome in a Population Sample of Older Adults: The Cache County Study. American Journal of Geriatric Psychiatry, 2006, 14, 237-245.	1.2	45
110	Personality and risk for depression in a birth cohort of 70-year-olds followed for 15 years. Psychological Medicine, 2008, 38, 663-671.	4.5	45
111	Association of Systolic Blood Pressure With Dementia Risk and the Role of Age, U-Shaped Associations, and Mortality. JAMA Internal Medicine, 2022, 182, 142.	5.1	45
112	Five-year mortality in relation to dementia and cognitive function in 95-year-olds. Neurology, 2007, 69, 2069-2075.	1.1	44
113	The prevalence of depression in relation to cerebral atrophy and cognitive performance in 70- and 74-year-old women in Gothenburg. The Women's Health Study. Psychological Medicine, 2001, 31, 39-49.	4.5	41
114	Prevalence of Social Phobia in Non-Demented Elderly From a Swedish Population Study. American Journal of Geriatric Psychiatry, 2009, 17, 127-135.	1.2	41
115	Little evidence for different phenomenology in poststroke depression. Acta Psychiatrica Scandinavica, 2010, 121, 424-430.	4.5	41
116	STROKOG (stroke and cognition consortium): An international consortium to examine the epidemiology, diagnosis, and treatment of neurocognitive disorders in relation to cerebrovascular disease. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2017, 7, 11-23.	2.4	41
117	Mortality and risk of dementia in normalâ€pressure hydrocephalus: AÂpopulation study. Alzheimer's and Dementia, 2017, 13, 850-857.	0.8	41
118	Alcohol Use Disorder in Elderly Suicide Attempters: A Comparison Study. American Journal of Geriatric Psychiatry, 2013, 21, 196-203.	1.2	40
119	Estimated ventricle size using Evans index: reference values from a populationâ€based sample. European Journal of Neurology, 2017, 24, 468-474.	3.3	40
120	Dementia Disorders in a Birth Cohort Followed From Age 85 to 88: The Influence of Mortality, Refusal Rate, and Diagnostic Change on Prevalence. International Psychogeriatrics, 1997, 9, 11-23.	1.0	39
121	Physical Activity, Weight Status, Diabetes and Dementia: A 34-Year Follow-Up of the Population Study of Women in Gothenburg. Neuroepidemiology, 2014, 42, 252-259.	2.3	39
122	Birth cohort differences in fluid cognition in old age: Comparisons of trends in levels and change trajectories over 30 years in three population-based samples Psychology and Aging, 2015, 30, 83-94.	1.6	39
123	Comparison of variables associated with cerebrospinal fluid neurofilament, totalâ€ŧau, and neurogranin. Alzheimer's and Dementia, 2019, 15, 1437-1447.	0.8	38
124	Protein Analysis in Cerebrospinal Fluid. European Neurology, 1993, 33, 134-142.	1.4	37
125	Formulas for the quantitation of intrathecal IgG production. Journal of the Neurological Sciences, 1994, 121, 90-96.	0.6	37
126	Mental disorders among elderly people in primary care: the Linköping study. Acta Psychiatrica Scandinavica, 2001, 104, 12-18.	4.5	35

#	Article	IF	Citations
127	Longitudinal associations between physical activity and depression scores in Swedish women followed 32Âyears. Acta Psychiatrica Scandinavica, 2015, 132, 451-458.	4.5	35
128	Calcium supplementation and risk of dementia in women with cerebrovascular disease. Neurology, 2016, 87, 1674-1680.	1.1	35
129	Sarcopenic obesity and associations with mortality in older women and men – a prospective observational study. BMC Geriatrics, 2020, 20, 199.	2.7	35
130	A Populationâ€Based Study on Motor Performance and White Matter Lesions in Older Women. Journal of the American Geriatrics Society, 2000, 48, 967-970.	2.6	32
131	The incidence of first-onset psychotic symptoms and paranoid ideation in a representative population sample followed from age 70–90 years. Relation to mortality and later development of dementia. International Journal of Geriatric Psychiatry, 2007, 22, 520-528.	2.7	32
132	Antihypertensive treatment and dementia prevention. Lancet Neurology, The, 2008, 7, 664-665.	10.2	32
133	Temporal Lobe Atrophy and White Matter Lesions are Related to Major Depression over 5 years in the Elderly. Neuropsychopharmacology, 2010, 35, 2638-2645.	5.4	32
134	Population Neuroscience. Alzheimer Disease and Associated Disorders, 2018, 32, 1-9.	1.3	32
135	Predicting Fazekas scores from automatic segmentations of white matter signal abnormalities. Aging, 2020, 12, 894-901.	3.1	32
136	Reproductive period and dementia: A 44â€year longitudinal population study of Swedish women. Alzheimer's and Dementia, 2020, 16, 1153-1163.	0.8	31
137	Apolipoprotein E in Cerebrospinal Fluid in 85-Year-Old Subjects. Archives of Neurology, 1997, 54, 267.	4.5	30
138	A Population-Based Study on Brain Atrophy and Motor Performance in Elderly Women. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2001, 56, M633-M637.	3.6	30
139	Basal ganglia calcification and psychotic symptoms in the very old. International Journal of Geriatric Psychiatry, 2003, 18, 983-987.	2.7	30
140	White matter lesions and temporal lobe atrophy related to incidence of both dementia and major depression in 70â€yearâ€olds followed over 10Âyears. European Journal of Neurology, 2015, 22, 781.	3.3	29
141	Better Cognition in New Birth Cohorts of 70 Year Olds, But Greater Decline Thereafter. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2017, 72, 16-24.	3.9	29
142	Gait speed as predictor of transition into cognitive impairment: Findings from three longitudinal studies on aging. Experimental Gerontology, 2020, 129, 110783.	2.8	29
143	High rate of antidepressant treatment in elderly people who commit suicide. BMJ: British Medical Journal, 1996, 313, 1118-1118.	2.3	29
144	A population study on the influence of depression on neuropsychological functioning in 85-year-olds. Acta Psychiatrica Scandinavica, 2000, 101, 185-193.	4.5	28

#	Article	IF	CITATIONS
145	Psychotic Symptoms and Paranoid Ideation in a Population-Based Sample of 95-Year-Olds. American Journal of Geriatric Psychiatry, 2007, 15, 999-1004.	1.2	28
146	A Genetic Variant of the Sortilin 1 Gene isÂAssociated with Reduced Risk ofÂAlzheimer's Disease. Journal of Alzheimer's Disease, 2016, 53, 1353-1363.	2.6	28
147	ICC-dementia (International Centenarian Consortium - dementia): an international consortium to determine the prevalence and incidence of dementia in centenarians across diverse ethnoracial and sociocultural groups. BMC Neurology, 2016, 16, 52.	1.8	28
148	Sex differences in dementia and response to a lifestyle intervention: Evidence from Nordic populationâ€based studies and a prevention trial. Alzheimer's and Dementia, 2021, 17, 1166-1178.	0.8	28
149	Comparison of the 2010 and 2019 diagnostic criteria for sarcopenia by the European Working Group on Sarcopenia in Older People (EWGSOP) in two cohorts of Swedish older adults. BMC Geriatrics, 2021, 21, 600.	2.7	28
150	The influence of dementia on the prevalence of urinary and faecal incontinence in 85-year-old men and women. Archives of Gerontology and Geriatrics, 1994, 19, 11-20.	3.0	27
151	Nonlinear blood pressure effects on cognition in old age: Separating between-person and within-person associations Psychology and Aging, 2012, 27, 375-383.	1.6	27
152	Prevalence of cardiovascular disorders and risk factors in two 75-year-old birth cohorts examined in 1976–1977 and 2005–2006. Aging Clinical and Experimental Research, 2013, 25, 377-383.	2.9	27
153	Secular changes in the relation between social factors and depression: A study of two birth cohorts of Swedish septuagenarians followed for 5 years. Journal of Affective Disorders, 2013, 150, 245-252.	4.1	27
154	37 Years of Body Mass Index and Dementia: Effect Modification by the APOE Genotype: Observations from the Prospective Population Study of Women in Gothenburg, Sweden. Journal of Alzheimer's Disease, 2015, 48, 1119-1127.	2.6	27
155	The Distribution of Apolipoprotein E Genotype Over The Adult Lifespan and in Relation to Country of Birth. American Journal of Epidemiology, 2015, 181, 214-217.	3.4	27
156	Dementia incidence â€" the times, they are a-changing. Nature Reviews Neurology, 2016, 12, 316-318.	10.1	27
157	Sleep disturbances and later cognitive status: a multi-centre study. Sleep Medicine, 2018, 52, 26-33.	1.6	27
158	A vascular risk factor index in relation to mortality and incident dementia. European Journal of Neurology, 2006, 13, 514-521.	3.3	26
159	A population-based study on phobic fears and DSM-IV specific phobia in 70-year olds. Journal of Anxiety Disorders, 2011, 25, 148-153.	3.2	25
160	Albumin and depression in elderly stroke survivors: An observational cohort study. Psychiatry Research, 2015, 230, 658-663.	3.3	25
161	Polygenic risk scores for Alzheimer's disease are related to dementia risk in APOE É>4 negatives. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2021, 13, e12142.	2.4	25
162	Subclinical Dementia: Relevance of Cognitive Symptoms and Signs. Topics in Geriatrics, 1992, 5, 172-178.	0.8	24

#	Article	IF	CITATIONS
163	National context of healthcare, economy and religion, and the association between disability and depressive symptoms in older Europeans: results from the EURODEP concerted action. European Journal of Ageing, 2004, 1, 26-36.	2.8	24
164	Socioeconomic status, gender and dementia: The influence of work environment exposures and their interactions with APOE E-4. SSM - Population Health, 2018, 5, 171-179.	2.7	24
165	Internet use and self-rated health among Swedish 70-year-olds: a cross-sectional study. BMC Geriatrics, 2019, 19, 365.	2.7	24
166	Atrial Fibrillation, Stroke, and Silent Cerebrovascular Disease. Neurology, 2021, 97, e1608-e1619.	1.1	24
167	Slowing gait speed precedes cognitive decline by several years. Alzheimer's and Dementia, 2022, 18, 1667-1676.	0.8	24
168	Trends in the incidence of dementia: design and methods in the Alzheimer Cohorts Consortium. European Journal of Epidemiology, 2017, 32, 931-938.	5 . 7	23
169	Atrial fibrillation increases the risk of dementia amongst older adults even in the absence of stroke. Journal of Internal Medicine, 2019, 286, 101-110.	6.0	23
170	COVID-19 and mental health among older people in Sweden. International Psychogeriatrics, 2020, 32, 1173-1175.	1.0	23
171	The ACE Insertion Deletion polymorphism relates to dementia by metabolic phenotype, APOEÉ, 4, and age of dementia onset. Neurobiology of Aging, 2010, 31, 910-916.	3.1	21
172	Secular trends in frailty: a comparative study of 75-year olds born in 1911–12 and 1930. Age and Ageing, 2015, 44, 817-822.	1.6	21
173	Increased Alcohol Consumption Among Swedish 70‥earâ€Olds 1976 to 2016: Analysis of Data from The Gothenburg H70 Birth Cohort Studies, Sweden. Alcoholism: Clinical and Experimental Research, 2018, 42, 2403-2412.	2.4	21
174	Does parity matter in women's risk of dementia? A COSMIC collaboration cohort study. BMC Medicine, 2020, 18, 210.	5 . 5	21
175	High blood pressure and dementia. Lancet, The, 1996, 348, 65-66.	13.7	20
176	Time trends in nutrient intake and dietary patterns among five birth cohorts of 70-year-olds examined 1971–2016: results from the Gothenburg H70 birth cohort studies, Sweden. Nutrition Journal, 2019, 18, 66.	3 . 4	20
177	Parity and the risk of incident dementia: a COSMIC study. Epidemiology and Psychiatric Sciences, 2020, 29, e176.	3.9	20
178	Metabolic Syndrome Is Associated With Poor Cognition: A Population-Based Study of 70-Year-Old Adults Without Dementia. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 2275-2283.	3.6	20
179	Increased risk for dementia both before and after stroke: A populationâ€based study in women followed over 44Âyears. Alzheimer's and Dementia, 2018, 14, 1253-1260.	0.8	19
180	Sex differences in dementia: on the potentially mediating effects of educational attainment and experiences of psychological distress. BMC Psychiatry, 2020, 20, 434.	2.6	19

#	Article	IF	CITATIONS
181	The prevalence of psychotic symptoms and paranoid ideation in nonâ€demented population samples aged 70–82 years. International Journal of Geriatric Psychiatry, 2009, 24, 1413-1419.	2.7	18
182	Cerebrospinal Fluid Fatty Acid-Binding Protein 3 is Related to Dementia Development in a Population-Based Sample of Older Adult Women Followed for 8 Years. Journal of Alzheimer's Disease, 2015, 49, 733-741.	2.6	18
183	Association between APOE Genotype and Change in Physical Function in a Population-Based Swedish Cohort of Older Individuals Followed Over Four Years. Frontiers in Aging Neuroscience, 2016, 8, 225.	3.4	18
184	Benign paroxysmal positional vertigo, dizziness, and health-related quality of life among older adults in a population-based setting. European Archives of Oto-Rhino-Laryngology, 2021, 278, 1637-1644.	1.6	18
185	A Non- <i>APOE</i> Polygenic Risk Score for Alzheimer's Disease Is Associated With Cerebrospinal Fluid Neurofilament Light in a Representative Sample of Cognitively Unimpaired 70-Year Olds. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 983-990.	3.6	18
186	Cognitive test performance in relation to psychotic symptoms and paranoid ideation in non-demented 85-year-olds. Psychological Medicine, 2004, 34, 443-450.	4.5	17
187	Automated CT-based segmentation and quantification of total intracranial volume. European Radiology, 2015, 25, 3151-3160.	4.5	17
188	Changes in the Lethality of Frailty Over 30 Years: Evidence From Two Cohorts of 70-Year-Olds in Gothenburg Sweden. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2017, 72, glw160.	3.6	17
189	Low fasting serum insulin and dementia in nondiabetic women followed for 34 years. Neurology, 2018, 91, e427-e435.	1.1	17
190	Changes in the expression of worries, anxiety, and generalized anxiety disorder with increasing age: A population study of 70 to 85â€yearâ€olds. International Journal of Geriatric Psychiatry, 2019, 34, 249-257.	2.7	17
191	Visionâ€related quality of life and visual function in a 70â€yearâ€old Swedish population. Acta Ophthalmologica, 2020, 98, 521-529.	1.1	17
192	The prognosis and incidence of social phobia in an elderly population. A 5â€year followâ€up. Acta Psychiatrica Scandinavica, 2010, 122, 4-10.	4.5	16
193	Depression in Swedish women: relationship to factors at birth. European Journal of Epidemiology, 2011, 26, 55-60.	5.7	16
194	Cognitive Function in Older Suicide Attempters and a Population-Based Comparison Group. Journal of Geriatric Psychiatry and Neurology, 2016, 29, 133-141.	2.3	16
195	Dizziness and its association with walking speed and falls efficacy among older men and women in an urban population. Aging Clinical and Experimental Research, 2020, 32, 1049-1056.	2.9	16
196	Hypertension and Cognition. International Psychogeriatrics, 2003, 15, 139-146.	1.0	15
197	Secular trends in lung function and its relation to survival in Swedish 75 year olds 1976-2006. Age and Ageing, 2012, 41, 735-740.	1.6	15
198	Anxiety symptoms and suicidal feelings in a population sample of 70-year-olds without dementia. International Psychogeriatrics, 2012, 24, 1865-1871.	1.0	15

#	Article	IF	CITATIONS
199	Epidemiology of suicidal feelings in an ageing Swedish population: from old to very old age in the Gothenburg H70 Birth Cohort Studies. Epidemiology and Psychiatric Sciences, 2020, 29, e26.	3.9	15
200	Interactions between dietary patterns and genetic factors in relation to incident dementia among 70-year-olds. European Journal of Nutrition, 2022, 61, 871-884.	3.9	15
201	Evaluation of High Cholesterol and Risk of Dementia and Cognitive Decline in Older Adults Using Individual Patient Meta-Analysis. Dementia and Geriatric Cognitive Disorders, 2021, 50, 318-325.	1.5	15
202	Immunoglobulin M in Cerebrospinal Fluid: Reference Values Derived from 111 Healthy Individuals 18–88 Years of Age. European Neurology, 1996, 36, 201-205.	1.4	14
203	The inclusion of cognition in vascular risk factor clinical practice guidelines. Clinical Interventions in Aging, 2009, 4, 425.	2.9	14
204	Head size may modify the impact of white matter lesions on dementia. Neurobiology of Aging, 2012, 33, 1186-1193.	3.1	14
205	Neuroticism and extroversion in suicide attempters aged 75 and above and a general population comparison group. Aging and Mental Health, 2013, 17, 479-488.	2.8	14
206	Prevalence of Obsessive-Compulsive Disorder in Relation to Depression and Cognition in an Elderly Population. American Journal of Geriatric Psychiatry, 2014, 22, 301-308.	1.2	14
207	Malnutrition, Prevalence and Relation to Some Risk Factors among Elderly Residents of Nursing Homes in Tehran, Iran. Iranian Journal of Public Health, 2015, 44, 218-27.	0.5	14
208	Sex and Swedish 85-Year-Olds. New England Journal of Medicine, 1996, 334, 1140-1141.	27.0	13
209	The 1-Month Prevalence of Generalized Anxiety Disorder According to DSM-IV, DSM-V, and ICD-10 Among Nondemented 75-Year-Olds in Gothenburg, Sweden. American Journal of Geriatric Psychiatry, 2012, 20, 963-972.	1.2	13
210	Sex differences in time trends of blood pressure among Swedish septuagenarians examined three decades apart. Journal of Hypertension, 2017, 35, 1424-1431.	0.5	13
211	The ACE Gene Is Associated with Late-Life Major Depression and Age at Dementia Onset in a Population-Based Cohort. American Journal of Geriatric Psychiatry, 2017, 25, 170-177.	1.2	13
212	Low Cerebrospinal Fluid A $\hat{1}^2$ 42 and A $\hat{1}^2$ 40 are Related to White Matter Lesions in Cognitively Normal Elderly. Journal of Alzheimer's Disease, 2018, 62, 1877-1886.	2.6	13
213	Increased Risk of Dementia in Subjective Cognitive Decline if CT Brain Changes are Present. Journal of Alzheimer's Disease, 2018, 66, 483-495.	2.6	13
214	Was it worth it? Older adults' experiences of participating in a population-based cohort study – a focus group study. BMC Geriatrics, 2019, 19, 224.	2.7	13
215	Depression and neuroticism decrease among women but not among men between 1976 and 2016 in Swedish septuagenarians. Acta Psychiatrica Scandinavica, 2019, 139, 381-394.	4.5	13
216	Agreement between self-reports, proxy-reports and the National Patient Register regarding diagnoses of cardiovascular disorders and diabetes mellitus in a population-based sample of 80-year-olds. Age and Ageing, 2019, 48, 513-518.	1.6	13

#	Article	IF	Citations
217	Realâ€world evidence in Alzheimer's disease: The ROADMAP Data Cube. Alzheimer's and Dementia, 2020, 16, 461-471.	0.8	13
218	Depression in relation to sex and gender expression among Swedish septuagenarians—Results from the H70 study. PLoS ONE, 2020, 15, e0238701.	2.5	13
219	Deep learning from MRI-derived labels enables automatic brain tissue classification on human brain CT. Neurolmage, 2021, 244, 118606.	4.2	13
220	Dizziness and health-related quality of life among older adults in an urban population: a cross-sectional study. Health and Quality of Life Outcomes, 2021, 19, 231.	2.4	13
221	The protective gene dose effect of the <i>APOE$\hat{l}\mu$2allele on gray matter volume in cognitively unimpaired individuals. Alzheimer's and Dementia, 2022, 18, 1383-1395.</i>	0.8	13
222	Improved hearing in Swedish 70-year olds—a cohort comparison over more than four decades (1971–2014). Age and Ageing, 2018, 47, 437-444.	1.6	12
223	The impact of social networks and <i>APOE</i> $\hat{l}\mu 4$ on dementia among older adults: tests of possible interactions. Aging and Mental Health, 2020, 24, 395-404.	2.8	12
224	Sociodemographic and gender determinants of late-life suicide in users and non-users of antidepressants. European Journal of Public Health, 2020, 30, 958-964.	0.3	12
225	Cardiovascular and all-cause mortality attributable to loneliness in older Swedish men and women. BMC Geriatrics, 2020, 20, 201.	2.7	12
226	Lower CSF interleukin-6 predicts future depression in a population-based sample of older women followed for 17 years. Brain, Behavior, and Immunity, 2013, 32, 153-158.	4.1	11
227	DSM-IV and DSM-5 Prevalence of Social Anxiety Disorder in a Population Sample of Older People. American Journal of Geriatric Psychiatry, 2016, 24, 1237-1245.	1.2	11
228	A Westernâ€style dietary pattern is associated with cerebrospinal fluid biomarker levels for preclinical Alzheimer's diseaseâ€"A populationâ€based crossâ€sectional study among 70â€yearâ€olds. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2021, 7, e12183.	3.7	11
229	HRT and dementia. Journal of Epidemiology and Biostatistics, 1999, 4, 227-51; discussion 252.	0.4	11
230	Plasma and CSF NfL are differentially associated with biomarker evidence of neurodegeneration in a communityâ€based sample of 70â€yearâ€olds. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2022, 14, e12295.	2.4	11
231	Genetic Variation in FOXO3 is Associated with Self-Rated Health in a Population-Based Sample of Older Individuals. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2018, 73, 1453-1458.	3.6	10
232	Antidepressants and suicidal behaviour in late life: a prospective population-based study of use patterns in new users aged 75 and above. European Journal of Clinical Pharmacology, 2018, 74, 201-208.	1.9	10
233	The risk of dementia after coronary artery bypass grafting in relation to age and sex. Alzheimer's and Dementia, 2021, 17, 1042-1050.	0.8	10
234	Time Trends in Murray's Psychogenic Needs over Three Decades in Swedish 75-Year-Olds. Gerontology, 2017, 63, 45-54.	2.8	9

#	Article	IF	Citations
235	Midlife Stress in Relation to Late-Life Cerebrospinal Fluid Biomarkers of Alzheimer's Disease: A 25-Year Follow-Up Study. Dementia and Geriatric Cognitive Disorders, 2018, 46, 90-99.	1.5	9
236	Cross-sectional assessment of hearing acuity of an unscreened 85-year-old cohort - Including a 10-year longitudinal study of a sub-sample. Hearing Research, 2019, 382, 107797.	2.0	9
237	Sex differences in CSF biomarkers for neurodegeneration and bloodâ€brain barrier integrity. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2021, 13, e12141.	2.4	9
238	Association of CSF proteins with tau and amyloid \hat{l}^2 levels in asymptomatic 70-year-olds. Alzheimer's Research and Therapy, 2021, 13, 54.	6.2	9
239	Comparison of Two-Dimensional- and Three-Dimensional-Based U-Net Architectures for Brain Tissue Classification in One-Dimensional Brain CT. Frontiers in Computational Neuroscience, 2021, 15, 785244.	2.1	9
240	A longitudinal study on changes of movement performance and their relation to medical conditions in a female population followed from age 70 to 78. Archives of Gerontology and Geriatrics, 2003, 36, 127-140.	3.0	8
241	One-Month Prevalence of Mental Disorders in a Population Sample of 95-Year Olds. American Journal of Geriatric Psychiatry, 2011, 19, 284-291.	1.2	8
242	Effect of diagnostic criteria on prevalence of frontotemporal dementia in the elderly. Alzheimer's and Dementia, 2015, 11, 425-433.	0.8	8
243	A Cross-Cultural Adaptation of the ICECAP-O: Test–Retest Reliability and Item Relevance in Swedish 70-Year-Olds. Societies, 2016, 6, 30.	1.5	8
244	NINE-YEAR FOLLOW-UP OF SPECIFIC PHOBIA IN A POPULATION SAMPLE OF OLDER PEOPLE. Depression and Anxiety, 2016, 33, 339-346.	4.1	8
245	CSF YKLâ€40 and GAPâ€43 are related to suicidal ideation in older women. Acta Psychiatrica Scandinavica, 2017, 135, 351-357.	4.5	8
246	Apolipoprotein E genotypes and longevity across dementia disorders. Alzheimer's and Dementia, 2018, 14, 895-901.	0.8	8
247	Few Sex Differences in Hospitalized Suicide Attempters Aged 70 and Above. International Journal of Environmental Research and Public Health, 2018, 15, 141.	2.6	8
248	Auditory function and prevalence of specific ear and hearing related pathologies in the general population at age 70. International Journal of Audiology, 2020, 59, 682-693.	1.7	8
249	Sex Difference in the Relation Between Marital Status and Dementia Risk in Two Population-Based Cohorts. Journal of Alzheimer's Disease, 2021, 83, 1269-1279.	2.6	8
250	Highs and lows of blood pressure: a cause of Alzheimer's disease?. Lancet Neurology, The, 2003, 2, 334.	10.2	7
251	Late-life suicidal behaviours among new users of antidepressants: a prospective population-based study of sociodemographic and gender factors in those aged 75 and above. BMJ Open, 2018, 8, e022703.	1.9	7
252	Face and content validity and acceptability of the Swedish ICECAP-O capability measure: cognitive interviews with 70-year-old persons. Anesthesia, Intensive Care and Pain in Neonates and Children, 2018, 6, 6496.	2.4	7

#	Article	IF	Citations
253	Association of IL1RAP-related genetic variation with cerebrospinal fluid concentration of Alzheimer-associated tau protein. Scientific Reports, 2019, 9, 2460.	3.3	7
254	Effects of amyloid pathology and the APOE $\hat{l}\mu4$ allele on the association between cerebrospinal fluid A \hat{l}^238 and A \hat{l}^240 and brain morphology in cognitively normal 70-years-olds. Neurobiology of Aging, 2021, 101, 1-12.	3.1	7
255	IQ as moderator of terminal decline in perceptual and motor speed, spatial, and verbal ability: Testing the cognitive reserve hypothesis in a population-based sample followed from age 70 until death Psychology and Aging, 2017, 32, 148-157.	1.6	7
256	A 10-Year Follow-Up of Adiposity and Dementia in Swedish Adults Aged 70 Years and Older. Journal of Alzheimer's Disease, 2018, 63, 1325-1335.	2.6	6
257	Longstanding psychological stress in relation to biomarkers of neuronal dysfunction in cerebrospinal fluid: a 25-year follow-up study in women. Neurobiology of Aging, 2019, 80, 111-115.	3.1	6
258	APOEl $\hat{\mu}$ 4 and the long arm of social inequity: estimated effects of socio-economic status and sex on the timing of dementia onset. Ageing and Society, 2019, 39, 1951-1975.	1.7	6
259	Do later-born birth cohorts of septuagenarians sleep better? A prospective population-based study of two birth cohorts of 70-year-olds. Sleep, 2019, 42, .	1.1	6
260	Dementia Research Fit for the Planet: Reflections on Population Studies of Dementia for Researchers and Policy Makers Alike. Neuroepidemiology, 2020, 54, 157-170.	2.3	6
261	Activities of daily living (ADL) and instrumental activities of daily living (IADL) disability in Swedish 85-year-olds born three decades apart—findings from the H70 study. Age and Ageing, 2021, 50, 2031-2037.	1.6	6
262	Reproductive period and preclinical cerebrospinal fluid markers for Alzheimer disease: a 25-year study. Menopause, 2021, 28, 1099-1107.	2.0	6
263	Patterns of Alcohol Consumption and Associated Factors in a Population-Based Sample of 70-Year-Olds: Data from the Gothenburg H70 Birth Cohort Study 2014–16. International Journal of Environmental Research and Public Health, 2022, 19, 8248.	2.6	6
264	Subcortical Vascular Dementia. Clinical Neuropsychologist, 2004, 18, 4-5.	2.3	5
265	Specific Mental Health Disorders: Mental Disorders Associated with Aging. , 2008, , 174-182.		5
266	Depressive spectrum states in a populationâ€based cohort of 70â€year olds followed over 9Âyears. International Journal of Geriatric Psychiatry, 2018, 33, 1028-1037.	2.7	5
267	The Importance of Birth Year for the Incidence of Dementia. Journal of the American Geriatrics Society, 2019, 67, 1330-1332.	2.6	5
268	Passive and active suicidal ideation in Swedish 85-year-olds: Time trends 1986–2015. Journal of Affective Disorders, 2021, 290, 300-307.	4.1	5
269	Magnetic-resonance imaging to assess Alzheimer's disease. Lancet, The, 2002, 359, 1538-1539.	13.7	4
270	â€~I wanted to talk about it, but I couldn't', an H70 focus group study about experiencing depression in early late life. BMC Geriatrics, 2020, 20, 528.	2.7	4

#	Article	IF	CITATIONS
271	Prevalence of hearing loss and need for aural rehabilitation in 85-year-olds: a birth cohort comparison, almost three decades apart. International Journal of Audiology, 2020, 60, 1-10.	1.7	4
272	Cognitive Performance and Cerebrospinal Fluid Markers in Preclinical Alzheimer's Disease: Results from the Gothenburg H70 Birth Cohort Studies. Journal of Alzheimer's Disease, 2021, 79, 225-235.	2.6	4
273	A PROSPECTIVE POPULATION STUDY OF PSYCHOSOCIAL RISK FACTORS FOR LATE ONSET DEMENTIA. International Journal of Geriatric Psychiatry, 1996, 11, 15-22.	2.7	4
274	Time trends in depression prevalence among Swedish 85-year-olds: repeated cross-sectional population-based studies in 1986, 2008, and 2015. Psychological Medicine, 2021, , 1-10.	4.5	4
275	Cerebrospinal Fluid Biomarkers, Brain Structural and Cognitive Performances Between Normotensive and Hypertensive Controlled, Uncontrolled and Untreated 70-Year-Old Adults. Frontiers in Aging Neuroscience, 2021, 13, 777475.	3.4	4
276	Is it dangerous or beneficial to drink coffee? Reflections on a meta-analysis on risk at birth and a population study on risk in late life. European Journal of Epidemiology, 2014, 29, 665-666.	5.7	3
277	A Psychometric Evaluation of a Swedish Version of the Positive–Negative Sex-Role Inventory (PN-SRI). Societies, 2018, 8, 13.	1.5	3
278	Amyloid \hat{l}^2 42 and Total Tau Levels in Cerebrospinal Fluid Associate with Survival in an 85-Year-Old Population-Based Cohort Followed until Death. Dementia and Geriatric Cognitive Disorders, 2019, 47, 114-124.	1.5	3
279	What are the sociodemographic and gender determinants of non-fatal self-harm in older adult users and non-users of antidepressants? A national population-based study. BMC Public Health, 2020, 20, 764.	2.9	3
280	Relative Validity of a Short 15-Item Food Frequency Questionnaire Measuring Dietary Quality, by the Diet History Method. Nutrients, 2021, 13, 3754.	4.1	3
281	Association between serum urate and CSF markers of Alzheimer's disease pathology in a populationâ€based sample of 70â€yearâ€olds. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2021, 13, e12241.	2.4	3
282	Why Should General Psychiatrists Learn More about Mental Disorders in the Elderly?. Canadian Journal of Psychiatry, 2011, 56, 385-386.	1.9	2
283	O3-05-03: Modifiable Risk Factors for Prevention of Dementia in Midlife and Late Life: The Libra Index. , 2016, 12, P295-P296.		2
284	[P2–536]: THE PREVALENCE OF PRECLINICAL ALZHEIMER's DISEASE IN A POPULATION STUDY OF 70‥EAR†Alzheimer's and Dementia, 2017, 13, P848.	OLDS.	2
285	Self-perceived functional ability and performance-based testing of physical function in older women with or without long-term back pain $\hat{a} \in \mathbb{C}$ results of the H70 study. BMC Geriatrics, 2021, 21, 229.	2.7	2
286	Dementia remains the major predictor of death among octogenarians. A study of two population cohorts of 85-year-olds examined 22Âyears apart. European Journal of Epidemiology, 2021, 36, 507-517.	5.7	2
287	Time trends in the relation between blood pressure and dementia in 85-year-olds. Journal of Hypertension, 2021, 39, 1964-1971.	0.5	2
288	Possibilities for Secondary Prevention of Alzheimer's Disease. , 1999, , 121-134.		2

#	Article	IF	CITATIONS
289	Nosology of Dementia., 0,, 185-189.		1
290	P3-320: RISK OF DEMENTIA IS INCREASED BOTH BEFORE AND AFTER STROKE., 2014, 10, P747-P748.		1
291	A CROSS-CULTURAL ADAPTATION OF THE ICECAP-O: RELIABILITY AND VALIDITY IN SWEDISH 70-YEAR-OLDS. Innovation in Aging, 2017, 1, 752-752.	0.1	1
292	Is the prevalence of psychosis in the very old decreasing? A comparison of 85â€yearâ€olds born 22 years apart. International Journal of Geriatric Psychiatry, 2019, 34, 1776-1783.	2.7	1
293	Blood pressure at the age of 70 as a predictor of incident dementia: A 15â€year longitudinal study. Alzheimer's and Dementia, 2020, 16, e045841.	0.8	1
294	Neuropsychiatric Aspects of Vascular Cognitive Impairment. , 2010, , 147-162.		1
295	Risk of Recurrent Stroke: The Critical Need for Continued Efforts in Secondary Prevention. Neurology, 2021, , 10.1212/WNL.00000000013116.	1.1	1
296	The Role of Blood Pressure in Dementia. , 0, , 256-257.		0
297	Vascular Dementia Subgroups: Multi-infarct Dementia and Subcortical White Matter Dementia. , 0, , 255-256.		O
298	Evolutionary rather than revolutionary progress in dementia. Lancet Neurology, The, 2004, 3, 17.	10.2	0
299	Commentary on "The NIH Cognitive and Emotional Health Project: Report of the Critical Evaluation Study Committee.―, 2006, 2, 89-90.		0
300	S.09.05 Antihypertensive treatment on cognitive functions in Alzheimer's disease. European Neuropsychopharmacology, 2008, 18, S173.	0.7	0
301	F5-03-03: DOES LATE-LIFE AD BEGIN ALREADY IN MIDLIFE? EVIDENCE FROM LONG TERM POPULATION STUDIES. , 2014, 10, P284-P285.		O
302	P1-051: THE DISTRIBUTION OF APOLIPOPROTEIN E GENOTYPE OVER THE ADULT LIFESPAN AND IN RELATION TO BIRTH ORIGIN. , 2014, 10, P322-P322.		0
303	P3-103: INCREASED LEVELS OF CEREBROSPINAL FLUID FATTY ACID BINDING PROTEIN 3 ARE RELATED TO DEMENTIA DEVELOPMENT IN A POPULATION-BASED SAMPLE OF ELDERLY WOMEN FOLLOWED FOR 8 YEARS. , 2014, 10, P666-P666.		O
304	Regional Cortical Atrophy in Depression and Neurocognitive Disorders. American Journal of Geriatric Psychiatry, 2015, 23, 437-439.	1.2	0
305	P3-129: Psychological Stress in Midlife Associated with Higher Levels of CSF T-TAU and AB40 in Late-Life: A 25-YEAR Longitudinal Population Study of Women. , 2016, 12, P869-P869.		O
306	FTS3-01-01: Biological Underpinnings of Vascular Contributions to Dementia., 2016, 12, P276-P276.		0

#	Article	IF	CITATIONS
307	FTS3-01-04: Setting the Agenda: Prevention Studies for Vascular Contributions to Dementia. , 2016, 12, P277-P277.		O
308	P2â€430: The Prevalence of Pathological CSF Abetaâ€42 and ITS Relation to Education in a Population Sample of Older People from Sweden. Alzheimer's and Dementia, 2016, 12, P810.	0.8	0
309	O5â€02â€05: Mortality and Risk of Dementia in Suspected Normal Pressure Hydrocephalus: 25â€Year Followâ€Up of a Populationâ€Based Cohort. Alzheimer's and Dementia, 2016, 12, P381.	0.8	0
310	P1-012: A Population-Based Study on the Relation Between Sleep Disturbance and Beta-Amyloid 42 in Cerebrospinal Fluid in 70-Year-Olds. , 2016, 12, P404-P404.		0
311	P1-028: Does Calcium Supplementation Increase the Risk of Dementia in Women With Cerebrovascular Disease? A Five Year Follow-Up of Older Swedish Women. , 2016, 12, P412-P412.		O
312	Bridge Over Troubled Water. American Journal of Geriatric Psychiatry, 2017, 25, 340-341.	1.2	0
313	[P1–016]: ATRIAL FIBRILLATION AND INCIDENCE DEMENTIA AMONG OLDER ADULTS: A POPULATIONâ€BASED STUDY. Alzheimer's and Dementia, 2017, 13, P238.	0.8	O
314	[P2–524]: COGNITIVE FUNCTION A DECADE PRIOR TO THE ONSET OF DEMENTIA IN MEN AND WOMEN. Alzheimer's and Dementia, 2017, 13, P841.	0.8	0
315	[P3–262]: A LONGITUDINAL STUDY ON SUBJECTIVE SLEEP DISTURBANCE AND RISK OF DEMENTIA IN 85‥EARâ€OLDS FOLLOWED OVER 15 YEARS. Alzheimer's and Dementia, 2017, 13, P1043.	0.8	0
316	[P1–150]: INVESTIGATION OF THE ASSOCIATION BETWEEN GENETIC VARIATION IN <i>IL1RAP</i> ALZHEIMER'sâ€RELATED CSFâ€BIOMARKERS. Alzheimer's and Dementia, 2017, 13, P300.	0.8	0
317	[P1–576]: A TEN‥EAR FOLLOWâ€UP OF ADIPOSITY INDICATORS AND DEMENTIA IN ADULTS AGE 70‥EARS OLDER: THE GOTHENBURG BIRTH COHORT STUDIES. Alzheimer's and Dementia, 2017, 13, P515.	S AND	O
318	[P1–581]: ATRIAL FIBRILLATION AND INCIDENCE OF DEMENTIA AMONG OLDER ADULTS: A POPULATIONâ€BAS STUDY. Alzheimer's and Dementia, 2017, 13, P517.	ED.8	0
319	FUNCTIONAL DISABILITY AND ABILITY IN SWEDISH 85-YEAR-OLDS — A COMPARISON OF THREE COHORTS BORN 20 YEARS APART. Innovation in Aging, 2017, 1, 945-945.	0.1	0
320	SLEEP EARLIER IN LIFE AND LATE-LIFE DEMENTIA: MULTI-CENTER POPULATION DATA FROM SWEDEN AND FINLAND. Innovation in Aging, 2017, 1, 659-660.	0.1	0
321	F4â€04â€04: CHANGING EPIDEMIOLOGY OF BLOOD PRESSURE AND AD. Alzheimer's and Dementia, 2018, 14, P1388.	0.8	0
322	P3â€238: LONGITUDINAL ASSOCIATIONS OF PLASMA NEUROFILAMENT LEVELS WITH AMYLOIDâ€PET, FDGâ€PET COGNITION AMONG NONâ€DEMENTED PARTICIPANTS IN THE MAYO CLINIC STUDY ON AGING. Alzheimer's and Dementia, 2018, 14, P1163.	, AND 0.8	0
323	P2â€⊋73: CEREBROSPINAL FLUID NEUROFILAMENT LIGHT PROTEIN AND RISK OF MILD COGNITIVE IMPAIRMENT II THE MAYO CLINIC STUDY OF AGING. Alzheimer's and Dementia, 2018, 14, P782.	N _{0.8}	О
324	P1â€007: POOR SLEEP IS ASSOCIATED WITH CSFâ€MARKERS OF ALZHEIMER'S DISEASE IN 70â€YEARâ€OLDS WI DEMENTIA. Alzheimer's and Dementia, 2018, 14, P265.	тноит	0

#	Article	IF	CITATIONS
325	F2â€02â€01: NEUROFILAMENT LIGHT CHAIN IN AD IN CSF AND BLOOD. Alzheimer's and Dementia, 2018, 14, P6	8.20	0
326	O3â€02â€03: FACTORS AND TRANSITIONS BETWEEN COGNITIVE STATES: A MULTI‧TUDY APPROACH USING FROM SIX INTERNATIONAL LONGITUDINAL STUDIES OF AGEING. Alzheimer's and Dementia, 2018, 14, P1012.	DĄTĄ	0
327	P1â€618: TRENDS IN THE INCIDENCE OF DEMENTIA IN SWEDISH 85‥EARâ€OLDS. Alzheimer's and Dementia, 14, P577.	20 <u>1</u> 8, 0.8	0
328	Sex differences in CSF biomarkers for neurodegeneration and bloodâ€brain barrier integrity. Alzheimer's and Dementia, 2020, 16, e038588.	0.8	0
329	Associations of dietary patterns and CSF biomarkers for Alzheimer's disease in a populationâ€based sample of 70â€yearâ€olds. Alzheimer's and Dementia, 2020, 16, e040800.	0.8	0
330	A polygenic risk score for Alzheimer's disease determines the risk of incident dementia in APOE É>4 negative individuals over the age of 95: A populationâ€based cohort study. Alzheimer's and Dementia, 2020, 16, e042452.	0.8	0
331	Association between polygenic risk score of Alzheimer's disease and CSF amyloid beta 42 in a cohort of 70â€yearâ€olds from the general population. Alzheimer's and Dementia, 2020, 16, e042616.	0.8	0
332	Atrial fibrillation and the interaction with stroke in relation to white matter lesion volumes: A populationâ€based study in 70â€yearâ€olds. Alzheimer's and Dementia, 2020, 16, e043296.	0.8	0
333	CTâ€based brain segmentation and volumetry using deep learning methods. Alzheimer's and Dementia, 2020, 16, e045824.	0.8	0
334	Levels of amyloid β in cerebrospinal fluid predicts cognition five years later: A populationâ€based study of 70â€yearâ€olds. Alzheimer's and Dementia, 2020, 16, e045969.	0.8	0
335	Association of Single Nucleotide Polymorphisms Located in LOXL1 with Exfoliation Glaucoma in Southwestern Sweden. Genes, 2021, 12, 1384.	2.4	0
336	Evaluation of blood pressure and cognitive function using individual participant data metaâ€analysis: The Lifeâ€Course Blood Pressure Cognition (LCBPâ€COG) study. Alzheimer's and Dementia, 2021, 17, .	0.8	0
337	Interactions between dietary patterns and genetic factors in relation to incident dementia among 70â€yearâ€olds. Alzheimer's and Dementia, 2021, 17, .	0.8	0
338	Plasma and cerebrospinal fluid neurofilament light protein concentrations are differentially associated with biomarker evidence of neurodegeneration in a communityâ€based population of 70â€yearâ€olds. Alzheimer's and Dementia, 2021, 17, .	0.8	0
339	Association of deepâ€learning–derived brain computed tomography measures with cognition and bloodâ€based biomarkers of neurodegenerative diseases. Alzheimer's and Dementia, 2021, 17, .	0.8	0