

Leonid Churilov

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7088822/publications.pdf>

Version: 2024-02-01

309
papers

15,026
citations

53660

45
h-index

23472

111
g-index

337
all docs

337
docs citations

337
times ranked

14748
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Association between amyloid-beta deposition and cortical thickness in dementia with Lewy bodies. Australian and New Zealand Journal of Psychiatry, 2023, 57, 594-602. | 1.3 | 2 |
| 2 | Self-evaluation of personal needs by community-living young stroke survivors using an online English language questionnaire. Disability and Rehabilitation, 2023, 45, 1830-1835. | 0.9 | 1 |
| 3 | Factors influencing thigh muscle volume change with cycling exercises in acute spinal cord injury – a secondary analysis of a randomized controlled trial. Journal of Spinal Cord Medicine, 2022, 45, 510-521. | 0.7 | 5 |
| 4 | In search of Kipling's six honest serving men in upper limb rehabilitation: within participant case-crossover experiment nested within a web-based questionnaire. Disability and Rehabilitation, 2022, 44, 1959-1967. | 0.9 | 4 |
| 5 | Early mobilisation post-stroke: a systematic review and meta-analysis of individual participant data. Disability and Rehabilitation, 2022, 44, 1156-1163. | 0.9 | 15 |
| 6 | Altering the rehabilitation environment to improve stroke survivor activity: A Phase II trial. International Journal of Stroke, 2022, 17, 299-307. | 2.9 | 24 |
| 7 | Protocol of a randomized controlled trial investigating the effectiveness of Recovery-focused Community support to Avoid readmissions and improve Participation after Stroke (ReCAPS). International Journal of Stroke, 2022, 17, 236-241. | 2.9 | 7 |
| 8 | Why hospital design matters: A narrative review of built environments research relevant to stroke care. International Journal of Stroke, 2022, 17, 370-377. | 2.9 | 16 |
| 9 | Early-phase dose articulation trials are underutilized for post-stroke motor recovery: A systematic scoping review. Annals of Physical and Rehabilitation Medicine, 2022, 65, 101487. | 1.1 | 4 |
| 10 | Factors associated with paid employment 12 months after stroke in A Very Early Rehabilitation Trial (AVERT). Annals of Physical and Rehabilitation Medicine, 2022, 65, 101565. | 1.1 | 6 |
| 11 | Tranexamic acid for intracerebral haemorrhage within 2 hours of onset: protocol of a phase II randomised placebo-controlled double-blind multicentre trial. Stroke and Vascular Neurology, 2022, 7, 158-165. | 1.5 | 12 |
| 12 | Does variability in automated perfusion software outputs for acute ischemic stroke matter? Reanalysis of EXTEND perfusion imaging. CNS Neuroscience and Therapeutics, 2022, 28, 139-144. | 1.9 | 6 |
| 13 | NaPi2b expression in a large surgical Non-Small Cell Lung Cancer (NSCLC) cohort. Clinical Lung Cancer, 2022, 23, e90-e98. | 1.1 | 3 |
| 14 | Safety and Efficacy of Tenecteplase in Older Patients With Large Vessel Occlusion: A Pooled Analysis of the EXTEND-IA TNK Trials. Neurology, 2022, , 10.1212/WNL.0000000000013302. | 1.5 | 8 |
| 15 | DIRECT-SAFE: A Randomized Controlled Trial of DIRECT Endovascular Clot Retrieval versus Standard Bridging Therapy. Journal of Stroke, 2022, 24, 57-64. | 1.4 | 19 |
| 16 | Does tranexamic acid affect intraventricular hemorrhage growth in acute ICH? An analysis of the STOP-AUST trial. European Stroke Journal, 2022, 7, 15-19. | 2.7 | 3 |
| 17 | Cohort study comparison of Mental Health and Wellbeing Services delivered by The Royal Flying Doctor Service, across Far North and Central West Queensland. The Lancet Regional Health - Western Pacific, 2022, 21, 100385. | 1.3 | 2 |
| 18 | Reduced Severity of Tissue Injury Within the Infarct May Partially Mediate the Benefit of Reperfusion in Ischemic Stroke. Stroke, 2022, 53, 1915-1923. | 1.0 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Comparison of Mobile Stroke Unit With Usual Care for Acute Ischemic Stroke Management. <i>JAMA Neurology</i> , 2022, 79, 281. | 4.5 | 33 |
| 20 | Prevalence and Significance of Impaired Microvascular Tissue Reperfusion Despite Macrovascular Angiographic Reperfusion (No-Reflow). <i>Neurology</i> , 2022, 98, . | 1.5 | 60 |
| 21 | Common scale minimal sufficient balance: An improved method for covariate-adaptive randomization based on the Wilcoxon-Mann-Whitney odds ratio statistic. <i>Statistics in Medicine</i> , 2022, , . | 0.8 | 1 |
| 22 | Endovascular Therapy Versus Medical Therapy for Acute Stroke Attributable to Isolated Cervical Internal Carotid Artery Occlusion Without Intracranial Large Vessel Occlusion. , 2022, 2, . | | 2 |
| 23 | Posterior National Institutes of Health Stroke Scale Improves Prognostic Accuracy in Posterior Circulation Stroke. <i>Stroke</i> , 2022, 53, 1247-1255. | 1.0 | 36 |
| 24 | Microvascular Dysfunction in Blood-Brain Barrier Disruption and Hypoperfusion Within the Infarct Posttreatment Are Associated With Cerebral Edema. <i>Stroke</i> , 2022, 53, 1597-1605. | 1.0 | 42 |
| 25 | <scp>DBS</scp> of Thalamic Centromedian Nucleus for <scp>Lennoxâ€“Gastaut</scp> Syndrome (<scp>ESTEL</scp> Trial). <i>Annals of Neurology</i> , 2022, 91, 253-267. | 2.8 | 56 |
| 26 | Long-Term Cost-Effectiveness of Severity-Based Triaging for Large Vessel Occlusion Stroke. <i>Frontiers in Neurology</i> , 2022, 13, . | 1.1 | 0 |
| 27 | Comparison of tenecteplase with alteplase for the early treatment of ischaemic stroke in the Melbourne Mobile Stroke Unit (TASTE-A): a phase 2, randomised, open-label trial. <i>Lancet Neurology</i> , The, 2022, 21, 520-527. | 4.9 | 69 |
| 28 | Tenecteplase versus Alteplase for Stroke Thrombolysis Evaluation Trial in the Ambulance (Mobile) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3 superiority trial of tenecteplase versus alteplase for ischaemic stroke patients presenting within 4.5 hours of symptom onset to the mobile stroke unit. <i>BMJ Open</i> , 2022, 12, e056573. | 0.8 | 5 |
| 29 | Thrombectomy versus Medical Management in Mild Strokes due to Large Vessel Occlusion: Exploratory Analysis from the EXTENDâ€“A Trials and a Pooled International Cohort. <i>Annals of Neurology</i> , 2022, 92, 364-378. | 2.8 | 14 |
| 30 | Comparison of Computed Tomography Perfusion and Multiphase Computed Tomography Angiogram in Predicting Clinical Outcomes in Endovascular Thrombectomy. <i>Stroke</i> , 2022, 53, 2926-2934. | 1.0 | 7 |
| 31 | Endovascular thrombectomy versus standard bridging thrombolytic with endovascular thrombectomy within 4-5 h of stroke onset: an open-label, blinded-endpoint, randomised non-inferiority trial. <i>Lancet, The</i> , 2022, 400, 116-125. | 6.3 | 114 |
| 32 | Pre-existing Comorbidity Burden and Patient Perceived Stroke Impact. <i>International Journal of Stroke</i> , 2021, 16, 273-279. | 2.9 | 4 |
| 33 | Evaluation of attention in APP/PS1 mice shows impulsive and compulsive behaviours. <i>Genes, Brain and Behavior</i> , 2021, 20, e12594. | 1.1 | 18 |
| 34 | GripBMI â€“ A fast and simple sarcopenia screening tool in post acute inpatient rehabilitation. <i>Clinical Nutrition</i> , 2021, 40, 1022-1027. | 2.3 | 5 |
| 35 | Adherence to physical activity and cardiovascular recommendations during the 2 years after stroke rehabilitation discharge. <i>Annals of Physical and Rehabilitation Medicine</i> , 2021, 64, 101455. | 1.1 | 18 |
| 36 | Sarcopenia Is Associated With Reduced Function on Admission to Rehabilitation in Patients With Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e687-e695. | 1.8 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Role of Computed Tomography Perfusion in Identification of Acute Lacunar Stroke Syndromes. <i>Stroke</i> , 2021, 52, 339-343. | 1.0 | 7 |
| 38 | A 2-Year Longitudinal Study of Physical Activity and Cardiovascular Risk in Survivors of Stroke. <i>Physical Therapy</i> , 2021, 101, . | 1.1 | 15 |
| 39 | Fatal and Nonfatal Events Within 14 days After Early, Intensive Mobilization Poststroke. <i>Neurology</i> , 2021, 96, . | 1.5 | 7 |
| 40 | Utility of Severity-Based Prehospital Triage for Endovascular Thrombectomy. <i>Stroke</i> , 2021, 52, 70-79. | 1.0 | 17 |
| 41 | Performance of 4 Creatinine-based Equations in Assessing Glomerular Filtration Rate in Adults with Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e61-e73. | 1.8 | 5 |
| 42 | Exploring colour in context using Virtual Reality: Does a room change how you feel?. <i>Virtual Reality</i> , 2021, 25, 631-645. | 4.1 | 8 |
| 43 | Association of Reperfusion After Thrombolysis With Clinical Outcome Across the 4.5- to 9-Hours and Wake-up Stroke Time Window. <i>JAMA Neurology</i> , 2021, 78, 236. | 4.5 | 12 |
| 44 | The prevalence of sarcopenia in middle-aged and older patients in post-acute inpatient rehabilitation: a cross-sectional study. <i>JCSM Rapid Communications</i> , 2021, 4, 16-23. | 0.6 | 1 |
| 45 | Evaluation of the diagnostic performance of the creatinine-based Chronic Kidney Disease Epidemiology Collaboration equation in people with diabetes: A systematic review. <i>Diabetic Medicine</i> , 2021, 38, e14391. | 1.2 | 6 |
| 46 | Look closer: The multidimensional patterns of post-stroke burden behind the modified Rankin Scale. <i>International Journal of Stroke</i> , 2021, 16, 420-428. | 2.9 | 13 |
| 47 | Identification of barriers and enablers to rapid diagnosis along the paediatric stroke chain of recovery using Value-Focused Process Engineering. <i>Health Systems</i> , 2021, 10, 73-88. | 0.9 | 1 |
| 48 | Obstetric and perinatal outcomes for women with pre-existing diabetes in rural compared to metropolitan settings in Victoria, Australia. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2021, 61, 373-379. | 0.4 | 1 |
| 49 | Factors associated with improved walking in older people during hospital rehabilitation: secondary analysis of a randomized controlled trial. <i>BMC Geriatrics</i> , 2021, 21, 90. | 1.1 | 3 |
| 50 | Tenecteplase vs Alteplase Before Endovascular Therapy in Basilar Artery Occlusion. <i>Neurology</i> , 2021, 96, e1272-e1277. | 1.5 | 30 |
| 51 | Characteristics and in-hospital outcomes of patients requiring aeromedical retrieval for pregnancy, compared to non-retrieved metropolitan cohorts. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2021, 61, 519-527. | 0.4 | 8 |
| 52 | Comparison of two questionnaires for assessment of emotional eating in people undergoing treatment for obesity. <i>Eating and Weight Disorders</i> , 2021, 26, 2353-2360. | 1.2 | 0 |
| 53 | Dialysis and driving: an anonymous survey of patients receiving dialysis for end-stage kidney disease. <i>Internal Medicine Journal</i> , 2021, 51, 1691-1699. | 0.5 | 0 |
| 54 | Automated estimation of ischemic core prior to thrombectomy: comparison of two current algorithms. <i>Neuroradiology</i> , 2021, 63, 1645-1649. | 1.1 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Young Stroke Survivors' Preferred Methods of Meeting Their Unique Needs. <i>Neurology</i> , 2021, 96, e1701-e1710. | 1.5 | 8 |
| 56 | Advancing Stroke Recovery Through Improved Articulation of Nonpharmacological Intervention Dose. <i>Stroke</i> , 2021, 52, 761-769. | 1.0 | 39 |
| 57 | Intrinsic hospital factors: overlooked cause for variations in delay to transfer for endovascular thrombectomy. <i>Journal of NeuroInterventional Surgery</i> , 2021, 13, 968-973. | 2.0 | 1 |
| 58 | Early Mobilization After Stroke: Do Clinical Practice Guidelines Support Clinicians' Decision-Making?. <i>Frontiers in Neurology</i> , 2021, 12, 606525. | 1.1 | 11 |
| 59 | Does Intravenous Thrombolysis Within 4.5 to 9 Hours Increase Clot Migration Leading to Endovascular Inaccessibility?. <i>Stroke</i> , 2021, 52, 1083-1086. | 1.0 | 4 |
| 60 | Factors associated with time to independent walking recovery post-stroke. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2021, 92, 702-708. | 0.9 | 24 |
| 61 | Cation leak underlies neuronal excitability in an HCN1 developmental and epileptic encephalopathy. <i>Brain</i> , 2021, 144, 2060-2073. | 3.7 | 26 |
| 62 | Occlusive Disease and Upright Activity in Acute Ischemic Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021, 30, 105604. | 0.7 | 1 |
| 63 | The association of mobilising regimen on immune reconstitution and survival in myeloma patients treated with bortezomib, cyclophosphamide and dexamethasone induction followed by a melphalan autograft. <i>Bone Marrow Transplantation</i> , 2021, 56, 2152-2159. | 1.3 | 5 |
| 64 | Feasibility trial of metformin XR in people with pre-diabetes and stroke (MIPPS)-randomised open blinded endpoint controlled trial. <i>Journal of Clinical Neuroscience</i> , 2021, 86, 103-109. | 0.8 | 0 |
| 65 | Evolution of eligibility criteria for diffuse large B-cell lymphoma randomised controlled trials over 30 years. <i>British Journal of Haematology</i> , 2021, 193, 741-749. | 1.2 | 8 |
| 66 | Association between pre-treatment perfusion profile and cerebral edema after reperfusion therapies in ischemic stroke. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2021, 41, 2887-2896. | 2.4 | 9 |
| 67 | The effects of 0.9% saline versus Plasma-Lyte 148 on renal function as assessed by creatinine concentration in patients undergoing major surgery: A single-centre double-blinded cluster crossover trial. <i>PLoS ONE</i> , 2021, 16, e0251718. | 1.1 | 2 |
| 68 | Diagnostic Utility of MRI Features of Placental Adhesion Disorder for Abnormal Placentation and Massive Postpartum Hemorrhage. <i>American Journal of Roentgenology</i> , 2021, 217, 378-388. | 1.0 | 6 |
| 69 | Prioritizing guideline recommendations for implementation: a systematic, consumer-inclusive process with a case study using the Australian Clinical Guidelines for Stroke Management. <i>Health Research Policy and Systems</i> , 2021, 19, 85. | 1.1 | 9 |
| 70 | Longitudinal hippocampal volumetric changes in mice following brain infarction. <i>Scientific Reports</i> , 2021, 11, 10269. | 1.6 | 5 |
| 71 | Healthy Life-Year Costs of Treatment Speed From Arrival to Endovascular Thrombectomy in Patients With Ischemic Stroke. <i>JAMA Neurology</i> , 2021, 78, 709. | 4.5 | 30 |
| 72 | Multidimensional Phase I Dose Ranging Trials for Stroke Recovery Interventions: Key Challenges and How to Address Them. <i>Neurorehabilitation and Neural Repair</i> , 2021, 35, 663-679. | 1.4 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Distance-based Classification and Regression Trees for the analysis of complex predictors in health and medical research. <i>Statistical Methods in Medical Research</i> , 2021, 30, 2085-2104. | 0.7 | 7 |
| 74 | A Randomized, Multicenter, Open-Label, Blinded End Point, Phase 2, Feasibility, Efficacy, and Safety Trial of Preoperative Microvascular Protection in Patients Undergoing Major Abdominal Surgery. <i>Anesthesia and Analgesia</i> , 2021, 133, 1036-1047. | 1.1 | 12 |
| 75 | The hemodynamic effects of intravenous paracetamol (acetaminophen) in patients with chronic liver disease undergoing liver transplantation: a pilot study. <i>BMC Research Notes</i> , 2021, 14, 325. | 0.6 | 0 |
| 76 | Reply â€“ Letter to the editor. <i>Clinical Nutrition</i> , 2021, 40, 4822-4823. | 2.3 | 0 |
| 77 | Older People With Type 2 Diabetesâ€™ Individualising Management With a Specialised Community Team (OPTIMISE): Perspectives of Participants on Care. <i>Clinical Diabetes</i> , 2021, 39, 397-410. | 1.2 | 0 |
| 78 | An Online, Person-Centered, Risk Factor Management Program to Prevent Cognitive Decline: Protocol for A Prospective Behavior-Modification Blinded Endpoint Randomized Controlled Trial. <i>Journal of Alzheimer's Disease</i> , 2021, 83, 1603-1622. | 1.2 | 5 |
| 79 | Feasibility of once weekly exenatideâ€‹LARš and enhanced diabetes care in Indigenous Australians with type 2 diabetes (šLongâ€‹actingšOncešWeeklyšExenatide laRšUGARš, â€‹Lower) 0jšEQq1 1 0.7843 | 0.7 | 0 |
| 80 | Utility of the Hospital Frailty Risk Score Derived From Administrative Data and the Association With Stroke Outcomes. <i>Stroke</i> , 2021, 52, 2874-2881. | 1.0 | 29 |
| 81 | Use of the Estimand Framework to Manage the Disruptive Effects of COVID-19 on Stroke Clinical Trials. <i>Stroke</i> , 2021, 52, 3739-3747. | 1.0 | 4 |
| 82 | Progressive impairments in executive function in the APP/PS1 model of Alzheimer's disease as measured by translatable touchscreen testing. <i>Neurobiology of Aging</i> , 2021, 108, 58-71. | 1.5 | 4 |
| 83 | Neurodegeneration Over 3 Years Following Ischaemic Stroke: Findings From the Cognition and Neocortical Volume After Stroke Study. <i>Frontiers in Neurology</i> , 2021, 12, 754204. | 1.1 | 15 |
| 84 | Timing and Dose of Upper Limb Motor Intervention After Stroke: A Systematic Review. <i>Stroke</i> , 2021, 52, 3706-3717. | 1.0 | 22 |
| 85 | Indigenous Australians have a greater prevalence of heart, stroke, and vascular disease, are younger at death, with higher hospitalisation and more aeromedical retrievals from remote regions. <i>EclinicalMedicine</i> , 2021, 42, 101181. | 3.2 | 12 |
| 86 | Early Brain Volume Changes After Stroke: Subgroup Analysis From the AXIS-2 Trial. <i>Frontiers in Neurology</i> , 2021, 12, 747343. | 1.1 | 3 |
| 87 | Sodium selenate as a disease-modifying treatment for progressive supranuclear palsy: protocol for a phase 2, randomised, double-blind, placebo-controlled trial. <i>BMJ Open</i> , 2021, 11, e055019. | 0.8 | 4 |
| 88 | Mobile Stroke Units Facilitate Prehospital Management of Intracerebral Hemorrhage. <i>Stroke</i> , 2021, 52, 3163-3166. | 1.0 | 16 |
| 89 | A Preclinical Model of Computerized Cognitive Training: Touchscreen Cognitive Testing Enhances Cognition and Hippocampal Cellular Plasticity in Wildtype and Alzheimerâ€™s Disease Mice. <i>Frontiers in Behavioral Neuroscience</i> , 2021, 15, 766745. | 1.0 | 6 |
| 90 | Statistical Analysis Plan for EXtending the time for Thrombolysis in Emergency Neurological Deficits (EXTEND) trial. <i>International Journal of Stroke</i> , 2020, 15, 231-238. | 2.9 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Utility-weighted modified Rankin Scale: Still too crude to be a truly patient-centric primary outcome measure?. <i>International Journal of Stroke</i> , 2020, 15, 268-277. | 2.9 | 10 |
| 92 | Determining the optimal dose of tenecteplase before endovascular therapy for ischemic stroke (EXTEND-IA TNK Part 2): A multicenter, randomized, controlled study. <i>International Journal of Stroke</i> , 2020, 15, 567-572. | 2.9 | 12 |
| 93 | Diabetes and higher HbA1c levels are independently associated with adverse renal outcomes in inpatients following multiple hospital admissions. <i>Journal of Diabetes and Its Complications</i> , 2020, 34, 107465. | 1.2 | 4 |
| 94 | Patient selection and tolerability of high-dose methotrexate as central nervous system prophylaxis in diffuse large B-cell lymphoma. <i>Cancer Chemotherapy and Pharmacology</i> , 2020, 85, 133-140. | 1.1 | 4 |
| 95 | Cost-Effectiveness of Tenecteplase Before Thrombectomy for Ischemic Stroke. <i>Stroke</i> , 2020, 51, 3681-3689. | 1.0 | 31 |
| 96 | Determining Maximal Tolerable Aerobic Training Intensity in the Acute Phase after Stroke: a Novel Dose Ranging Trial Protocol. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020, 29, 105359. | 0.7 | 1 |
| 97 | Association between CYP2C9 polymorphisms and ischemic stroke following endovascular neurointervention. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020, 29, 104901. | 0.7 | 3 |
| 98 | Change in emotional eating after bariatric surgery: systematic review and meta-analysis. <i>BJS Open</i> , 2020, 4, 995-1014. | 0.7 | 9 |
| 99 | A study protocol for a phase II randomised, double-blind, placebo-controlled trial of sodium selenate as a disease-modifying treatment for behavioural variant frontotemporal dementia. <i>BMJ Open</i> , 2020, 10, e040100. | 0.8 | 11 |
| 100 | The utility of short-term goal achievement as an early indicator of discharge destination in people admitted to neurological rehabilitation with severe functional deficits. <i>Disability and Rehabilitation</i> , 2020, , 1-6. | 0.9 | 0 |
| 101 | In vivo microstructural heterogeneity of white matter lesions in healthy elderly and Alzheimer's disease participants using tissue compositional analysis of diffusion MRI data. <i>NeuroImage: Clinical</i> , 2020, 28, 102479. | 1.4 | 19 |
| 102 | Tenecteplase (and common sense) in short supply during the COVID-19 pandemic. <i>Medical Journal of Australia</i> , 2020, 213, 442. | 0.8 | 4 |
| 103 | Tranexamic acid in patients with intracerebral haemorrhage (STOP-AUST): a multicentre, randomised, placebo-controlled, phase 2 trial. <i>Lancet Neurology</i> , The, 2020, 19, 980-987. | 4.9 | 70 |
| 104 | Mental Health Care for Rural and Remote Australians During the Coronavirus Disease 2019 Pandemic. <i>Air Medical Journal</i> , 2020, 39, 516-519. | 0.3 | 2 |
| 105 | Intrathecal morphine is associated with reduction in postoperative opioid requirements and improvement in postoperative analgesia in patients undergoing open liver resection. <i>BMC Anesthesiology</i> , 2020, 20, 207. | 0.7 | 14 |
| 106 | Prevalence and clinical associations of tau in Lewy body dementias: A systematic review and meta-analysis. <i>Parkinsonism and Related Disorders</i> , 2020, 80, 184-193. | 1.1 | 21 |
| 107 | Artificial intelligence for decision support in acute stroke – current roles and potential. <i>Nature Reviews Neurology</i> , 2020, 16, 575-585. | 4.9 | 47 |
| 108 | Aeromedical retrieval diagnostic trends during a period of Coronavirus 2019 lockdown. <i>Internal Medicine Journal</i> , 2020, 50, 1457-1467. | 0.5 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Patterns of Infarction on MRI in Patients With Acute Ischemic Stroke and Cardio-Embolism: A Systematic Review and Meta-Analysis. <i>Frontiers in Neurology</i> , 2020, 11, 606521. | 1.1 | 20 |
| 110 | Intravenous alteplase for stroke with unknown time of onset guided by advanced imaging: systematic review and meta-analysis of individual patient data. <i>Lancet, The</i> , 2020, 396, 1574-1584. | 6.3 | 107 |
| 111 | Permeability Measures Predict Hemorrhagic Transformation after Ischemic Stroke. <i>Annals of Neurology</i> , 2020, 88, 466-476. | 2.8 | 20 |
| 112 | Royal Flying Doctor Service Coronavirus Disease 2019 Activity and Surge Modeling in Australia. <i>Air Medical Journal</i> , 2020, 39, 404-409. | 0.3 | 13 |
| 113 | The financial burden of complications following rectal resection. <i>Medicine (United States)</i> , 2020, 99, e20089. | 0.4 | 4 |
| 114 | Aeromedical Retrieval for Stroke in Australia. <i>Cerebrovascular Diseases</i> , 2020, 49, 334-340. | 0.8 | 17 |
| 115 | Melbourne Mobile Stroke Unit and Reperfusion Therapy. <i>Stroke</i> , 2020, 51, 922-930. | 1.0 | 58 |
| 116 | Gradient of Tissue Injury after Stroke: Rethinking the Infarct versus Noninfarcted Dichotomy. <i>Cerebrovascular Diseases</i> , 2020, 49, 32-38. | 0.8 | 8 |
| 117 | Effect of Intravenous Tenecteplase Dose on Cerebral Reperfusion Before Thrombectomy in Patients With Large Vessel Occlusion Ischemic Stroke. <i>JAMA - Journal of the American Medical Association</i> , 2020, 323, 1257. | 3.8 | 168 |
| 118 | Comparison of the effectiveness of a tailored cognitive behavioural therapy with a supportive listening intervention for depression in those newly diagnosed with multiple sclerosis (the) Tj ETQq0 0 0 rgBT /Overlock 10 Tf_50 382 Td <i>Trials</i> , 2020, 21, 100. | 0.7 | 5 |
| 119 | Assessing TEG6S reliability between devices and across multiple time points: A prospective thromboelastography validation study. <i>Scientific Reports</i> , 2020, 10, 7045. | 1.6 | 13 |
| 120 | Emotional eating in patients attending a specialist obesity treatment service. <i>Appetite</i> , 2020, 151, 104708. | 1.8 | 14 |
| 121 | Clustering clinical and health care processes using a novel measure of dissimilarity for variable-length sequences of ordinal states. <i>Statistical Methods in Medical Research</i> , 2020, 29, 3059-3075. | 0.7 | 5 |
| 122 | Safety and Efficacy of Induction and Maintenance Avelumab Plus R-CHOP in Patients with Diffuse Large B-Cell Lymphoma (DLBCL): Analysis of the Phase II Avr-CHOP Study. <i>Blood</i> , 2020, 136, 43-44. | 0.6 | 9 |
| 123 | What is the feasibility and observed effect of two implementation packages for stroke rehabilitation therapists implementing upper limb guidelines? A cluster controlled feasibility study. <i>BMJ Open Quality</i> , 2020, 9, e000954. | 0.4 | 9 |
| 124 | Acute Hospital Admission for Stroke Is Characterised by Inactivity. <i>Stroke Research and Treatment</i> , 2020, 2020, 1-8. | 0.5 | 4 |
| 125 | Anaesthetists's™ attitudes towards attending the funerals of their patients: A cross-sectional study among Australian and New Zealand anaesthetists. <i>PLoS ONE</i> , 2020, 15, e0239996. | 1.1 | 0 |
| 126 | The association between intravitreal ranibizumab therapy and serum cytokine concentrations in patients with diabetic macular edema. <i>Molecular Vision</i> , 2020, 26, 246-256. | 1.1 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Prolonged Lymphopenia and Infection Risk Is Mitigated By Antimicrobial Prophylaxis in Patients with Indolent Non-Hodgkin Lymphoma (iNHL) Treated with Bendamustine +/- Anti-CD20 Antibody: The Australasian Lymphoma Alliance Experience. <i>Blood</i> , 2020, 136, 47-49. | 0.6 | 1 |
| 128 | Title is missing!. , 2020, 15, e0239996. | | 0 |
| 129 | Title is missing!. , 2020, 15, e0239996. | | 0 |
| 130 | Title is missing!. , 2020, 15, e0239996. | | 0 |
| 131 | Title is missing!. , 2020, 15, e0239996. | | 0 |
| 132 | Longitudinal changes in activity participation in the first year post-stroke and association with depressive symptoms. <i>Disability and Rehabilitation</i> , 2019, 41, 2548-2555. | 0.9 | 28 |
| 133 | Growth changes after inhalant abuse and toluene exposure: A systematic review and meta-analysis of human and animal studies. <i>Human and Experimental Toxicology</i> , 2019, 38, 157-172. | 1.1 | 13 |
| 134 | Goal directed fluid therapy for major liver resection: A multicentre randomized controlled trial. <i>Annals of Medicine and Surgery</i> , 2019, 45, 45-53. | 0.5 | 22 |
| 135 | Early mobilization and quality of life after stroke. <i>Neurology</i> , 2019, 93, e717-e728. | 1.5 | 34 |
| 136 | Prevalence of pre-existing dysglycaemia among inpatients with acute coronary syndrome and associations with outcomes. <i>Diabetes Research and Clinical Practice</i> , 2019, 154, 130-137. | 1.1 | 7 |
| 137 | A systematic review protocol of timing, efficacy and cost effectiveness of upper limb therapy for motor recovery post-stroke. <i>Systematic Reviews</i> , 2019, 8, 187. | 2.5 | 21 |
| 138 | The incidence, predictors and outcomes of QTc prolongation in critically ill patients. <i>Journal of Critical Care</i> , 2019, 54, 244-249. | 1.0 | 10 |
| 139 | A stroke recovery trial development framework: Consensus-based core recommendations from the Second Stroke Recovery and Rehabilitation Roundtable. <i>International Journal of Stroke</i> , 2019, 14, 792-802. | 2.9 | 64 |
| 140 | Dose Articulation in Preclinical and Clinical Stroke Recovery: Refining a Discovery Research Pipeline and Presenting a Scoping Review Protocol. <i>Frontiers in Neurology</i> , 2019, 10, 1148. | 1.1 | 15 |
| 141 | A Stroke Recovery Trial Development Framework: Consensus-Based Core Recommendations from the Second Stroke Recovery and Rehabilitation Roundtable. <i>Neurorehabilitation and Neural Repair</i> , 2019, 33, 959-969. | 1.4 | 24 |
| 142 | Diagnostic accuracy of noncontrast CT imaging markers in cerebral venous thrombosis. <i>Neurology</i> , 2019, 92, e841-e851. | 1.5 | 22 |
| 143 | Gastrointestinal dysfunction in patients and mice expressing the autism-associated R451C mutation in neurotrophin-3. <i>Autism Research</i> , 2019, 12, 1043-1056. | 2.1 | 63 |
| 144 | Paradoxical effects of exercise on hippocampal plasticity and cognition in mice with a heterozygous null mutation in the serotonin transporter gene. <i>British Journal of Pharmacology</i> , 2019, 176, 3279-3296. | 2.7 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 145 | Extending thrombolysis to 4.5 h and wake-up stroke using perfusion imaging: a systematic review and meta-analysis of individual patient data. <i>Lancet, The</i> , 2019, 394, 139-147. | 6.3 | 321 |
| 146 | Thrombolysis Guided by Perfusion Imaging up to 9 Hours after Onset of Stroke. <i>New England Journal of Medicine</i> , 2019, 380, 1795-1803. | 13.9 | 653 |
| 147 | Routine HbA1c among hematology and oncology inpatients: Diabetes-status and hospital-outcomes. <i>Diabetes Research and Clinical Practice</i> , 2019, 152, 71-78. | 1.1 | 0 |
| 148 | Epilepsy in families: Age at onset is a familial trait, independent of syndrome. <i>Annals of Neurology</i> , 2019, 86, 91-98. | 2.8 | 11 |
| 149 | A Framework for Designing Inpatient Stroke Rehabilitation Facilities: A New Approach Using Interdisciplinary Value-Focused Thinking. <i>Herd</i> , 2019, 12, 142-158. | 0.9 | 15 |
| 150 | Feasibility of using a transition diabetes team to commence injectable therapies postdischarge from a tertiary hospital: a pilot, randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e023583. | 0.8 | 2 |
| 151 | Diagnostic performance of the Chronic Kidney Disease Epidemiology Collaboration (CKD-EPI) equation at estimating glomerular filtration rate in adults with diabetes mellitus: a systematic review and meta-analysis protocol. <i>BMJ Open</i> , 2019, 9, e031558. | 0.8 | 12 |
| 152 | Mutations in neuroligin-3 in male mice impact behavioral flexibility but not relational memory in a touchscreen test of visual transitive inference. <i>Molecular Autism</i> , 2019, 10, 42. | 2.6 | 18 |
| 153 | Patient and service factors associated with referral and admission to inpatient rehabilitation after the acute phase of stroke in Australia and Norway. <i>BMC Health Services Research</i> , 2019, 19, 871. | 0.9 | 17 |
| 154 | Highly Accelerated Breath-Hold Noncontrast Electrocardiographically- and Pulse-Gated Balanced Steady-State Free Precession Magnetic Resonance Angiography of the Thoracic Aorta: Comparison With Electrocardiographically-Gated Computed Tomographic Angiography. <i>Journal of Computer Assisted Tomography</i> , 2019, 43, 323-332. | 0.5 | 4 |
| 155 | Bereavement practices employed by hospitals and medical practitioners toward attending funeral of patients. <i>Medicine (United States)</i> , 2019, 98, e16692. | 0.4 | 5 |
| 156 | Systematic Review and Meta-analysis: Optimal Salvage Therapy in Acute Severe Ulcerative Colitis. <i>Inflammatory Bowel Diseases</i> , 2019, 25, 1169-1186. | 0.9 | 63 |
| 157 | Immune Priming with Single-Agent Nivolumab Followed By Combined Nivolumab & Rituximab Is Safe and Efficacious for First-Line Treatment of Follicular Lymphoma; Interim Analysis of the '1st FLOR' Study. <i>Blood</i> , 2019, 134, 1523-1523. | 0.6 | 10 |
| 158 | AvR-CHOP: Feasibility Study of Induction and Maintenance Avelumab Plus R-CHOP in Patients with Diffuse Large B-Cell Lymphoma (DLBCL). <i>Blood</i> , 2019, 134, 5332-5332. | 0.6 | 2 |
| 159 | Abstract TP423: Risk Factors for Intracranial Hemorrhage in Cerebral Venous Thrombosis. <i>Stroke</i> , 2019, 50, . | 1.0 | 0 |
| 160 | Older People With Type 2 Diabetes—Individualizing Management With a Specialized (OPTIMISE) Community Team: Protocol for a Safety and Feasibility Mixed Methods Study. <i>JMIR Research Protocols</i> , 2019, 8, e13986. | 0.5 | 2 |
| 161 | Phase I Dose Escalation Study of Radiotherapy and Durvalumab (MEDI4736) in Relapsed/Refractory Diffuse Large B-Cell Lymphoma (DLBCL): The RaDD Study. <i>Blood</i> , 2019, 134, 5328-5328. | 0.6 | 1 |
| 162 | Association between implementation of a code stroke system and poststroke epilepsy. <i>Neurology</i> , 2018, 90, e1126-e1133. | 1.5 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 163 | Tenecteplase versus Alteplase before Thrombectomy for Ischemic Stroke. <i>New England Journal of Medicine</i> , 2018, 378, 1573-1582. | 13.9 | 538 |
| 164 | Differentiating arterial ischaemic stroke from migraine in the paediatric emergency department. <i>Developmental Medicine and Child Neurology</i> , 2018, 60, 1117-1122. | 1.1 | 21 |
| 165 | Chronic pelvic pain – pain catastrophizing, pelvic pain and quality of life. <i>Scandinavian Journal of Pain</i> , 2018, 18, 441-448. | 0.5 | 46 |
| 166 | Systematic review and meta-analysis of prevalence of sarcopenia in post acute inpatient rehabilitation. <i>Osteoporosis International</i> , 2018, 29, 805-812. | 1.3 | 61 |
| 167 | Correcting preoperative iron deficiency as part of patient blood management in the “real world”: results of an audit on an Australian cohort. <i>ISBT Science Series</i> , 2018, 13, 165-170. | 1.1 | 3 |
| 168 | An Objective Measurement of Lacunar Infarct Location from the Middle Cerebral Artery Stem. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018, 27, 599-605. | 0.7 | 0 |
| 169 | Association between hemorrhagic transformation after endovascular therapy and poststroke seizures. <i>Epilepsia</i> , 2018, 59, 403-409. | 2.6 | 26 |
| 170 | Limited utility of routine chest X-ray in initial evaluation of neutropenic fever in patients with haematological diseases undergoing chemotherapy. <i>Internal Medicine Journal</i> , 2018, 48, 556-560. | 0.5 | 4 |
| 171 | Upright activity and higher motor function may preserve bone mineral density within 6 months of stroke: a longitudinal study. <i>Archives of Osteoporosis</i> , 2018, 13, 5. | 1.0 | 8 |
| 172 | Selection criteria for endovascular therapy for acute ischaemic stroke: Are patients missing out?. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2018, 62, 345-354. | 0.9 | 0 |
| 173 | The Presence of Diabetes and Higher HbA1c Are Independently Associated With Adverse Outcomes After Surgery. <i>Diabetes Care</i> , 2018, 41, 1172-1179. | 4.3 | 57 |
| 174 | Ambulance Clinical Triage for Acute Stroke Treatment. <i>Stroke</i> , 2018, 49, 945-951. | 1.0 | 54 |
| 175 | Feasibility of using self-reported ethnicity in pregnancy according to the gestation-related optimal weight classification: a cross-sectional study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018, 125, 704-709. | 1.1 | 15 |
| 176 | Insights into variations in preferred selection criteria for acute stroke endovascular therapy. <i>Journal of NeuroInterventional Surgery</i> , 2018, 10, 542-549. | 2.0 | 4 |
| 177 | Tenecteplase versus alteplase before endovascular thrombectomy (EXTEND-IA TNK): A multicenter, randomized, controlled study. <i>International Journal of Stroke</i> , 2018, 13, 328-334. | 2.9 | 58 |
| 178 | Precision therapy for epilepsy due to <i>KCNT1</i> mutations. <i>Neurology</i> , 2018, 90, e67-e72. | 1.5 | 108 |
| 179 | The CT Swirl Sign Is Associated with Hematoma Expansion in Intracerebral Hemorrhage. <i>American Journal of Neuroradiology</i> , 2018, 39, 232-237. | 1.2 | 45 |
| 180 | Associations of Fluid Amount, Type, and Balance and Acute Kidney Injury in Patients Undergoing Major Surgery. <i>Anaesthesia and Intensive Care</i> , 2018, 46, 79-87. | 0.2 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Rationale for Intervention and Dose Is Lacking in Stroke Recovery Trials: A Systematic Review. <i>Stroke Research and Treatment</i> , 2018, 2018, 1-9. | 0.5 | 21 |
| 182 | Clot Migration Is Associated With Intravenous Thrombolysis in the Setting of Acute Ischemic Stroke. <i>Stroke</i> , 2018, 49, 3060-3062. | 1.0 | 33 |
| 183 | Touchscreen testing reveals clinically relevant cognitive abnormalities in a mouse model of schizophrenia lacking metabotropic glutamate receptor 5. <i>Scientific Reports</i> , 2018, 8, 16412. | 1.6 | 33 |
| 184 | Additional structured physical activity does not improve walking in older people (> 60 years) undergoing inpatient rehabilitation: a randomised trial. <i>Journal of Physiotherapy</i> , 2018, 64, 237-244. | 0.7 | 14 |
| 185 | Endovascular Clot Retrieval by Hub-and-Spoke Service Delivery is Feasible Compared with Direct-to-Mothership. <i>Cerebrovascular Diseases</i> , 2018, 46, 170-175. | 0.8 | 10 |
| 186 | Safety of Endovascular Thrombectomy for Acute Ischaemic Stroke in Anticoagulated Patients Ineligible for Intravenous Thrombolysis. <i>Cerebrovascular Diseases</i> , 2018, 46, 193-199. | 0.8 | 24 |
| 187 | Early Mobilization After Stroke Is Not Associated With Cognitive Outcome. <i>Stroke</i> , 2018, 49, 2147-2154. | 1.0 | 13 |
| 188 | The Association Between Atrial Fibrillation and Poststroke Seizures is Influenced by Ethnicity and Environmental Factors. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018, 27, 2755-2760. | 0.7 | 8 |
| 189 | Treatment with exenatide in acute ischemic stroke trial protocol: A prospective, randomized, open label, blinded end-point study of exenatide vs. standard care in post stroke hyperglycemia. <i>International Journal of Stroke</i> , 2018, 13, 857-862. | 2.9 | 18 |
| 190 | Association between different acute stroke therapies and development of post stroke seizures. <i>BMC Neurology</i> , 2018, 18, 61. | 0.8 | 46 |
| 191 | Investigating post-stroke fatigue: An individual participant data meta-analysis. <i>Journal of Psychosomatic Research</i> , 2018, 113, 107-112. | 1.2 | 42 |
| 192 | Using routine HbA1c measurements in stroke and the associations of dysglycaemia with stroke outcomes. <i>Journal of Diabetes and Its Complications</i> , 2018, 32, 1056-1061. | 1.2 | 4 |
| 193 | How common is substantial weight gain after pregnancy?. <i>Obesity Research and Clinical Practice</i> , 2018, 12, 139-145. | 0.8 | 12 |
| 194 | Exploratory analysis of factors associated with venous thromboembolism in Victorian acute traumatic spinal cord-injured patients 2010-2013. <i>Spinal Cord</i> , 2017, 55, 74-78. | 0.9 | 19 |
| 195 | Higher maternal serum prolactin levels are associated with reduced glucose tolerance during pregnancy. <i>Journal of Diabetes Investigation</i> , 2017, 8, 697-700. | 1.1 | 27 |
| 196 | Prehospital Emergency Care in Childhood Arterial Ischemic Stroke. <i>Stroke</i> , 2017, 48, 1095-1097. | 1.0 | 6 |
| 197 | Large Vessel Occlusion Scales Increase Delivery to Endovascular Centers Without Excessive Harm From Misclassifications. <i>Stroke</i> , 2017, 48, 568-573. | 1.0 | 80 |
| 198 | Hypothermia revisited: Impact of ischaemic duration and between experiment variability. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017, 37, 3380-3390. | 2.4 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Low-Molecular-Weight Heparin and the Relative Risk of Surgical Site Bleeding Complications: Results of a Systematic Review and Meta-Analysis of Randomized Controlled Trials of Venous Thromboprophylaxis in Patients After Total Joint Arthroplasty. <i>Journal of Arthroplasty</i> , 2017, 32, 2911-2919.e6. | 1.5 | 29 |
| 200 | Increased work and social engagement is associated with increased stroke specific quality of life in stroke survivors at 3 months and 12 months post-stroke: a longitudinal study of an Australian stroke cohort. <i>Topics in Stroke Rehabilitation</i> , 2017, 24, 405-414. | 1.0 | 34 |
| 201 | Endovascular therapy for ischemic stroke. <i>Neurology</i> , 2017, 88, 2123-2127. | 1.5 | 124 |
| 202 | 1.4 times increase in atrial fibrillation-related ischemic stroke and TIA over 12 years in a stroke center. <i>Journal of the Neurological Sciences</i> , 2017, 379, 1-6. | 0.3 | 8 |
| 203 | Accuracy and Reliability of Stroke Diagnosis in the Pediatric Emergency Department. <i>Stroke</i> , 2017, 48, 1198-1202. | 1.0 | 14 |
| 204 | SCIPA Switch-On: A Randomized Controlled Trial Investigating the Efficacy and Safety of Functional Electrical Stimulation-Assisted Cycling and Passive Cycling Initiated Early After Traumatic Spinal Cord Injury. <i>Neurorehabilitation and Neural Repair</i> , 2017, 31, 540-551. | 1.4 | 9 |
| 205 | Smartphone electrographic monitoring for atrial fibrillation in acute ischemic stroke and transient ischemic attack. <i>International Journal of Stroke</i> , 2017, 12, 786-789. | 2.9 | 20 |
| 206 | Apneic Oxygenation Versus Low-Tidal-Volume Ventilation in Anesthetized Cardiac Surgical Patients: A Prospective, Single-Center, Randomized Controlled Trial. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2017, 31, 2000-2009. | 0.6 | 5 |
| 207 | Search strategy selection in the Morris water maze indicates allocentric map formation during learning that underpins spatial memory formation. <i>Neurobiology of Learning and Memory</i> , 2017, 139, 37-49. | 1.0 | 52 |
| 208 | Early intensive hand rehabilitation is not more effective than usual care plus one-to-one hand therapy in people with sub-acute spinal cord injury (Hands On™): a randomised trial. <i>Journal of Physiotherapy</i> , 2017, 63, 197-204. | 0.7 | 13 |
| 209 | Standardized Measurement of Sensorimotor Recovery in Stroke Trials: Consensus-Based Core Recommendations from the Stroke Recovery and Rehabilitation Roundtable. <i>Neurorehabilitation and Neural Repair</i> , 2017, 31, 784-792. | 1.4 | 135 |
| 210 | Prevalence and causes of preoperative anaemia in elective major surgery patients. <i>Internal Medicine Journal</i> , 2017, 47, 1400-1404. | 0.5 | 15 |
| 211 | Standardized measurement of sensorimotor recovery in stroke trials: Consensus-based core recommendations from the Stroke Recovery and Rehabilitation Roundtable. <i>International Journal of Stroke</i> , 2017, 12, 451-461. | 2.9 | 352 |
| 212 | Reliability and Utility of the Alberta Stroke Program Early Computed Tomography Score in Hyperacute Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2017, 26, 2547-2552. | 0.7 | 23 |
| 213 | Testing a systematic approach to identify and prioritise barriers to successful implementation of a complex healthcare intervention. <i>BMC Medical Research Methodology</i> , 2017, 17, 24. | 1.4 | 12 |
| 214 | Physical Activity After Stroke Is Associated With Increased Interhemispheric Connectivity of the Dorsal Attention Network. <i>Neurorehabilitation and Neural Repair</i> , 2017, 31, 157-167. | 1.4 | 23 |
| 215 | New-Onset Atrial Fibrillation After Coronary Artery Bypass Graft and Long-Term Risk of Stroke: A Meta-Analysis. <i>Journal of the American Heart Association</i> , 2017, 6, . | 1.6 | 38 |
| 216 | Reducing sedentary time and fat mass may improve glucose tolerance and insulin sensitivity in adults surviving 6 months after stroke: A phase I pilot study. <i>European Stroke Journal</i> , 2017, 2, 144-153. | 2.7 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Risk-adjusted hospital mortality rates for stroke: evidence from the Australian Stroke Clinical Registry (AuSCR). <i>Medical Journal of Australia</i> , 2017, 207, 315-316. | 0.8 | 2 |
| 218 | Using Routine Hemoglobin A1c Testing to Determine the Glycemic Status in Psychiatric Inpatients. <i>Frontiers in Endocrinology</i> , 2017, 8, 53. | 1.5 | 3 |
| 219 | Endovascular Thrombectomy for Ischemic Stroke Increases Disability-Free Survival, Quality of Life, and Life Expectancy and Reduces Cost. <i>Frontiers in Neurology</i> , 2017, 8, 657. | 1.1 | 53 |
| 220 | Social Isolation Alters Social and Mating Behavior in the R451C Neuroligin Mouse Model of Autism. <i>Neural Plasticity</i> , 2017, 2017, 1-9. | 1.0 | 14 |
| 221 | Risk-adjusted hospital mortality rates for stroke: evidence from the Australian Stroke Clinical Registry (AuSCR). <i>Medical Journal of Australia</i> , 2017, 206, 345-350. | 0.8 | 37 |
| 222 | Reduction in retained activity participation is associated with depressive symptoms 3 months after mild stroke: An observational cohort study. <i>Journal of Rehabilitation Medicine</i> , 2017, 49, 120-127. | 0.8 | 19 |
| 223 | Using Automated HbA1c Testing to Detect Diabetes Mellitus in Orthopedic Inpatients and Its Effect on Outcomes. <i>PLoS ONE</i> , 2017, 12, e0168471. | 1.1 | 12 |
| 224 | Evolution of ischemic damage and behavioural deficit over 6 months after MCAo in the rat: Selecting the optimal outcomes and statistical power for multi-centre preclinical trials. <i>PLoS ONE</i> , 2017, 12, e0171688. | 1.1 | 46 |
| 225 | Restrictive intraoperative fluid optimisation algorithm improves outcomes in patients undergoing pancreaticoduodenectomy: A prospective multicentre randomized controlled trial. <i>PLoS ONE</i> , 2017, 12, e0183313. | 1.1 | 43 |
| 226 | Blood Pressure May Be Associated with Arterial Collateralization in Anterior Circulation Ischemic Stroke before Acute Reperfusion Therapy. <i>Journal of Stroke</i> , 2017, 19, 222-228. | 1.4 | 26 |
| 227 | Abstract 177: The Association of Blood Pressure and Pretreatment Arterial Collaterals in Acute Ischemic Stroke. <i>Stroke</i> , 2017, 48, . | 1.0 | 0 |
| 228 | White Matter Hyperintensities on Brain Magnetic Resonance Imaging in People with Epilepsy: A Hospital-Based Study. <i>CNS Neuroscience and Therapeutics</i> , 2016, 22, 758-763. | 1.9 | 7 |
| 229 | Early Recanalization Postintravenous Thrombolysis in Ischemic Stroke with Large Vessel Occlusion: A Digital Subtraction Angiography Study. <i>CNS Neuroscience and Therapeutics</i> , 2016, 22, 643-647. | 1.9 | 11 |
| 230 | Performance of bedside stroke recognition tools in discriminating childhood stroke from mimics. <i>Neurology</i> , 2016, 86, 2154-2161. | 1.5 | 38 |
| 231 | Validation of a decision support model for investigation and improvement in stroke thrombolysis. <i>European Journal of Operational Research</i> , 2016, 253, 154-169. | 3.5 | 7 |
| 232 | Early intensive hand rehabilitation is not more effective than usual care plus one-to-one hand therapy in people with sub-acute spinal cord injury (Hands On™): a randomised trial. <i>Journal of Physiotherapy</i> , 2016, 62, 88-95. | 0.7 | 21 |
| 233 | Dissociating the therapeutic effects of environmental enrichment and exercise in a mouse model of anxiety with cognitive impairment. <i>Translational Psychiatry</i> , 2016, 6, e794-e794. | 2.4 | 43 |
| 234 | Differentiating Childhood Stroke From Mimics in the Emergency Department. <i>Stroke</i> , 2016, 47, 2476-2481. | 1.0 | 42 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Parental Careâ€ Seeking Behavior and Prehospital Timelines of Care in Childhood Arterial Ischemic Stroke. <i>Stroke</i> , 2016, 47, 2638-2640. | 1.0 | 8 |
| 236 | A smoking cessation programme for current and recent exâ€smokers following diagnosis of a potentially curable cancer. <i>Internal Medicine Journal</i> , 2016, 46, 1089-1096. | 0.5 | 9 |
| 237 | Estimating glomerular filtration rate: Performance of the CKD-EPI equation over time in patients with type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 49-54. | 1.2 | 20 |
| 238 | Neurological Dysfunction in Early Maturity of a Model for Niemannâ€Pick C1 Carrier Status. <i>Neurotherapeutics</i> , 2016, 13, 614-622. | 2.1 | 17 |
| 239 | Minimally invasive endovascular stent-electrode array for high-fidelity, chronic recordings of cortical neural activity. <i>Nature Biotechnology</i> , 2016, 34, 320-327. | 9.4 | 210 |
| 240 | Prespecified dose-response analysis for A Very Early Rehabilitation Trial (AVERT). <i>Neurology</i> , 2016, 86, 2138-2145. | 1.5 | 170 |
| 241 | Computed tomography perfusion as a diagnostic tool for seizures after ischemic stroke. <i>Neuroradiology</i> , 2016, 58, 577-584. | 1.1 | 14 |
| 242 | Positron Emission Tomographic Imaging in Stroke. <i>Stroke</i> , 2016, 47, 113-119. | 1.0 | 33 |
| 243 | Is early rehabilitation a myth? Physical inactivity in the first week after myocardial infarction and stroke. <i>Disability and Rehabilitation</i> , 2016, 38, 1493-1499. | 0.9 | 10 |
| 244 | Association between baseline peri-infarct magnetic resonance spectroscopy and regional white matter atrophy after stroke. <i>Neuroradiology</i> , 2016, 58, 3-10. | 1.1 | 8 |
| 245 | Differences in Number of Midbrain Dopamine Neurons Associated with Summer and Winter Photoperiods in Humans. <i>PLoS ONE</i> , 2016, 11, e0158847. | 1.1 | 79 |
| 246 | Correlation of Quantitative Motor State Assessment Using a Kinetograph and Patient Diaries in Advanced PD: Data from an Observational Study. <i>PLoS ONE</i> , 2016, 11, e0161559. | 1.1 | 52 |
| 247 | Abstract TMP27: How Generalizable are Rehabilitation Trials? The Results of a Large International Rehabilitation Trial (AVERT). <i>Stroke</i> , 2016, 47, . | 1.0 | 0 |
| 248 | Abstract 3: Endovascular Thrombectomy Increases Disability-free Survival, Quality of Life and Life Expectancy After Ischemic Stroke With Reduced Costs. <i>Stroke</i> , 2016, 47, . | 1.0 | 0 |
| 249 | Abstract 153: Shorter, More Frequent Out of Bed Activity Very Early After Stroke (AVERT) is Associated With a Favorable Outcome at 3 Months. <i>Stroke</i> , 2016, 47, . | 1.0 | 1 |
| 250 | Abstract 76: Exploring Efficacy and Safety of Very Early Mobilization Within 24 Hours of Stroke Onset Versus Usual Stroke Unit Care (A Very Early Rehabilitation Trial, AVERT): Pre-specified Subgroup Analysis. <i>Stroke</i> , 2016, 47, . | 1.0 | 1 |
| 251 | Inpatient HbA1c testing: a prospective observational study. <i>BMJ Open Diabetes Research and Care</i> , 2015, 3, e000113. | 1.2 | 30 |
| 252 | Stroke care systems: Can simulation modeling catch up with the recent advances in stroke treatment?. , 2015, , . | | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 253 | The Association between Lesion Location and Functional Outcome after Ischemic Stroke. <i>International Journal of Stroke</i> , 2015, 10, 1270-1276. | 2.9 | 33 |
| 254 | Successful recanalization post endovascular therapy is associated with a decreased risk of intracranial haemorrhage: a retrospective study. <i>BMC Neurology</i> , 2015, 15, 185. | 0.8 | 31 |
| 255 | A neuroligin-3 mutation implicated in autism causes abnormal aggression and increases repetitive behavior in mice. <i>Molecular Autism</i> , 2015, 6, 62. | 2.6 | 66 |
| 256 | AVERT2(a very early rehabilitation trial, a very effective reproductive trigger): retrospective observational analysis of the number of babies born to trial staff. <i>BMJ</i> , The, 2015, 351, h6432. | 3.0 | 17 |
| 257 | Every 15-Min Delay in Recanalization by Intra-Arterial Therapy in Acute Ischemic Stroke Increases Risk of Poor Outcome. <i>International Journal of Stroke</i> , 2015, 10, 1062-1067. | 2.9 | 32 |
| 258 | A Phase 1 Exercise Dose Escalation Study for Stroke Survivors with Impaired Walking. <i>International Journal of Stroke</i> , 2015, 10, 1051-1056. | 2.9 | 28 |
| 259 | Risk of Bias in Reports of In Vivo Research: A Focus for Improvement. <i>PLoS Biology</i> , 2015, 13, e1002273. | 2.6 | 240 |
| 260 | Exploring threats to generalisability in a large international rehabilitation trial (AVERT). <i>BMJ Open</i> , 2015, 5, e008378. | 0.8 | 17 |
| 261 | Endovascular Therapy for Ischemic Stroke with Perfusion-Imaging Selection. <i>New England Journal of Medicine</i> , 2015, 372, 1009-1018. | 13.9 | 4,778 |
| 262 | Remote intracerebral haemorrhage post intravenous thrombolysis: Experience from an Australian stroke centre. <i>Journal of Clinical Neuroscience</i> , 2015, 22, 352-356. | 0.8 | 9 |
| 263 | Statistical Analysis Plan (SAP) for a Very Early Rehabilitation Trial (AVERT): An International Trial to Determine the Efficacy and Safety of Commencing out of Bed Standing and Walking Training (Very) Tj ETQq1 1 0.784314 rgBT /Overloc Stroke. 2015, 10, 23-24. | 2.9 | 22 |
| 264 | Worse Stroke Outcome in Atrial Fibrillation is Explained by More Severe Hypoperfusion, Infarct Growth, and Hemorrhagic Transformation. <i>International Journal of Stroke</i> , 2015, 10, 534-540. | 2.9 | 118 |
| 265 | STroke imAging pRevention and Treatment (START): A Longitudinal Stroke Cohort Study: Clinical Trials Protocol. <i>International Journal of Stroke</i> , 2015, 10, 636-644. | 2.9 | 24 |
| 266 | Salvage of the PWI/DWI Mismatch up to 48 h from Stroke Onset Leads to Favorable Clinical Outcome. <i>International Journal of Stroke</i> , 2015, 10, 565-570. | 2.9 | 32 |
| 267 | Is there association between hyperdense middle cerebral artery sign on CT scan and time from stroke onset within the first 24-hours?. <i>BMC Neurology</i> , 2015, 15, 101. | 0.8 | 11 |
| 268 | Picture-to-puncture time in acute stroke endovascular intervention: are we getting faster?. <i>Journal of NeuroInterventional Surgery</i> , 2015, 7, 564-568. | 2.0 | 5 |
| 269 | Imaging Selection in Ischemic Stroke: Feasibility of Automated CT-Perfusion Analysis. <i>International Journal of Stroke</i> , 2015, 10, 51-54. | 2.9 | 100 |
| 270 | The Missing Medians: Exclusion of Ordinal Data from Meta-Analyses. <i>PLoS ONE</i> , 2015, 10, e0145580. | 1.1 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | An Improved Method for Simple, Assumption-Free Ordinal Analysis of the Modified Rankin Scale Using Generalized Odds Ratios. <i>International Journal of Stroke</i> , 2014, 9, 999-1005. | 2.9 | 49 |
| 272 | Internal jugular and vertebral vein volume flow in patients with clinically isolated syndrome or mild multiple sclerosis and healthy controls: results from a prospective sonographer-blinded study. <i>Phlebology</i> , 2014, 29, 528-535. | 0.6 | 18 |
| 273 | Stroke and nonstroke brain attacks in children. <i>Neurology</i> , 2014, 82, 1434-1440. | 1.5 | 87 |
| 274 | Does Large Vessel Occlusion Affect Clinical Outcome in Stroke with Mild Neurologic Deficits after Intravenous Thrombolysis?. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014, 23, 2888-2893. | 0.7 | 25 |
| 275 | Low Alberta Stroke Program Early CT Score (ASPECTS) Associated with Malignant Middle Cerebral Artery Infarction. <i>Cerebrovascular Diseases</i> , 2014, 38, 39-45. | 0.8 | 44 |
| 276 | A Multicenter, Randomized, Controlled Study to Investigate Extending the Time for Thrombolysis in Emergency Neurological Deficits with Intra-Arterial Therapy (EXTEND-IA). <i>International Journal of Stroke</i> , 2014, 9, 126-132. | 2.9 | 151 |
| 277 | The Spot Sign and Tranexamic Acid on Preventing ICH Growth – AUStralasia Trial (STOP-AUST): Protocol of a Phase II Randomized, Placebo-Controlled, Double-Blind, Multicenter Trial. <i>International Journal of Stroke</i> , 2014, 9, 519-524. | 2.9 | 62 |
| 278 | A Bahasa Malaysia version of the Montreal Cognitive Assessment: validation in stroke. <i>International Psychogeriatrics</i> , 2014, 26, 781-786. | 0.6 | 15 |
| 279 | Reply to the Letter from Dale Ding, MD. <i>Cerebrovascular Diseases</i> , 2014, 38, 393-394. | 0.8 | 0 |
| 280 | Reperfusion after 4-5 Hours Reduces Infarct Growth and Improves Clinical Outcomes. <i>International Journal of Stroke</i> , 2014, 9, 266-269. | 2.9 | 16 |
| 281 | Stroke Thrombolysis. <i>Stroke</i> , 2014, 45, 1053-1058. | 1.0 | 270 |
| 282 | Leukoaraiosis and Early Neurological Recovery after Intravenous Thrombolysis. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014, 23, 2431-2436. | 0.7 | 14 |
| 283 | Thrombolysis for Acute Ischemic Stroke: Do Patients Treated Out of Hours Have a Worse Outcome?. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014, 23, 427-432. | 0.7 | 22 |
| 284 | Recanalisation success is independent of ASPECTS in predicting outcomes after intra-arterial therapy for acute ischaemic stroke. <i>Journal of Clinical Neuroscience</i> , 2014, 21, 1344-1348. | 0.8 | 1 |
| 285 | Vensim and the development of system dynamics. , 2014, , 215-247. | | 1 |
| 286 | Bed Rest or Mobilization after rt-PA? A Case-Crossover Study of Factors Influencing Clinical Decision Making in Stroke Services. <i>International Journal of Stroke</i> , 2013, 8, 172-179. | 2.9 | 11 |
| 287 | Failure of Collateral Blood Flow is Associated with Infarct Growth in Ischemic Stroke. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2013, 33, 1168-1172. | 2.4 | 235 |
| 288 | Decision support in pre-hospital stroke care operations: A case of using simulation to improve eligibility of acute stroke patients for thrombolysis treatment. <i>Computers and Operations Research</i> , 2013, 40, 2208-2218. | 2.4 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | Advanced imaging improves prediction of hemorrhage after stroke thrombolysis. <i>Annals of Neurology</i> , 2013, 73, 510-519. | 2.8 | 70 |
| 290 | Stroke thrombolysis and the third international stroke trial: Examining "the totality of the evidence". <i>EMA - Emergency Medicine Australasia</i> , 2013, 25, 107-109. | 0.5 | 3 |
| 291 | Warfarin-associated intracerebral hemorrhage: Volume, anticoagulation intensity and location. <i>Journal of the Neurological Sciences</i> , 2013, 332, 75-79. | 0.3 | 22 |
| 292 | The Effects of Alteplase 3 to 6 Hours After Stroke in the EPITHET-DEFUSE Combined Dataset. <i>Stroke</i> , 2013, 44, 87-93. | 1.0 | 82 |
| 293 | Measuring Activity Levels at an Acute Stroke Ward: Comparing Observations to a Device. <i>BioMed Research International</i> , 2013, 2013, 1-8. | 0.9 | 40 |
| 294 | Pre-Stroke CHADS ₂ and CHA ₂ DS ₂ -VASc Scores Are Useful in Stratifying Three-Month Outcomes in Patients with and without Atrial Fibrillation. <i>Cerebrovascular Diseases</i> , 2013, 36, 273-280. | 0.8 | 49 |
| 295 | Early Physical Activity and Discharge Destination after Stroke: A Comparison of Acute and Comprehensive Stroke Unit Care. <i>Rehabilitation Research and Practice</i> , 2013, 2013, 1-9. | 0.5 | 8 |
| 296 | The effect of physical activity on cognitive function after stroke: a systematic review. <i>International Psychogeriatrics</i> , 2012, 24, 557-567. | 0.6 | 129 |
| 297 | Subacute Ischemic Stroke Is Associated With Focal ¹¹ C PiB Positron Emission Tomography Retention But Not With Global Neocortical A β 2 Deposition. <i>Stroke</i> , 2012, 43, 1341-1346. | 1.0 | 33 |
| 298 | Moving Beyond a Single Perfusion Threshold to Define Penumbra. <i>Stroke</i> , 2012, 43, 1548-1555. | 1.0 | 30 |
| 299 | An Early Mobilization Protocol Successfully Delivers More and Earlier Therapy to Acute Stroke Patients. <i>Neurorehabilitation and Neural Repair</i> , 2012, 26, 20-26. | 1.4 | 43 |
| 300 | A Multicentre, Randomized, Double-Blinded, Placebo-Controlled Phase III Study to Investigate Extending the Time for Thrombolysis in Emergency Neurological Deficits (EXTEND). <i>International Journal of Stroke</i> , 2012, 7, 74-80. | 2.9 | 182 |
| 301 | EPITHET. <i>Stroke</i> , 2011, 42, 59-64. | 1.0 | 90 |
| 302 | Formalizing process-based risk with Value-Focused Process Engineering. <i>Information Systems and E-Business Management</i> , 2011, 9, 447-474. | 2.2 | 16 |
| 303 | A Topographic Study of the Evolution of the MR DWI/PWI Mismatch Pattern and Its Clinical Impact. <i>Stroke</i> , 2011, 42, 1596-1601. | 1.0 | 34 |
| 304 | Very Early Mobilization After Stroke Fast-Tracks Return to Walking. <i>Stroke</i> , 2011, 42, 153-158. | 1.0 | 257 |
| 305 | Frequent Early Cardiac Complications Contribute to Worse Stroke Outcome in Atrial Fibrillation. <i>Cerebrovascular Diseases</i> , 2011, 32, 454-460. | 0.8 | 34 |
| 306 | Cerebral β -amyloid detected by Pittsburgh compound B positron emission topography predisposes to recombinant tissue plasminogen activator-related hemorrhage. <i>Annals of Neurology</i> , 2010, 68, 959-962. | 2.8 | 30 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 307 | Thrombolysis for acute stroke in Australia: outcomes from the Safe Implementation of Thrombolysis in Stroke registry (2002â€“2008). Medical Journal of Australia, 2010, 193, 439-443. | 0.8 | 26 |
| 308 | Fragmentation of the Classical Magnetic Resonance Mismatch â€œPenumbraâ€•Pattern With Time. Stroke, 2009, 40, 3752-3757. | 1.0 | 21 |
| 309 | Supply chain risk identification with valueâ€•focused process engineering. Journal of Operations Management, 2009, 27, 154-168. | 3.3 | 203 |