

Cláudio N Verani

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/709159/publications.pdf>

Version: 2024-02-01

67
papers

2,118
citations

257450

24
h-index

254184

43
g-index

74
all docs

74
docs citations

74
times ranked

3010
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficient Water Oxidation Using CoMnP Nanoparticles. <i>Journal of the American Chemical Society</i> , 2016, 138, 4006-4009.	13.7	510
2	Inhibition of the Proteasome Activity by Gallium(III) Complexes Contributes to Their Anti-Prostate Tumor Effects. <i>Cancer Research</i> , 2007, 67, 9258-9265.	0.9	102
3	Metals in anticancer therapy: Copper(II) complexes as inhibitors of the 20S proteasome. <i>European Journal of Medicinal Chemistry</i> , 2009, 44, 4353-4361.	5.5	98
4	Influence of Ligand Rigidity and Ring Substitution on the Structural and Electronic Behavior of Trivalent Iron and Gallium Complexes with Asymmetric Tridentate Ligands. <i>Inorganic Chemistry</i> , 2005, 44, 7414-7422.	4.0	80
5	Synthesis, Structure, and Anticancer Activity of Gallium(III) Complexes with Asymmetric Tridentate Ligands: A Growth Inhibition and Apoptosis Induction of Cisplatin-Resistant Neuroblastoma Cells. <i>Inorganic Chemistry</i> , 2006, 45, 6263-6268.	4.0	65
6	Ligand Transformations and Efficient Proton/Water Reduction with Cobalt Catalysts Based on Pentadentate Pyridine-Rich Environments. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 2105-2110.	13.8	61
7	Comparative Activities of Nickel(II) and Zinc(II) Complexes of Asymmetric [NN ² O] Ligands as 26S Proteasome Inhibitors. <i>Inorganic Chemistry</i> , 2009, 48, 5928-5937.	4.0	58
8	Structural, spectroscopic, and electrochemical behavior of trans-phenolato cobalt(III) complexes of asymmetric NN ² O ligands as archetypes for metallomesogens. <i>Dalton Transactions</i> , 2006, , 2517-2525.	3.3	55
9	Structural and Electronic Behavior of Unprecedented Five-Coordinate Iron(III) and Gallium(III) Complexes with a New Phenol-Rich Electroactive Ligand. <i>Inorganic Chemistry</i> , 2006, 45, 955-957.	4.0	55
10	Bioinspired Five-Coordinate Iron(III) Complexes for Stabilization of Phenoxy Radicals. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 3178-3182.	13.8	48
11	Archetypical Modeling and Amphiphilic Behavior of Cobalt(II)-Containing Soft-Materials with Asymmetric Tridentate Ligands. <i>Inorganic Chemistry</i> , 2007, 46, 9808-9818.	4.0	44
12	Synthesis and Spectroscopy of ¼-Oxo (O ₂ -) Bridged Heme/Non-heme Diiron Complexes: Models for the Active Site of Nitric Oxide Reductase. <i>Inorganic Chemistry</i> , 2004, 43, 651-662.	4.0	43
13	Metal complexes as inhibitors of the 26S proteasome in tumor cells. <i>Journal of Inorganic Biochemistry</i> , 2012, 106, 59-67.	3.5	42
14	Copper(II) complexes with (2-hydroxybenzyl-2-pyridylmethyl)amine (Hbpa): syntheses, characterization and crystal structures of the ligand and [Cu(II)(Hbpa) ₂](ClO ₄) ₂ ·2H ₂ O. <i>Inorganica Chimica Acta</i> , 1999, 290, 207-212.	2.4	38
15	Evaluation of the coordination preferences and catalytic pathways of heteroaxial cobalt oximes towards hydrogen generation. <i>Chemical Science</i> , 2016, 7, 3264-3278.	7.4	35
16	The Therapeutic Potential of Gallium-Based Complexes in Anti-Tumor Drug Design. <i>Letters in Drug Design and Discovery</i> , 2007, 4, 311-317.	0.7	32
17	Molecular Order in Langmuir-Blodgett Monolayers of Metal-Ligand Surfactants Probed by Sum Frequency Generation. <i>Langmuir</i> , 2009, 25, 6880-6886.	3.5	30
18	Efficient electro/photocatalytic water reduction using a [Ni ^{II} (N ₂ Py ₃) ₂] ²⁺ complex. <i>Chemical Communications</i> , 2016, 52, 13357-13360.	4.1	30

#	ARTICLE	IF	CITATIONS
19	Design of Molecular Scaffolds Based on Unusual Geometries for Magnetic Modulation of Spin-Diverse Complexes with Selective Redox Response. <i>Inorganic Chemistry</i> , 2007, 46, 72-78.	4.0	28
20	Rectification in Nanoscale Devices Based on an Asymmetric Five-Coordinate Iron(III) Phenolate Complex. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 13346-13350.	13.8	27
21	Amphiphilic and Magnetic Properties of a New Class of Cluster-Bearing $[L_2Cu_4(\mu_4-O)(\mu_2-carboxylato)_4]$ Soft Materials. <i>Chemistry - A European Journal</i> , 2007, 13, 9948-9956.	3.3	25
22	On the Effect of Coordination and Protonation Preferences in the Amphiphilic Behavior of Metallosurfactants with Asymmetric Headgroups. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 345-356.	2.0	25
23	Thermotropic Mesomorphism of Soft Materials Bearing Carboxylate-Supported μ_4 -Oxo Tetracupric Clusters. <i>Inorganic Chemistry</i> , 2006, 45, 7587-7589.	4.0	24
24	Generation and Characterization of $[(P)M^XCo(TMPA)]_n$ Assemblies; P = Porphyrinate, M = Fe and Co, X = O ₂ , OH-, O ₂₂ -, and TMPA = Tris(2-pyridylmethyl)amine. <i>Inorganic Chemistry</i> , 2007, 46, 3017-3026.	4.0	23
25	The Mechanisms of Rectification in Au Molecule Au Devices Based on Langmuir-Blodgett Monolayers of Iron(III) and Copper(II) Surfactants. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 14462-14467.	13.8	22
26	Unexpected Formation of a Cobalt(III) Phenoxazinylate Electron Reservoir. <i>European Journal of Inorganic Chemistry</i> , 2012, 2012, 463-466.	2.0	21
27	Distinct Proton and Water Reduction Behavior with a Cobalt(III) Electrocatalyst Based on Pentadentate Oximes. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 7139-7143.	13.8	21
28	Bimetallic Cooperativity in Proton Reduction with an Amido-Bridged Cobalt Catalyst. <i>Chemistry - A European Journal</i> , 2017, 23, 9272-9279.	3.3	21
29	A pentadentate nitrogen-rich copper electrocatalyst for water reduction with pH-dependent molecular mechanisms. <i>Dalton Transactions</i> , 2017, 46, 16812-16820.	3.3	21
30	Synthesis, Redox, and Amphiphilic Properties of Responsive Salicylaldehyde-Copper(II) Soft Materials. <i>Inorganic Chemistry</i> , 2008, 47, 3119-3127.	4.0	19
31	Interfacial Behavior and Film Patterning of Redox-Active Cationic Copper(II)-Containing Surfactants. <i>Chemistry - A European Journal</i> , 2008, 14, 9665-9674.	3.3	18
32	Efficient water oxidation with electromodified Langmuir-Blodgett films of procatalytic $[Co^{III}(N_2O_3)]$ metallosurfactants on electrodes. <i>Chemical Communications</i> , 2016, 52, 8440-8443.	4.1	18
33	Immobilization of an Amphiphilic Molecular Cobalt Catalyst on Carbon Black for Ligand-Assisted Water Oxidation. <i>Inorganic Chemistry</i> , 2018, 57, 9748-9756.	4.0	18
34	Modulation of electronic and redox properties in phenolate-rich cobalt(III) complexes and their implications for catalytic proton reduction. <i>Dalton Transactions</i> , 2015, 44, 3454-3466.	3.3	17
35	Confirmation of the Rectifying Behavior in a Pentacoordinate $[N_2O_2]$ Iron(III) Surfactant Using a Eutectic Galn LB Monolayer Au-Assembly. <i>Journal of Physical Chemistry C</i> , 2016, 120, 10578-10583.	3.1	17
36	Investigation of the Electronic, Photosubstitution, Redox, and Surface Properties of New Ruthenium(II)-Containing Amphiphiles. <i>Inorganic Chemistry</i> , 2011, 50, 969-977.	4.0	16

#	ARTICLE	IF	CITATIONS
37	Effect of Substituents on the Water Oxidation Activity of [Ru ^{II} (terpy)(phen)Cl] ⁺ Procatalysts. <i>Inorganic Chemistry</i> , 2014, 53, 3311-3319.	4.0	16
38	Modeling the Geometric, Electronic, and Redox Properties of Iron(III)-Containing Amphiphiles with Asymmetric [NN ² O] Headgroups. <i>Inorganic Chemistry</i> , 2011, 50, 8356-8366.	4.0	15
39	Sequential Phenolate Oxidations in Octahedral Cobalt(III) Complexes with [N ₂ O ₃] Ligands. <i>European Journal of Inorganic Chemistry</i> , 2012, 2012, 4622-4631.	2.0	15
40	Langmuir-Blodgett films of salophen-based metallosurfactants as surface pretreatment coatings for corrosion mitigation. <i>Chemical Communications</i> , 2016, 52, 11155-11158.	4.1	15
41	A Modular Approach to Redox-Active Multimetallic Hydrophobes of Discoid Topology. <i>Inorganic Chemistry</i> , 2010, 49, 7226-7228.	4.0	14
42	Deactivation of a Cobalt Catalyst for Water Reduction through Valence Tautomerism. <i>Chemistry - A European Journal</i> , 2017, 23, 9266-9271.	3.3	14
43	An <i>in situ</i> spectroelectrochemical study on the orientation changes of an [Fe ^{III} L ^{N₂O₃}] metallosurfactant deposited as LB Films on gold electrode surfaces. <i>Dalton Transactions</i> , 2018, 47, 14218-14226.	3.3	14
44	Effects of tethered ligands and of metal oxidation state on the interactions of cobalt complexes with the 26S proteasome. <i>Journal of Inorganic Biochemistry</i> , 2011, 105, 1759-1766.	3.5	13
45	Electronic Modulation of the SOMO-HOMO Energy Gap in Iron(III) Complexes towards Unimolecular Current Rectification. <i>Chemistry - A European Journal</i> , 2016, 22, 10786-10790.	3.3	13
46	Probing chemical reduction in a cobalt(III) complex as a viable route for the inhibition of the 20S proteasome. <i>Inorganica Chimica Acta</i> , 2012, 393, 269-275.	2.4	12
47	Electronic and interfacial behavior of gemini metallosurfactants with copper(ii)/pseudohalide cascade cores. <i>Dalton Transactions</i> , 2013, 42, 15296.	3.3	11
48	Effect of ligand substituents on nickel and copper [N ₄] complexes: electronic and redox behavior, and reactivity towards protons. <i>New Journal of Chemistry</i> , 2019, 43, 12795-12803.	2.8	11
49	Dual anticancer and antibacterial activities of bismuth compounds based on asymmetric [NN'O] ligands. <i>Journal of Inorganic Biochemistry</i> , 2021, 222, 111522.	3.5	11
50	Metalloamphiphiles with [Cu ₂] and [Cu ₄] Headgroups: Syntheses, Structures, Langmuir Films, and Effect of Subphase Changes. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 4686-4694.	2.0	10
51	Influence of the Apical Ligand in the Thermotropic Mesomorphism of Cationic Copper-Based Surfactants. <i>Inorganic Chemistry</i> , 2008, 47, 7225-7232.	4.0	9
52	Cationic Copper(II)-containing Surfactants: Molecular Structures, Film Morphology, and Influence on the Alignment of Nematic Mesogens. <i>Inorganic Chemistry</i> , 2014, 53, 5647-5655.	4.0	9
53	Distinct Proton and Water Reduction Behavior with a Cobalt(III) Electrocatalyst Based on Pentadentate Oximes. <i>Angewandte Chemie</i> , 2015, 127, 7245-7249.	2.0	8
54	Electrochemical Quantification of Corrosion Mitigation on Iron Surfaces with Gallium(III) and Zinc(II) Metallosurfactants. <i>Langmuir</i> , 2020, 36, 14173-14180.	3.5	8

#	ARTICLE	IF	CITATIONS
55	Observation of current rectification by a new asymmetric iron(III) surfactant in a eutectic Galn LB monolayer Au sandwich. Dalton Transactions, 2018, 47, 6344-6350.	3.3	7
56	Molecular rectifiers based on five-coordinate iron(III)-containing surfactants. Dalton Transactions, 2018, 47, 14153-14168.	3.3	7
57	Observation of current rectification by the new bimetallic iron(III) hydrophobe [FeII ₂ (L ^{N4O6})] on Au LB-molecule Au devices. Dalton Transactions, 2018, 47, 14352-14361.	3.3	6
58	Reactivity and Mechanisms of Photoactivated Heterometallic [Ru ^{II} Ni ^{II}] and [Ru ^{II} Ni ^{II} Ru ^{II}] Catalysts for Dihydrogen Generation from Water. Angewandte Chemie - International Edition, 2021, 60, 5723-5728.	13.8	6
59	Influence of nitro substituents on the redox, electronic, and proton reduction catalytic behavior of phenolate-based [N ₂ O ₃]-type cobalt(III) complexes. Dalton Transactions, 2019, 48, 14669-14677.	3.3	4
60	Inhibition of the 26S proteasome as a possible mechanism for toxicity of heavy metal species. Journal of Inorganic Biochemistry, 2014, 132, 96-103.	3.5	3
61	Electron transport through a (terpyridine)ruthenium metallo-surfactant containing a redox-active aminocatechol derivative. Dalton Transactions, 2022, 51, 8425-8436.	3.3	3
62	A Molecular Approach for Mitigation of Aluminum Pitting based on Films of Zinc(II) and Gallium(III) Metallosurfactants. Chemistry - A European Journal, 2019, 25, 14048-14053.	3.3	2
63	Reactivity and Mechanisms of Photoactivated Heterometallic [Ru II Ni II] and [Ru II Ni II Ru II] Catalysts for Dihydrogen Generation from Water. Angewandte Chemie, 2021, 133, 5787-5792.	2.0	2
64	Multielectron Redox Chemistry of Transition Metal Complexes Supported by a Non-Innocent N ₃ P ₂ Ligand: Synthesis, Characterization, and Catalytic Properties. European Journal of Inorganic Chemistry, 2018, 2018, 4133-4141.	2.0	1
65	Distinct Bimetallic Cooperativity Among Water Reduction Catalysts Containing [Co ^{III} Co ^{III}], [Ni ^{II} Ni ^{II}], and [Zn ^{II} Zn ^{II}] Cores. Chemistry - A European Journal, 2022, , .	3.3	1
66	Back Cover: Bioinspired Five-Coordinate Iron(III) Complexes for Stabilization of Phenoxy Radicals (Angew. Chem. Int. Ed. 13/2012). Angewandte Chemie - International Edition, 2012, 51, 3276-3276.	13.8	0
67	Frontispiece: Bimetallic Cooperativity in Proton Reduction with an Amido-Bridged Cobalt Catalyst. Chemistry - A European Journal, 2017, 23, .	3.3	0