

Thomas A Hamilton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7093393/publications.pdf>

Version: 2024-02-01

121
papers

10,995
citations

30070

54
h-index

30087

103
g-index

125
all docs

125
docs citations

125
times ranked

10771
citing authors

#	ARTICLE	IF	CITATIONS
1	Unfolded Protein Response Differentially Regulates TLR4-Induced Cytokine Expression in Distinct Macrophage Populations. <i>Frontiers in Immunology</i> , 2019, 10, 1390.	4.8	12
2	Mediators of Inflammation-Driven Expansion, Trafficking, and Function of Tumor-Infiltrating MDSCs. <i>Cancer Immunology Research</i> , 2019, 7, 1687-1699.	3.4	33
3	Ex vivo conditioning with IL-12 protects tumor-infiltrating CD8+ T cells from negative regulation by local IFN- β . <i>Cancer Immunology, Immunotherapy</i> , 2019, 68, 395-405.	4.2	17
4	IL-17R α -EGFR axis links wound healing to tumorigenesis in Lrig1+ stem cells. <i>Journal of Experimental Medicine</i> , 2019, 216, 195-214.	8.5	82
5	IL-17-receptor-associated adaptor Act1 directly stabilizes mRNAs to mediate IL-17 inflammatory signaling. <i>Nature Immunology</i> , 2018, 19, 354-365.	14.5	91
6	Neuron-Specific HuR-Deficient Mice Spontaneously Develop Motor Neuron Disease. <i>Journal of Immunology</i> , 2018, 201, 157-166.	0.8	21
7	IL-17A α -Induced PLET1 Expression Contributes to Tissue Repair and Colon Tumorigenesis. <i>Journal of Immunology</i> , 2017, 199, 3849-3857.	0.8	49
8	Myeloid-Derived Suppressor Cell Subset Accumulation in Renal Cell Carcinoma Parenchyma Is Associated with Intratumoral Expression of IL-1 β , IL8, CXCL5, and Mip-1 α . <i>Clinical Cancer Research</i> , 2017, 23, 2346-2355.	7.0	148
9	IRAK2 directs stimulus-dependent nuclear export of inflammatory mRNAs. <i>ELife</i> , 2017, 6, .	6.0	22
10	TRPV4 Mechanosensitive Ion Channel Regulates Lipopolysaccharide-Stimulated Macrophage Phagocytosis. <i>Journal of Immunology</i> , 2016, 196, 428-436.	0.8	134
11	cEBP Homologous Protein Expression in Macrophages Regulates the Magnitude and Duration of IL-6 Expression and Dextran Sodium Sulfate Colitis. <i>Journal of Interferon and Cytokine Research</i> , 2015, 35, 785-794.	1.2	7
12	A novel IL-17 signaling pathway controlling keratinocyte proliferation and tumorigenesis via the TRAF4 α -ERK5 axis. <i>Journal of Experimental Medicine</i> , 2015, 212, 1571-1587.	8.5	170
13	A novel IL-17 signaling pathway controlling keratinocyte proliferation and tumorigenesis via the TRAF4 α -ERK5 axis. <i>Journal of Cell Biology</i> , 2015, 210, 2106OIA178.	5.2	1
14	All- <i>trans</i> Retinoic Acid Induces Arginase-1 and Inducible Nitric Oxide Synthase α -Producing Dendritic Cells with T Cell Inhibitory Function. <i>Journal of Immunology</i> , 2014, 192, 5098-5108.	0.8	47
15	Myeloid Colony-Stimulating Factors as Regulators of Macrophage Polarization. <i>Frontiers in Immunology</i> , 2014, 5, 554.	4.8	160
16	Cellular Stress Amplifies TLR3/4-Induced CXCL1/2 Gene Transcription in Mononuclear Phagocytes via RIPK1. <i>Journal of Immunology</i> , 2014, 193, 879-888.	0.8	28
17	Diversity in sequence-dependent control of GRO chemokine mRNA half-life. <i>Journal of Leukocyte Biology</i> , 2013, 93, 895-904.	3.3	6
18	HuR Is Required for IL-17 α -Induced Act1-Mediated CXCL1 and CXCL5 mRNA Stabilization. <i>Journal of Immunology</i> , 2013, 191, 640-649.	0.8	83

#	ARTICLE	IF	CITATIONS
19	Cell type- and stimulus-specific mechanisms for post-transcriptional control of neutrophil chemokine gene expression. <i>Journal of Leukocyte Biology</i> , 2012, 91, 377-383.	3.3	33
20	Treatment with IL-17 prolongs the half-life of chemokine CXCL1 mRNA via the adaptor TRAF5 and the splicing-regulatory factor SF2 (ASF). <i>Nature Immunology</i> , 2011, 12, 853-860.	14.5	199
21	A CCâ€² Loop Decoy Peptide Blocks the Interaction Between Act1 and IL-17RA to Attenuate IL-17â€² and IL-25â€²-Induced Inflammation. <i>Science Signaling</i> , 2011, 4, ra72.	3.6	44
22	The inducible kinase IKKi is required for IL-17-dependent signaling associated with neutrophilia and pulmonary inflammation. <i>Nature Immunology</i> , 2011, 12, 844-852.	14.5	174
23	Stress-sensitive Regulation of IFRD1 mRNA Decay Is Mediated by an Upstream Open Reading Frame. <i>Journal of Biological Chemistry</i> , 2010, 285, 8552-8562.	3.4	38
24	IL-17 Regulates CXCL1 mRNA Stability via an AUUUA/Tristetraprolin-Independent Sequence. <i>Journal of Immunology</i> , 2010, 184, 1484-1491.	0.8	72
25	Diversity in post-transcriptional control of neutrophil chemoattractant cytokine gene expression. <i>Cytokine</i> , 2010, 52, 116-122.	3.2	31
26	IL-17 Signaling for mRNA Stabilization Does Not Require TNF Receptor-Associated Factor 6. <i>Journal of Immunology</i> , 2009, 182, 1660-1666.	0.8	82
27	Interleukin-1 Receptor-associated Kinase 2 Is Critical for Lipopolysaccharide-mediated Post-transcriptional Control. <i>Journal of Biological Chemistry</i> , 2009, 284, 10367-10375.	3.4	83
28	Interleukin 1Î±-induced NFÎ±B Activation and Chemokine mRNA Stabilization Diverge at IRAK1. <i>Journal of Biological Chemistry</i> , 2008, 283, 15689-15693.	3.4	41
29	Tristetraprolin Regulates CXCL1 (KC) mRNA Stability. <i>Journal of Immunology</i> , 2008, 180, 2545-2552.	0.8	103
30	Signaling in Lipopolysaccharide-Induced Stabilization of Formyl Peptide Receptor 1 mRNA in Mouse Peritoneal Macrophages. <i>Journal of Immunology</i> , 2007, 178, 2542-2548.	0.8	13
31	Introns Regulate the Rate of Unstable mRNA Decay. <i>Journal of Biological Chemistry</i> , 2007, 282, 20230-20237.	3.4	59
32	IL-17 Enhances Chemokine Gene Expression through mRNA Stabilization. <i>Journal of Immunology</i> , 2007, 179, 4135-4141.	0.8	257
33	Chemokine and chemoattractant receptor expression: post-transcriptional regulation. <i>Journal of Leukocyte Biology</i> , 2007, 82, 213-219.	3.3	37
34	A critical role for IRAK4 kinase activity in Toll-like receptorâ€²-mediated innate immunity. <i>Journal of Experimental Medicine</i> , 2007, 204, 1025-1036.	8.5	227
35	Interferon: The First Cytokine. <i>Journal of Interferon and Cytokine Research</i> , 2007, 27, 1-1.	1.2	0
36	The adaptor Act1 is required for interleukin 17â€²-dependent signaling associated with autoimmune and inflammatory disease. <i>Nature Immunology</i> , 2007, 8, 247-256.	14.5	507

#	ARTICLE	IF	CITATIONS
37	A Note from the Editors: Manuscript Retraction. <i>Journal of Interferon and Cytokine Research</i> , 2006, 26, 848-848.	1.2	0
38	Functionally Independent AU-rich Sequence Motifs Regulate KC (CXCL1) mRNA. <i>Journal of Biological Chemistry</i> , 2005, 280, 30166-30174.	3.4	22
39	Preface: The Many Faces of Interferon Signaling. <i>Journal of Interferon and Cytokine Research</i> , 2005, 25, 731-731.	1.2	0
40	IL-4 Inhibits Expression of the Formyl Peptide Receptor Gene in Mouse Peritoneal Macrophages. <i>Journal of Interferon and Cytokine Research</i> , 2005, 25, 11-19.	1.2	10
41	Lipopolysaccharide Induces Formyl Peptide Receptor 1 Gene Expression in Macrophages and Neutrophils via Transcriptional and Posttranscriptional Mechanisms. <i>Journal of Immunology</i> , 2005, 175, 6085-6091.	0.8	49
42	Toll IL-1 Receptors Differ in Their Ability to Promote the Stabilization of Adenosine and Uridine-Rich Elements Containing mRNA. <i>Journal of Immunology</i> , 2004, 173, 2755-2761.	0.8	27
43	Neutrophil chemoattractant genes KC and MIP-2 are expressed in different cell populations at sites of surgical injury. <i>Journal of Leukocyte Biology</i> , 2004, 75, 641-648.	3.3	110
44	Regulation of Chemokine mRNA Stability by Lipopolysaccharide and IL-10. <i>Journal of Immunology</i> , 2003, 170, 6202-6208.	0.8	55
45	Inhibition of IFN- β -Induced Class II Transactivator Expression by a 19-kDa Lipoprotein from <i>Mycobacterium tuberculosis</i> : A Potential Mechanism for Immune Evasion. <i>Journal of Immunology</i> , 2003, 171, 175-184.	0.8	226
46	Heterogeneity in Control of mRNA Stability by AU-rich Elements. <i>Journal of Biological Chemistry</i> , 2003, 278, 12085-12093.	3.4	110
47	TLR2 and TLR4 agonists stimulate unique repertoires of host resistance genes in murine macrophages: interferon- β -dependent signaling in TLR4-mediated responses. <i>Journal of Endotoxin Research</i> , 2003, 9, 169-175.	2.5	17
48	TGF β 2 inhibits LPS-induced chemokine mRNA stabilization. <i>Blood</i> , 2003, 102, 1178-1185.	1.4	28
49	Distinct Temporal Patterns of Macrophage-Inflammatory Protein-2 and KC Chemokine Gene Expression in Surgical Injury. <i>Journal of Immunology</i> , 2002, 168, 3586-3594.	0.8	52
50	IL-4 Pretreatment Selectively Enhances Cytokine and Chemokine Production in Lipopolysaccharide-Stimulated Mouse Peritoneal Macrophages. <i>Journal of Immunology</i> , 2002, 168, 2456-2463.	0.8	71
51	Influence of gender and interleukin-10 deficiency on the inflammatory response during lung infection with <i>Pseudomonas aeruginosa</i> in mice. <i>Immunology</i> , 2002, 107, 297-305.	4.4	60
52	TLR4, but not TLR2, mediates IFN- β -induced STAT1 β -dependent gene expression in macrophages. <i>Nature Immunology</i> , 2002, 3, 392-398.	14.5	753
53	Regulation of Chemokine Expression by Antiinflammatory Cytokines. <i>Immunologic Research</i> , 2002, 25, 229-246.	2.9	73
54	Monokine Induced by IFN- β Is a Dominant Factor Directing T Cells into Murine Cardiac Allografts During Acute Rejection. <i>Journal of Immunology</i> , 2001, 167, 3494-3504.	0.8	150

#	ARTICLE	IF	CITATIONS
55	Expression of Mig (Monokine Induced by Interferon- γ) Is Important in T Lymphocyte Recruitment and Host Defense Following Viral Infection of the Central Nervous System. <i>Journal of Immunology</i> , 2001, 166, 1790-1795.	0.8	143
56	Immune-inflammatory mechanisms in IFN γ -mediated anti-tumor activity. <i>Seminars in Cancer Biology</i> , 2000, 10, 113-123.	9.6	73
57	Smooth muscle cell surface tissue factor pathway activation by oxidized low-density lipoprotein requires cellular lipid peroxidation. <i>Blood</i> , 2000, 96, 3056-3063.	1.4	50
58	Cutting Edge: The T Cell Chemoattractant IFN-Inducible Protein 10 Is Essential in Host Defense Against Viral-Induced Neurologic Disease. <i>Journal of Immunology</i> , 2000, 165, 2327-2330.	0.8	249
59	Intraallograft Chemokine RNA and Protein During Rejection of MHC-Matched/Multiple Minor Histocompatibility-Disparate Skin Grafts. <i>Journal of Immunology</i> , 2000, 164, 6027-6033.	0.8	49
60	Interleukin-4/STAT6 Represses STAT1 and NF- κ B-dependent Transcription through Distinct Mechanisms. <i>Journal of Biological Chemistry</i> , 2000, 275, 38095-38103.	3.4	94
61	Interleukin-1-mediated Stabilization of Mouse KC mRNA Depends on Sequences in both 5' and 3'-Untranslated Regions. <i>Journal of Biological Chemistry</i> , 2000, 275, 12987-12993.	3.4	61
62	A chemokine-to-cytokine-to-chemokine cascade critical in antiviral defense. <i>Journal of Clinical Investigation</i> , 2000, 105, 985-993.	8.2	213
63	Gro α -mediated recruitment of neutrophils is required for elicitation of contact hypersensitivity. <i>European Journal of Immunology</i> , 1999, 29, 3485-3495.	2.9	85
64	Regulation of Macrophage Gene Expression by Pro- and Anti-Inflammatory Cytokines. <i>Pathobiology</i> , 1999, 67, 241-244.	3.8	70
65	Renal cell carcinoma-derived gangliosides suppress nuclear factor- κ B activation in T cells. <i>Journal of Clinical Investigation</i> , 1999, 104, 769-776.	8.2	110
66	STAT6 Is Required for the Anti-inflammatory Activity of Interleukin-4 in Mouse Peritoneal Macrophages. <i>Journal of Biological Chemistry</i> , 1998, 273, 29202-29209.	3.4	85
67	IL-10 suppresses LPS-induced KC mRNA expression via a translation-dependent decrease in mRNA stability. <i>Journal of Leukocyte Biology</i> , 1998, 64, 33-39.	3.3	47
68	Oxidized LDL modulates activation of NF- κ B in mononuclear phagocytes by altering the degradation of I κ Bs. <i>Journal of Leukocyte Biology</i> , 1998, 64, 667-674.	3.3	29
69	Interleukin-10 Suppresses IP-10 Gene Transcription by Inhibiting the Production of Class I Interferon. <i>Blood</i> , 1998, 92, 4742-4749.	1.4	57
70	Impaired Activation of NF- κ B in T Cells From a Subset of Renal Cell Carcinoma Patients Is Mediated by Inhibition of Phosphorylation and Degradation of the Inhibitor, I κ B α . <i>Blood</i> , 1998, 92, 1334-1341.	1.4	55
71	Interleukin-10 Suppresses IP-10 Gene Transcription by Inhibiting the Production of Class I Interferon. <i>Blood</i> , 1998, 92, 4742-4749.	1.4	1
72	Synergy between Interferon- γ and Tumor Necrosis Factor- α in Transcriptional Activation Is Mediated by Cooperation between Signal Transducer and Activator of Transcription 1 and Nuclear Factor κ B. <i>Journal of Biological Chemistry</i> , 1997, 272, 14899-14907.	3.4	379

#	ARTICLE	IF	CITATIONS
73	Excretory/secretory products from plerocercoids of <i>Spirometra erinacei</i> reduce iNOS and chemokine mRNA levels in peritoneal macrophages stimulated with cytokines and/or LPS. <i>Parasite Immunology</i> , 1997, 19, 325-335.	1.5	23
74	Dolph Oliver Adams, M.D., Ph.D. <i>Journal of Leukocyte Biology</i> , 1996, 60, 675-676.	3.3	0
75	Oxidized LDL potentiates LPS-induced transcription of the chemokine KC gene. <i>Journal of Leukocyte Biology</i> , 1996, 59, 940-947.	3.3	10
76	LPS Does Not Directly Induce STAT Activity in Mouse Macrophages. <i>Cellular Immunology</i> , 1996, 170, 20-24.	3.0	12
77	The effects of oxidized low density lipoproteins on inducible mouse macrophage gene expression are gene and stimulus dependent.. <i>Journal of Clinical Investigation</i> , 1995, 95, 2020-2027.	8.2	61
78	Interferon-Stimulated Response Element and NF κ B Sites Cooperate to Regulate Double-Stranded RNA-Induced Transcription of the IP-10 Gene. <i>Journal of Interferon Research</i> , 1994, 14, 357-363.	1.2	49
79	Okadaic Acid Stimulates Inflammatory Cytokine Gene Transcription in Murine Peritoneal Macrophages. <i>Cellular Immunology</i> , 1994, 153, 479-491.	3.0	20
80	Regulation of macrophage gene expression by T-cell-derived lymphokines. , 1994, 63, 235-264.		35
81	Cell Type and Stimulus Specific Regulation of Chemokine Gene Expression. <i>Biochemical and Biophysical Research Communications</i> , 1994, 198, 590-596.	2.1	68
82	Chemokine expression in trinitrochlorobenzene-mediated contact hypersensitivity. <i>Journal of Leukocyte Biology</i> , 1994, 55, 452-460.	3.3	41
83	A lipopolysaccharide-inducible macrophage gene (D3) is a new member of an interferon-inducible gene cluster and is selectively expressed in mononuclear phagocytes. <i>Journal of Leukocyte Biology</i> , 1993, 53, 563-568.	3.3	43
84	Astrocyte expression of mRNA encoding cytokines IP α 10 and JE/MCP α 1 in experimental autoimmune encephalomyelitis. <i>FASEB Journal</i> , 1993, 7, 592-600.	0.5	484
85	Tissue-specific expression of murine IP-10 mRNA following systemic treatment with interferon γ . <i>Journal of Leukocyte Biology</i> , 1992, 52, 27-33.	3.3	86
86	Modulation of Na ⁺ /K ⁺ exchange potentiates lipopolysaccharide-induced gene expression in murine peritoneal macrophages. <i>Journal of Cellular Physiology</i> , 1991, 148, 96-105.	4.1	27
87	Lipopolysaccharide induces competence genes JE and KC in Balb/C 3T3 cells. <i>Journal of Cellular Physiology</i> , 1990, 144, 77-83.	4.1	12
88	Dexamethasone selectively regulates LPS-inducible gene expression in murine peritoneal macrophages. <i>Immunopharmacology</i> , 1990, 19, 93-101.	2.0	16
89	Thrombin-induced expression of the KC gene in cultured aortic endothelial cells. Involvement of proteolytic activity and protein kinase C. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1990, 1049, 145-150.	2.4	6
90	A macrophage LPS-inducible early gene encodes the murine homologue of IP-10. <i>Biochemical and Biophysical Research Communications</i> , 1990, 168, 1261-1267.	2.1	110

#	ARTICLE	IF	CITATIONS
91	Lipopolysaccharide-induced expression of the competence gene KC in vascular endothelial cells is mediated through protein kinase C. <i>Journal of Cellular Physiology</i> , 1989, 140, 44-51.	4.1	22
92	The early competence genes JE and KC are differentially regulated in murine peritoneal macrophages in response to lipopolysaccharide. <i>Biochemical and Biophysical Research Communications</i> , 1987, 149, 969-974.	2.1	26
93	Homologous and heterologous desensitization of proto-oncogene cfos expression in murine peritoneal macrophages. <i>Journal of Cellular Physiology</i> , 1987, 131, 36-42.	4.1	28
94	Molecular mechanisms of signal transduction in macrophages. <i>Trends in Immunology</i> , 1987, 8, 151-158.	7.5	336
95	The effect of formaldehyde exposure upon the mononuclear phagocyte system of mice*1. <i>Toxicology and Applied Pharmacology</i> , 1987, 88, 165-174.	2.8	12
96	Regulation of tumor necrosis factor (TNF) expression: Interferon- $\hat{3}$ enhances the accumulation of mRNA for TNF induced by lipopolysaccharide in murine peritoneal macrophages. <i>Cellular Immunology</i> , 1987, 109, 437-443.	3.0	93
97	Molecular Transductional Mechanisms by which IFN $\hat{3}$ and Other Signals Regulate Macrophage Development. <i>Immunological Reviews</i> , 1987, 97, 5-27.	6.0	261
98	Effects of bacterial lipopolysaccharide on protein synthesis in murine peritoneal macrophages: Relationship to activation for macrophage tumoricidal function. <i>Journal of Cellular Physiology</i> , 1986, 128, 9-17.	4.1	56
99	Immunosuppression following 7,12-dimethylbenz[a]anthracene exposure in B6C3F1 mice \hat{e} ll. Altered cell-mediated immunity and tumor resistance. <i>International Journal of Immunopharmacology</i> , 1986, 8, 189-198.	1.1	57
100	Respiratory burst in murine peritoneal macrophages: Differential sensitivity to phorbol diesters by macrophages in different states of functional activation. <i>Cellular Immunology</i> , 1986, 100, 400-410.	3.0	17
101	Biochemical models of interferon- $\hat{3}$ -mediated macrophage activation: Independent regulation of lymphocyte function associated antigen (LFA)-1 and I-A antigen on murine peritoneal macrophages. <i>Cellular Immunology</i> , 1986, 97, 110-120.	3.0	32
102	The effect of macrophage development on the release of reactive oxygen intermediates and lipid oxidation products, and their ability to induce oxidative DNA damage in mammalian cells. <i>Carcinogenesis</i> , 1986, 7, 813-818.	2.8	56
103	Characterization of protein kinase C activity in interferon gamma treated murine peritoneal macrophages. <i>Journal of Cellular Physiology</i> , 1985, 125, 485-491.	4.1	36
104	Murine monocytes express transferrin receptors: Evidence for similarity to inflammatory macrophages. <i>Cellular Immunology</i> , 1984, 88, 343-349.	3.0	12
105	Expression of the transferrin receptor on murine peritoneal macrophages is modulated by in vitro treatment with interferon gamma. <i>Cellular Immunology</i> , 1984, 89, 478-488.	3.0	63
106	Quiescent lymphocytes express intracellular transferrin receptors. <i>Biochemical and Biophysical Research Communications</i> , 1984, 119, 598-602.	2.1	24
107	The Cell Biology of Macrophage Activation. <i>Annual Review of Immunology</i> , 1984, 2, 283-318.	21.8	1,535
108	Fc-receptor mediated protein phosphorylation in murine peritoneal macrophages. <i>Biochemical and Biophysical Research Communications</i> , 1984, 124, 197-202.	2.1	12

#	ARTICLE	IF	CITATIONS
109	Macrophage-mediated cytostatic activity blocks lymphoblast cell cycle progression independently in both G1 phase and S phase. <i>Cellular Immunology</i> , 1983, 77, 233-241.	3.0	3
110	Receptor-mediated endocytosis and exocytosis of transferrin in concanavalin A-stimulated rat lymphoblasts. <i>Journal of Cellular Physiology</i> , 1983, 114, 222-228.	4.1	20
111	Sensitivity to macrophage-mediated cytostasis is cell cycle dependent. <i>Cellular Immunology</i> , 1982, 69, 363-373.	3.0	15
112	Characterization of the recognition of target cells sensitive to or resistant to cytolysis by activated macrophages. <i>Cellular Immunology</i> , 1982, 68, 155-164.	3.0	8
113	Activated macrophages selectively bind both normal and neoplastic lymphoblasts but not quiescent lymphocytes. <i>Cellular Immunology</i> , 1982, 72, 332-339.	3.0	8
114	Regulation of transferrin receptor expression in concanavalin a stimulated and gross virus transformed rat lymphoblasts. <i>Journal of Cellular Physiology</i> , 1982, 113, 40-46.	4.1	58
115	Expression of Human Placental Cell Surface Antigens on Peripheral Blood Lymphocytes and Lymphoblastoid Cell Lines. <i>Scandinavian Journal of Immunology</i> , 1980, 11, 195-201.	2.7	21
116	Human placental cell surface antigens: Expression by cultured cells of diverse phenotypic origin. <i>Journal of Supramolecular Structure</i> , 1979, 11, 503-515.	2.3	16
117	Alkaline phosphatase isoenzyme expression in chang liver cells. <i>Experimental Cell Research</i> , 1979, 122, 31-38.	2.6	5
118	Regulation of alkaline phosphatase expression in human choriocarcinoma cell lines.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1979, 76, 323-327.	7.1	41
119	Identification of transferrin receptors on the surface of human cultured cells.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1979, 76, 6406-6410.	7.1	183
120	Amino Acid Control of Stable RNA Synthesis in Friend Leukemia Cells in Relation to Intracellular Purine Nucleoside Triphosphate Levels. <i>FEBS Journal</i> , 1977, 77, 495-499.	0.2	11
121	Biosynthesis of mammalian transfer RNA. Evidence for regulation by deacylated transfer RNA. <i>Nucleic Acids and Protein Synthesis</i> , 1976, 435, 362-375.	1.7	16