

J H Frederik Falkenburg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7094471/publications.pdf>

Version: 2024-02-01

170
papers

2,879
citations

186265

28
h-index

182427

51
g-index

171
all docs

171
docs citations

171
times ranked

3930
citing authors

#	ARTICLE	IF	CITATIONS
1	Tetrameric HLA class II minor histocompatibility antigen peptide complexes demonstrate minor histocompatibility antigen-specific cytotoxic T lymphocytes in patients with graft-versus-host disease. <i>Nature Medicine</i> , 1999, 5, 839-842.	30.7	256
2	Redirection of antileukemic reactivity of peripheral T lymphocytes using gene transfer of minor histocompatibility antigen HA-2-specific T-cell receptor complexes expressing a conserved alpha joining region. <i>Blood</i> , 2003, 102, 3530-3540.	1.4	204
3	Reprogramming of Virus-specific T Cells into Leukemia-reactive T Cells Using T Cell Receptor Gene Transfer. <i>Journal of Experimental Medicine</i> , 2004, 199, 885-894.	8.5	176
4	Efficiency of T-cell receptor expression in dual-specific T cells is controlled by the intrinsic qualities of the TCR chains within the TCR-CD3 complex. <i>Blood</i> , 2007, 109, 235-243.	1.4	156
5	New CFSE-based assay to determine susceptibility to lysis by cytotoxic T cells of leukemic precursor cells within a heterogeneous target cell population. <i>Blood</i> , 2004, 103, 2677-2682.	1.4	153
6	Autosomal Minor Histocompatibility Antigens: How Genetic Variants Create Diversity in Immune Targets. <i>Frontiers in Immunology</i> , 2016, 7, 100.	4.8	109
7	PRAME-Specific Allo-HLA-Restricted T Cells with Potent Antitumor Reactivity Useful for Therapeutic T-Cell Receptor Gene Transfer. <i>Clinical Cancer Research</i> , 2011, 17, 5615-5625.	7.0	104
8	Inhibition of Akt signaling promotes the generation of superior tumor-reactive T cells for adoptive immunotherapy. <i>Blood</i> , 2014, 124, 3490-3500.	1.4	103
9	Naturally Processed Non-canonical HLA-A*02:01 Presented Peptides. <i>Journal of Biological Chemistry</i> , 2015, 290, 2593-2603.	3.4	89
10	BH3 Inhibitor Sensitivity and Bcl-2 Dependence in Primary Acute Lymphoblastic Leukemia Cells. <i>Cancer Research</i> , 2015, 75, 1366-1375.	0.9	79
11	Cytotoxic T-lymphocyte (CTL) responses against acute or chronic myeloid leukemia. <i>Immunological Reviews</i> , 1997, 157, 223-230.	6.0	67
12	Characterization of leukemias with ETV6-ABL1 fusion. <i>Haematologica</i> , 2016, 101, 1082-1093.	3.5	66
13	B and T Lymphocyte Attenuator Mediates Inhibition of Tumor-Reactive CD8+ T Cells in Patients After Allogeneic Stem Cell Transplantation. <i>Journal of Immunology</i> , 2012, 189, 39-49.	0.8	60
14	Long-term culture of primary human lymphoblastic leukemia cells in the absence of serum or hematopoietic growth factors. <i>Experimental Hematology</i> , 2009, 37, 376-385.	0.4	54
15	Simultaneous Deletion of Endogenous TCR α and β for TCR Gene Therapy Creates an Improved and Safe Cellular Therapeutic. <i>Molecular Therapy</i> , 2020, 28, 64-74.	8.2	50
16	Myeloid leukemic progenitor cells can be specifically targeted by minor histocompatibility antigen LRH-1-reactive cytotoxic T cells. <i>Blood</i> , 2009, 113, 2312-2323.	1.4	46
17	Patient HLA-DP-Specific CD4+ T Cells from HLA-DPB1-Mismatched Donor Lymphocyte Infusion Can Induce Graft-versus-Leukemia Reactivity in the Presence or Absence of Graft-versus-Host Disease. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 40-48.	2.0	46
18	TCR-based therapy for multiple myeloma and other B-cell malignancies targeting intracellular transcription factor BOB1. <i>Blood</i> , 2017, 129, 1284-1295.	1.4	44

#	ARTICLE	IF	CITATIONS
19	The biological activities of interleukin-1. <i>Blut</i> , 1989, 59, 147-156.	1.2	43
20	Association of Disparities in Known Minor Histocompatibility Antigens with Relapse-Free Survival and Graft-versus-Host Disease after Allogeneic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 274-282.	2.0	43
21	Ex vivo AKT-inhibition facilitates generation of polyfunctional stem cell memory-like CD8+ T cells for adoptive immunotherapy. <i>Oncolmmunology</i> , 2018, 7, e1488565.	4.6	41
22	Optimization of the HA-1-specific T-cell receptor for gene therapy of hematologic malignancies. <i>Haematologica</i> , 2011, 96, 477-481.	3.5	36
23	Specific TÂCell Responses against Minor Histocompatibility Antigens Cannot Generally Be Explained by Absence of Their Allelic Counterparts on the Cell Surface. <i>Proteomics</i> , 2018, 18, e1700250.	2.2	34
24	A flexible MHC class I multimer loading system for large-scale detection of antigen-specific T cells. <i>Journal of Experimental Medicine</i> , 2018, 215, 1493-1504.	8.5	33
25	CD4 Donor Lymphocyte Infusion Can Cause Conversion of Chimerism Without GVHD by Inducing Immune Responses Targeting Minor Histocompatibility Antigens in HLA Class II. <i>Frontiers in Immunology</i> , 2018, 9, 3016.	4.8	33
26	Double Umbilical Cord Blood Transplantation: A Study of Early Engraftment Kinetics in Leukocyte Subsets using HLA-Specific Monoclonal Antibodies. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 266-273.	2.0	31
27	Induction of <i>A. fumigatus</i> -specific CD4-positive T cells in patients recovering from invasive aspergillosis. <i>Haematologica</i> , 2014, 99, 1255-1263.	3.5	31
28	CD4+ T-cell alloreactivity toward mismatched HLA class II alleles early after double umbilical cord blood transplantation. <i>Blood</i> , 2016, 128, 2165-2174.	1.4	31
29	Graft versus tumor effects and why people relapse. <i>Hematology American Society of Hematology Education Program</i> , 2017, 2017, 693-698.	2.5	30
30	A mechanistic rationale for combining alemtuzumab and rituximab in the treatment of ALL. <i>Blood</i> , 2010, 116, 5930-5940.	1.4	29
31	PRAME and HLA Class I expression patterns make synovial sarcoma a suitable target for PRAME specific T-cell receptor gene therapy. <i>Oncolmmunology</i> , 2018, 7, e1507600.	4.6	28
32	Permissive HLA-DPB1 mismatches in HCT depend on immunopeptidome divergence and editing by HLA-DM. <i>Blood</i> , 2021, 137, 923-928.	1.4	28
33	HLA-DPB1 Mismatching Results in the Generation of a Full Repertoire of HLA-DPB1-Specific CD4+ T Cell Responses Showing Immunogenicity of all HLA-DPB1 Alleles. <i>Biology of Blood and Marrow Transplantation</i> , 2010, 16, 1282-1292.	2.0	25
34	Generation of CD20-specific TCRs for TCR gene therapy of CD20low B-cell malignancies insusceptible to CD20-targeting antibodies. <i>Oncotarget</i> , 2016, 7, 77021-77037.	1.8	24
35	Immunopeptidome Analysis of HLA-DPB1 Allelic Variants Reveals New Functional Hierarchies. <i>Journal of Immunology</i> , 2020, 204, 3273-3282.	0.8	23
36	HLA class I-minor histocompatibility antigen tetramers select cytotoxic T cells with high avidity to the natural ligand. <i>The Hematology Journal</i> , 2000, 1, 403-410.	1.4	23

#	ARTICLE	IF	CITATIONS
37	Generation and infusion of multi-antigen-specific T cells to prevent complications early after T-cell depleted allogeneic stem cell transplantation—a phase I/II study. <i>Leukemia</i> , 2020, 34, 831-844.	7.2	21
38	Improved Long Term Survival with Minimal GVHD after Myeloablative Unrelated Donor Stem Cell Transplantation Using In Vitro and In Vivo T Cell Depletion with CAMPATH-1H.. <i>Blood</i> , 2004, 104, 2761-2761.	1.4	21
39	Hematopoietic stem cell-derived myeloid and plasmacytoid DC-based vaccines are highly potent inducers of tumor-reactive T cell and NK cell responses<i>ex vivo</i>. <i>Oncimmunology</i> , 2017, 6, e1285991.	4.6	20
40	Comparing CAR and TCR engineered T cell performance as a function of tumor cell exposure. <i>Oncimmunology</i> , 2022, 11, 2033528.	4.6	19
41	Dissecting Genetic Control of HLA-DPB1 Expression and Its Relation to Structural Mismatch Models in Hematopoietic Stem Cell Transplantation. <i>Frontiers in Immunology</i> , 2018, 9, 2236.	4.8	18
42	Therapeutic targeting of the BCR-associated protein CD79b in a TCR-based approach is hampered by aberrant expression of CD79b. <i>Blood</i> , 2015, 125, 949-958.	1.4	17
43	Leukemic CD52 Negative Subclones Due to Defective Glycophosphatidyl-Inositol Anchoring Are Common in Acute Precursor B Lymphoblastic Leukemia, Escape Alemtuzumab Therapy, but Display Increased Sensitivity to Rituximab Mediated Complement Dependent Cytotoxicity: a Mechanistic Rationale for Antibody Combination Therapy.. <i>Blood</i> , 2009, 114, 835-835.	1.4	16
44	LB-ARHGDI1B-1R as a novel minor histocompatibility antigen for therapeutic application. <i>Haematologica</i> , 2015, 100, e419-e422.	3.5	14
45	The Value of Online Algorithms to Predict T-Cell Ligands Created by Genetic Variants. <i>PLoS ONE</i> , 2016, 11, e0162808.	2.5	14
46	Human CD34+ Myeloid Leukemic Progenitor Cells Are Susceptible to Lysis by Minor Histocompatibility Antigen LRH-1-Specific Cytotoxic T Lymphocytes.. <i>Blood</i> , 2006, 108, 134-134.	1.4	14
47	Public T-Cell Receptors (TCRs) Revisited by Analysis of the Magnitude of Identical and Highly-Similar TCRs in Virus-Specific T-Cell Repertoires of Healthy Individuals. <i>Frontiers in Immunology</i> , 2022, 13, 851868.	4.8	14
48	Long-term in vitro persistence of magnetic properties after magnetic bead-based cell separation of T cells. <i>Scandinavian Journal of Immunology</i> , 2020, 92, e12924.	2.7	13
49	Clinically applicable CD34+ derived blood dendritic cell subsets exhibit key subset-specific features and potently boost anti-tumor T and NK cell responses. <i>Cancer Immunology, Immunotherapy</i> , 2021, 70, 3167-3181.	4.2	13
50	T Cell Chimerism After T Cell Depleted Allogeneic Stem Cell Transplantation Is Influenced by Immunological Factors Including the Conditioning Regimen, CMV Serostatus and GvHD and Does Significantly Bias Overall Chimerism Status. <i>Blood</i> , 2010, 116, 1321-1321.	1.4	13
51	T Cell Therapy in Allogeneic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2008, 14, 136-141.	2.0	11
52	Complement-dependent cytotoxicity induced by therapeutic antibodies in B-cell acute lymphoblastic leukemia is dictated by target antigen expression levels and augmented by loss of membrane-bound complement inhibitors. <i>Leukemia and Lymphoma</i> , 2017, 58, 2185-2195.	1.3	11
53	A minority of T cells recognizing tumor-associated antigens presented in self-HLA can provoke antitumor reactivity. <i>Blood</i> , 2020, 136, 455-467.	1.4	11
54	Donor Lymphocyte Infusion (DLI) for Mixed Chimerism 6 Months after T Cell Depleted Allogeneic Stem Cell Transplantation (TCD alloSCT) May Prevent Relapse.. <i>Blood</i> , 2006, 108, 3674-3674.	1.4	10

#	ARTICLE	IF	CITATIONS
55	T cell receptor engineering of primary NK cells to therapeutically target tumors and tumor immune evasion. , 2022, 10, e003715.		10
56	Cytokine-Dependent Proliferation of Human CD34+Progenitor Cells in the Absence of Serum Is Suppressed by Their Progeny's Production of Serine Proteinases. Stem Cells, 2006, 24, 299-306.	3.2	9
57	High Mutation Frequency of the <i>PIGA</i> Gene in T Cells Results in Reconstitution of GPI Anchor ⁺ /CD52 ⁺ T Cells That Can Give Early Immune Protection after Alemtuzumab-Based T Cell ⁻ Depleted Allogeneic Stem Cell Transplantation. Journal of Immunology, 2018, 200, 2199-2208.	0.8	9
58	Alloreactive T Cell Receptor Diversity against Structurally Similar or Dissimilar HLA-DP Antigens Assessed by Deep Sequencing. Frontiers in Immunology, 2018, 9, 280.	4.8	9
59	Multiple Knockout of Classical HLA Class II β -Chains by CRISPR/Cas9 Genome Editing Driven by a Single Guide RNA. Journal of Immunology, 2019, 202, 1895-1903.	0.8	9
60	Identification of Functional HLA-A*01:01 ⁻ Restricted Epstein-Barr Latent Membrane Protein 2 ⁻ Specific T-Cell Receptors. Journal of Infectious Diseases, 2022, 226, 833-842.	4.0	9
61	Promiscuity of Peptides Presented in HLA-DP Molecules from Different Immunogenicity Groups Is Associated With T-Cell Cross-Reactivity. Frontiers in Immunology, 2022, 13, 831822.	4.8	9
62	Loss of the GPI ⁻ anchor in B ⁻ lymphoblastic leukemia by epigenetic downregulation of <i>PIGH</i> expression. American Journal of Hematology, 2019, 94, 93-102.	4.1	8
63	Optimized Whole Genome Association Scanning for Discovery of HLA Class I-Restricted Minor Histocompatibility Antigens. Frontiers in Immunology, 2020, 11, 659.	4.8	8
64	Magnitude of Off-Target Allo-HLA Reactivity by Third-Party Donor-Derived Virus-Specific T Cells Is Dictated by HLA-Restriction. Frontiers in Immunology, 2021, 12, 630440.	4.8	8
65	Natural T ⁻ cell ligands that are created by genetic variants can be transferred between cells by extracellular vesicles. European Journal of Immunology, 2018, 48, 1621-1631.	2.9	7
66	Impact of alemtuzumab pharmacokinetics on T-cell dynamics, graft-versus-host disease and viral reactivation in patients receiving allogeneic stem cell transplantation with an alemtuzumab-based T-cell-depleted graft. Transplant Immunology, 2019, 57, 101209.	1.2	7
67	Discovery and Differential Processing of HLA Class II-Restricted Minor Histocompatibility Antigen LB-PIP4K2A-1S and Its Allelic Variant by Asparagine Endopeptidase. Frontiers in Immunology, 2020, 11, 381.	4.8	7
68	A CD22-reactive TCR from the T-cell allorepertoire for the treatment of acute lymphoblastic leukemia by TCR gene transfer. Oncotarget, 2016, 7, 71536-71547.	1.8	7
69	Immunotherapy of hematological malignancies with dendritic cells. The Hematology Journal, 2004, 5, S96-S99.	1.4	5
70	Double Umbilical Cord Blood Transplantation in High ⁻ Risk Hematological Patients: A Phase II Study Focusing on the Mechanism of Graft Predominance. HemaSphere, 2019, 3, e285.	2.7	5
71	Guideline development for prevention of transfusion ⁻ associated graft ⁻ versus ⁻ host disease: reduction of indications for irradiated blood components after prestorage leukodepletion of blood components. British Journal of Haematology, 2021, 195, 681-688.	2.5	5
72	Universal CD137 Expression upon Activation Allows Efficient Isolation of a Broad Repertoire of Virus-Specific CD8 ⁺ and CD4 ⁺ T Cells for Adoptive Immunotherapy.. Blood, 2008, 112, 2222-2222.	1.4	5

#	ARTICLE	IF	CITATIONS
73	Allogeneic HLA-A2-Restricted WT1-Specific T Cells From Mismatched Donors Are Highly Reactive but Show Potentially Hazardous Promiscuity.. Blood, 2009, 114, 4081-4081.	1.4	5
74	Durable Remission of Renal Cell Carcinoma in Conjunction with Graft versus Host Disease following Allogeneic Stem Cell Transplantation and Donor Lymphocyte Infusion: Rule or Exception?. PLoS ONE, 2014, 9, e85198.	2.5	4
75	G-CSF: early benefits but late risks?. Blood, 2001, 97, 2194-2194.	1.4	3
76	HLA Class II Upregulation During An Ongoing Viral Infection Can Lead to HLA-DP Directed Graft-Versus-Host Disease After HLA-DPB1 Mismatched CD4+ Donor Lymphocyte Infusion. Blood, 2011, 118, 3062-3062.	1.4	3
77	An HLA-A*11:01-Binding Neoantigen from Mutated NPM1 as Target for TCR Gene Therapy in AML. Cancers, 2021, 13, 5390.	3.7	3
78	Immune surveillance by autoreactive CD4 ⁺ positive helper T cells is a common phenomenon in patients with acute myeloid leukemia. European Journal of Haematology, 2018, 101, 665-675.	2.2	2
79	Efficient Induction and Isolation of CMV-Specific CD8+ T Cells from CMV Seronegative Donors for the Treatment of CMV Reactivation in CMV Seropositive Patients Transplanted with a CMV Seronegative Donor.. Blood, 2007, 110, 1053-1053.	1.4	2
80	Prevention of Viral Infections after T Cell Depleted Allogeneic Stem Cell Transplantation By Infusion of Multi-Antigen Specific T Cell Products. Blood, 2016, 128, 1228-1228.	1.4	2
81	Rituximab and Alemtuzumab in Combination, but Not Alone, Induce Complete Remissions in a Preclinical Animal Model of Primary Human ALL: Rationale for Combination Treatment.. Blood, 2007, 110, 2833-2833.	1.4	2
82	Identification of Multiple HLA Class II Epitopes of Aspergillus Fumigatus by Generation of CD4+ T Cell Clones Recognizing the A. Fumigatus proteins Crf1 and Catalase1. Blood, 2010, 116, 2332-2332.	1.4	2
83	PR1 on the edge of humoral immunotherapy. Blood, 2011, 117, 4164-4165.	1.4	1
84	The Prodrug AQ4N Displays Potent Anti-Tumor Activity in a Xenotransplantation Model of Primary Human Acute Lymphoblastic Leukemia.. Blood, 2005, 106, 1837-1837.	1.4	1
85	Donor Lymphocyte Infusion for Mixed Chimerism or Residual Disease after Reduced-Intensity T Cell Depleted Stem Cell Transplantation Results in Conversion to Full Donor Chimerism Combined with Graft Versus Tumor Responses and Limited GVHD.. Blood, 2007, 110, 1652-1652.	1.4	1
86	Human Alloreactive CD4+ T Cells as Potent Effector Cells and Sole Mediators of Anti-Tumor Responses in a NOD/SCID Mouse Model for Human Acute Leukemia.. Blood, 2008, 112, 1245-1245.	1.4	1
87	High Avidity PRAME Specific T Cells Derived From In Vivo HLA Mismatched Transplantation Setting Potentially Useful for Immunotherapeutic Strategies.. Blood, 2009, 114, 4087-4087.	1.4	1
88	Preliminary Results From a Phase III Trial of Imatinib Versus Imatinib in Combination with Cytarabine in Patients with First Chronic Phase Myeloid Leukemia. Blood, 2011, 118, 2758-2758.	1.4	1
89	HLA Class II Disparity Is Necessary and Sufficient for Induction of Effective Anti-Tumor Immunity by Donor Lymphocyte Infusion in a NOD/Scid Mouse Model for Human Acute Lymphoblastic Leukemia. Blood, 2011, 118, 648-648.	1.4	1
90	T Cell Receptors Specific for the Intracellular Transcription Factor Bob1 Allow Efficient Targeting of Human B Cell Leukemia and Multiple Myeloma. Blood, 2014, 124, 3832-3832.	1.4	1

#	ARTICLE	IF	CITATIONS
91	T Cell Receptor Gene Therapy Targeting the Intracellular Transcription Factor Bob1 for the Treatment of Multiple Myeloma and Other B Cell Malignancies. <i>Blood</i> , 2015, 126, 3002-3002.	1.4	1
92	Early CD4+ T-Cell Effector Alloreactivity Towards Multiple Mismatched HLA Class II Alleles Is Associated with Graft Predominance after Double Umbilical Cord Blood Transplantation (dUCBT). <i>Blood</i> , 2015, 126, 387-387.	1.4	1
93	Endogenous Immunoglobulin-Derived Neopeptides Are Processed and Form a Sizeable Fraction of the HLA Class I Ligandome of Human Lymphoma Cells. <i>Blood</i> , 2016, 128, 914-914.	1.4	1
94	The Functional Activity of Genetically Engineered T Cell Receptor Transferred T Cells Is Highly Dependent on Pairing Properties of the Transferred TCR α and β Chains.. <i>Blood</i> , 2004, 104, 1753-1753.	1.4	1
95	Toxicity and Effectivity of the Experimental Cytotoxic Drug Cyclopentenyl Cytosine in NOD/scid Mice with Acute Lymphoblastic Leukemia (ALL).. <i>Blood</i> , 2005, 106, 4574-4574.	1.4	1
96	Upregulation of CD20 on Human Acute Lymphoblastic Leukemia Cells by IL-4 and CpG Motif Containing Oligonucleotides Increases Susceptibility to Rituximab.. <i>Blood</i> , 2006, 108, 1879-1879.	1.4	1
97	The Effect of Donor Lymphocyte Infusion Dose on the Occurrence of Severe Life-Threatening Acute Graft-Versus-Host Disease Early after Reduced Intensity Conditioning T Cell Depleted Stem Cell Transplantation.. <i>Blood</i> , 2008, 112, 2218-2218.	1.4	1
98	Characterization of Leukemias with ETV6-ABL1 Fusion. <i>Blood</i> , 2015, 126, 84-84.	1.4	1
99	Cutting Edge: Unconventional CD8 ⁺ T Cell Recognition of a Naturally Occurring HLA-A*02:01-Restricted 20mer Epitope. <i>Journal of Immunology</i> , 2022, , j12101208.	0.8	1
100	Combating cancer with allogeneic T cells. <i>Blood</i> , 2010, 115, 3856-3857.	1.4	0
101	MB-64ADOPTIVE CELL IMMUNOTHERAPY IN MEDULLOBLASTOMA BASED ON T CELLS REDIRECTED TOWARD TUMOR CELLS BY PRAME SPECIFIC α β TCR GENE MODIFICATION. <i>Neuro-Oncology</i> , 2016, 18, iii111.3-iii111.	1.2	0
102	Donor T-Cells Specific for Lineage-Restricted Maturation Antigens Not Recognizing Immature Progenitor Cells May Lead to Hematologic Remission but Molecular Persistence of Chronic Myeloid Leukemia (CML).. <i>Blood</i> , 2004, 104, 1016-1016.	1.4	0
103	Expansion and Transformation of Primary Acute Lymphoblastic Leukemia Cells into Antigen-Presenting Cells using a Novel Culturing System Enables the Generation of Leukemia-Reactive T Cell Responses that Are Effective in Vivo.. <i>Blood</i> , 2004, 104, 303-303.	1.4	0
104	Retroviral Gene Transfer of T Cell Receptors (TCR) Specific for Minor Histocompatibility Antigens to Virus-Specific T Cells as Cellular Immunotherapy of Patients with Relapsed Hematological Malignancies after Allogeneic Stem Cell Transplantation.. <i>Blood</i> , 2005, 106, 5529-5529.	1.4	0
105	Re-Engineering α β T Cells by α β T Cell Receptor Gene Transfer Creates Potent Effector Cells with Anti-Leukemic Reactivity.. <i>Blood</i> , 2005, 106, 1288-1288.	1.4	0
106	Physiological TCR Modulation after Antigen Specific Triggering of Introduced TCRs under Control of a Retroviral Promotor.. <i>Blood</i> , 2005, 106, 5537-5537.	1.4	0
107	In Vitro Cell Division Analysis Reveals High Proliferative Potential and Clonogenicity within Primary Common-Type Human Acute Lymphoblastic Leukemia.. <i>Blood</i> , 2005, 106, 857-857.	1.4	0
108	Identification of the Angiogenic Endothelial Cell Growth Factor-1/Thymidine Phosphorylase as a Target for Immunotherapy of Cancer.. <i>Blood</i> , 2005, 106, 3094-3094.	1.4	0

#	ARTICLE	IF	CITATIONS
109	GVHD in HLA-A2 Mismatched Transplantation Caused by a Combined CD8 Response Directed Against HLA-A2 and a CD4 Response Recognizing an HLA-A2 Derived Peptide in HLA-DR1.. Blood, 2006, 108, 5164-5164.	1.4	0
110	Generation of GMP-Grade CMV pp65-Specific CD8+ and CD4+ Donor T Cell Lines for Treatment of CMV Reactivation after Transplantation.. Blood, 2006, 108, 2931-2931.	1.4	0
111	Profound T Cell Depletion Does Not Eradicate CMV Specific CD8 T Cells Responsible for Protective Immunity to CMV after T Cell Depleted Allogeneic Stem Cell Transplantation.. Blood, 2006, 108, 2920-2920.	1.4	0
112	ATP Dependent Interferon Responsive (ADIR) Gene Encodes an Activation Induced Minor Histocompatibility Antigen Recognized on Multiple Myeloma by CD8+ T Cells.. Blood, 2006, 108, 549-549.	1.4	0
113	Complete Remission of Immunocytoma without Graft Versus Host Disease Caused by Allo-HLA-DP Specific T Cells.. Blood, 2006, 108, 3665-3665.	1.4	0
114	Leukemic Blasts Acting as Host Antigen Presenting Cells Trigger a Combined CD4 and CD8 Allo-Immune Response Directed Against Mismatched HLA Class I.. Blood, 2007, 110, 5030-5030.	1.4	0
115	Allo-HLA Reactive CD8 T-Cells May Recognize Tissue Specific Peptides Explaining Tissue Restricted GVHD after HLA Mismatched SCT.. Blood, 2007, 110, 72-72.	1.4	0
116	Physiological Non-Responsiveness and Absence of Activation Induced Cell Death of T Cells Rapidly Re-Expressing Retrovirally Introduced TCRs after T Cell Activation.. Blood, 2007, 110, 2301-2301.	1.4	0
117	T Cell Receptor Gene Transfer to Virus-Specific T Cells for Cellular Anti-Tumor Immunotherapy.. Blood, 2007, 110, 2594-2594.	1.4	0
118	Identification of Phosphatidylinositol 4-Kinase Type II \hat{I}^2 as the First HLA Class II Associated Minor Histocompatibility Antigen Involved in Graft Versus Leukemia Reactivity.. Blood, 2007, 110, 1800-1800.	1.4	0
119	Establishment and Characterization of a tel/abl Rearrangement Responsible for Imatinib Sensitivity in bcr/abl Negative Acute Lymphoblastic Leukemia.. Blood, 2007, 110, 4280-4280.	1.4	0
120	Detection of Varicella Zoster Virus Specific CD8 T Cells in Patients after T Cell Depleted Allogeneic Stem Cell Transplantation by a Novel Epitope Screening Technology.. Blood, 2007, 110, 1060-1060.	1.4	0
121	Proliferation of Acute Lymphoblastic Leukemic (ALL) Cells Is Dependent on Exogenous Purine Administration.. Blood, 2007, 110, 3466-3466.	1.4	0
122	Identification of Four New HLA Class II Restricted Minor Histocompatibility Antigens Contributing to Graft Versus Leukemia Reactivity.. Blood, 2008, 112, 3247-3247.	1.4	0
123	Alloreactivity of Virus Specific T-Cells.. Blood, 2008, 112, 3249-3249.	1.4	0
124	High Avidity HLA-A2-Restricted CD8+ T Cells against the Wilms Tumor Protein (WT1) Can Be Isolated Only from HLA-A2 Negative Donors Not Subjected to HLA-A2-Mediated Thymic Deletion. Blood, 2008, 112, 3895-3895.	1.4	0
125	Detailed Analysis of CD8+ T Cell Immunity and Identification of a Novel Minor Histocompatibility Antigen Contributing to Graft-Versus- Leukemia Reactivity.. Blood, 2008, 112, 3250-3250.	1.4	0
126	Both the Activation Kinetics and the Frequency of Regulatory T Cells Determine the Ability to Generate Primary Anti-Tumor and Pathogen- Specific Immune Responses from a Naïve Donor T Cell Repertoire. Blood, 2008, 112, 3898-3898.	1.4	0

#	ARTICLE	IF	CITATIONS
127	Recombination of Endogenous TCR Chains with Retrovirally Introduced TCR Chains Can Result in Mixed T Cell Receptor Dimers Harboring Harmful Alloreactivity. <i>Blood</i> , 2008, 112, 823-823.	1.4	0
128	HLA-DPB1 Mismatching Results in the Generation of a Full Repertoire of HLA-DPB1 Specific T Cell Responses Showing Immunogenicity of All HLA-DPB1 Alleles. <i>Blood</i> , 2008, 112, 3504-3504.	1.4	0
129	Leukemic Blasts Acting as Host Antigen Presenting Cells Trigger a Combined CD4 and CD8 Allo-Immune Response Directed against Mismatched HLA Class I. <i>Blood</i> , 2008, 112, 4607-4607.	1.4	0
130	Focal Deletion of Genes Involved in the Control of Cell Cycle Progression Contributes to Growth Factor Independence in Acute Lymphoblastic Leukemia Cells. <i>Blood</i> , 2008, 112, 789-789.	1.4	0
131	Generation of Combined CD8+ and CD4+ T Cell Lines with High Specificity for Adenovirus Hexon Epitopes for Adoptive Immunotherapy after Allogeneic Stem Cell Transplantation.. <i>Blood</i> , 2008, 112, 2225-2225.	1.4	0
132	Sequence Dependent Efficiency of Cross-Presentation in MHC Class I Requires Rational Design of Long Synthetic Peptides for Vaccination or Ex Vivo Activation. <i>Blood</i> , 2008, 112, 3904-3904.	1.4	0
133	Diversity of HLA Class I and Class II Restricted Minor Histocompatibility Antigens in Graft-Versus-Leukemia Reactivity.. <i>Blood</i> , 2009, 114, 4084-4084.	1.4	0
134	Collateral Damage: a Mechanism for Hematopoiesis-Restricted Mhag-Specific T Cells to Play a Role in the Effector Phase of GvHD.. <i>Blood</i> , 2009, 114, 3552-3552.	1.4	0
135	Potent Alloreactive Effector T Cells Cause Limited Damage to Non-Hematopoietic Tissues Under Non-Inflammatory Conditions, Despite Proper Expression of the Relevant Target Antigens.. <i>Blood</i> , 2009, 114, 2454-2454.	1.4	0
136	Optimization of the HA-1-Specific T Cell Receptor for Gene Therapy of Hematological Malignancies.. <i>Blood</i> , 2009, 114, 4093-4093.	1.4	0
137	Treatment with Tyrosine Kinase Inhibitors May Impair the Potential Curative Effect of Allogeneic Stem Cell Transplantation.. <i>Blood</i> , 2009, 114, 857-857.	1.4	0
138	Extracellular Domains of CD8a and β 2 Subunits Are Required and Sufficient for HLA Class I Restricted Helper Activity of TCR-Engineered CD4+ T Cells.. <i>Blood</i> , 2009, 114, 3574-3574.	1.4	0
139	High Throughput Minor Histocompatibility Antigen Discovery by Whole Genome Association Scanning.. <i>Blood</i> , 2009, 114, 685-685.	1.4	0
140	Myeloid Chimerism Reflects Engraftment of Donor Hematopoiesis, Whereas T Cell Chimerism Reflects Survival and Expansion of Donor and Recipient Residual Mature T Cells Early After T Cell Depleted Allogeneic Stem Cell Transplantation.. <i>Blood</i> , 2009, 114, 4475-4475.	1.4	0
141	Alloreactive T Cells for the Treatment of Leukemia. , 2010, , 397-411.		0
142	Primary Antibody Responses Against the Novel Pandemic H1N1 and Secondary Antibody Responses Against Seasonal H1N1 Can Be Induced by Vaccination In Patients Early After Allogeneic Stem Cell Transplantation. <i>Blood</i> , 2010, 116, 1273-1273.	1.4	0
143	Low Incidence of Post-Transplant EBV-Related Disease After Alemtuzumab-Mediated T Cell Depletion Is Explained by the Differential Susceptibility to Alemtuzumab of B Cells and Protective CD8 and CD4 T Cells. <i>Blood</i> , 2010, 116, 2330-2330.	1.4	0
144	Multi-Dimensional Resistance Phenotype Allows Subpopulation of Quiescent Chronic Myeloid Leukemia Stem Cells to Universally Escape From Therapeutic Attack. <i>Blood</i> , 2010, 116, 203-203.	1.4	0

#	ARTICLE	IF	CITATIONS
145	Eradication of Recipient CMV Specific T Cells by Donor Lymphocyte Infusion Does Not Impair Protective Immunity In Patients Transplanted with a CMV Negative Donor Due to An Early Donor Derived Primary CMV Specific T Cell Response. Blood, 2010, 116, 834-834.	1.4	0
146	Quantitative Monitoring of NPM1A Mutations Can Be Used to Guide Immunotherapeutic Interventions After Allogeneic Stem Cell Transplantation for Acute Myeloid Leukemia. Blood, 2011, 118, 3061-3061.	1.4	0
147	Occurrence of T Cells Specific for the Aspergillus Proteins Crf1 and Catalase1 in Patients Recovering From Invasive Aspergillosis. Blood, 2011, 118, 3008-3008.	1.4	0
148	High Throughput Screening for Antibody Responses Against H-Y Antigens and Their X-Variants in Allogeneic Hematopoietic Stem Cell Transplantation,. Blood, 2011, 118, 4097-4097.	1.4	0
149	Association of Disparities in Known Minor Histocompatibility Antigens with Relapse-Free Survival and Graft-Versus-Host-Disease Upon Allogeneic Stem Cell Transplantation,. Blood, 2011, 118, 4136-4136.	1.4	0
150	Collateral Damage of Non-Hematopoietic Tissue by Hematopoiesis-Specific T Cells Results in GvHD During An Ongoing Profound Gvl Reaction,. Blood, 2011, 118, 4031-4031.	1.4	0
151	Durable Remission of Renal Cell Carcinoma After Donor Lymphocyte Infusion Is Unavoidably Linked with Graft Versus Host Disease As Illustrated by the Detection of Allo Reactive T Cells Recognizing a Novel Minor Histocompatibility Antigen Encoded by the FUCA2 Gene. Blood, 2012, 120, 4467-4467.	1.4	0
152	Effectiveness of a Strategy to Proceed to Allogeneic Stem Cell Transplantation in All Elderly AML Patients Treated with Intensive Chemotherapy: Only Patients in Complete Remission After First Induction Show Long Term Survival.. Blood, 2012, 120, 3085-3085.	1.4	0
153	Immune Surveillance By Autoreactive Helper But Not Cytolytic T Cells Is a Common Phenomenon In Patients With Acute Myeloid Leukemia. Blood, 2013, 122, 1044-1044.	1.4	0
154	Modeling Resistance To Tyrosine Kinase Inhibitors In TEL/ABL-Positive Acute Lymphoblastic Leukemia. Blood, 2013, 122, 3826-3826.	1.4	0
155	Graft Versus Leukemia Separates From Graft Versus Host Disease By Magnitude and Avidity Of The Allo-Reactive T Cell Response After Allogeneic Stem Cell Transplantation and Donor Lymphocyte Infusion. Blood, 2013, 122, 2014-2014.	1.4	0
156	LB-ARHGDI1B-1R As Novel Minor Histocompatibility Antigen For Therapeutic Application. Blood, 2013, 122, 4465-4465.	1.4	0
157	Effectivity Of Complement-Dependent Cytotoxicity Induced By Therapeutic Antibodies In Acute Lymphoblastic Leukemia Is Dictated By Antigen Expression Levels and Curtailed By Membrane-Bound Complement Regulatory Proteins. Blood, 2013, 122, 3909-3909.	1.4	0
158	High-Affinity CD20-Specific T-Cell Receptors Suitable for Adoptive Immunotherapy in the Treatment of CD20low B-Cell Malignancies. Blood, 2014, 124, 3837-3837.	1.4	0
159	Tumor Associated Antigen Reactive Donor T Cells As Elementary Components of Streptamer Isolated Multi-Antigen Specific T Cells. Blood, 2014, 124, 313-313.	1.4	0
160	Functional Analysis of the Subclonal Architecture of B-Cell Precursor Acute Lymphoblastic Leukemia (BCP-ALL) at a Single Cell Level. Blood, 2014, 124, 3778-3778.	1.4	0
161	Multilevel Molecular Profiling to Dissect Resistance to Tyrosine Kinase Inhibitors in TEL/ABL Positive Acute Lymphoblastic Leukemia. Blood, 2014, 124, 3637-3637.	1.4	0
162	Loss of Pigh Expression Frequently Results in a GPI-Negative Subclone Lacking CD52 Membrane Expression, Conferring Alemtuzumab Resistance to B Cell Acute Lymphoblastic Leukemia. Blood, 2015, 126, 1435-1435.	1.4	0

#	ARTICLE	IF	CITATIONS
163	A Polyclonal Population of Piga Mutant CD52 and GPI Anchor Negative T Cells Can Give Early Immune Protection after Alemtuzumab-Based T Cell Depleted Allogeneic Stem Cell Transplantation. Blood, 2015, 126, 3134-3134.	1.4	0
164	GNB1 K89M Drives TKI Resistance in ETV6-ABL1-Positive Leukemia. Blood, 2016, 128, 751-751.	1.4	0
165	The Allo-HLA-DP Restricted T Cell Repertoire Contains a Variety of Tissue-Restricted Specificities with Therapeutic Value. Blood, 2016, 128, 3356-3356.	1.4	0
166	The Scope of Allo-HLA Cross-Reactivity By (Third Party) Virus Specific T Cells Is Surprisingly Affected By HLA Restriction Rather Than Virus Specificity. Blood, 2018, 132, 2048-2048.	1.4	0
167	Prophylactic Infusion of Multi-Antigen Specific T-Cell Products to Prevent Complications after T Cell Depleted Allogeneic Stem Cell Transplantation " a Phase I/II Study. Blood, 2018, 132, 119-119.	1.4	0
168	Isolation and Validation of the First Functional HLA-a*01:01 Restricted EBV-LMP2 Specific T Cells for Treatment of EBV Associated Type II/III Lymphomas. Blood, 2018, 132, 1578-1578.	1.4	0
169	Relative Contribution of Naïve and Memory T Cells to Alloreactivity in Hematopoietic Cell Transplantation. Blood, 2019, 134, 1923-1923.	1.4	0
170	HLA-DM Mediates Permissiveness of HLA-DPB1 T Cell Epitope Mismatches in Unrelated HCT. Blood, 2019, 134, 3211-3211.	1.4	0