
## Wendy M Purcell

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7094770/publications.pdf Version: 2024-02-01



| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Editorial from the Editor-in-Chief: People Matter!. Merits, 2022, 2, 18-20.   | 0.8 | Ο         |
| 2  | Handling the health impacts of extreme climate events. Environmental Sciences Europe, 2022, 34, .   | 5.5 | 3         |
| 3  | Using the SDGs to Reset Travel and Tourism after COVID-19: Adopting a Culture of Health. , 2022, 15, .  |     | Ο         |
| 4  | Higher education and the COVID-19 pandemic: navigating disruption using the sustainable development goals. Discover Sustainability, 2021, 2, 6.   | 2.8 | 30        |
| 5  | Exploring a Culture of Health in the Auto Industry. Sustainability, 2021, 13, 3924.   | 3.2 | 1         |
| 6  | Editorial from the Editor-in-Chief to Introduce the Journal. Merits, 2021, 1, 3-4.  | 0.8 | 1         |
| 7  | Catalyzing Transformational Partnerships for the SDGs: Effectiveness and Impact of the<br>Multi-Stakeholder Initiative El dÃa después. Sustainability, 2020, 12, 7189.  | 3.2 | 13        |
| 8  | A Conceptual Framework of Leadership and Governance in Sustaining Entrepreneurial Universities<br>Illustrated with Case Material from a Retrospective Review of a University's Strategic<br>Transformation: The Enterprise University. , 2019, , 243-260. |     | 8         |
| 9  | Spheroid Size Does not Impact Metabolism of the β-blocker Propranolol in 3D Intestinal Fish Model.<br>Frontiers in Pharmacology, 2018, 9, 947.  | 3.5 | 8         |
| 10 | Application of the rainbow trout derived intestinal cell line (RTgutGC) for ecotoxicological studies:<br>molecular and cellular responses following exposure to copper. Ecotoxicology, 2017, 26, 1117-1133.   | 2.4 | 26        |
| 11 | Pharmaceutical Metabolism in Fish: Using a 3-D Hepatic In Vitro Model to Assess Clearance. PLoS ONE, 2017, 12, e0168837.  | 2.5 | 44        |
| 12 | Differentiation of English universities: the impact of policy reforms in driving a more diverse higher education landscape. Perspectives: Policy and Practice in Higher Education, 2016, 20, 24-33.   | 0.6 | 10        |
| 13 | Direct Measurements of Oxygen Gradients in Spheroid Culture System Using Electron Parametric<br>Resonance Oximetry. PLoS ONE, 2016, 11, e0149492.   | 2.5 | 63        |
| 14 | Disruption and distinctiveness in higher education. Perspectives: Policy and Practice in Higher Education, 2014, 18, 3-8.   | 0.6 | 10        |
| 15 | In-vitro maintenance and functionality of primary renal tubules and their application in the study of<br>relative renal toxicity of nephrotoxic drugs. Journal of Pharmacological and Toxicological Methods,<br>2013, 68, 269-274.                        | 0.7 | 6         |
| 16 | Towards a more representative in vitro method for fish ecotoxicology: morphological and<br>biochemical characterisation of three-dimensional spheroidal hepatocytes. Ecotoxicology, 2012, 21,<br>2419-2429.   | 2.4 | 41        |
| 17 | A microband lactate biosensor fabricated using a water-based screen-printed carbon ink. Talanta, 2009,<br>77, 1149-1154.  | 5.5 | 42        |
| 18 | Nociceptin-induced modulation of human T cell function. Peptides, 2009, 30, 926-934.  | 2.4 | 17        |

WENDY M PURCELL

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Functional three-dimensional HepG2 aggregate cultures generated from an ultrasound trap:<br>Comparison with HepG2 spheroids. Journal of Cellular Biochemistry, 2007, 102, 1180-1189.  | 2.6 | 68        |
| 20 | Fabrication and characterisation of novel screen-printed tubular microband electrodes, and their application to the measurement of hydrogen peroxide. Electrochimica Acta, 2007, 52, 7248-7253.   | 5.2 | 30        |
| 21 | Electrophysiological measurements in three-dimensional in vivo-mimetic organotypic cell cultures:<br>Preliminary studies with hen embryo brain spheroids. Neuroscience Letters, 2006, 404, 33-38.   | 2.1 | 16        |
| 22 | Energy metabolism and biotransformation as endpoints to pre-screen hepatotoxicity using a liver spheroid model. Toxicology and Applied Pharmacology, 2006, 216, 293-302.  | 2.8 | 18        |
| 23 | Nociceptin/orphanin FQ modulates human T cell function in vitro. Journal of Neuroimmunology, 2004,<br>149, 110-120.   | 2.3 | 40        |
| 24 | Peroxynitrite Mediates Nitric Oxide–Induced Blood–Brain Barrier Damage. Neurochemical Research,<br>2004, 29, 579-587.   | 3.3 | 68        |
| 25 | Preliminary characterisation of an in vitro paradigm for the study of the delayed effects of organophosphorus compounds: hen embryo brain spheroids. Toxicology, 2004, 195, 187-202.  | 4.2 | 8         |
| 26 | Manipulation of in vitro toxicant sensors in an ultrasonic standing wave. Toxicology in Vitro, 2004, 18, 115-120.   | 2.4 | 11        |
| 27 | Characterisation of some cytotoxic endpoints using rat liver and HepG2 spheroids as in vitro models and their application in hepatotoxicity studies. I. Glucose metabolism and enzyme release as cytotoxic markers. Toxicology and Applied Pharmacology, 2003, 189, 100-111.                          | 2.8 | 70        |
| 28 | Characterisation of some cytotoxic endpoints using rat liver and HepG2 spheroids as in vitro models and their application in hepatotoxicity studies. II. Spheroid cell spreading inhibition as a new cytotoxic marker. Toxicology and Applied Pharmacology, 2003, 189, 112-119.                       | 2.8 | 36        |
| 29 | Biochemical and functional changes of rat liver spheroids during spheroid formation and<br>maintenance in culture: I. morphological maturation and kinetic changes of energy metabolism,<br>albumin synthesis, and activities of some enzymes. Journal of Cellular Biochemistry, 2003, 90, 1166-1175. | 2.6 | 32        |
| 30 | Biochemical and functional changes of rat liver spheroids during spheroid formation and<br>maintenance in culture: II. nitric oxide synthesis and related changes. Journal of Cellular<br>Biochemistry, 2003, 90, 1176-1185.  | 2.6 | 17        |
| 31 | Antimicrobial photodynamic therapy: assessment of genotoxic effects on keratinocytes in vitro.<br>British Journal of Dermatology, 2003, 148, 229-232.   | 1.5 | 75        |
| 32 | Cryopreservation of Organotypic Brain Spheroid Cultures. ATLA Alternatives To Laboratory Animals, 2003, 31, 563-573.  | 1.0 | 10        |
| 33 | Activated T cells mediate direct blood–brain barrier endothelial cell death and dysfunction.<br>NeuroReport, 2002, 13, 2587-2591.   | 1.2 | 5         |
| 34 | Evaluation of the role of P-glycoprotein in inflammation induced blood–brain barrier damage.<br>NeuroReport, 2002, 13, 2593-2597.   | 1.2 | 21        |
| 35 | Metabolic Profiling of the Effects ofd-Galactosamine in Liver Spheroids Using1H NMR and MAS-NMR Spectroscopy. Chemical Research in Toxicology, 2002, 15, 1351-1359.   | 3.3 | 48        |
| 36 | Association of cytokine single nucleotide polymorphisms with B7 costimulatory molecules in kidney allograft recipients. Pediatric Transplantation, 2002, 6, 69-77.  | 1.0 | 53        |

WENDY M PURCELL

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | Cytotoxic effects of antimicrobial photodynamic therapy on keratinocytes in vitro. British Journal of<br>Dermatology, 2002, 146, 568-573.  | 1.5  | 94        |
| 38 | Optimizing the enzymatic determination of galactose in the culture medium of rat liver and HepG2 cell spheroids. Analytical Biochemistry, 2002, 311, 179-181.  | 2.4  | 12        |
| 39 | INCREASED COSTIMULATORY RESPONSES IN AFRICAN-AMERICAN KIDNEY ALLOGRAFT RECIPIENTS.<br>Transplantation, 2001, 71, 692-695.  | 1.0  | 44        |
| 40 | Killing of cutaneous microbial species by photodynamic therapy. British Journal of Dermatology, 2001, 144, 274-278.  | 1.5  | 233       |
| 41 | Internal carotid artery haemodynamics in women with polycystic ovaries. Clinical Science, 2000, 98, 661-665.   | 4.3  | 29        |
| 42 | Avian whole-brain spheroid cultures: applications in pesticide toxicity. Pest Management Science, 2000, 56, 825-827.   | 3.4  | 3         |
| 43 | Absorption, distribution, metabolism and excretion of p-bromophenylacetylurea in the female rat.<br>Xenobiotica, 2000, 30, 307-315.  | 1.1  | 0         |
| 44 | Internal carotid-artery response to 5% carbon dioxide in women with polycystic ovaries. Lancet, The, 2000, 356, 1166-1167.   | 13.7 | 28        |
| 45 | Application of the high-performance liquid chromatographic method for separation, purification and characterisation of p-bromophenylacetylurea and its metabolites. Biomedical Applications, 1999, 732, 349-356. | 1.7  | 1         |
| 46 | Peripheral blood antigen-presenting cells from African-Americans exhibit increased CD80 and CD86 expression. Clinical and Experimental Immunology, 1999, 118, 247-252.   | 2.6  | 30        |
| 47 | Reactive oxygen species generation and histamine release by activated mast cells: modulation by nitric oxide synthase inhibition. British Journal of Pharmacology, 1999, 128, 585-590.                           | 5.4  | 74        |
| 48 | Neurotoxic Potentiation Is Related to a Metabolic Interaction between p-Bromophenylacetylurea and Phenylmethanesulfonyl Fluoride. Toxicology and Applied Pharmacology, 1999, 157, 222-226.                       | 2.8  | 3         |
| 49 | Pharmacokinetic Factors and Concentration-Time Threshold in m-Dinitrobenzene-Induced Neurotoxicity. Toxicology and Applied Pharmacology, 1999, 161, 267-273.   | 2.8  | 9         |
| 50 | Granulocyte-colony stimulating factor decreases glycosaminoglycan concentration and increases nitric oxide production in rat articular cartilage. Inflammation Research, 1999, 48, 126-127.                      | 4.0  | 1         |
| 51 | Colony stimulating factors regulate nitric oxide and prostaglandin E2 production in rat cartilage chondrocytes. International Journal of Tissue Reactions, 1999, 21, 113-9.                                      | 0.2  | 4         |
| 52 | Uterine artery blood flow parameters in women with dysfunctional uterine bleeding and uterine fibroids: the effects of tranexamic acid. Ultrasound in Obstetrics and Gynecology, 1998, 11, 283-285.              | 1.7  | 25        |
| 53 | Characterisation of a functional polyamine site on rat mast cells: association with a NMDA receptor macrocomplex. Journal of Neuroimmunology, 1996, 65, 49-53.   | 2.3  | 30        |
| 54 | Rat brain mast cells: an in vitro paradigm for assessing the toxic effects of neurotropic therapeutics.<br>NeuroToxicology, 1996, 17, 845-50.  | 3.0  | 14        |

WENDY M PURCELL

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Mast cells in neuroimmune function: Neurotoxicological and neuropharmacological perspectives.<br>Neurochemical Research, 1995, 20, 521-532.   | 3.3 | 113       |
| 56 | Human Placental Mast Cells as an In Vitro Model System in Aspects of Neuro-Immunotoxicity Testing.<br>Human and Experimental Toxicology, 1994, 13, 429-433.   | 2.2 | 10        |
| 57 | Rodent and human mast cells as an in vitro model in neuroimmunotoxicity testing. Toxicology in Vitro, 1994, 8, 627-630.   | 2.4 | 1         |
| 58 | Histamine release from mast cells by polyamines: an NMDA receptor-mediated event?. Biochemical<br>Society Transactions, 1994, 22, 398S-398S.  | 3.4 | 7         |
| 59 | New models for the In vitro assessment of neurotoxicity in the nervous system and the preliminary validation stages of a †tiered-test' model. Toxicology in Vitro, 1993, 7, 569-580.  | 2.4 | 19        |
| 60 | Human placental mast cells: A role in pre-eclampsia?. Medical Hypotheses, 1992, 39, 281-283.  | 1.5 | 11        |
| 61 | A novel source of mast cells: The human placenta. Agents and Actions, 1991, 33, 8-12.   | 0.7 | 40        |
| 62 | Differential release of histamine and 5-hydroxytryptamine from rat mast cells: The contribution of amine uptake to the apparent pattern of secretion. Agents and Actions, 1990, 30, 38-40.  | 0.7 | 21        |
| 63 | The activity of amitriptyline as a differential inhibitor of amine secretion from rat peritoneal mast cells: The contribution of amine uptake. Agents and Actions, 1990, 30, 41-43.   | 0.7 | 9         |
| 64 | Comparison of Histamine and 5-Hydroxytryptamine Content and Secretion in Rat Mast Cells Isolated from Different Anatomical Locations. International Archives of Allergy and Immunology, 1989, 90, 382-386.  | 2.1 | 32        |
| 65 | Contribution of Post-Secretory Mechanisms to the Observed Pattern of Histamine and<br>5-Hydroxytryptamine Secretion from Peritoneal Rat Mast Cells in Response to Compound 48/80.<br>International Archives of Allergy and Immunology, 1989, 90, 387-394. | 2.1 | 14        |