

Jaap Stoker

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7095858/publications.pdf>

Version: 2024-02-01

471
papers

29,114
citations

8755

77
h-index

8433

152
g-index

479
all docs

479
docs citations

479
times ranked

22462
citing authors

#	ARTICLE	IF	CITATIONS
1	Challenges in the Pathophysiology, Diagnosis, and Management of Intestinal Fibrosis in Inflammatory Bowel Disease. <i>Gastroenterology</i> , 2022, 162, 26-31.	0.6	48
2	Cumulative 5-year Results of a Randomized Controlled Trial Comparing Biological Mesh With Primary Perineal Wound Closure After Extralevator Abdominoperineal Resection (BIOPEX-study). <i>Annals of Surgery</i> , 2022, 275, e37-e44.	2.1	15
3	DEtECTION of ProxImal Coronary stenosis in the work-up for Transcatheter aortic valve implantation using CTA (from the DEPICT CTA collaboration). <i>European Radiology</i> , 2022, 32, 143-151.	2.3	10
4	Fibrosis and MAGNIFI-CD Activity Index at Magnetic Resonance Imaging to Predict Treatment Outcome in Perianal Fistulizing Crohn's Disease Patients. <i>Journal of Crohn's and Colitis</i> , 2022, 16, 708-716.	0.6	15
5	Yield of Adding chest CT to Abdominal CT to Detect COVID-19 in Patients Presenting With Acute Gastrointestinal Symptoms (SCOUT-3): Multicenter Study. <i>Annals of Surgery</i> , 2022, 276, e758-e763.	2.1	1
6	Association of Accuracy, Conclusions, and Reporting Completeness With Acceptance by Radiology Conferences and Journals. <i>Journal of Magnetic Resonance Imaging</i> , 2022, , .	1.9	1
7	Association of Hyperferritinemia With Distinct Host Response Aberrations in Patients With Community-Acquired Pneumonia. <i>Journal of Infectious Diseases</i> , 2022, 225, 2023-2032.	1.9	5
8	Can hysterosalpingo-foam sonography replace hysterosalpingography as first-choice tubal patency test? A randomized non-inferiority trial. <i>Human Reproduction</i> , 2022, 37, 969-979.	0.4	10
9	Impact of bowel dilation on small bowel motility measurements with cine-MRI: assessment of two quantification techniques. <i>BJR Open</i> , 2022, 4, .	0.4	0
10	Hyperbaric oxygen therapy for the treatment of perianal fistulas in 20 patients with Crohn's disease: Results of the HOTOPIC trial after 1-year follow-up. <i>United European Gastroenterology Journal</i> , 2022, 10, 160-168.	1.6	16
11	Untangling and segmenting the small intestine in 3D cine-MRI using deep learning. <i>Medical Image Analysis</i> , 2022, 78, 102386.	7.0	12
12	Optimising diagnostics to discriminate complicated from uncomplicated appendicitis: a prospective cohort study protocol. <i>BMJ Open</i> , 2022, 12, e054304.	0.8	5
13	Short-term anti-TNF therapy with surgical closure versus anti-TNF therapy in the treatment of perianal fistulas in Crohn's disease (PISA-II): a patient preference randomised trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2022, 7, 617-626.	3.7	21
14	Oil-based versus water-based contrast media for hysterosalpingography in infertile women of advanced age, with ovulation disorders or a high risk for tubal pathology: study protocol of a randomized controlled trial (H2Oil2 study). <i>BMC Women's Health</i> , 2022, 22, 123.	0.8	0
15	Interobserver Variability in CT-based Morphologic Tumor Response Assessment of Colorectal Liver Metastases. <i>Radiology Imaging Cancer</i> , 2022, 4, e210105.	0.7	3
16	Visceral obesity and muscle mass determined by CT scan and surgical outcome in patients with advanced ovarian cancer. A retrospective cohort study. <i>Gynecologic Oncology</i> , 2021, 160, 187-192.	0.6	18
17	Magnetic resonance imaging after ligation of the intersphincteric fistula tract for high perianal fistulas in Crohn's disease: a retrospective cohort study. <i>Colorectal Disease</i> , 2021, 23, 169-177.	0.7	7
18	Imaging alternatives to colonoscopy: CT colonography and colon capsule. European Society of Gastrointestinal Endoscopy (ESGE) and European Society of Gastrointestinal and Abdominal Radiology (ESGAR) Guideline "Update 2020. <i>European Radiology</i> , 2021, 31, 2967-2982.	2.3	36

#	ARTICLE	IF	CITATIONS
19	Accuracy of controlled attenuation parameter compared with ultrasound for detecting hepatic steatosis in children with severe obesity. <i>European Radiology</i> , 2021, 31, 1588-1596.	2.3	16
20	Simultaneous assessment of colon motility in children with functional constipation by cine-MRI and colonic manometry: a feasibility study. <i>European Radiology Experimental</i> , 2021, 5, 8.	1.7	9
21	A 3D cine-MRI acquisition technique and image analysis framework to quantify bowel motion demonstrated in gynecological cancer patients. <i>Medical Physics</i> , 2021, 48, 3109-3119.	1.6	4
22	Impact of the COVID-19 pandemic on incidence and severity of acute appendicitis: a comparison between 2019 and 2020. <i>BMC Emergency Medicine</i> , 2021, 21, 61.	0.7	28
23	Implementation of CT Coronary Angiography as an Alternative to Invasive Coronary Angiography in the Diagnostic Work-Up of Non-Coronary Cardiac Surgery, Cardiomyopathy, Heart Failure and Ventricular Arrhythmias. <i>Journal of Clinical Medicine</i> , 2021, 10, 2374.	1.0	0
24	DOP11 Fibrosis and MAGNIFI-CD activity-index at MRI to predict treatment outcome in perianal fistulising Crohn's Disease patients. <i>Journal of Crohn's and Colitis</i> , 2021, 15, S049-S050.	0.6	1
25	COVID-19: Histopathological correlates of imaging patterns on chest computed tomography. <i>Respirology</i> , 2021, 26, 869-877.	1.3	21
26	Patient-tailored Contrast Delivery Protocols for Computed Tomography Coronary Angiography. <i>Journal of Thoracic Imaging</i> , 2021, 36, 353-359.	0.8	9
27	Quantifying displacement of urogenital organs after abdominoperineal resection for rectal cancer. <i>Colorectal Disease</i> , 2021, 23, 2923-2931.	0.7	2
28	Discriminating complicated from uncomplicated appendicitis by ultrasound imaging, computed tomography or magnetic resonance imaging: systematic review and meta-analysis of diagnostic accuracy. <i>BJS Open</i> , 2021, 5, .	0.7	20
29	Fasted and fed small bowel motility patterns at cine-MRI in chronic intestinal pseudo-obstruction. <i>Neurogastroenterology and Motility</i> , 2021, 33, e14062.	1.6	8
30	Immediate versus Postponed Intervention for Infected Necrotizing Pancreatitis. <i>New England Journal of Medicine</i> , 2021, 385, 1372-1381.	13.9	124
31	Clinical added value of MRI to CT in patients scheduled for local therapy of colorectal liver metastases (CAMINO): study protocol for an international multicentre prospective diagnostic accuracy study. <i>BMC Cancer</i> , 2021, 21, 1116.	1.1	7
32	Hyperbaric oxygen therapy for the treatment of perianal fistulas in 20 patients with Crohn's disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 53, 587-597.	1.9	23
33	Inherently decoupled ¹ H antennas and ³¹ P loops for metabolic imaging of liver metastasis at 7 T. <i>NMR in Biomedicine</i> , 2020, 33, e4221.	1.6	7
34	Staging of Anal Cancer. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2020, 28, 127-140.	0.6	9
35	Evaluation of the modified Van Assche index for assessing response to anti-TNF therapy with MRI in perianal fistulizing Crohn's disease. <i>Clinical Imaging</i> , 2020, 59, 179-187.	0.8	22
36	Assessment of fasted and fed gastrointestinal contraction frequencies in healthy subjects using continuously tagged MRI. <i>Neurogastroenterology and Motility</i> , 2020, 32, e13747.	1.6	11

#	ARTICLE	IF	CITATIONS
37	P329 ECCO grant recipient: preliminary results of the HOT-TOPIC trial (Hyperbaric Oxygen Therapy for) Tj ETQq1 1 S318-S319.	0.784314 0.6	rgBT /Over 0
38	943 ASSESSMENT OF SMALL BOWEL MOTILITY IN CHRONIC INTESTINAL PSEUDO-OBSTRUCTION USING CALORIC STIMULATION AND CINE-MRI. Gastroenterology, 2020, 158, S-191.	0.6	1
39	Imaging alternatives to colonoscopy: CT colonography and colon capsule. European Society of Gastrointestinal Endoscopy (ESGE) and European Society of Gastrointestinal and Abdominal Radiology (ESGAR) Guideline " Update 2020. Endoscopy, 2020, 52, 1127-1141.	1.0	53
40	[18F]FDG-PET or PET/CT in the evaluation of pelvic and para-aortic lymph nodes in patients with locally advanced cervical cancer: A systematic review of the literature. Gynecologic Oncology, 2020, 159, 588-596.	0.6	28
41	OPTimal IMAGING strategy in patients suspected of non-traumatic pulmonary disease at the emergency department: chest X-ray or ultra-low-dose chest CT (OPTIMACT) trial" statistical analysis plan. Trials, 2020, 21, 407.	0.7	6
42	Prognostic characteristics and body mass index in patients with pulmonary embolism: does size matter?. ERJ Open Research, 2020, 6, 00163-2019.	1.1	7
43	Pathological validation and prognostic potential of quantitative MRI in the characterization of pancreas cancer: preliminary experience. Molecular Oncology, 2020, 14, 2176-2189.	2.1	23
44	ESGAR consensus statement on the imaging of fistula-in-ano and other causes of anal sepsis. European Radiology, 2020, 30, 4734-4740.	2.3	26
45	Yield of Screening for COVID-19 in Asymptomatic Patients Before Elective or Emergency Surgery Using Chest CT and RT-PCR (SCOUT). Annals of Surgery, 2020, 272, 919-924.	2.1	45
46	Classifying the diagnosis of study participants in clinical trials: a structured and efficient approach. European Radiology Experimental, 2020, 4, 44.	1.7	5
47	Evaluation of T2-W MR imaging and diffusion-weighted imaging for the early post-treatment local response assessment of patients treated conservatively for cervical cancer: a multicentre study. European Radiology, 2019, 29, 309-318.	2.3	25
48	ECCO-ESGAR Guideline for Diagnostic Assessment in IBD Part 1: Initial diagnosis, monitoring of known IBD, detection of complications. Journal of Crohn's and Colitis, 2019, 13, 144-164K.	0.6	958
49	ECCO-ESGAR Guideline for Diagnostic Assessment in IBD Part 2: IBD scores and general principles and technical aspects. Journal of Crohn's and Colitis, 2019, 13, 273-284.	0.6	250
50	Comparison of contrast-enhanced and diffusion-weighted MRI in assessment of the terminal ileum in Crohn's disease patients. Abdominal Radiology, 2019, 44, 398-405.	1.0	3
51	Automated versus subjective assessment of spatial and temporal MRI small bowel motility in Crohn's disease. Clinical Radiology, 2019, 74, 814.e9-814.e19.	0.5	11
52	Prospective validation of craniocaudal tumour size on MR imaging compared to histoPathology in patients with uterine cervical cancer: The MPAC study. Clinical and Translational Radiation Oncology, 2019, 18, 9-15.	0.9	5
53	A pharmacokinetic model including arrival time for two inputs and compensating for varying applied flip-angle in dynamic gadoteric acid-enhanced MR imaging. PLoS ONE, 2019, 14, e0220835.	1.1	1
54	Can hysterosalpingo foam sonography (HyFoSy) replace hysterosalpingography (HSG) as first choice tubal patency test: a randomized comparison (foam study)? Fertility and Sterility, 2019, 112, e2-e3.	0.5	1

#	ARTICLE	IF	CITATIONS
55	Evaluation of compressed sensing MRI for accelerated bowel motility imaging. <i>European Radiology Experimental</i> , 2019, 3, 7.	1.7	11
56	Development and Validation of a Magnetic Resonance Index for Assessing Fistulas in Patients With Crohn's Disease. <i>Gastroenterology</i> , 2019, 157, 1233-1244.e5.	0.6	58
57	Making useful clinical guidelines: the ESGAR perspective. <i>European Radiology</i> , 2019, 29, 3757-3760.	2.3	3
58	Comparison of diagnostic accuracy of screening tests ALT and ultrasound for pediatric non-alcoholic fatty liver disease. <i>European Journal of Pediatrics</i> , 2019, 178, 863-870.	1.3	43
59	A novel magnetic resonance elastography transducer concept based on a rotational eccentric mass: preliminary experiences with the gravitational transducer. <i>Physics in Medicine and Biology</i> , 2019, 64, 045007.	1.6	27
60	P188 Validation of the modified Van Assche index for assessing response to anti-TNF therapy with MRI in perianal fistulising Crohn's disease. <i>Journal of Crohn's and Colitis</i> , 2019, 13, S184-S184.	0.6	1
61	Comparison between dynamic gadoxetate-enhanced MRI and 99mTc-mebrofenin hepatobiliary scintigraphy with SPECT for quantitative assessment of liver function. <i>European Radiology</i> , 2019, 29, 5063-5072.	2.3	25
62	Molecular profiling of longitudinally observed small colorectal polyps: A cohort study. <i>EBioMedicine</i> , 2019, 39, 292-300.	2.7	13
63	Detecting the effects of a standardized meal challenge on small bowel motility with MRI in prepared and unprepared bowel. <i>Neurogastroenterology and Motility</i> , 2019, 31, e13506.	1.6	11
64	Comparison of MRI Activity Scoring Systems and Features for the Terminal Ileum in Patients With Crohn Disease. <i>American Journal of Roentgenology</i> , 2019, 212, W25-W31.	1.0	29
65	Hyperbaric oxygen therapy for the treatment of perianal fistulas in Crohn's disease (HOT-TOPIC): study protocol of a prospective interventional cohort study with one-year follow-up. <i>Undersea and Hyperbaric Medicine</i> , 2019, 46, 45-53.	0.1	9
66	Unenhanced CT imaging is highly sensitive to exclude pheochromocytoma: a multicenter study. <i>European Journal of Endocrinology</i> , 2018, 178, 431-437.	1.9	44
67	Repeatability and correlations of dynamic contrast enhanced and T2* MRI in patients with advanced pancreatic ductal adenocarcinoma. <i>Magnetic Resonance Imaging</i> , 2018, 50, 1-9.	1.0	16
68	Colorectal Cancer: Cost-effectiveness of Colonoscopy versus CT Colonography Screening with Participation Rates and Costs. <i>Radiology</i> , 2018, 287, 901-911.	3.6	40
69	Dynamic MRI for bowel motility imaging—how fast and how long?. <i>British Journal of Radiology</i> , 2018, 91, 20170845.	1.0	17
70	A hybrid optimization strategy for registering images with large local deformations and intensity variations. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2018, 13, 343-351.	1.7	2
71	Semiautomatic Assessment of the Terminal Ileum and Colon in Patients with Crohn Disease Using MRI (the VIGOR++ Project). <i>Academic Radiology</i> , 2018, 25, 1038-1045.	1.3	14
72	Reliability of Measuring Ileo-Colonic Disease Activity in Crohn's Disease by Magnetic Resonance Enterography. <i>Inflammatory Bowel Diseases</i> , 2018, 24, 440-449.	0.9	47

#	ARTICLE	IF	CITATIONS
73	Evaluation of gastrointestinal motility with MRI: Advances, challenges and opportunities. <i>Neurogastroenterology and Motility</i> , 2018, 30, e13257.	1.6	51
74	Magnetic resonance imaging for clinical management of rectal cancer: Updated recommendations from the 2016 European Society of Gastrointestinal and Abdominal Radiology (ESGAR) consensus meeting. <i>European Radiology</i> , 2018, 28, 1465-1475.	2.3	592
75	MR Spectroscopy-derived Proton Density Fat Fraction Is Superior to Controlled Attenuation Parameter for Detecting and Grading Hepatic Steatosis. <i>Radiology</i> , 2018, 286, 547-556.	3.6	79
76	Estimating the arterial input function from dynamic contrast-enhanced MRI data with compensation for flow enhancement (II): Applications in spine diagnostics and assessment of crohn's disease. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 47, 1197-1204.	1.9	4
77	Whole-body magnetic resonance imaging for detection of skeletal metastases in children and young people with primary solid tumors - systematic review. <i>Pediatric Radiology</i> , 2018, 48, 241-252.	1.1	20
78	Feasibility of CT radiomics to predict treatment response of individual liver metastases in esophagogastric cancer patients. <i>PLoS ONE</i> , 2018, 13, e0207362.	1.1	31
79	OPTimal IMAGING strategy in patients suspected of non-traumatic pulmonary disease at the emergency department: chest X-ray or ultra-low-dose CT (OPTIMACT) – a randomised controlled trial chest X-ray or ultra-low-dose CT at the ED: design and rationale. <i>Diagnostic and Prognostic Research</i> , 2018, 2, 20.	0.8	13
80	Prognostic value of cardiovascular parameters in computed tomography pulmonary angiography in patients with acute pulmonary embolism. <i>European Respiratory Journal</i> , 2018, 52, 1702611.	3.1	27
81	Breast magnetic resonance elastography: a review of clinical work and future perspectives. <i>NMR in Biomedicine</i> , 2018, 31, e3932.	1.6	24
82	Evaluation of MR imaging with diffusion-weighted imaging for the local response assessment of patients treated with chemoradiation for cervical cancer: A multicenter study. <i>Gynecologic Oncology</i> , 2018, 149, 116-117.	0.6	0
83	Comparison of six fit algorithms for the intra-voxel incoherent motion model of diffusion-weighted magnetic resonance imaging data of pancreatic cancer patients. <i>PLoS ONE</i> , 2018, 13, e0194590.	1.1	44
84	Relationship between MRI quantified small bowel motility and abdominal symptoms in Crohn's disease patients – a validation study. <i>British Journal of Radiology</i> , 2018, 91, 20170914.	1.0	12
85	Evaluation of Six Diffusion-weighted MRI Models for Assessing Effects of Neoadjuvant Chemoradiation in Pancreatic Cancer Patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018, 102, 1052-1062.	0.4	20
86	Short versus conventional hydration for prevention of kidney injury during pre-TAVI computed tomography angiography. <i>Netherlands Heart Journal</i> , 2018, 26, 425-432.	0.3	5
87	The FOAM study: is Hysterosalpingo foam sonography (HyFoSy) a cost-effective alternative for hysterosalpingography (HSG) in assessing tubal patency in subfertile women? Study protocol for a randomized controlled trial. <i>BMC Women's Health</i> , 2018, 18, 64.	0.8	20
88	Current Status of Magnetic Resonance Colonography for Screening and Diagnosis of Colorectal Cancer. <i>Radiologic Clinics of North America</i> , 2018, 56, 737-749.	0.9	5
89	Quantified Terminal Ileal Motility during MR Enterography as a Biomarker of Crohn Disease Activity: Prospective Multi-Institution Study. <i>Radiology</i> , 2018, 289, 428-435.	3.6	42
90	An expert consensus to standardise definitions, diagnosis and treatment targets for anti-fibrotic stricture therapies in Crohn's disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2018, 48, 347-357.	1.9	157

#	ARTICLE	IF	CITATIONS
91	A hybrid segmentation method for partitioning the liver based on 4D DCE-MR Images. , 2018, , .		3
92	The clinical value of routinely obtained postoperative chest radiographs in post-anaesthesia care unit patients seems poorâ€”a prospective observational study. <i>Annals of Translational Medicine</i> , 2018, 6, 360-360.	0.7	2
93	18F-FDG-PET/CT guided external beam radiotherapy volumes in inoperable uterine cervical cancer. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 62, 420-428.	0.4	10
94	Shortened oral contrast preparation for improved small bowel distension at MR enterography. <i>Abdominal Radiology</i> , 2017, 42, 2225-2232.	1.0	8
95	Semi-automatic bowel wall thickness measurements on MR enterography in patients with Crohn's disease. <i>British Journal of Radiology</i> , 2017, 90, 20160654.	1.0	14
96	Small-bowel Surveillance in Patients With Peutz-Jeghers Syndrome. <i>Journal of Clinical Gastroenterology</i> , 2017, 51, e27-e33.	1.1	24
97	Addition of MRI for CT-based pancreatic tumor delineation: a feasibility study. <i>Acta OncolÃ³gica</i> , 2017, 56, 923-930.	0.8	23
98	Iron storage in liver, bone marrow and splenic Gaucheroma reflects residual disease in type 1 Gaucher disease patients on treatment. <i>British Journal of Haematology</i> , 2017, 179, 635-647.	1.2	21
99	PO-0884: Availability of MRI improves interobserver variation in CT-based pancreatic tumor delineation. <i>Radiotherapy and Oncology</i> , 2017, 123, S484-S485.	0.3	0
100	A Multicenter Study to Validate Magnetic Resonance Enterography Against Histological Assessments of Stenotic Disease in Patients with Crohn's Disease. <i>Gastroenterology</i> , 2017, 152, S768-S769.	0.6	0
101	Impact of Potentially Malignant Incidental Findings by Computed Tomographic Angiography on Long-Term Survival After Transcatheter Aortic Valve Implantation. <i>American Journal of Cardiology</i> , 2017, 120, 994-1001.	0.7	13
102	The development of a magnetic resonance imaging index for fistulising Crohn's disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2017, 46, 516-528.	1.9	53
103	Considerable interobserver variation in delineation of pancreatic cancer on 3DCT and 4DCT: a multi-institutional study. <i>Radiation Oncology</i> , 2017, 12, 58.	1.2	17
104	Prediction of presence of kidney disease in patients undergoing intravenous iodinated contrast enhanced computed tomography: a validation study. <i>European Radiology</i> , 2017, 27, 1613-1621.	2.3	5
105	The first joint ESGAR/ ESPR consensus statement on the technical performance of cross-sectional small bowel and colonic imaging. <i>European Radiology</i> , 2017, 27, 2570-2582.	2.3	125
106	Abstract 716: Genomic classification of longitudinally observed small colorectal polyps. , 2017, , .		0
107	Minimizing the Acquisition Time for Intravoxel Incoherent Motion Magnetic Resonance Imaging Acquisitions in the Liver and Pancreas. <i>Investigative Radiology</i> , 2016, 51, 211-220.	3.5	37
108	Revisiting the Potential of Alternating Repetition Time Balanced Steady-State Free Precession Imaging of the Abdomen at 3 T. <i>Investigative Radiology</i> , 2016, 51, 560-568.	3.5	4

#	ARTICLE	IF	CITATIONS
109	Comparison of translabial three-dimensional ultrasound with magnetic resonance imaging for measurement of levator hiatal biometry at rest. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016, 47, 636-641.	0.9	8
110	Computed Tomography Observer Agreement in Staging Malignant Lymphoma. <i>Journal of Computer Assisted Tomography</i> , 2016, 40, 261-265.	0.5	1
111	2D AMESING multi-echo 31P-MRSI of the liver at 7T allows transverse relaxation assessment and T2-weighted averaging for improved SNR. <i>Magnetic Resonance Imaging</i> , 2016, 34, 219-226.	1.0	4
112	Mo1691 CT-Colonography Versus Colonoscopy for Detection of High-Risk Sessile Serrated Polyps. <i>Gastroenterology</i> , 2016, 150, S752-S753.	0.6	0
113	Su1258 Small-Bowel Surveillance in Patients With Peutz-Jeghers Syndrome: Comparing Magnetic Resonance Enteroclysis and Double Balloon Enteroscopy. <i>Gastrointestinal Endoscopy</i> , 2016, 83, AB330.	0.5	0
114	Burden of waiting for surveillance CT colonography in patients with screen-detected 6-9mm polyps. <i>European Radiology</i> , 2016, 26, 4000-4010.	2.3	4
115	CT-Colonography vs. Colonoscopy for Detection of High-Risk Sessile Serrated Polyps. <i>American Journal of Gastroenterology</i> , 2016, 111, 516-522.	0.2	79
116	Is there a place for a biological mesh in perineal hernia repair?. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2016, 20, 747-754.	0.9	26
117	Comparison of clinical MRI liver iron content measurements using signal intensity ratios, R 2 and R 2*. <i>Abdominal Radiology</i> , 2016, 41, 2123-2131.	1.0	14
118	Long-Term Performance of Readers Trained in Grading Crohn Disease Activity Using MRI. <i>Academic Radiology</i> , 2016, 23, 1539-1544.	1.3	5
119	The potential of imaging techniques as a screening tool for colorectal cancer: a cost-effectiveness analysis. <i>British Journal of Radiology</i> , 2016, 89, 20150910.	1.0	21
120	Improved registration of DCE-MR images of the liver using a prior segmentation of the region of interest. , 2016, , .		3
121	MRI characteristics of proctitis in Crohn's disease on perianal MRI. <i>Abdominal Radiology</i> , 2016, 41, 1918-1930.	1.0	15
122	Computer tomography colonography participation and yield in patients under surveillance for 6-9mm polyps in a population-based screening trial. <i>European Radiology</i> , 2016, 26, 2762-2770.	2.3	21
123	Intensive lifestyle treatment for non-alcoholic fatty liver disease in children with severe obesity: inpatient versus ambulatory treatment. <i>International Journal of Obesity</i> , 2016, 40, 51-57.	1.6	27
124	Image Registration Based on Autocorrelation of Local Structure. <i>IEEE Transactions on Medical Imaging</i> , 2016, 35, 63-75.	5.4	68
125	Noninvasive Differentiation between Hepatic Steatosis and Steatohepatitis with MR Imaging Enhanced with USPIOs in Patients with Nonalcoholic Fatty Liver Disease: A Proof-of-Concept Study. <i>Radiology</i> , 2016, 278, 782-791.	3.6	50
126	Accuracy of whole-body MRI in the assessment of splenic involvement in lymphoma. <i>Acta Radiologica</i> , 2016, 57, 142-151.	0.5	18

#	ARTICLE	IF	CITATIONS
127	Nonalcoholic fatty liver disease and cardiovascular risk in children with obesity. <i>Obesity</i> , 2015, 23, 1239-1243.	1.5	15
128	Visibility and artifacts of gold fiducial markers used for image guided radiation therapy of pancreatic cancer on MRI. <i>Medical Physics</i> , 2015, 42, 2638-2647.	1.6	44
129	Accuracy of White Blood Cell Count and C-reactive Protein Levels Related to Duration of Symptoms in Patients Suspected of Acute Appendicitis. <i>Academic Emergency Medicine</i> , 2015, 22, 1015-1024.	0.8	33
130	Scoring system to distinguish uncomplicated from complicated acute appendicitis. <i>British Journal of Surgery</i> , 2015, 102, 979-990.	0.1	140
131	Guideline for the Diagnostic Pathway in Patients with Acute Abdominal Pain. <i>Digestive Surgery</i> , 2015, 32, 23-31.	0.6	146
132	CT colonography: accuracy, acceptance, safety and position in organised population screening. <i>Gut</i> , 2015, 64, 342-350.	6.1	42
133	Grading of Crohn's disease activity using CT, MRI, US and scintigraphy: a meta-analysis. <i>European Radiology</i> , 2015, 25, 3295-3313.	2.3	69
134	Image registration based on the structure tensor of the local phase. , 2015, , .		1
135	Comparison of Imaging Strategies with Conditional versus Immediate Contrast-Enhanced Computed Tomography in Patients with Clinical Suspicion of Acute Appendicitis. <i>European Radiology</i> , 2015, 25, 2445-2452.	2.3	33
136	Expiration-Phase Template-Based Motion Correction of Free-Breathing Abdominal Dynamic Contrast Enhanced MRI. <i>IEEE Transactions on Biomedical Engineering</i> , 2015, 62, 1215-1225.	2.5	28
137	C-Reactive Protein and White Blood Cell Count as Triage Test Between Urgent and Nonurgent Conditions in 2961 Patients With Acute Abdominal Pain. <i>Medicine (United States)</i> , 2015, 94, e569.	0.4	19
138	Craniocaudal tumour extension in uterine cervical cancer on MRI compared to histopathology. <i>European Journal of Radiology Open</i> , 2015, 2, 111-117.	0.7	6
139	Imaging of colorectal polyps and early rectal cancer. <i>Colorectal Disease</i> , 2015, 17, 36-43.	0.7	8
140	Evolution of Screen-Detected Small (6-9 mm) Polyps After a 3-Year Surveillance Interval: Assessment of Growth With CT Colonography Compared With Histopathology. <i>American Journal of Gastroenterology</i> , 2015, 110, 1682-1690.	0.2	25
141	Selecting Therapeutic Targets in Inflammatory Bowel Disease (STRIDE): Determining Therapeutic Goals for Treat-to-Target. <i>American Journal of Gastroenterology</i> , 2015, 110, 1324-1338.	0.2	1,425
142	Quantification of delineation errors of the gross tumor volume on magnetic resonance imaging in uterine cervical cancer using pathology data and deformation correction. <i>Acta Oncologica</i> , 2015, 54, 224-231.	0.8	12
143	Monitoring treatment response in patients undergoing chemoradiotherapy for locally advanced uterine cervical cancer by additional diffusion-weighted imaging: A systematic review. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 572-594.	1.9	56
144	Magnetic resonance colonography with a limited bowel preparation and automated carbon dioxide insufflation in comparison to conventional colonoscopy: Patient burden and preferences. <i>European Journal of Radiology</i> , 2015, 84, 19-25.	1.2	6

#	ARTICLE	IF	CITATIONS
145	Clinical indications for computed tomographic colonography: European Society of Gastrointestinal Endoscopy (ESGE) and European Society of Gastrointestinal and Abdominal Radiology (ESGAR) Guideline. <i>European Radiology</i> , 2015, 25, 331-345.	2.3	81
146	Evaluation of peri-tumoral vessels surrounding colorectal liver metastases after intravenous injection of extruded magnetoliposomes in rats: correlation with 3t mri and histopathology. <i>Journal of the Belgian Society of Radiology</i> , 2015, 93, 87.	0.2	1
147	SUâ€¢â€¢â€¢400: Evaluation of Shielding and Activation at Two Pencil Beam Scanning Proton Facilities. <i>Medical Physics</i> , 2015, 42, 3425-3426.	1.6	0
148	Abstract 421: The role of the tumor microenvironment of pancreatic cancer to predict treatment outcome. , 2015, , .		1
149	A global consensus on the classification, diagnosis and multidisciplinary treatment of perianal fistulising Crohn's disease. <i>Gut</i> , 2014, 63, 1381-1392.	6.1	317
150	Visceral adipose tissue: the link with esophageal adenocarcinoma. <i>Scandinavian Journal of Gastroenterology</i> , 2014, 49, 449-457.	0.6	14
151	Clinical indications for computed tomographic colonography: European Society of Gastrointestinal Endoscopy (ESGE) and European Society of Gastrointestinal and Abdominal Radiology (ESGAR) Guideline. <i>Endoscopy</i> , 2014, 46, 897-915.	1.0	47
152	Noninvasive automated motion assessment of intestinal motility by continuously tagged MR imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 9-16.	1.9	20
153	The Role of Imaging Specialists as Authors of Systematic Reviews on Diagnostic and Interventional Imaging and Its Impact on Scientific Quality: Report from the EuroAIM Evidence-based Radiology Working Group. <i>Radiology</i> , 2014, 272, 533-540.	3.6	33
154	Translabial Three-Dimensional Ultrasonography Compared With Magnetic Resonance Imaging in Detecting Levator Ani Defects. <i>Obstetrics and Gynecology</i> , 2014, 124, 1190-1197.	1.2	34
155	Interâ€¢observer reliability of computed tomographic classifications of diverticulitis. <i>Colorectal Disease</i> , 2014, 16, O212-9.	0.7	17
156	Ultrasonography is not more reliable than anthropometry for assessing visceral fat in obese children. <i>Pediatric Obesity</i> , 2014, 9, 443-447.	1.4	12
157	Accuracy and interobserver agreement between MR-non-expert radiologists and MR-experts in reading MRI for suspected appendicitis. <i>European Journal of Radiology</i> , 2014, 83, 103-110.	1.2	22
158	Comparison of interobserver agreement of magnetic resonance elastography with histopathological staging of liver fibrosis. <i>Abdominal Imaging</i> , 2014, 39, 283-290.	2.0	45
159	Wholeâ€¢body MRI, including diffusionâ€¢weighted imaging, for staging lymphoma: Comparison with CT in a prospective multicenter study. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 40, 26-36.	1.9	52
160	Whole-body MRI for initial staging of paediatric lymphoma: prospective comparison to an FDG-PET/CT-based reference standard. <i>European Radiology</i> , 2014, 24, 1153-1165.	2.3	96
161	Training readers to improve their accuracy in grading Crohnâ€¢s disease activity on MRI. <i>European Radiology</i> , 2014, 24, 1059-1067.	2.3	20
162	Evaluation of conventional, dynamic contrast enhanced and diffusion weighted MRI for quantitative Crohnâ€¢s disease assessment with histopathology of surgical specimens. <i>European Radiology</i> , 2014, 24, 619-629.	2.3	169

#	ARTICLE	IF	CITATIONS
163	Non-invasive evaluation of liver fibrosis: a comparison of ultrasound-based transient elastography and MR elastography in patients with viral hepatitis B and C. <i>European Radiology</i> , 2014, 24, 638-648.	2.3	90
164	Measuring liver triglyceride content in mice: non-invasive magnetic resonance methods as an alternative to histopathology. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2014, 27, 317-327.	1.1	19
165	Prediction of presence of kidney disease in a general patient population undergoing intravenous iodinated contrast enhanced computed tomography. <i>European Radiology</i> , 2014, 24, 1266-75.	2.3	8
166	Diagnostic accuracy and patient acceptance of MRI in children with suspected appendicitis. <i>European Radiology</i> , 2014, 24, 630-637.	2.3	47
167	Magnetic Resonance Colonography for Screening and Diagnosis of Colorectal Cancer. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2014, 22, 67-83.	0.6	15
168	Magnetic resonance colonography with automated carbon dioxide insufflation: Diagnostic accuracy and distension. <i>European Journal of Radiology</i> , 2014, 83, 743-750.	1.2	6
169	MRI features associated with acute appendicitis. <i>European Radiology</i> , 2014, 24, 214-222.	2.3	23
170	The Potential of (TARGETED) MR Colonography as a Screening Tool for Colorectal Cancer: A Cost-Effectiveness Analysis. <i>Value in Health</i> , 2014, 17, A631-A632.	0.1	0
171	Active learning based segmentation of Crohn's disease using principles of visual saliency. , 2014, , .		7
172	Potential prognostic implications of whole-body bone marrow MRI in diffuse large B-cell lymphoma patients with a negative blind bone marrow biopsy. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 1394-1400.	1.9	15
173	Quantitative Determination of Liver Triglyceride Levels with 3T 1H-MR Spectroscopy in Mice with Moderately Elevated Liver Fat Content. <i>Academic Radiology</i> , 2014, 21, 1446-1454.	1.3	7
174	A Simple Clinical Decision Rule To Rule Out Appendicitis In Patients With Nondiagnostic Ultrasound Results. <i>Academic Emergency Medicine</i> , 2014, 21, 487-496.	0.8	33
175	Accuracy of abdominal ultrasound and MRI for detection of Crohn disease and ulcerative colitis in children. <i>Pediatric Radiology</i> , 2014, 44, 1370-1378.	1.1	33
176	A new murine model to study musculoskeletal tuberculosis (short communication). <i>Tuberculosis</i> , 2014, 94, 306-310.	0.8	7
177	New Perspectives in the Assessment of Future Remnant Liver. <i>Digestive Surgery</i> , 2014, 31, 255-268.	0.6	79
178	Semi-automatic Crohn's Disease Severity Estimation on MR Imaging. <i>Lecture Notes in Computer Science</i> , 2014, , 128-138.	1.0	2
179	WE-F-16A-02: Design, Fabrication, and Validation of a 3D-Printed Proton Filter for Range Spreading. <i>Medical Physics</i> , 2014, 41, 514-514.	1.6	4
180	SU-E-T-133: Dosimetric Impact of Scan Orientation Relative to Target Motion During Spot Scanning Proton Therapy. <i>Medical Physics</i> , 2014, 41, 253-253.	1.6	1

#	ARTICLE	IF	CITATIONS
181	Relationship between pretreatment FDG-PET and diffusion-weighted MRI biomarkers in diffuse large B-cell lymphoma. <i>American Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 4, 231-8.	1.0	10
182	A multi-centre randomised double-blind placebo-controlled trial to evaluate the value of a single bolus intravenous alfentanil in CT colonography. <i>BMC Gastroenterology</i> , 2013, 13, 94.	0.8	4
183	Contrast induced nephropathy in patients undergoing intravenous (IV) contrast enhanced computed tomography (CECT) and the relationship with risk factors: A meta-analysis. <i>European Journal of Radiology</i> , 2013, 82, e387-e399.	1.2	132
184	Patient burden and patient preference: Comparing magnetic resonance enteroclysis, capsule endoscopy and balloon-assisted enteroscopy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013, 28, 464-471.	1.4	20
185	Magnetic resonance imaging for the clinical management of rectal cancer patients: recommendations from the 2012 European Society of Gastrointestinal and Abdominal Radiology (ESGAR) consensus meeting. <i>European Radiology</i> , 2013, 23, 2522-2531.	2.3	222
186	Whole-body MRI for the detection of bone marrow involvement in lymphoma: prospective study in 116 patients and comparison with FDG-PET. <i>European Radiology</i> , 2013, 23, 2271-2278.	2.3	44
187	Unit costs in population-based colorectal cancer screening using CT colonography performed in university hospitals in The Netherlands. <i>European Radiology</i> , 2013, 23, 897-907.	2.3	16
188	The second ESGAR consensus statement on CT colonography. <i>European Radiology</i> , 2013, 23, 720-729.	2.3	126
189	Colon distension and scan protocol for CT-colonography: An overview. <i>European Journal of Radiology</i> , 2013, 82, 1144-1158.	1.2	17
190	Accuracy of prediction scores and novel biomarkers for predicting nonalcoholic fatty liver disease in obese children. <i>Obesity</i> , 2013, 21, 583-590.	1.5	57
191	Grading Crohn Disease Activity With MRI: Interobserver Variability of MRI Features, MRI Scoring of Severity, and Correlation With Crohn Disease Endoscopic Index of Severity. <i>American Journal of Roentgenology</i> , 2013, 201, 1220-1228.	1.0	110
192	Electronic Cleansing for 24-H Limited Bowel Preparation CT Colonography Using Principal Curvature Flow. <i>IEEE Transactions on Biomedical Engineering</i> , 2013, 60, 3036-3045.	2.5	6
193	Diffusion tensor imaging and fiber tractography for the visualization of the female pelvic floor. <i>Clinical Anatomy</i> , 2013, 26, 110-114.	1.5	24
194	Informed decision-making in colorectal cancer screening using colonoscopy or CT-colonography. <i>Patient Education and Counseling</i> , 2013, 91, 318-325.	1.0	16
195	Role of MRI in detecting involvement of the uterine internal os in uterine cervical cancer: Systematic review of diagnostic test accuracy. <i>European Journal of Radiology</i> , 2013, 82, e422-e428.	1.2	36
196	The feasibility of colorectal cancer detection using dual-energy computed tomography with iodine mapping. <i>Clinical Radiology</i> , 2013, 68, 799-806.	0.5	31
197	Imaging techniques for assessment of inflammatory bowel disease: Joint ECCO and ESGAR evidence-based consensus guidelines. <i>Journal of Crohn's and Colitis</i> , 2013, 7, 556-585.	0.6	541
198	MR Elastography of the Liver: Defining Thresholds for Detecting Viscoelastic Changes. <i>Radiology</i> , 2013, 269, 768-776.	3.6	32

#	ARTICLE	IF	CITATIONS
199	A scale space based algorithm for automated segmentation of single shot tagged MRI of shearing deformation. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2013, 26, 229-238.	1.1	3
200	Automatic Detection and Segmentation of Crohn's Disease Tissues From Abdominal MRI. <i>IEEE Transactions on Medical Imaging</i> , 2013, 32, 2332-2347.	5.4	54
201	Patients Who Undergo Preoperative Chemoradiotherapy for Locally Advanced Rectal Cancer Restaged by Using Diagnostic MR Imaging: A Systematic Review and Meta-Analysis. <i>Radiology</i> , 2013, 269, 101-112.	3.6	304
202	Guidelines of Diagnostics and Treatment of Acute Left-Sided Colonic Diverticulitis. <i>Digestive Surgery</i> , 2013, 30, 278-292.	0.6	618
203	The Negative Predictive Value of Clinical Examination With or Without Anesthesia Versus Magnetic Resonance Imaging for Parametrial Infiltration in Cervical Cancer Stages IB1 to IIA. <i>International Journal of Gynecological Cancer</i> , 2013, 23, 193-198.	1.2	9
204	CT colonography has finally arrived. <i>Nature Reviews Clinical Oncology</i> , 2013, 10, 254-255.	12.5	0
205	Dynamic Contrast-Enhanced MRI in Determining Disease Activity in Perianal Fistulizing Crohn Disease: A Pilot Study. <i>American Journal of Roentgenology</i> , 2013, 200, W170-W177.	1.0	32
206	Comparison of Imaging Strategies with Conditional Contrast-enhanced CT and Unenhanced MR Imaging in Patients Suspected of Having Appendicitis: A Multicenter Diagnostic Performance Study. <i>Radiology</i> , 2013, 268, 135-143.	3.6	72
207	Time requirements and health effects of participation in colorectal cancer screening with colonoscopy or computed tomography colonography in a randomized controlled trial. <i>Endoscopy</i> , 2013, 45, 182-188.	1.0	9
208	Fistulizing Crohn's disease: Diagnosis and management. <i>United European Gastroenterology Journal</i> , 2013, 1, 206-213.	1.6	39
209	Accuracy of MRI compared with ultrasound imaging and selective use of CT to discriminate simple from perforated appendicitis. <i>British Journal of Surgery</i> , 2013, 101, e147-e155.	0.1	74
210	Serial Magnetic Resonance Imaging for Monitoring Medical Therapy Effects in Crohn's Disease. <i>Inflammatory Bowel Diseases</i> , 2013, 19, 1.	0.9	42
211	SU-E-T-693: Comparison of Discrete Spot Scanning and Passive Scattering Craniospinal Proton Irradiation. <i>Medical Physics</i> , 2013, 40, 365-365.	1.6	1
212	Liver Fibrosis in Type I Gaucher Disease: Magnetic Resonance Imaging, Transient Elastography and Parameters of Iron Storage. <i>PLoS ONE</i> , 2013, 8, e57507.	1.1	45
213	Comparison of magnetic resonance enteroclysis and capsule endoscopy with balloon-assisted enteroscopy in patients with obscure gastrointestinal bleeding. <i>Endoscopy</i> , 2012, 44, 668-673.	1.0	45
214	US Cannot Be Used to Predict the Presence or Severity of Hepatic Steatosis in Severely Obese Adolescents. <i>Radiology</i> , 2012, 262, 327-334.	3.6	55
215	Comparing the Diagnostic Yields of Technologists and Radiologists in an Invitational Colorectal Cancer Screening Program Performed with CT Colonography. <i>Radiology</i> , 2012, 264, 771-778.	3.6	18
216	Computational modeling for assessment of IBD: To be or not to be?. , 2012, 2012, 3974-7.		17

#	ARTICLE	IF	CITATIONS
217	Burden of colonoscopy compared to non-cathartic CT-colonography in a colorectal cancer screening programme: randomised controlled trial. <i>Gut</i> , 2012, 61, 1552-1559.	6.1	76
218	Acute Appendicitis on Abdominal MR Images: Training Readers to Improve Diagnostic Accuracy. <i>Radiology</i> , 2012, 264, 455-463.	3.6	59
219	Face-to-face vs telephone pre-colonoscopy consultation in colorectal cancer screening; a randomised trial. <i>British Journal of Cancer</i> , 2012, 107, 1051-1058.	2.9	10
220	Validation of continuously tagged MRI for the measurement of dynamic 3D skeletal muscle tissue deformation. <i>Medical Physics</i> , 2012, 39, 1793-1810.	1.6	21
221	Participation and yield of colonoscopy versus non-cathartic CT colonography in population-based screening for colorectal cancer: a randomised controlled trial. <i>Lancet Oncology</i> , The, 2012, 13, 55-64.	5.1	325
222	Dynamic magnetic resonance imaging to quantify pelvic organ prolapse: reliability of assessment and correlation with clinical findings and pelvic floor symptoms. <i>International Urogynecology Journal</i> , 2012, 23, 1547-1554.	0.7	51
223	Can radiographers be trained to triage CT colonography for extracolonic findings?. <i>European Radiology</i> , 2012, 22, 2780-2789.	2.3	4
224	Evaluation of the female pelvic floor in pelvic organ prolapse using 3.0-Tesla diffusion tensor imaging and fibre tractography. <i>European Radiology</i> , 2012, 22, 2806-2813.	2.3	29
225	Effective Radiation Dose in CT Colonography: Is There a Downward Trend?. <i>Academic Radiology</i> , 2012, 19, 1127-1133.	1.3	21
226	A Systematic Review and Meta-Analysis of Diagnostic Performance of Imaging in Acute Cholecystitis. <i>Radiology</i> , 2012, 264, 708-720.	3.6	255
227	Feasibility of using automated insufflated carbon dioxide (CO ₂) for luminal distension in 3.0T MR colonography. <i>European Journal of Radiology</i> , 2012, 81, 1128-1133.	1.2	10
228	Grading luminal Crohn's disease: Which MRI features are considered as important?. <i>European Journal of Radiology</i> , 2012, 81, e467-e472.	1.2	30
229	Colon distension, perceived burden and side-effects of CT-colonography for screening using hyoscine butylbromide or glucagon hydrochloride as bowel relaxant. <i>European Journal of Radiology</i> , 2012, 81, e910-e916.	1.2	13
230	The value of 3.0Tesla diffusion-weighted MRI for pelvic nodal staging in patients with early stage cervical cancer. <i>European Journal of Cancer</i> , 2012, 48, 3414-3421.	1.3	37
231	Dynamic contrast-enhanced MRI in patients with luminal Crohn's disease. <i>European Journal of Radiology</i> , 2012, 81, 3019-3027.	1.2	45
232	Radiological staging in patients with hilar cholangiocarcinoma: a systematic review and meta-analysis. <i>British Journal of Radiology</i> , 2012, 85, 1255-1262.	1.0	130
233	A computer-assisted model for detection of MRI signs of Crohn's disease activity: future or fiction?. <i>Abdominal Imaging</i> , 2012, 37, 967-973.	2.0	14
234	Reasons for Participation and Nonparticipation in Colorectal Cancer Screening: A Randomized Trial of Colonoscopy and CT Colonography. <i>American Journal of Gastroenterology</i> , 2012, 107, 1777-1783.	0.2	46

#	ARTICLE	IF	CITATIONS
235	Plain abdominal radiography in acute abdominal pain; past, present, and future. <i>International Journal of General Medicine</i> , 2012, 5, 525.	0.8	57
236	Use of continuously MR tagged imaging for automated motion assessment in the abdomen: A feasibility study. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 36, 492-497.	1.9	23
237	Optimization of alternating TR-SSFP for fat-suppression in abdominal images at 3T. <i>Magnetic Resonance in Medicine</i> , 2012, 67, 595-600.	1.9	10
238	Optimization of alternating TR-SSFP for fat-suppression in abdominal images at 3T. <i>Magnetic Resonance in Medicine</i> , 2012, 67, spcone-spcone.	1.9	0
239	Small bowel Crohn's disease: MR enteroclysis and capsule endoscopy compared to balloon-assisted enteroscopy. <i>Abdominal Imaging</i> , 2012, 37, 397-403.	2.0	40
240	Does CT colonography have a role for population-based colorectal cancer screening?. <i>European Radiology</i> , 2012, 22, 1495-1503.	2.3	24
241	Hepatic lipid composition analysis using 3.0-T MR spectroscopy in a steatotic rat model. <i>Magnetic Resonance Imaging</i> , 2012, 30, 112-121.	1.0	21
242	Renal ultrasound to detect hydronephrosis: A need for routine imaging after radical hysterectomy?. <i>Gynecologic Oncology</i> , 2012, 124, 83-86.	0.6	10
243	No Significant Differences in Abdominal Fat Distribution Between Patients With Esophageal Adenocarcinoma, Esophageal Squamous Cell Carcinoma and Healthy Population Controls. <i>Gastroenterology</i> , 2011, 140, S-672.	0.6	0
244	Long-term follow-up of autologous hematopoietic stem cell transplantation for severe refractory Crohn's disease. <i>Journal of Crohn's and Colitis</i> , 2011, 5, 543-549.	0.6	55
245	A Randomized Controlled Trial Comparing Participation and Diagnostic Yield in Colonoscopy and CT-Colonography for Population Based Colorectal Cancer Screening. <i>Gastroenterology</i> , 2011, 140, S-74.	0.6	0
246	Reasons to Decline Colonoscopy or CT Colonography Screening: A Randomized Controlled Trial. <i>Gastroenterology</i> , 2011, 140, S-408-S-409.	0.6	0
247	Randomized Trial Comparing Pre-Colonoscopy Consultation by Telephone Versus Face-to-Face Consultation at the Outpatient Clinic in a Population Based Colorectal Cancer Screening Program. <i>Gastroenterology</i> , 2011, 140, S-408.	0.6	0
248	The True Unit Costs of Colonoscopy in a Dedicated Screening Setting. <i>Gastroenterology</i> , 2011, 140, S-412.	0.6	0
249	Perceived Burden of Screening by Colonoscopy or CT-Colonography in the Detection of Advanced Neoplasia: A Randomized Controlled Trial. <i>Gastroenterology</i> , 2011, 140, S-409.	0.6	0
250	The role of plain radiographs in patients with acute abdominal pain at the ED. <i>American Journal of Emergency Medicine</i> , 2011, 29, 582-589.e2.	0.7	61
251	Reducing the oral contrast dose in CT colonography: evaluation of faecal tagging quality and patient acceptance. <i>Clinical Radiology</i> , 2011, 66, 30-37.	0.5	29
252	CT colonography: Who attends training? A survey of participants at educational workshops. <i>Clinical Radiology</i> , 2011, 66, 510-516.	0.5	10

#	ARTICLE	IF	CITATIONS
253	The role of magnetic resonance imaging in determining the proximal extension of early stage cervical cancer to the internal os. <i>European Journal of Radiology</i> , 2011, 78, 60-64.	1.2	15
254	Retrospective comparison of magnetic resonance imaging features and histopathology in Crohn's disease patients. <i>European Journal of Radiology</i> , 2011, 80, e299-e305.	1.2	41
255	Accuracy and reproducibility of 3D-CT measurements for early response assessment of chemoradiotherapy in patients with oesophageal cancer. <i>European Journal of Surgical Oncology</i> , 2011, 37, 1064-1071.	0.5	33
256	Incidental extracolonic findings on bright lumen MR colonography in a population at increased risk for colorectal carcinoma. <i>European Journal of Radiology</i> , 2011, 78, 135-141.	1.2	7
257	Validation of SPAMM tagged MRI based measurement of 3D soft tissue deformation. <i>Medical Physics</i> , 2011, 38, 1248-1260.	1.6	14
258	Reversal of hepatic steatosis by omega-3 fatty acids measured non-invasively by ¹ H-magnetic resonance spectroscopy in a rat model. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011, 26, 356-363.	1.4	42
259	A randomized double-blind placebo-controlled trial to evaluate the value of a single bolus intravenous alfentanil in CT colonography. <i>BMC Gastroenterology</i> , 2011, 11, 128.	0.8	1
260	Evaluation of an MRI-based score of disease activity in perianal fistulizing Crohn's disease. <i>Clinical Imaging</i> , 2011, 35, 360-365.	0.8	54
261	The diagnostic accuracy of US, CT, MRI and 1H-MRS for the evaluation of hepatic steatosis compared with liver biopsy: a meta-analysis. <i>European Radiology</i> , 2011, 21, 87-97.	2.3	439
262	Feasibility of diffusion tensor imaging (DTI) with fibre tractography of the normal female pelvic floor. <i>European Radiology</i> , 2011, 21, 1243-1249.	2.3	61
263	A comparison of the Accuracy of Ultrasound and Computed Tomography in common diagnoses causing acute abdominal pain. <i>European Radiology</i> , 2011, 21, 1535-1545.	2.3	215
264	Diagnostic value of CT-colonography as compared to colonoscopy in an asymptomatic screening population: a meta-analysis. <i>European Radiology</i> , 2011, 21, 1747-1763.	2.3	128
265	Small bowel MRI in adult patients: not just Crohn's disease—a tutorial. <i>Insights Into Imaging</i> , 2011, 2, 501-513.	1.6	23
266	Protocol for Translabial 3D-Ultrasonography for diagnosing levator defects (TRUDIL): a multicentre cohort study for estimating the diagnostic accuracy of translabial 3D-ultrasonography of the pelvic floor as compared to MR imaging. <i>BMC Women's Health</i> , 2011, 11, 23.	0.8	17
267	MRI for staging lymphoma: Whole-body or less?. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 33, 1144-1150.	1.9	6
268	Position Verification for the Prostate: Effect on Rectal Wall Dose. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 80, 462-468.	0.4	7
269	Hepatic Steatosis in Morbidly Obese Patients Undergoing Gastric Bypass Surgery: Assessment With Open-System ¹ H-MR Spectroscopy. <i>American Journal of Roentgenology</i> , 2011, 196, W736-W742.	1.0	18
270	Evaluation of a Standardized CT Colonography Training Program for Novice Readers. <i>Radiology</i> , 2011, 258, 477-487.	3.6	50

#	ARTICLE	IF	CITATIONS
271	Are peritoneal calcifications in long-term peritoneal dialysis related to aortic calcifications and disturbances in mineral metabolism?. Nephrology Dialysis Transplantation, 2011, 26, 304-308.	0.4	8
272	Alterations of Hormonally Active Fibroblast Growth Factors after Roux-en-Y Gastric Bypass Surgery. Digestive Diseases, 2011, 29, 48-51.	0.8	118
273	Magnetic Resonance Colonography. , 2011, , 145-153.		0
274	SU-E-T-493: 4D Considerations for Active-Scanning Proton Beams. Medical Physics, 2011, 38, 3602-3602.	1.6	0
275	A Clinical Decision Rule to Establish the Diagnosis of Acute Diverticulitis at the Emergency Department. Diseases of the Colon and Rectum, 2010, 53, 896-904.	0.7	130
276	Magnetic Resonance Enterography for Suspected Inflammatory Bowel Disease in a Pediatric Population. Journal of Pediatric Gastroenterology and Nutrition, 2010, 51, 603-609.	0.9	38
277	CT colonography with limited bowel preparation: prospective assessment of patient experience and preference in comparison to optical colonoscopy with cathartic bowel preparation. European Radiology, 2010, 20, 146-156.	2.3	52
278	CT colonography with minimal bowel preparation: evaluation of tagging quality, patient acceptance and diagnostic accuracy in two iodine-based preparation schemes. European Radiology, 2010, 20, 367-376.	2.3	60
279	Magnetic resonance (MR) colonography in the detection of colorectal lesions: a systematic review of prospective studies. European Radiology, 2010, 20, 1031-1046.	2.3	59
280	Polyp measurement based on CT colonography and colonoscopy: variability and systematic differences. European Radiology, 2010, 20, 1404-1413.	2.3	26
281	Profiles of US and CT imaging features with a high probability of appendicitis. European Radiology, 2010, 20, 1657-1666.	2.3	43
282	CT colonography with limited bowel preparation for the detection of colorectal neoplasia in an FOBT positive screening population. Abdominal Imaging, 2010, 35, 661-668.	2.0	34
283	Automated Detection and Segmentation of Large Lesions in CT Colonography. IEEE Transactions on Biomedical Engineering, 2010, 57, 675-684.	2.5	7
284	Electronic Cleansing for Computed Tomography (CT) Colonography Using a Scale-Invariant Three-Material Model. IEEE Transactions on Biomedical Engineering, 2010, 57, 1306-1317.	2.5	25
285	Computer-Aided Detection of Polyps in CT Colonography Using Logistic Regression. IEEE Transactions on Medical Imaging, 2010, 29, 120-131.	5.4	54
286	Noninvasive quantification of hepatic steatosis in rats using 3.0 T ¹ H magnetic resonance spectroscopy. Journal of Magnetic Resonance Imaging, 2010, 32, 148-154.	1.9	31
287	Optimizing imaging in suspected appendicitis (OPTIMAP-study): A multicenter diagnostic accuracy study of MRI in patients with suspected acute appendicitis. Study Protocol. BMC Emergency Medicine, 2010, 10, 19.	0.7	19
288	Study protocol: population screening for colorectal cancer by colonoscopy or CT colonography: a randomized controlled trial. BMC Gastroenterology, 2010, 10, 47.	0.8	56

#	ARTICLE	IF	CITATIONS
289	Sacral nerve modulation and other treatments in patients with faecal incontinence after unsuccessful pelvic floor rehabilitation: a prospective study. <i>Colorectal Disease</i> , 2010, 12, 334-341.	0.7	16
290	Diagnostic Imaging of Colorectal Liver Metastases with CT, MR Imaging, FDG PET, and/or FDG PET/CT: A Meta-Analysis of Prospective Studies Including Patients Who Have Not Previously Undergone Treatment. <i>Radiology</i> , 2010, 257, 674-684.	3.6	491
291	TripathietÂal.Reply:. <i>Physical Review Letters</i> , 2010, 104, .	2.9	5
292	Assessment of Hepatic Steatosis in Patients Undergoing Liver Resection: Comparison of US, CT, T1-weighted Dual-Echo MR Imaging, and Point-resolved¹H MR Spectroscopy. <i>Radiology</i> , 2010, 256, 159-168.	3.6	286
293	Low-Fiber Diet in Limited Bowel Preparation for CT Colonography: Influence on Image Quality and Patient Acceptance. <i>American Journal of Roentgenology</i> , 2010, 195, W31-W37.	1.0	32
294	Perfusion maps of the whole liver based on high temporal and spatial resolution contrast-enhanced MRI (4D THRIVE): Feasibility and initial results in focal liver lesions. <i>European Journal of Radiology</i> , 2010, 74, 529-535.	1.2	17
295	Diagnostic performance of radiographers as compared to radiologists in magnetic resonance colonography. <i>European Journal of Radiology</i> , 2010, 75, e12-e17.	1.2	3
296	Hepatic unsaturated fatty acids in patients with non-alcoholic fatty liver disease assessed by 3.0T MR spectroscopy. <i>European Journal of Radiology</i> , 2010, 75, e102-e107.	1.2	29
297	Imaging of the Colon and Rectum: Inflammatory and Infectious Diseases. , 2010, , 37-47.		0
298	MRI of the Small Bowel: Enterography. <i>Medical Radiology</i> , 2010, , 117-134.	0.0	5
299	Magnetic Resonance Imaging: Methodology and Normal Pelvic Floor Anatomy. , 2010, , 117-123.		0
300	MRI of the Colon (Colonography): Results. <i>Medical Radiology</i> , 2010, , 185-204.	0.0	1
301	3D Imaging: Invaluable for the Correct Diagnosis?. <i>Medical Radiology</i> , 2010, , 139-152.	0.0	0
302	Computed Tomographic Findings Characteristic for Encapsulating Peritoneal Sclerosis: A Case-Control Study. <i>Peritoneal Dialysis International</i> , 2009, 29, 517-522.	1.1	77
303	Using CT colonography as a triage technique after a positive faecal occult blood test in colorectal cancer screening. <i>Gut</i> , 2009, 58, 1242-1249.	6.1	48
304	Perianal Crohn Disease: Evaluation of Dynamic Contrast-enhanced MR Imaging as an Indicator of Disease Activity. <i>Radiology</i> , 2009, 251, 380-387.	3.6	105
305	Imaging Patients with Acute Abdominal Pain. <i>Radiology</i> , 2009, 253, 31-46.	3.6	344
306	Magnetic resonance imaging of the small bowel with the true FISP sequence: intra- and interobserver agreement of enteroclysis and imaging without contrast material. <i>Clinical Imaging</i> , 2009, 33, 267-273.	0.8	11

#	ARTICLE	IF	CITATIONS
307	Mapping of T1 values and Gadolinium concentrations in MRI as indicator of disease activity in luminal Crohn's disease: A feasibility study. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 29, 488-493.	1.9	43
308	Reproducibility of 3.0 Tesla magnetic resonance spectroscopy for measuring hepatic fat content. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 30, 444-448.	1.9	66
309	Single and Combined Diagnostic Value of Clinical Features and Laboratory Tests in Acute Appendicitis. <i>Academic Emergency Medicine</i> , 2009, 16, 835-842.	0.8	32
310	Anorectal and pelvic floor anatomy. <i>Bailliere's Best Practice and Research in Clinical Gastroenterology</i> , 2009, 23, 463-475.	1.0	51
311	Comparison of MRI (including SS SE-EPI and SPIO-enhanced MRI) and FDG-PET/CT for the detection of colorectal liver metastases. <i>European Radiology</i> , 2009, 19, 370-379.	2.3	56
312	Does a computer-aided detection algorithm in a second read paradigm enhance the performance of experienced computed tomography colonography readers in a population of increased risk?. <i>European Radiology</i> , 2009, 19, 941-950.	2.3	14
313	Magnetic resonance imaging for evaluation of disease activity in Crohn's disease: a systematic review. <i>European Radiology</i> , 2009, 19, 1450-1460.	2.3	141
314	Inter-observer agreement for abdominal CT in unselected patients with acute abdominal pain. <i>European Radiology</i> , 2009, 19, 1394-1407.	2.3	32
315	CT colonography polyp matching: differences between experienced readers. <i>European Radiology</i> , 2009, 19, 1723-1730.	2.3	13
316	Primary uncleaned 2D versus primary electronically cleaned 3D in limited bowel preparation CT-colonography. Is there a difference for novices and experienced readers?. <i>European Radiology</i> , 2009, 19, 1939-1950.	2.3	10
317	Imaging of Perianal Fistulas. <i>Clinical Gastroenterology and Hepatology</i> , 2009, 7, 1037-1045.	2.4	47
318	Evaluation of true diffusion, perfusion factor, and apparent diffusion coefficient in non-necrotic liver metastases and uncomplicated liver hemangiomas using black-blood echo planar imaging. <i>European Journal of Radiology</i> , 2009, 69, 131-138.	1.2	29
319	Focal liver lesion detection and characterization: Comparison of non-contrast enhanced and SPIO-enhanced diffusion-weighted single-shot spin echo echo planar and turbo spin echo T2-weighted imaging. <i>European Journal of Radiology</i> , 2009, 72, 432-439.	1.2	22
320	Imaging strategies for detection of urgent conditions in patients with acute abdominal pain: diagnostic accuracy study. <i>BMJ: British Medical Journal</i> , 2009, 338, b2431-b2431.	2.4	317
321	Detection of inflammatory bowel disease: diagnostic performance of cross-sectional imaging modalities. <i>Abdominal Imaging</i> , 2008, 33, 407-416.	2.0	85
322	Can the outcome of pelvic-floor rehabilitation in patients with fecal incontinence be predicted?. <i>International Journal of Colorectal Disease</i> , 2008, 23, 503-511.	1.0	34
323	Improved focal liver lesion detection: Comparison of single-shot spin-echo echo-planar and superparamagnetic iron oxide (SPIO)-enhanced MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2008, 27, 117-124.	1.9	28
324	Magnetic resonance imaging and the acute abdomen. <i>British Journal of Surgery</i> , 2008, 95, 1193-1194.	0.1	32

#	ARTICLE	IF	CITATIONS
325	Author's reply: Magnetic resonance imaging and the acute abdomen (<i>Br J Surg</i> 2008; 95: 1070-1071)	0.1	0
326	Pelvic floor muscle lesions at endoanal MR imaging in female patients with faecal incontinence. <i>European Radiology</i> , 2008, 18, 1892-1901.	2.3	26
327	Radiation dose in CT colonography—trends in time and differences between daily practice and screening protocols. <i>European Radiology</i> , 2008, 18, 2222-2230.	2.3	71
328	Graded compression ultrasonography and computed tomography in acute colonic diverticulitis: Meta-analysis of test accuracy. <i>European Radiology</i> , 2008, 18, 2498-2511.	2.3	257
329	The Anatomy of the Pelvic Floor and Sphincters. <i>Medical Radiology</i> , 2008, , 1-29.	0.0	4
330	Jejunum abnormalities at MR enteroclysis. <i>European Journal of Radiology</i> , 2008, 67, 125-132.	1.2	15
331	Magnetic Resonance Imaging in Fecal Incontinence. <i>Seminars in Ultrasound, CT and MRI</i> , 2008, 29, 409-413.	0.7	15
332	Inflammatory Bowel Disease Diagnosed with US, MR, Scintigraphy, and CT: Meta-analysis of Prospective Studies. <i>Radiology</i> , 2008, 247, 64-79.	3.6	543
333	Lesion Conspicuity and Efficiency of CT Colonography with Electronic Cleansing Based on a Three-Material Transition Model. <i>American Journal of Roentgenology</i> , 2008, 191, 1493-1502.	1.0	22
334	Cross-Sectional Imaging of the Anal Sphincter in Fecal Incontinence. <i>American Journal of Roentgenology</i> , 2008, 190, 671-682.	1.0	19
335	Influence of Tagged Fecal Material on Detectability of Colorectal Polyps at CT: Phantom Study. <i>American Journal of Roentgenology</i> , 2008, 191, W181-W189.	1.0	8
336	Acute Appendicitis: Meta-Analysis of Diagnostic Performance of CT and Graded Compression US Related to Prevalence of Disease. <i>Radiology</i> , 2008, 249, 97-106.	3.6	277
337	Statistical models for quantifying diagnostic accuracy with multiple lesions per patient. <i>Biostatistics</i> , 2008, 9, 513-522.	0.9	13
338	Protrusion Method for Automated Estimation of Polyp Size on CT Colonography. <i>American Journal of Roentgenology</i> , 2008, 190, 1279-1285.	1.0	9
339	CT Colonography with Limited Bowel Preparation: Performance Characteristics in an Increased-Risk Population. <i>Radiology</i> , 2008, 247, 122-132.	3.6	55
340	Image Quality and Patient Acceptance of Four Regimens with Different Amounts of Mild Laxatives for CT Colonography. <i>American Journal of Roentgenology</i> , 2008, 191, 158-167.	1.0	35
341	Unfolded Cube Projection of the Colon. <i>Medical Radiology</i> , 2008, , 269-275.	0.0	0
342	Endoanal Magnetic Resonance Imaging. <i>Medical Radiology</i> , 2008, , 131-142.	0.0	2

#	ARTICLE	IF	CITATIONS
343	Endoscopic versus Surgical Drainage of the Pancreatic Duct in Chronic Pancreatitis. <i>New England Journal of Medicine</i> , 2007, 356, 676-684.	13.9	752
344	Clinical Presentation of Fecal Incontinence and Anorectal Function: What Is the Relationship?. <i>American Journal of Gastroenterology</i> , 2007, 102, 351-361.	0.2	54
345	The Role of Endoluminal Imaging in Clinical Outcome of Overlapping Anterior Anal Sphincter Repair in Patients with Fecal Incontinence. <i>American Journal of Roentgenology</i> , 2007, 189, W70-W77.	1.0	32
346	Effect of Directed Training on Reader Performance for CT Colonography: Multicenter Study. <i>Radiology</i> , 2007, 242, 152-161.	3.6	67
347	MR Colonography with Limited Bowel Preparation Compared with Optical Colonoscopy in Patients at Increased Risk for Colorectal Cancer. <i>Radiology</i> , 2007, 243, 122-131.	3.6	48
348	MR Colonography with Limited Bowel Preparation: Patient Acceptance Compared with That of Full-Preparation Colonoscopy. <i>Radiology</i> , 2007, 245, 150-159.	3.6	37
349	Performance of Radiographers in the Evaluation of CT Colonographic Images. <i>American Journal of Roentgenology</i> , 2007, 188, W249-W255.	1.0	38
350	External Anal Sphincter Defects in Patients with Fecal Incontinence: Comparison of Endoanal MR Imaging and Endoanal US. <i>Radiology</i> , 2007, 242, 463-471.	3.6	87
351	Improved focal liver lesion detection: comparison of single-shot diffusion-weighted echoplanar and single-shot T ₂ -weighted turbo spin echo techniques. <i>British Journal of Radiology</i> , 2007, 80, 524-531.	1.0	134
352	Multivariate Random-Effects Approach: For Meta-Analysis of Cancer Staging Studies. <i>Academic Radiology</i> , 2007, 14, 974-984.	1.3	25
353	Limited additional value of positron emission tomography in staging oesophageal cancer. <i>British Journal of Surgery</i> , 2007, 94, 1515-1520.	0.1	63
354	Magnetic resonance colonography with limited bowel preparation: A comparison of three strategies. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 25, 766-774.	1.9	12
355	Optimization of diagnostic imaging use in patients with acute abdominal pain (OPTIMA): Design and rationale. <i>BMC Emergency Medicine</i> , 2007, 7, 9.	0.7	38
356	Elimination of daily routine chest radiographs does not change on-demand radiography practice in post-cardiothoracic surgery patients. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2007, 134, 139-144.	0.4	47
357	European society of gastrointestinal and abdominal radiology (ESGAR): Consensus statement on CT colonography. <i>European Radiology</i> , 2007, 17, 575-579.	2.3	164
358	A comparison of primary two- and three-dimensional methods to review CT colonography. <i>European Radiology</i> , 2007, 17, 1181-1192.	2.3	18
359	Feasibility study of computed tomography colonography using limited bowel preparation at normal and low-dose levels study. <i>European Radiology</i> , 2007, 17, 3112-3122.	2.3	47
360	Elimination of daily routine chest radiographs in a mixed medical-surgical intensive care unit. <i>Intensive Care Medicine</i> , 2007, 33, 639-644.	3.9	72

#	ARTICLE	IF	CITATIONS
361	Perceptive errors in CT colonography. <i>Abdominal Imaging</i> , 2007, 32, 556-570.	2.0	11
362	Anal inspection and digital rectal examination compared to anorectal physiology tests and endoanal ultrasonography in evaluating fecal incontinence. <i>International Journal of Colorectal Disease</i> , 2007, 22, 783-790.	1.0	84
363	Computed tomography colonography: Current issues. <i>Scandinavian Journal of Gastroenterology</i> , 2006, 41, 139-145.	0.6	2
364	Polyp Miss Rate Determined by Tandem Colonoscopy: A Systematic Review. <i>American Journal of Gastroenterology</i> , 2006, 101, 343-350.	0.2	1,182
365	Additional value of positron emission tomography in preoperative staging of esophageal cancer: a prospective cohort study. <i>European Journal of Gastroenterology and Hepatology</i> , 2006, 18, A1.	0.8	1
366	Effects of filtering on colorectal polyp detection in ultra low dose CT. , 2006, , .		3
367	Effective radiation doses in CT colonography: results of an inventory among research institutions. <i>European Radiology</i> , 2006, 16, 981-987.	2.3	33
368	Polyp measurement and size categorisation by CT colonography: effect of observer experience in a multi-centre setting. <i>European Radiology</i> , 2006, 16, 1737-1744.	2.3	22
369	CT colonography interpretation times: effect of reader experience, fatigue, and scan findings in a multi-centre setting. <i>European Radiology</i> , 2006, 16, 1745-1749.	2.3	45
370	The current role of imaging techniques in faecal incontinence. <i>European Radiology</i> , 2006, 16, 1727-1736.	2.3	29
371	Atrophy and Defects Detection of the External Anal Sphincter: Comparison Between Three-Dimensional Anal Endosonography and Endoanal Magnetic Resonance Imaging. <i>Diseases of the Colon and Rectum</i> , 2006, 49, 20-27.	0.7	72
372	Relationship Between External Anal Sphincter Atrophy at Endoanal Magnetic Resonance Imaging and Clinical, Functional, and Anatomic Characteristics in Patients With Fecal Incontinence. <i>Diseases of the Colon and Rectum</i> , 2006, 49, 668-678.	0.7	29
373	Electrical Stimulation and Pelvic Floor Muscle Training With Biofeedback in Patients With Fecal Incontinence: A Cohort Study of 281 Patients. <i>Diseases of the Colon and Rectum</i> , 2006, 49, 1149-1159.	0.7	57
374	Functional changes after physiotherapy in fecal incontinence. <i>International Journal of Colorectal Disease</i> , 2006, 21, 515-521.	1.0	22
375	Is there a role for magnetic resonance imaging in the evaluation of inguinal lymph node metastases in patients with vulva carcinoma?. <i>Gynecologic Oncology</i> , 2006, 103, 1001-1006.	0.6	61
376	Feasibility of evaluating Crohn's disease activity at 3.0 Tesla. <i>Journal of Magnetic Resonance Imaging</i> , 2006, 24, 340-348.	1.9	41
377	Dynamic Contrast-Enhanced MRI of the Bowel Wall for Assessment of Disease Activity in Crohn's Disease. <i>American Journal of Roentgenology</i> , 2006, 186, 1384-1392.	1.0	163
378	CT: A New Nondestructive Method for Visualizing and Characterizing Ancient Roman Glass Fragments in Situ in Blocks of Soil. <i>Radiographics</i> , 2006, 26, 1837-1844.	1.4	17

#	ARTICLE	IF	CITATIONS
379	MR Enteroclysis of Inflammatory Small-Bowel Diseases. American Journal of Roentgenology, 2006, 187, 522-531.	1.0	69
380	Feasibility of automated matching of supine and prone CT-colonography examinations. British Journal of Radiology, 2006, 79, 740-744.	1.0	17
381	Patients' perception of tests in the assessment of faecal incontinence. British Journal of Radiology, 2006, 79, 94-100.	1.0	27
382	Imaging of Fistula in Ano. Radiology, 2006, 239, 18-33.	3.6	246
383	MRI in Evaluating Atrophy of the External Anal Sphincter in Patients with Fecal Incontinence. American Journal of Roentgenology, 2006, 187, 991-999.	1.0	58
384	Imaging of the Colon and Rectum: Inflammatory and Neoplastic Diseases. , 2006, , 74-83.		0
385	Detection of Protrusions in Curved Folded Surfaces Applied to Automated Polyp Detection in CT Colonography. Lecture Notes in Computer Science, 2006, 9, 471-478.	1.0	12
386	Ultrasonography, Computed Tomography and Magnetic Resonance Imaging for Diagnosis and Determining Resectability of Pancreatic Adenocarcinoma. Journal of Computer Assisted Tomography, 2005, 29, 438-445.	0.5	238
387	Colonography by computed tomography. European Journal of Gastroenterology and Hepatology, 2005, 17, 809-813.	0.8	2
388	Impact of faecal incontinence severity on health domains. Colorectal Disease, 2005, 7, 263-269.	0.7	58
389	Percutaneously placed Wallstent endoprosthesis in patients with malignant distal biliary obstruction. British Journal of Surgery, 2005, 80, 1185-1187.	0.1	34
390	MRI in Crohn's disease. Journal of Magnetic Resonance Imaging, 2005, 22, 1-12.	1.9	52
391	Selecting an Outcome Measure for Evaluating Treatment in Fecal Incontinence. Diseases of the Colon and Rectum, 2005, 48, 2294-2301.	0.7	37
392	Scenes from the Past. Radiographics, 2005, 25, 209-213.	1.4	1
393	Prospective Assessment of Interobserver Agreement for Defecography in Fecal Incontinence. American Journal of Roentgenology, 2005, 185, 1166-1172.	1.0	25
394	Anal Sphincter Defects in Patients with Fecal Incontinence: Endoanal versus External Phased-Array MR Imaging. Radiology, 2005, 236, 886-895.	3.6	56
395	Esophageal Cancer: CT, Endoscopic US, and FDG PET for Assessment of Response to Neoadjuvant Therapy—Systematic Review. Radiology, 2005, 236, 841-851.	3.6	264
396	Endoscopic Versus Surgical Drainage of the Pancreatic Duct in Chronic Pancreatitis: A Prospective Randomized Trial. Gastrointestinal Endoscopy, 2005, 61, AB99.	0.5	4

#	ARTICLE	IF	CITATIONS
397	Magnetic Resonance Imaging Compared With Ileocolonoscopy in Evaluating Disease Severity in Crohn's Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2005, 3, 1221-1228.	2.4	79
398	Costs of outpatients with fecal incontinence. <i>Scandinavian Journal of Gastroenterology</i> , 2005, 40, 552-558.	0.6	64
399	The clinical value of daily routine chest radiographs in a mixed medical-surgical intensive care unit is low. <i>Critical Care</i> , 2005, 10, R11.	2.5	105
400	Colorectal Liver Metastases: CT, MR Imaging, and PET for Diagnosis—Meta-analysis. <i>Radiology</i> , 2005, 237, 123-131.	3.6	513
401	CT Colonography: Feasibility of Substantial Dose Reduction—Comparison of Medium to Very Low Doses in Identical Patients. <i>Radiology</i> , 2004, 232, 611-620.	3.6	95
402	MRI of Perianal Crohn's Disease. <i>American Journal of Roentgenology</i> , 2004, 183, 1309-1315.	1.0	43
403	CT Colonography and Colonoscopy: Assessment of Patient Preference in a 5-week Follow-up Study. <i>Radiology</i> , 2004, 233, 328-337.	3.6	149
404	Colorectal cancer screening and surveillance with CT colonography: current controversies and obstacles. <i>Abdominal Imaging</i> , 2004, 30, 5-12.	2.0	14
405	Rectal Cancer: Local Staging and Assessment of Lymph Node Involvement with Endoluminal US, CT, and MR Imaging—A Meta-Analysis. <i>Radiology</i> , 2004, 232, 773-783.	3.6	916
406	Computed tomographic colonography compared with colonoscopy in patients at increased risk for colorectal cancer. <i>Gastroenterology</i> , 2004, 127, 41-48.	0.6	179
407	Magnetic resonance imaging of the main pulmonary artery: reliable assessment of dimensions in Marfan patients on a simple axial spin echo image. <i>International Journal of Cardiovascular Imaging</i> , 2003, 19, 141-147.	0.2	11
408	High-resolution endovaginal MR imaging in stress urinary incontinence. <i>European Radiology</i> , 2003, 13, 2031-2037.	2.3	36
409	Effect of pulmonary valve regurgitation on right ventricular function in patients with chronic right ventricular pressure overload. <i>American Journal of Cardiology</i> , 2003, 92, 113-116.	0.7	52
410	Computed tomography and magnetic resonance imaging in staging of uterine cervical carcinoma: a systematic review. <i>Gynecologic Oncology</i> , 2003, 91, 59-66.	0.6	344
411	Thanatophoric dysplasia type II with encephalocele and aortic hypoplasia diagnosed in an anatomical specimen. <i>American Journal of Medical Genetics Part A</i> , 2003, 118A, 64-67.	2.4	10
412	CT Colonography: Practical Aspects and Present Status. <i>Imaging Decisions (Berlin, Germany)</i> , 2003, 7, 4-9.	0.2	1
413	MRI is a patient friendly and accurate alternative to ileocolonoscopy in determining disease activity in Crohn's disease. <i>Gastroenterology</i> , 2003, 124, A199.	0.6	0
414	VW8 CLINICAL INCONTINENCE SCORE RELATES TO HEALTH UTILITY VALUES. <i>Value in Health</i> , 2003, 6, 612-613.	0.1	0

#	ARTICLE	IF	CITATIONS
415	PMD4 DIFFERENCES IN PATIENT BURDEN BETWEEN ENDOANAL MRI, DEFECOGRAPHY AND ANORECTAL FUNCTIONAL TESTING FOR PATIENTS WITH FAECAL INCONTINENCE. <i>Value in Health</i> , 2003, 6, 792.	0.1	0
416	Quantification of Bone Involvement in Gaucher Disease: MR Imaging Bone Marrow Burden Score as an Alternative to Dixon Quantitative Chemical Shift MR Imaging – Initial Experience. <i>Radiology</i> , 2003, 229, 554-561.	3.6	154
417	Three-dimensional Display Modes for CT Colonography: Conventional 3D Virtual Colonoscopy versus Unfolded Cube Projection. <i>Radiology</i> , 2003, 228, 878-885.	3.6	93
418	1870 Prognostic value of aortic elasticity on aortic complications in patients with Marfan syndrome. <i>European Heart Journal</i> , 2003, 24, 358.	1.0	0
419	Scenes from the Past. <i>Radiographics</i> , 2002, 22, 63-66.	1.4	7
420	Quantification of Skeletal Involvement in Adults with Type I Gaucher's Disease: Fat Fraction Measured by Dixon Quantitative Chemical Shift Imaging as a Valid Parameter. <i>American Journal of Roentgenology</i> , 2002, 179, 961-965.	1.0	118
421	Pulmonary artery root dilatation in Marfan syndrome: quantitative assessment of an unknown criterion. <i>British Heart Journal</i> , 2002, 87, 470-471.	2.2	60
422	Anovaginal and Rectovaginal Fistulas. <i>American Journal of Roentgenology</i> , 2002, 178, 737-741.	1.0	89
423	CT Colonography at Different Radiation Dose Levels: Feasibility of Dose Reduction. <i>Radiology</i> , 2002, 224, 25-33.	3.6	186
424	Prospective comparative study of spiral computer tomography and magnetic resonance imaging for detection of hepatocellular carcinoma. <i>Gut</i> , 2002, 51, 105-107.	6.1	39
425	PGS10 TOWARDS A MULTISTAGE DECISION ANALYSIS FOR THE TREATMENT OF FAECAL INCONTINENCE. <i>Value in Health</i> , 2002, 5, 504.	0.1	0
426	Usefulness of magnetic resonance imaging dobutamine stress in asymptomatic and minimally symptomatic patients with decreased cardiac reserve from congenital heart disease (complete and) Tj ETQq0 0 0 rBT /Overlock 10 Tf 5 <i>Cardiology</i> , 2002, 89, 1077-1081.	0.7	83
427	External anal sphincter atrophy on endoanal magnetic resonance imaging adversely affects continence after sphincteroplasty. <i>British Journal of Surgery</i> , 2002, 86, 1322-1327.	0.1	119
428	Imaging of anorectal disease. <i>British Journal of Surgery</i> , 2002, 87, 10-27.	0.1	90
429	High-resolution spiral computed tomography with multiplanar reformatting, 3D surface- and volume rendering: a non-destructive method to visualize ancient Egyptian mummification techniques. <i>Computerized Medical Imaging and Graphics</i> , 2002, 26, 211-216.	3.5	23
430	Imaging of the posterior pelvic floor. <i>European Radiology</i> , 2002, 12, 779-788.	2.3	70
431	Dixon Quantitative Chemical Shift MRI for Bone Marrow Evaluation in the Lumbar Spine: A Reproducibility Study in Healthy Volunteers. <i>Journal of Computer Assisted Tomography</i> , 2001, 25, 691-697.	0.5	39
432	Increased brain and atrial natriuretic peptides in patients with chronic right ventricular pressure overload: correlation between plasma neurohormones and right ventricular dysfunction. <i>British Heart Journal</i> , 2001, 86, 27-30.	2.2	179

#	ARTICLE	IF	CITATIONS
433	Scenes from the Past. Radiographics, 2001, 21, 315-321.	1.4	13
434	Magnetic Resonance Angiography for the Evaluation of Lower Extremity Arterial Disease. JAMA - Journal of the American Medical Association, 2001, 285, 1338.	3.8	209
435	Pelvic Floor Imaging. Radiology, 2001, 218, 621-641.	3.6	225
436	Comparison of pediatric applications of ERCP and MRCP. Gastroenterology, 2001, 120, A214-A214.	0.6	0
437	Radiological evaluation of parametrial invasion and lymph node metastases in patients with cervical carcinoma: a systematic review. BMC News and Views, 2001, 1, .	0.0	0
438	MRI with mangafodipir trisodium in the detection and staging of pancreatic cancer. Journal of Magnetic Resonance Imaging, 2000, 12, 261-268.	1.9	44
439	Dobutamine-induced increase of right ventricular contractility without increased stroke volume in adolescent patients with transposition of the great arteries: evaluation with magnetic resonance imaging. International Journal of Cardiovascular Imaging, 2000, 16, 471-478.	0.2	53
440	Aortic root asymmetry in marfan patients; evaluation by magnetic resonance imaging and comparison with standard echocardiography. International Journal of Cardiovascular Imaging, 2000, 16, 161-168.	0.2	62
441	CT criteria for venous invasion in patients with pancreatic head carcinoma.. British Journal of Radiology, 2000, 73, 1159-1164.	1.0	41
442	Normal Anal Sphincter Anatomy and Age- and Sex-related Variations at High-Spatial-Resolution Endoanal MR Imaging. Radiology, 2000, 217, 395-401.	3.6	160
443	Relationship between sphincter morphology on endoanal MRI and histopathological aspects of the external anal sphincter. International Journal of Colorectal Disease, 2000, 15, 87-90.	1.0	73
444	Optimal Rotational Interval for 3-Dimensional Echocardiography Data Acquisition for Rapid and Accurate Measurement of Left Ventricular Function. Journal of the American Society of Echocardiography, 2000, 13, 715-722.	1.2	13
445	Endoluminal MR Imaging of the Rectum and Anus: Technique, Applications, and Pitfalls. Radiographics, 1999, 19, 383-398.	1.4	88
446	Endoanal MR Imaging of the Anal Sphincter in Fecal Incontinence. Radiographics, 1999, 19, S171-S177.	1.4	44
447	Fecal Incontinence: Endoanal US versus Endoanal MR Imaging. Radiology, 1999, 212, 453-458.	3.6	145
448	Subcutaneous seeding of hepatocellular carcinoma after percutaneous needle biopsy. Gut, 1999, 45, 626-627.	6.1	47
449	Endoluminal MR Imaging of Anorectal Diseases. Journal of Magnetic Resonance Imaging, 1999, 9, 631-634.	1.9	20
450	Accuracy of MR phase mapping for temperature monitoring during interstitial laser coagulation (ILC) in the liver at rest and simulated respiration. Magnetic Resonance in Medicine, 1999, 41, 919-925.	1.9	16

#	ARTICLE	IF	CITATIONS
451	Paraplane analysis from precordial three-dimensional echocardiographic data sets for rapid and accurate quantification of left ventricular volume and function: A comparison with magnetic resonance imaging. <i>American Heart Journal</i> , 1999, 137, 134-143.	1.2	37
452	Endoluminal MR imaging of diseases of the anus and rectum. <i>Seminars in Ultrasound, CT and MRI</i> , 1999, 20, 47-55.	0.7	7
453	Esophageal Carcinoma. <i>Investigative Radiology</i> , 1999, 34, 58-64.	3.5	6
454	MR imaging of perianal fistulas using body and endoanal coils.. <i>American Journal of Roentgenology</i> , 1999, 172, 1139-1140.	1.0	11
455	Endoanal MRI of perianal fistulas: the optimal imaging planes. <i>European Radiology</i> , 1998, 8, 1212-1216.	2.3	26
456	Measurements and day-to-day variabilities of left ventricular volumes and ejection fraction by three-dimensional echocardiography and comparison with magnetic resonance imaging. <i>American Journal of Cardiology</i> , 1998, 82, 209-214.	0.7	57
457	Female pelvic floor: endovaginal MR imaging of normal anatomy.. <i>Radiology</i> , 1998, 206, 777-783.	3.6	79
458	Magnetic resonance imaging of the female pelvic floor and urethra: body coil versus endovaginal coil. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 1997, 5, 59-63.	1.1	24
459	Imaging of the anorectal region. <i>European Journal of Radiology</i> , 1996, 22, 116-122.	1.2	35
460	Bronchogenic cyst mimicking an intracardiac mass: diagnosis by magnetic resonance imaging and treatment by needle aspiration.. <i>Heart</i> , 1996, 75, 639-639.	1.2	11
461	Fistula in ano: endoanal sonography versus endoanal MR imaging in classification.. <i>Radiology</i> , 1996, 200, 475-481.	3.6	166
462	Endoanal coil in MR imaging of anal fistulas.. <i>American Journal of Roentgenology</i> , 1996, 166, 360-362.	1.0	69
463	Endoanal magnetic resonance imaging versus endosonography. <i>Radiologia Medica</i> , 1996, 92, 738-41.	4.7	8
464	Anal sphincter complex: endoanal MR imaging of normal anatomy.. <i>Radiology</i> , 1995, 197, 671-677.	3.6	151
465	Metal Stents for Malignant Biliary Obstruction. <i>Digestive Diseases</i> , 1994, 12, 161-169.	0.8	0
466	Percutaneous metallic self-expandable endoprotheses in malignant hilar biliary obstruction. <i>Gastrointestinal Endoscopy</i> , 1993, 39, 43-49.	0.5	70
467	Plastic and metal stents for distal malignant biliary obstruction. <i>Lancet, The</i> , 1993, 341, 559.	6.3	25
468	Complications of Percutaneously Inserted Biliary Wallstents. <i>Journal of Vascular and Interventional Radiology</i> , 1993, 4, 767-772.	0.2	98

#	ARTICLE	IF	CITATIONS
469	Primary Sclerosing Cholangitis in a Child Treated by Nonsurgical Balloon Dilatation and Stenting. Journal of Pediatric Gastroenterology and Nutrition, 1993, 17, 303-306.	0.9	4
470	Malignant biliary obstruction: percutaneous use of self-expandable stents.. Radiology, 1991, 179, 703-707.	3.6	165
471	Non-surgical palliative treatment of patients with malignant biliary obstruction â€” The place of endoscopic and percutaneous drainage. Clinical Radiology, 1987, 38, 603-608.	0.5	38