Huibert Burger

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/710052/publications.pdf

Version: 2024-02-01

83 papers 2,100 citations

25 h-index

236925

289244 40 g-index

89 all docs 89 docs citations

89 times ranked 3660 citing authors

#	Article	IF	CITATIONS
1	Neuroinflammation in bipolar disorder – A [11C]-(R)-PK11195 positron emission tomography study. Brain, Behavior, and Immunity, 2014, 40, 219-225.	4.1	176
2	Effectiveness of digital psychological interventions for mental health problems in low-income and middle-income countries: a systematic review and meta-analysis. Lancet Psychiatry,the, 2020, 7, 851-864.	7.4	145
3	Correlates of prenatal and postnatal mother-to-infant bonding quality: AÂsystematic review. PLoS ONE, 2019, 14, e0222998.	2.5	110
4	Loneliness is associated with poor prognosis in late-life depression: Longitudinal analysis of the Netherlands study of depression in older persons. Journal of Affective Disorders, 2015, 185, 1-7.	4.1	99
5	Effectiveness of preventive cognitive therapy while tapering antidepressants versus maintenance antidepressant treatment versus their combination in prevention of depressive relapse or recurrence (DRD study): a three-group, multicentre, randomised controlled trial. Lancet Psychiatry, the, 2018, 5, 401-410.	7.4	84
6	The effectiveness and cost-effectiveness of e-health interventions for depression and anxiety in primary care: A systematic review and meta-analysis. Journal of Affective Disorders, 2019, 245, 728-743.	4.1	74
7	Life Stressors as Mediators of the Relation Between Socioeconomic Position and Mental Health Problems in Early Adolescence: The TRAILS Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2009, 48, 1031-1038.	0.5	68
8	Volume, metabolites and neuroinflammation of the hippocampus in bipolar disorder – A combined magnetic resonance imaging and positron emission tomography study. Brain, Behavior, and Immunity, 2016, 56, 21-33.	4.1	66
9	Effectiveness of cognitive–behavioral therapy on quality of life, anxiety, and depressive symptoms among patients with inflammatory bowel disease: A multicenter randomized controlled trial Journal of Consulting and Clinical Psychology, 2017, 85, 918-925.	2.0	53
10	Late-life depression and the association with multimorbidity and polypharmacy: a cross-sectional study. Family Practice, 2017, 34, 539-545.	1.9	51
11	Feature-expression heat maps – A new visual method to explore complex associations between two variable sets. Journal of Biomedical Informatics, 2015, 53, 156-161.	4.3	48
12	Association between Cognition and Serum Insulin-Like Growth Factor-1 in Middle-Aged & Dlder Men: An 8 Year Follow-Up Study. PLoS ONE, 2016, 11, e0154450.	2.5	47
13	Pharmacological treatment for psychotic depression. The Cochrane Library, 2015, , CD004044.	2.8	46
14	Relationship between clinical features and inflammationâ€related monocyte gene expression in bipolar disorder – towards a better understanding of psychoimmunological interactions. Bipolar Disorders, 2014, 16, 137-150.	1.9	45
15	Ageâ€related reference values for the pediatric Scale for Assessment and Rating of Ataxia: a multicentre study. Developmental Medicine and Child Neurology, 2017, 59, 1077-1082.	2.1	42
16	Low socioeconomic status increases effects of negative life events on antenatal anxiety and depression. Women and Birth, 2019, 32, e138-e143.	2.0	41
17	The Three-Month Effect of Mobile Internet-Based Cognitive Therapy on the Course of Depressive Symptoms in Remitted Recurrently Depressed Patients: Results of a Randomized Controlled Trial. Psychotherapy and Psychosomatics, 2015, 84, 90-99.	8.8	38
18	Reliability and discriminant validity of ataxia rating scales in early onset ataxia. Developmental Medicine and Child Neurology, 2017, 59, 427-432.	2.1	38

#	Article	IF	CITATIONS
19	Effectiveness of cognitive remediation in depression: a meta-analysis. Psychological Medicine, 2022, 52, 4146-4161.	4.5	38
20	A cluster randomized trial comparing two interventions to improve treatment of major depression in primary care. Psychological Medicine, 2005, 35, 25-33.	4.5	33
21	Socioeconomic Position Predicts Specialty Mental Health Service Use Independent of Clinical Severity: The TRAILS Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2010, 49, 647-655.	0.5	32
22	Associations of life events during pregnancy with longitudinal change in symptoms of antenatal anxiety and depression. Midwifery, 2014, 30, 526-531.	2.3	32
23	Predictors of unsuccessful pessary fitting in women with prolapse: a cross-sectional study in general practice. International Urogynecology Journal, 2017, 28, 307-313.	1.4	31
24	Diffusion tensor imaging in euthymic bipolar disorder $\hat{a} \in A$ tract-based spatial statistics study. Journal of Affective Disorders, 2016, 203, 281-291.	4.1	29
25	How do you feel? Detection of recurrent Major Depressive Disorder using a single-item screening tool. Psychiatry Research, 2014, 220, 287-293.	3.3	28
26	Stop or go? Preventive cognitive therapy with guided tapering of antidepressants during pregnancy: study protocol of a pragmatic multicentre non-inferiority randomized controlled trial. BMC Psychiatry, 2016, 16, 72.	2.6	26
27	Development of practical recommendations for diagnostic accuracy studies in low-prevalence situations. Journal of Clinical Epidemiology, 2019, 114, 38-48.	5.0	25
28	Cognitive reactivity, self-depressed associations, and the recurrence of depression. Journal of Affective Disorders, 2015, 183, 300-309.	4.1	24
29	Effects of psychological treatment of mental health problems in pregnant women to protect their offspring: randomised controlled trial. British Journal of Psychiatry, 2020, 216, 182-188.	2.8	24
30	Non-adherence to antidepressants among older patients with depression: a longitudinal cohort study in primary care. Family Practice, 2019, 36, 12-20.	1.9	20
31	The Burkeâ€Fahnâ€Marsden Dystonia Rating Scale is Ageâ€Dependent in Healthy Children. Movement Disorders Clinical Practice, 2016, 3, 580-586.	1.5	19
32	Responsible Epidemiologic Research Practice: a guideline developed by a working group of the Netherlands Epidemiological Society. Journal of Clinical Epidemiology, 2018, 100, 111-119.	5.0	19
33	Development and validation of a clinical prediction tool to estimate the individual risk of depressive relapse or recurrence in individuals with recurrent depression. Journal of Psychiatric Research, 2018, 104, 1-7.	3.1	19
34	PRegnancy Outcomes after a Maternity Intervention for Stressful EmotionS (PROMISES): study protocol for a randomised controlled trial. Trials, 2011, 12, 157.	1.6	18
35	Visual Screening of Muscle Ultrasound Images in Children. Ultrasound in Medicine and Biology, 2014, 40, 2345-2351.	1.5	18
36	No Sustainable Effects of an Internet-Based Relapse Prevention Program over 24 Months in Recurrent Depression: Primary Outcomes of a Randomized Controlled Trial. Psychotherapy and Psychosomatics, 2018, 87, 55-57.	8.8	17

#	Article	IF	CITATIONS
37	What If Pregnancy Is Not Seventh Heaven? The Influence of Specific Life Events during Pregnancy and Delivery on the Transition of Antenatal into Postpartum Anxiety and Depression. International Journal of Environmental Research and Public Health, 2019, 16, 2851.	2.6	17
38	Psychological interventions for depression in Chinese university students: A systematic review and meta-analysis. Journal of Affective Disorders, 2020, 262, 440-450.	4.1	17
39	Economic Evaluation of an Internet-Based Preventive Cognitive Therapy With Minimal Therapist Support for Recurrent Depression: Randomized Controlled Trial. Journal of Medical Internet Research, 2018, 20, e10437.	4.3	15
40	Socioeconomic Position Predicts Specialty Mental Health Service Use Independent of Clinical Severity. Journal of the American Academy of Child and Adolescent Psychiatry, 2010, 49, 647-655.	0.5	14
41	Continued smoking and continued alcohol consumption during early pregnancy distinctively associated with personality. Addictive Behaviors, 2014, 39, 980-986.	3.0	14
42	Preventive Cognitive Therapy With Antidepressant Discontinuation During Pregnancy. Journal of Clinical Psychiatry, 2020, 81, .	2.2	14
43	Stressful Events and Continued Smoking and Continued Alcohol Consumption during Mid-Pregnancy. PLoS ONE, 2014, 9, e86359.	2.5	13
44	Reliability of phenotypic earlyâ€onset ataxia assessment: a pilot study. Developmental Medicine and Child Neurology, 2016, 58, 70-76.	2.1	13
45	Offspring outcomes after prenatal interventions for common mental disorders: a meta-analysis. BMC Medicine, 2018, 16, 208.	5.5	13
46	Brain Magnetic Resonance Imaging Findings in Children after Antenatal Maternal Depression Treatment, a Longitudinal Study Built on a Pilot Randomized Controlled Trial. International Journal of Environmental Research and Public Health, 2019, 16, 1816.	2.6	13
47	Non-adherence to cardiovascular drugs in older patients with depression: A population-based cohort study. International Journal of Cardiology, 2019, 274, 366-371.	1.7	13
48	Gender Differences in Developing Biomarker-Based Major Depressive Disorder Diagnostics. International Journal of Molecular Sciences, 2020, 21, 3039.	4.1	13
49	Blended care vs. usual care in the treatment of depressive symptoms and disorders in general practice [BLENDING]: study protocol of a non-inferiority randomized trial. BMC Psychiatry, 2017, 17, 218.	2.6	12
50	The association between cardiac rehabilitation and mortality risk for myocardial infarction patients with and without depressive symptoms. Journal of Affective Disorders, 2015, 188, 278-283.	4.1	11
51	Beliefs about the causes of depression and recovery and their impact on adherence, dosage, and successful tapering of antidepressants. Depression and Anxiety, 2017, 34, 227-235.	4.1	11
52	Antidepressants during pregnancy: Guideline adherence and current practice amongst Dutch gynaecologists and midwives. Midwifery, 2018, 61, 29-35.	2.3	11
53	Exploring the effect of antenatal depression treatment on children $\hat{a} \in \mathbb{N}$ s epigenetic profiles: findings from a pilot randomized controlled trial. Clinical Epigenetics, 2019, 11, 18.	4.1	11
54	Tapering Antidepressants While Receiving Digital Preventive Cognitive Therapy During Pregnancy: An Experience Sampling Methodology Trial. Frontiers in Psychiatry, 2020, 11, 574357.	2.6	10

#	Article	IF	CITATIONS
55	Intrapartum synthetic oxytocin, behavioral and emotional problems in children, and the role of postnatal depressive symptoms, postnatal anxiety and mother-to-infant bonding: A Dutch prospective cohort study. Midwifery, 2021, 100, 103045.	2.3	10
56	Pharmacological treatment for psychotic depression. The Cochrane Library, 2021, 2021, CD004044.	2.8	10
57	Cost-effectiveness, cost-utility and the budget impact of antidepressants versus preventive cognitive therapy with or without tapering of antidepressants. BJPsych Open, 2019, 5, e12.	0.7	9
58	Addressing transition to motherhood, guideline adherence by midwives in prenatal booking visits: Findings from video recordings. Midwifery, 2019, 69, 76-83.	2.3	9
59	The Scars of Childhood Adversity: Minor Stress Sensitivity and Depressive Symptoms in Remitted Recurrently Depressed Adult Patients. PLoS ONE, 2014, 9, e111711.	2.5	8
60	Assessing risk of bias: a proposal for a unified framework for observational studies and randomized trials. BMC Medical Research Methodology, 2020, 20, 237.	3.1	8
61	Cognitive Behavioral Therapy for Antenatal Depression in a Pilot Randomized Controlled Trial and Effects on Neurobiological, Behavioral and Cognitive Outcomes in Offspring 3–7 Years Postpartum: A Perspective Article on Study Findings, Limitations and Future Aims. Frontiers in Psychiatry, 2020, 11, 34.	2.6	8
62	Dose-effect of maternal serotonin reuptake inhibitor use during pregnancy on birth outcomes: A prospective cohort study. Journal of Affective Disorders, 2020, 267, 57-62.	4.1	8
63	Assessment of speech in early-onset ataxia: a pilot study. Developmental Medicine and Child Neurology, 2014, 56, 1202-1206.	2.1	7
64	I am a total failure: associations between beliefs and anxiety and depression in patients with inflammatory bowel disease with poor mental quality of life. Behavioural and Cognitive Psychotherapy, 2020, 48, 91-102.	1.2	7
65	Developing a Brief Cross-Culturally Validated Screening Tool for Externalizing Disorders in Children. Journal of the American Academy of Child and Adolescent Psychiatry, 2008, 47, 309-316.	0.5	6
66	The dysregulated brain: consequences of spatial and temporal brain complexity for bipolar disorder pathophysiology and diagnosis. Bipolar Disorders, 2016, 18, 696-701.	1.9	6
67	PROFSS: A screening tool for early identification of functional somatic symptoms. Journal of Psychosomatic Research, 2014, 77, 504-509.	2.6	5
68	Recurrence of depression in the perinatal period: Clinical features and associated vulnerability markers in an observational cohort. PLoS ONE, 2019, 14, e0212964.	2.5	5
69	Personality Traits Predict Meeting the WHO Recommendation of 6 Months' Breastfeeding. Advances in Neonatal Care, 2019, 19, 118-126.	1.1	5
70	Effectiveness of a guided ACT-based self-help resilience training for depressive symptoms during pregnancy: Study protocol of a randomized controlled trial embedded in a prospective cohort. BMC Pregnancy and Childbirth, 2020, 20, 705.	2.4	4
71	Guided internet interventions for depression: impact of sociodemographic factors on treatment outcome in Indonesia. Behaviour Research and Therapy, 2020, 130, 103589.	3.1	4
72	Development of a risk classification model in early pregnancy to screen for suboptimal postnatal mother-to-infant bonding: A prospective cohort study. PLoS ONE, 2020, 15, e0241574.	2.5	4

#	Article	IF	CITATIONS
73	Personalized, Web-Based, Guided Self-Help for Patients With Medically Unexplained Symptoms in Primary Care: Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2019, 8, e13738.	1.0	4
74	Developing a clinical prediction rule for repeated consultations with functional somatic symptoms in primary care: a cohort study. BMJ Open, 2021, 11, e040730.	1.9	3
75	Risk Score for Predicting Adolescent Mental Health Problems Among Children Using Parental Report Only: The TRAILS Study. Academic Pediatrics, 2014, 14, 589-596.	2.0	2
76	Explaining the efficacy of an internet-based behavioral activation intervention for major depression: A mechanistic study of a randomized-controlled trial. Clinical Psychology in Europe, 2021, 3, .	1.1	2
77	Altered emotional experiences attributed to antipsychotic medications $\hat{a} \in A$ potential link with estimated dopamine D2 receptor occupancy. Psychiatry Research, 2016, 236, 9-14.	3.3	1
78	Pharmacological treatment for psychotic depression. BJ Psych Advances, 2017, 23, 2-2.	0.7	1
79	80: Effects of cognitive behavioural therapy for antenatal anxiety and depression on mother and offspring. American Journal of Obstetrics and Gynecology, 2019, 220, S65.	1.3	1
80	Pregnancy Outcomes After a Maternity Intervention for Stressful Emotions (PROMISES): A Randomised Controlled Trial. Advances in Neurobiology, 2015, 10, 443-459.	1.8	0
81	Authors' reply to the comment by Hanis et al. on "Predictors of unsuccessful pessary fitting in women with prolapse: a cross-sectional study in general practice,―by Panman et al International Urogynecology Journal, 2017, 28, 1441-1441.	1.4	0
82	Patient satisfaction in treatment of non-complex fractures and dislocations in general practice in the Netherlands: prospective cohort study protocol. BMJ Open, 2019, 9, e025046.	1.9	0
83	Augmenting neurocognitive remediation therapy to Preventive Cognitive Therapy for partially remitted depressed patients: protocol of a pragmatic multicentre randomised controlled trial. BMJ Open, 2022, 12, e063407.	1.9	0