

Kimberly P Lindsey

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7101022/publications.pdf>

Version: 2024-02-01

20
papers

822
citations

623734

14
h-index

839539

18
g-index

20
all docs

20
docs citations

20
times ranked

1055
citing authors

#	ARTICLE	IF	CITATIONS
1	Partitioning of Physiological Noise Signals in the Brain with Concurrent Near-Infrared Spectroscopy and fMRI. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011, 31, 2352-2362.	4.3	102
2	Correcting for Blood Arrival Time in Global Mean Regression Enhances Functional Connectivity Analysis of Resting State fMRI-BOLD Signals. <i>Frontiers in Human Neuroscience</i> , 2016, 10, 311.	2.0	89
3	Evaluating the effects of systemic low frequency oscillations measured in the periphery on the independent component analysis results of resting state networks. <i>NeuroImage</i> , 2013, 76, 202-215.	4.2	80
4	Perfusion information extracted from resting state functional magnetic resonance imaging. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017, 37, 564-576.	4.3	79
5	Time delay processing of hypercapnic fMRI allows quantitative parameterization of cerebrovascular reactivity and blood flow delays. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2016, 36, 1767-1779.	4.3	71
6	Extended-release naltrexone (XR-NTX) attenuates brain responses to alcohol cues in alcohol-dependent volunteers: A bold FMRI study. <i>NeuroImage</i> , 2013, 78, 176-185.	4.2	68
7	Effects of Dopamine Transporter Inhibitors on Cocaine Self-Administration in Rhesus Monkeys: Relationship to Transporter Occupancy Determined by Positron Emission Tomography Neuroimaging. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2004, 309, 959-969.	2.5	61
8	Cocaine-induced brain activation determined by positron emission tomography neuroimaging in conscious rhesus monkeys. <i>Psychopharmacology</i> , 2002, 159, 154-160.	3.1	59
9	Measurement of dopamine transporter occupancy for multiple injections of cocaine using a single injection of [F-18]FECNT. <i>Synapse</i> , 2002, 44, 203-210.	1.2	41
10	Comparison of peripheral near-infrared spectroscopy low-frequency oscillations to other denoising methods in resting state functional MRI with ultrahigh temporal resolution. <i>Magnetic Resonance in Medicine</i> , 2016, 76, 1697-1707.	3.0	36
11	Effects of Sodium Valproate on Corticotropin-Releasing Factor Systems in Rat Brain. <i>Neuropsychopharmacology</i> , 2001, 24, 624-631.	5.4	33
12	In vivo comparison of the reinforcing and dopamine transporter effects of local anesthetics in rhesus monkeys. <i>Synapse</i> , 2005, 58, 220-228.	1.2	33
13	Cortical activation during cocaine use and extinction in rhesus monkeys. <i>Psychopharmacology</i> , 2010, 208, 191-199.	3.1	24
14	Neuroimaging in drug abuse. <i>Current Psychiatry Reports</i> , 2003, 5, 355-361.	4.5	14
15	Olanzapine-Induced Suppression of Cocaine Self-Administration in Rhesus Monkeys. <i>Neuropsychopharmacology</i> , 2006, 31, 585-593.	5.4	12
16	An MR-compatible device for delivering smoked marijuana during functional imaging. <i>Pharmacology Biochemistry and Behavior</i> , 2007, 87, 81-89.	2.9	10
17	Nicotine content and abstinence state have different effects on subjective ratings of positive versus negative reinforcement from smoking. <i>Pharmacology Biochemistry and Behavior</i> , 2013, 103, 710-716.	2.9	6
18	Applications of Clinical Dopamine Imaging. <i>Neuroimaging Clinics of North America</i> , 2006, 16, 553-573.	1.0	4

#	ARTICLE	IF	CITATIONS
19	Applications of Clinical Dopamine Imaging. PET Clinics, 2007, 2, 45-65.	3.0	0
20	Improving sensitivity of task-fMRI by use of reciprocal information from peripheral near infrared spectroscopy (NIRS) measurements. , 2017, , .		0