

Fidel Toldrà

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7105777/publications.pdf>

Version: 2024-02-01

394
papers

17,395
citations

11651

70
h-index

30922

102
g-index

464
all docs

464
docs citations

464
times ranked

9418
citing authors

#	ARTICLE	IF	CITATIONS
1	The stability of dry-cured ham-derived peptides and its anti-inflammatory effect in RAW264.7 macrophage cells. <i>International Journal of Food Science and Technology</i> , 2023, 58, 1575-1585.	2.7	3
2	Quantification and in silico analysis of taste dipeptides generated during dry-cured ham processing. <i>Food Chemistry</i> , 2022, 370, 130977.	8.2	25
3	Structure-function relationship of small peptides generated during the ripening of Spanish dry-cured ham: Peptidome, molecular stability and computational modelling. <i>Food Chemistry</i> , 2022, 375, 131673.	8.2	14
4	Beneficial Impact of Pork Dry-Cured Ham Consumption on Blood Pressure and Cardiometabolic Markers in Individuals with Cardiovascular Risk. <i>Nutrients</i> , 2022, 14, 298.	4.1	8
5	Identification and Quantitation of Bioactive and Taste-Related Dipeptides in Low-Salt Dry-Cured Ham. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2507.	4.1	13
6	Chicken-derived tripeptide KPC (Lys-Pro-Cys) stabilizes alcohol dehydrogenase (ADH) through peptide-enzyme interaction. <i>LWT - Food Science and Technology</i> , 2022, 161, 113376.	5.2	6
7	Sausages, types of dry and semi-dry. , 2022, , .		0
8	Veterinary drug residue analysis. , 2022, , .		0
9	Chemistry, safety, and regulatory considerations in the use of nitrite and nitrate from natural origin in meat products - Invited review. <i>Meat Science</i> , 2021, 171, 108272.	5.5	112
10	Methodologies for peptidomics: Identification and quantification. , 2021, , 87-102.		0
11	The physiological activity of bioactive peptides obtained from meat and meat by-products. <i>Advances in Food and Nutrition Research</i> , 2021, 97, 147-185.	3.0	18
12	Pepsin Hydrolysis of Orange By-Products for the Production of Bioactive Peptides with Gastrointestinal Resistant Properties. <i>Foods</i> , 2021, 10, 679.	4.3	9
13	Influence of Muscle Type on Physicochemical Parameters, Lipolysis, Proteolysis, and Volatile Compounds throughout the Processing of Smoked Dry-Cured Ham. <i>Foods</i> , 2021, 10, 1228.	4.3	10
14	Proteins and Bioactive Peptides in High Protein Content Foods. <i>Foods</i> , 2021, 10, 1186.	4.3	1
15	Characterization of Umami Dry-Cured Ham-Derived Dipeptide Interaction with Metabotropic Glutamate Receptor (mGluR) by Molecular Docking Simulation. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 8268.	2.5	8
16	Characterization of antioxidant efficacy of peptide extracts as affected by peptide interactions during the ripening of Spanish dry-cured ham. <i>Food Research International</i> , 2021, 147, 110525.	6.2	8
17	Management of meat by- and co-products for an improved meat processing sustainability. <i>Meat Science</i> , 2021, 181, 108608.	5.5	39
18	Alternative Proteins as a Source of Bioactive Peptides: The Edible Snail and Generation of Hydrolysates Containing Peptides with Bioactive Potential for Use as Functional Foods. <i>Foods</i> , 2021, 10, 276.	4.3	3

#	ARTICLE	IF	CITATIONS
19	Proteomics and Peptidomics for Food Safety. , 2021, , 149-156.		1
20	Identification of dipeptides by MALDI-ToF mass spectrometry in long-processing Spanish dry-cured ham. Food Chemistry Molecular Sciences, 2021, 3, 100048.	2.1	5
21	Residues of harmful chemicals and their detection techniques. , 2020, , 173-183.		2
22	Peptidomics and proteomics data of oxidised peptides from in vitro gastrointestinal digestion of chicken breast exposed to chlorpyrifos. Data in Brief, 2020, 32, 106160.	1.0	0
23	Developments in the Use of Lipase Transesterification for Biodiesel Production from Animal Fat Waste. Applied Sciences (Switzerland), 2020, 10, 5085.	2.5	41
24	Impact of Simulated Gastrointestinal Digestion on the Biological Activity of an Alcalase Hydrolysate of Orange Seed (Siavaraze, Citrus sinensis) by-Products. Foods, 2020, 9, 1217.	4.3	14
25	Effect of Gelatin Coating Enriched with Antioxidant Tomato By-Products on the Quality of Pork Meat. Polymers, 2020, 12, 1032.	4.5	31
26	In vitro oxidation promoted by chlorpyrifos residues on myosin and chicken breast proteins. Food Chemistry, 2020, 326, 126922.	8.2	13
27	Effect of cooking and in vitro digestion on the peptide profile of chicken breast muscle and antioxidant and alcohol dehydrogenase stabilization activity. Food Research International, 2020, 136, 109459.	6.2	24
28	Trends in Biodiesel Production from Animal Fat Waste. Applied Sciences (Switzerland), 2020, 10, 3644.	2.5	98
29	Recent Progress in Enzymatic Release of Peptides in Foods of Animal Origin and Assessment of Bioactivity. Journal of Agricultural and Food Chemistry, 2020, 68, 12842-12855.	5.2	69
30	Bioactive peptides generated in the processing of dry-cured ham. Food Chemistry, 2020, 321, 126689.	8.2	59
31	Evaluation of main post-translational modifications occurring in naturally generated peptides during the ripening of Spanish dry-cured ham. Food Chemistry, 2020, 332, 127388.	8.2	17
32	Iberian dry-cured ham as a potential source of α -glucosidase-inhibitory peptides. Journal of Functional Foods, 2020, 67, 103840.	3.4	46
33	Antioxidant peptides profile in dry-cured ham as affected by gastrointestinal digestion. Journal of Functional Foods, 2020, 69, 103956.	3.4	40
34	Protein Oxidation. , 2019, , 41-47.		2
35	Rheological and structural properties of Hemiramphus far skin gelatin: Potential use as an active fish coating agent. Food Hydrocolloids, 2019, 87, 331-341.	10.7	33
36	Antioxidant and Antimicrobial Activity of Peptides Extracted from Meat By-products: a Review. Food Analytical Methods, 2019, 12, 2401-2415.	2.6	60

#	ARTICLE	IF	CITATIONS
37	Risk assessment of chemical substances of safety concern generated in processed meats. <i>Food Science and Human Wellness</i> , 2019, 8, 244-251.	4.9	52
38	The relevance of dipeptides and tripeptides in the bioactivity and taste of dry-cured ham. <i>Food Production Processing and Nutrition</i> , 2019, 1, .	3.5	33
39	Preface. <i>Advances in Food and Nutrition Research</i> , 2019, 87, xi-xii.	3.0	2
40	Current feeding strategies to improve pork intramuscular fat content and its nutritional quality. <i>Advances in Food and Nutrition Research</i> , 2019, 89, 53-94.	3.0	36
41	Challenges and opportunities regarding the use of alternative protein sources: Aquaculture and insects. <i>Advances in Food and Nutrition Research</i> , 2019, 89, 259-295.	3.0	24
42	Controlled enzymatic hydrolysis of pollen protein as promising tool for production of potential bioactive peptides. <i>Journal of Food Biochemistry</i> , 2019, 43, e12819.	2.9	14
43	Assessment of Cholesterol, Glycemia Control and Short- and Long-Term Antihypertensive Effects of Smooth Hound Viscera Peptides in High-Salt and Fructose Diet-Fed Wistar Rats. <i>Marine Drugs</i> , 2019, 17, 194.	4.6	12
44	In Vitro and In Silico Approaches to Generating and Identifying Angiotensin-Converting Enzyme I Inhibitory Peptides from Green Macroalga <i>Ulva lactuca</i> . <i>Marine Drugs</i> , 2019, 17, 204.	4.6	50
45	Application of non-invasive technologies in dry-cured ham: An overview. <i>Trends in Food Science and Technology</i> , 2019, 86, 360-374.	15.1	46
46	Peptide identification in alcalase hydrolysed pollen and comparison of its bioactivity with royal jelly. <i>Food Research International</i> , 2019, 116, 905-915.	6.2	35
47	Possible Uses of Processed Slaughter Byproducts. , 2019, , 145-160.		10
48	Peptides with Potential Cardioprotective Effects Derived from Dry-Cured Ham Byproducts. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 1115-1126.	5.2	24
49	Royal Jelly: Chemistry, Storage and Bioactivities. <i>Journal of Apicultural Science</i> , 2019, 63, 17-40.	0.4	24
50	Bioactive peptides and free amino acids profiles in different types of European dry-fermented sausages. <i>International Journal of Food Microbiology</i> , 2018, 276, 71-78.	4.7	85
51	In vitro and in vivo anti-diabetic and anti-hyperlipidemic effects of protein hydrolysates from <i>Octopus vulgaris</i> in alloxanic rats. <i>Food Research International</i> , 2018, 106, 952-963.	6.2	45
52	Health relevance of antihypertensive peptides in foods. <i>Current Opinion in Food Science</i> , 2018, 19, 8-14.	8.0	28
53	Peptidomic analysis of antioxidant and ACE-inhibitory peptides obtained from tomato waste proteins fermented using <i>Bacillus subtilis</i> . <i>Food Chemistry</i> , 2018, 250, 180-187.	8.2	87
54	Main characteristics of peanut skin and its role for the preservation of meat products. <i>Trends in Food Science and Technology</i> , 2018, 77, 1-10.	15.1	68

#	ARTICLE	IF	CITATIONS
55	Differences in peptide oxidation between muscles in 12-months Spanish dry-cured ham. Food Research International, 2018, 109, 343-349.	6.2	10
56	Characterisation of the antioxidant peptide AEEEYPDL and its quantification in Spanish dry-cured ham. Food Chemistry, 2018, 258, 8-15.	8.2	69
57	In silico analysis and molecular docking study of angiotensin I-converting enzyme inhibitory peptides from smooth-hound viscera protein hydrolysates fractionated by ultrafiltration. Food Chemistry, 2018, 239, 453-463.	8.2	88
58	Generation of bioactive peptides during food processing. Food Chemistry, 2018, 267, 395-404.	8.2	208
59	Evolution of oxidised peptides during the processing of 9 months Spanish dry-cured ham. Food Chemistry, 2018, 239, 823-830.	8.2	13
60	Effects of active gelatin coated with henna (L-Ánermis) extract on beef meat quality during chilled storage. Food Control, 2018, 84, 238-245.	5.5	74
61	Stability of the potent antioxidant peptide SNAAC identified from Spanish dry-cured ham. Food Research International, 2018, 105, 873-879.	6.2	47
62	Food and Nutritional Analysis "Dairy Products" , 2018, , 397-397.		2
63	Microencapsulation of antioxidant compounds through innovative technologies and its specific application in meat processing. Trends in Food Science and Technology, 2018, 82, 135-147.	15.1	87
64	ACEI-Inhibitory Peptides Naturally Generated in Meat and Meat Products and Their Health Relevance. Nutrients, 2018, 10, 1259.	4.1	46
65	Bioactive peptides as natural antioxidants in food products " A review. Trends in Food Science and Technology, 2018, 79, 136-147.	15.1	315
66	Preface. Advances in Food and Nutrition Research, 2018, 84, xi-xii.	3.0	0
67	New approaches based on comparative proteomics for the assessment of food quality. Current Opinion in Food Science, 2018, 22, 22-27.	8.0	30
68	Perspectives in the Use of Peptidomics in Ham. Proteomics, 2018, 18, e1700422.	2.2	13
69	Beneficial effects of fermented sardinelle protein hydrolysates on hypercaloric diet induced hyperglycemia, oxidative stress and deterioration of kidney function in wistar rats. Journal of Food Science and Technology, 2017, 54, 313-325.	2.8	12
70	Effect of ultrasound pretreatment and Maillard reaction on structure and antioxidant properties of ultrafiltered smooth-hound viscera proteins-sucrose conjugates. Food Chemistry, 2017, 230, 507-515.	8.2	60
71	The Storage and Preservation of Meat. , 2017, , 265-296.		10
72	Edible By-products. , 2017, , 679-696.		8

#	ARTICLE	IF	CITATIONS
73	Challenges in the quantitation of naturally generated bioactive peptides in processed meats. Trends in Food Science and Technology, 2017, 69, 306-314.	15.1	46
74	Biosensor Based on Immobilized Nitrate Reductase for the Quantification of Nitrate Ions in Dry-Cured Ham. Food Analytical Methods, 2017, 10, 3481-3486.	2.6	5
75	In silico analysis and antihypertensive effect of ACE-inhibitory peptides from smooth-hound viscera protein hydrolysate: Enzyme-peptide interaction study using molecular docking simulation. Process Biochemistry, 2017, 58, 145-159.	3.7	55
76	Effect of cooking and in vitro digestion on the antioxidant activity of dry-cured ham by-products. Food Research International, 2017, 97, 296-306.	6.2	43
77	Re-evaluation of potassium nitrite (E249) and sodium nitrite (E250) as food additives. EFSA Journal, 2017, 15, e04786.	1.8	58
78	Novel bioactive peptides from enzymatic hydrolysate of Sardinella (Sardinella aurita) muscle proteins hydrolysed by Bacillus subtilis A26 proteases. Food Research International, 2017, 100, 121-133.	6.2	44
79	Deamidation post-translational modification in naturally generated peptides in Spanish dry-cured ham. Food Chemistry, 2017, 229, 710-715.	8.2	6
80	Collagenous proteins from black-barred halfbeak skin as a source of gelatin and bioactive peptides. Food Hydrocolloids, 2017, 70, 123-133.	10.7	31
81	Analysis of Nitrite and Nitrate in Foods. Advances in Food and Nutrition Research, 2017, 81, 65-107.	3.0	17
82	Re-evaluation of sodium nitrate (E 251) and potassium nitrate (E 252) as food additives. EFSA Journal, 2017, 15, e04787.	1.8	44
83	Effects of dry-cured ham rich in bioactive peptides on cardiovascular health: A randomized controlled trial. Journal of Functional Foods, 2017, 38, 160-167.	3.4	39
84	Meat quality, free fatty acid concentration, and oxidative stability of pork from animals fed diets containing different sources of selenium. Food Science and Technology International, 2017, 23, 716-728.	2.2	28
85	Effect of cooking and simulated gastrointestinal digestion on the activity of generated bioactive peptides in aged beef meat. Food and Function, 2017, 8, 4347-4355.	4.6	49
86	Distinct fatty acid composition of some edible by-products from bovines fed high or low silage diets. Food Science and Technology International, 2017, 23, 209-221.	2.2	12
87	Effect of dietary selenium source (organic vs. mineral) and muscle pH on meat quality characteristics of pigs. Food Science and Nutrition, 2017, 5, 94-102.	3.4	42
88	ACE-Inhibitory and Antioxidant Activities of Peptide Fragments Obtained from Tomato Processing By-Products Fermented Using Bacillus subtilis: Effect of Amino Acid Composition and Peptides Molecular Mass Distribution. Applied Biochemistry and Biotechnology, 2017, 181, 48-64.	2.9	64
89	Wound healing activity of cuttlefish gelatin gels and films enriched by henna (Lawsonia inermis) extract. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2017, 512, 71-79.	4.7	58
90	Hypolipidemic, antiobesity and cardioprotective effects of sardinella meat flour and its hydrolysates in high-fat and fructose diet fed Wistar rats. Life Sciences, 2017, 176, 54-66.	4.3	24

#	ARTICLE	IF	CITATIONS
91	Preface. <i>Advances in Food and Nutrition Research</i> , 2017, 82, xi-xii.	3.0	0
92	Dry-Cured Meats. , 2016, , .		2
93	Gastrointestinal Endogenous Protein-Derived Bioactive Peptides: An in Vitro Study of Their Gut Modulatory Potential. <i>International Journal of Molecular Sciences</i> , 2016, 17, 482.	4.1	20
94	Angiotensin converting enzyme inhibitory peptides <sc>FQPSF</sc> and <sc>LKYPI</sc> identified in <i>Bacillus subtilis</i> A26 hydrolysate of thornback ray muscle. <i>International Journal of Food Science and Technology</i> , 2016, 51, 1604-1609.	2.7	21
95	Evolution of proteolytic and physico-chemical characteristics of Norwegian dry-cured ham during its processing. <i>Meat Science</i> , 2016, 121, 243-249.	5.5	18
96	Differences in pig genotypes influence the generation of peptides in dry-cured ham processing. <i>Food Research International</i> , 2016, 86, 74-82.	6.2	18
97	Boarfish protein recovery using the pH-shift process and generation of protein hydrolysates with ACE-I and antihypertensive bioactivities in spontaneously hypertensive rats. <i>Innovative Food Science and Emerging Technologies</i> , 2016, 37, 253-260.	5.6	52
98	Combined biocatalytic conversion of smooth hound viscera: Protein hydrolysates elaboration and assessment of their antioxidant, anti-ACE and antibacterial activities. <i>Food Research International</i> , 2016, 86, 9-23.	6.2	60
99	Effect of dietary organic selenium on muscle proteolytic activity and water-holding capacity in pork. <i>Meat Science</i> , 2016, 121, 1-11.	5.5	34
100	Characterization of the peptide profile in Spanish Teruel, Italian Parma and Belgian dry-cured hams and its potential bioactivity. <i>Food Research International</i> , 2016, 89, 638-646.	6.2	42
101	Free amino acids and bioactive peptides profile of PastÅ±rma during its processing. <i>Food Research International</i> , 2016, 89, 194-201.	6.2	21
102	Peptidomic analysis of bioactive peptides in zebra blenny (<i>Salaria basilisca</i>) muscle protein hydrolysate exhibiting antimicrobial activity obtained by fermentation with <i>Bacillus mojavensis</i> A21. <i>Process Biochemistry</i> , 2016, 51, 2186-2197.	3.7	34
103	Preface. <i>Advances in Food and Nutrition Research</i> , 2016, 78, xi.	3.0	0
104	A peptidomic approach for the identification of antioxidant and ACE-inhibitory peptides in sardinelle protein hydrolysates fermented by <i>Bacillus subtilis</i> A26 and <i>Bacillus amyloliquefaciens</i> An6. <i>Food Research International</i> , 2016, 89, 347-358.	6.2	63
105	Molecular forces study and microstructure and gelling properties of smooth hound protein gels prepared by heat-induced gelation process: Effect of pH variation on textural and functional properties. <i>Process Biochemistry</i> , 2016, 51, 1511-1520.	3.7	10
106	Preface. <i>Advances in Food and Nutrition Research</i> , 2016, 79, xi.	3.0	0
107	Antilisterial peptides from Spanish dry-cured hams: Purification and identification. <i>Food Microbiology</i> , 2016, 59, 133-141.	4.2	34
108	New insights into meat by-product utilization. <i>Meat Science</i> , 2016, 120, 54-59.	5.5	181

#	ARTICLE	IF	CITATIONS
109	Bioactive Peptides in Foods. , 2016, , 395-400.		11
110	Selective Determination of Lysine in Dry-Cured Meats Using a Sensor Based on Lysine-Î±-Oxidase Immobilised on a Nylon Membrane. Food Analytical Methods, 2016, 9, 2484-2490.	2.6	7
111	Transepithelial transport of dry-cured ham peptides with ACE inhibitory activity through a Caco-2 cell monolayer. Journal of Functional Foods, 2016, 21, 388-395.	3.4	66
112	Time-dependent depletion of nitrite in pork/beef and chicken meat products and its effect on nitrite intake estimation. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2016, 33, 1-7.	2.3	19
113	Peptidomics as a tool for quality control in dry-cured ham processing. Journal of Proteomics, 2016, 147, 98-107.	2.4	25
114	The ability of peptide extracts obtained at different dry cured ham ripening stages to bind aroma compounds. Food Chemistry, 2016, 196, 9-16.	8.2	32
115	The use of label-free mass spectrometry for relative quantification of sarcoplasmic proteins during the processing of dry-cured ham. Food Chemistry, 2016, 196, 437-444.	8.2	37
116	Editorial overview: Food bioprocessing. Current Opinion in Food Science, 2015, 1, vii-viii.	8.0	2
117	Antihypertensive effect of peptides naturally generated during Iberian dry-cured ham processing. Food Research International, 2015, 78, 71-78.	6.2	41
118	Cardioprotective Peptides Derived from Fish and Other Food Sources: Generation, Application, and Future Markets. Journal of Agricultural and Food Chemistry, 2015, 63, 1319-1331.	5.2	32
119	Bioactive peptides identified in thornback ray skin's gelatin hydrolysates by proteases from <i>Bacillus subtilis</i> and <i>Bacillus amyloliquefaciens</i> . Journal of Proteomics, 2015, 128, 8-17.	2.4	97
120	A peptidomic approach to study the contribution of added casein proteins to the peptide profile in Spanish dry-fermented sausages. International Journal of Food Microbiology, 2015, 212, 41-48.	4.7	39
121	Evidence of peptide oxidation from major myofibrillar proteins in dry-cured ham. Food Chemistry, 2015, 187, 230-235.	8.2	27
122	Characterization, antioxidative and ACE inhibitory properties of hydrolysates obtained from thornback ray (<i>Raja clavata</i>) muscle. Journal of Proteomics, 2015, 128, 458-468.	2.4	67
123	Characterization and comparative assessment of antioxidant and ACE inhibitory activities of thornback ray gelatin hydrolysates. Journal of Functional Foods, 2015, 13, 225-238.	3.4	81
124	Optimisation of a simple and reliable label-free methodology for the relative quantitation of raw pork meat proteins. Food Chemistry, 2015, 182, 74-80.	8.2	25
125	Small peptides hydrolysis in dry-cured meats. International Journal of Food Microbiology, 2015, 212, 9-15.	4.7	58
126	2nd International Symposium on Fermented Meat. International Journal of Food Microbiology, 2015, 212, 1.	4.7	2

#	ARTICLE	IF	CITATIONS
127	Titin-derived peptides as processing time markers in dry-cured ham. Food Chemistry, 2015, 167, 326-339.	8.2	42
128	Peptides naturally generated from ubiquitin-60S ribosomal protein as potential biomarkers of dry-cured ham processing time. Food Control, 2015, 48, 102-107.	5.5	25
129	Sources of variability in the analysis of meat nutrient coenzyme Q10 for food composition databases. Food Control, 2015, 48, 151-154.	5.5	4
130	Optimization of Muscle Enzyme Colorimetric Tests for Rapid Detection of Exudative Pork Meats. Food Analytical Methods, 2014, 7, 1903-1907.	2.6	2
131	Dipeptidyl peptidase IV inhibitory peptides generated in Spanish dry-cured ham. Meat Science, 2014, 96, 757-761.	5.5	70
132	Bioactive peptides generated from meat industry by-products. Food Research International, 2014, 65, 344-349.	6.2	137
133	Effect of electrohydraulic shockwave treatment on tenderness, muscle cathepsin and peptidase activities and microstructure of beef loin steaks from Holstein young bulls. Meat Science, 2014, 98, 759-765.	5.5	45
134	Proteomic identification of antioxidant peptides from 400 to 2500Da generated in Spanish dry-cured ham contained in a size-exclusion chromatography fraction. Food Research International, 2014, 56, 68-76.	6.2	69
135	Degradation of LIM domain-binding protein three during processing of Spanish dry-cured ham. Food Chemistry, 2014, 149, 121-128.	8.2	38
136	Stability of ACE inhibitory ham peptides against heat treatment and in vitro digestion. Food Chemistry, 2014, 161, 305-311.	8.2	108
137	Partial replacement of sodium in meat and fish products by using magnesium salts. A review. Plant and Soil, 2013, 368, 179-188.	3.7	36
138	Identification of novel antioxidant peptides generated in Spanish dry-cured ham. Food Chemistry, 2013, 138, 1282-1288.	8.2	111
139	Purification and Identification of antihypertensive peptides in Spanish dry-cured ham. Journal of Proteomics, 2013, 78, 499-507.	2.4	116
140	Variability in the contents of pork meat nutrients and how it may affect food composition databases. Food Chemistry, 2013, 140, 478-482.	8.2	45
141	Development and optimisation of a label-free quantitative proteomic procedure and its application in the assessment of genetically modified tomato fruit. Proteomics, 2013, 13, 2016-2030.	2.2	30
142	Peptides with angiotensin I converting enzyme (ACE) inhibitory activity generated from porcine skeletal muscle proteins by the action of meat-borne Lactobacillus. Journal of Proteomics, 2013, 89, 183-190.	2.4	68
143	Proteolysis follow-up in dry-cured meat products through proteomic approaches. Food Research International, 2013, 54, 1292-1297.	6.2	33
144	Prediction of water and protein contents and quality classification of Spanish cooked ham using NIR hyperspectral imaging. Journal of Food Engineering, 2013, 117, 272-280.	5.2	85

#	ARTICLE	IF	CITATIONS
145	Nutritional pork meat compounds as affected by ham dry-curing. Meat Science, 2013, 93, 53-60.	5.5	33
146	Dry-Cured Ham. , 2013, , 147-160.		12
147	Primary Separation: Chromatography. , 2013, , 69-81.		0
148	Analytical Tools for Assessing the Chemical Safety of Meat and Poultry. , 2012, , 1-67.		0
149	Effect of the Partial Replacement of Sodium Chloride by Other Salts on the Formation of Volatile Compounds during Ripening of Dry-Cured Ham. Journal of Agricultural and Food Chemistry, 2012, 60, 7607-7615.	5.2	33
150	Biochemical and sensory changes in dry-cured ham salted with partial replacements of NaCl by other chloride salts. Meat Science, 2012, 90, 361-367.	5.5	120
151	Antihypertensive activity of peptides identified in the in vitro gastrointestinal digest of pork meat. Meat Science, 2012, 91, 382-384.	5.5	80
152	Antihypertensive effect and antioxidant activity of peptide fractions extracted from Spanish dry-cured ham. Meat Science, 2012, 91, 306-311.	5.5	127
153	Evolution of nitrate and nitrite during the processing of dry-cured ham with partial replacement of NaCl by other chloride salts. Meat Science, 2012, 91, 378-381.	5.5	32
154	<i>Lactobacillus sakei </i> CRL1862 improves safety and protein hydrolysis in meat systems. Journal of Applied Microbiology, 2012, 113, 1407-1416.	3.1	39
155	Innovations in value-addition of edible meat by-products. Meat Science, 2012, 92, 290-296.	5.5	237
156	Biochemistry of Fermented Meat. , 2012, , 331-343.		7
157	Biochemistry of Raw Meat and Poultry. , 2012, , 285-302.		2
158	Analytical Tools for Assessing the Chemical Safety of Meat and Poultry. , 2012, , .		0
159	Strategies for Salt Reduction in Foods. Recent Patents on Food, Nutrition & Agriculture, 2012, 4, 19-25.	0.9	5
160	Retention Characteristics of Four Different HILIC Stationary Phases in the Analysis of Meat Polar Compounds. Food Analytical Methods, 2012, 5, 604-612.	2.6	8
161	Effect of brine thawing/salting on endogenous enzyme activity and sensory quality of Iberian dry-cured ham. Food Microbiology, 2012, 29, 247-254.	4.2	16
162	Reprint of: An enzyme sensor for the determination of total amines in dry-fermented sausages. Journal of Food Engineering, 2012, 110, 324-327.	5.2	6

#	ARTICLE	IF	CITATIONS
163	Essential Amino Acids. , 2012, , 3-24.		5
164	Sodium Replacers. , 2012, , 877-884.		1
165	Strategies for Salt Reduction in Foods. Recent Patents on Food, Nutrition & Agriculture, 2012, 4, 19-25.	0.9	16
166	Intense Degradation of Myosin Light Chain Isoforms in Spanish Dry-Cured Ham. Journal of Agricultural and Food Chemistry, 2011, 59, 3884-3892.	5.2	45
167	Low frequency dielectric measurements to assess post-mortem ageing of pork meat. LWT - Food Science and Technology, 2011, 44, 1465-1472.	5.2	14
168	Nucleotides and their degradation products during processing of dry-cured ham, measured by HPLC and an enzyme sensor. Meat Science, 2011, 87, 125-129.	5.5	57
169	Influence of partial replacement of NaCl with KCl, CaCl ₂ and MgCl ₂ on lipolysis and lipid oxidation in dry-cured ham. Meat Science, 2011, 89, 58-64.	5.5	77
170	Possible biological markers of the time of processing of dry-cured ham. Meat Science, 2011, 89, 536-539.	5.5	12
171	Microbial enzymatic activities for improved fermented meats. Trends in Food Science and Technology, 2011, 22, 81-90.	15.1	160
172	foodInnova 2010: report on the International Conference on Food Innovation. Trends in Food Science and Technology, 2011, 22, 49-49.	15.1	1
173	Innovations for healthier processed meats. Trends in Food Science and Technology, 2011, 22, 517-522.	15.1	130
174	Hydrophilic Interaction Chromatography (HILIC) in the Analysis of Relevant Quality and Safety Biochemical Compounds in Meat, Poultry and Processed Meats. Food Analytical Methods, 2011, 4, 121-129.	2.6	19
175	Monitoring of physical-chemical and microbiological changes in fresh pork meat under cold storage by means of a potentiometric electronic tongue. Food Chemistry, 2011, 126, 1261-1268.	8.2	79
176	Development of a dielectric spectroscopy technique for the determination of key biochemical markers of meat quality. Food Chemistry, 2011, 127, 228-233.	8.2	18
177	Small peptides released from muscle glycolytic enzymes during dry-cured ham processing. Journal of Proteomics, 2011, 74, 442-450.	2.4	45
178	An enzyme sensor for the determination of total amines in dry-fermented sausages. Journal of Food Engineering, 2011, 106, 166-169.	5.2	20
179	Reducing salt in processed meat products. , 2011, , 331-345.		7
180	Improving the sensory quality of cured and fermented meat products. , 2011, , 508-526.		2

#	ARTICLE	IF	CITATIONS
181	Patents for ELISA Tests to Detect Antibiotic Residues in Foods of Animal Origin. Recent Patents on Food, Nutrition & Agriculture, 2011, 3, 110-114.	0.9	4
182	Hypoxanthine-based enzymatic sensor for determination of pork meat freshness. Food Chemistry, 2010, 123, 949-954.	8.2	52
183	Identification of small troponin T peptides generated in dry-cured ham. Food Chemistry, 2010, 123, 691-697.	8.2	68
184	Hydrophilic interaction chromatographic determination of adenosine triphosphate and its metabolites. Food Chemistry, 2010, 123, 1282-1288.	8.2	49
185	Use of visible spectroscopy to assess colour development during ageing of fresh pork from different quality classes. International Journal of Food Science and Technology, 2010, 45, 1710-1716.	2.7	4
186	Angiotensin I-Converting Enzyme Inhibitory Peptides Generated from in Vitro Gastrointestinal Digestion of Pork Meat. Journal of Agricultural and Food Chemistry, 2010, 58, 2895-2901.	5.2	104
187	Characterization of Peptides Released by <i>in Vitro</i> Digestion of Pork Meat. Journal of Agricultural and Food Chemistry, 2010, 58, 5160-5165.	5.2	68
188	Low-frequency dielectric spectrum to determine pork meat quality. Innovative Food Science and Emerging Technologies, 2010, 11, 376-386.	5.6	53
189	Creatine and creatinine evolution during the processing of dry-cured ham. Meat Science, 2010, 84, 384-389.	5.5	39
190	Nutritional composition of dry-cured ham and its role in a healthy diet. Meat Science, 2010, 84, 585-593.	5.5	120
191	Physicochemical properties and microbiology of dry-cured loins obtained by partial sodium replacement with potassium, calcium and magnesium. Meat Science, 2010, 85, 580-588.	5.5	58
192	Physicochemical changes in dry-cured hams salted with potassium, calcium and magnesium chloride as a partial replacement for sodium chloride. Meat Science, 2010, 86, 331-336.	5.5	59
193	Response to the letter to the editors of Dr. Demeyer. Meat Science, 2010, 86, 531.	5.5	1
194	Microwave dielectric spectroscopy for the determination of pork meat quality. Food Research International, 2010, 43, 2369-2377.	6.2	31
195	Recent Patents for Sodium Reduction in Foods. Recent Patents on Food, Nutrition & Agriculture, 2010, 1, 80-86.	0.9	7
196	Effect of sodium, potassium, calcium and magnesium chloride salts on porcine muscle proteases. European Food Research and Technology, 2009, 229, 93-98.	3.3	40
197	Biochemical changes in dry-cured loins salted with partial replacements of NaCl by KCl. Food Chemistry, 2009, 117, 627-633.	8.2	91
198	Biochemical and Sensory Properties of Dry-Cured Loins as Affected by Partial Replacement of Sodium by Potassium, Calcium, and Magnesium. Journal of Agricultural and Food Chemistry, 2009, 57, 9699-9705.	5.2	45

#	ARTICLE	IF	CITATIONS
199	Oligopeptides Arising from the Degradation of Creatine Kinase in Spanish Dry-Cured Ham. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 8982-8988.	5.2	69
200	Physical activity-induced alterations on tissue lipid composition and lipid metabolism in fattening pigs. <i>Meat Science</i> , 2009, 81, 641-646.	5.5	22
201	Effect of prefreezing hams on endogenous enzyme activity during the processing of Iberian dry-cured hams. <i>Meat Science</i> , 2009, 82, 241-246.	5.5	30
202	Analysis of protein carbonyls in meat products by using the DNPH-method, fluorescence spectroscopy and liquid chromatographyâ€“electrospray ionisationâ€“mass spectrometry (LCâ€“ESIâ€“MS). <i>Meat Science</i> , 2009, 83, 104-112.	5.5	175
203	Influence of sodium replacement on physicochemical properties of dry-cured loin. <i>Meat Science</i> , 2009, 83, 423-430.	5.5	75
204	Naturally Generated Small Peptides Derived from Myofibrillar Proteins in Serrano Dry-Cured Ham. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 3228-3234.	5.2	69
205	Veterinary Drugs and Growth Promoters Residues in Meat and Processed Meats. , 2009, , 365-390.		10
206	Essential Amino Acids. , 2009, , 287-307.		2
207	Recent Patents for Sodium Reduction in Foods. <i>Recent Patents on Food, Nutrition & Agriculture</i> , 2009, 1, 80-86.	0.9	26
208	Relevance of nitrate and nitrite in dry-cured ham and their effects on aroma development. <i>Grasas Y Aceites</i> , 2009, 60, 291-296.	0.9	27
209	Liquid Chromatography for the Rapid Screening of Growth Promoters Residues in Meat. <i>Food Analytical Methods</i> , 2008, 1, 2-9.	2.6	7
210	Fish freshness analysis using metallic potentiometric electrodes. <i>Sensors and Actuators B: Chemical</i> , 2008, 131, 362-370.	7.8	79
211	Effect of pork meat proteins on the binding of volatile compounds. <i>Food Chemistry</i> , 2008, 108, 1226-1233.	8.2	67
212	Freshness monitoring of sea bream (<i>Sparus aurata</i>) with a potentiometric sensor. <i>Food Chemistry</i> , 2008, 108, 681-688.	8.2	86
213	Proteolytic and lipolytic starter cultures and their effect on traditional fermented sausages ripening and sensory traits. <i>Food Microbiology</i> , 2008, 25, 335-347.	4.2	145
214	Purification and characterisation of Proteases A and D from <i>Debaryomyces hansenii</i> . <i>International Journal of Food Microbiology</i> , 2008, 124, 135-141.	4.7	25
215	Biotechnology of Flavor Generation in Fermented Meats. , 2008, , 199-215.		9
216	Microbiology and physico-chemical changes of dry-cured ham during the post-salting stage as affected by partial replacement of NaCl by other salts. <i>Meat Science</i> , 2008, 78, 135-142.	5.5	90

#	ARTICLE	IF	CITATIONS
217	Veterinary drug residues in meat: Concerns and rapid methods for detection. <i>Meat Science</i> , 2008, 78, 60-67.	5.5	126
218	Effect of exercise on skeletal muscle proteolytic enzyme activity and meat quality characteristics in Iberian pigs. <i>Meat Science</i> , 2008, 79, 71-76.	5.5	35
219	Symposium on meat safety: From abattoir to consumer. <i>Meat Science</i> , 2008, 78, 1.	5.5	4
220	Study of salting and post-salting stages of fresh and thawed Iberian hams. <i>Meat Science</i> , 2008, 79, 677-682.	5.5	24
221	Contents of creatine, creatinine and carnosine in porcine muscles of different metabolic types. <i>Meat Science</i> , 2008, 79, 709-715.	5.5	87
222	Effect of high pressure treatment on colour, microbial and chemical characteristics of dry cured loin. <i>Meat Science</i> , 2008, 80, 1174-1181.	5.5	100
223	Immunology-Based Techniques for the Detection of Veterinary Drug Residues in Foods. , 2008, , 361-373.		4
224	Effect of Cooking Conditions on Creatinine Formation in Cooked Ham. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 11279-11284.	5.2	24
225	Structured Meat Products. , 2008, , 501-523.		6
226	Sodium reduction in foods: a necessity for a growing sector of the population. <i>Trends in Food Science and Technology</i> , 2007, 18, 583.	15.1	4
227	Effect of ionic strength of different salts on the binding of volatile compounds to porcine soluble protein extracts in model systems. <i>Food Research International</i> , 2007, 40, 687-693.	6.2	54
228	Biochemical and sensory characteristics of traditional fermented sausages of Vallo di Diano (Southern Italy) as affected by the use of starter cultures. <i>Meat Science</i> , 2007, 76, 295-307.	5.5	183
229	Proteomic Identification of Actin-Derived Oligopeptides in Dry-Cured Ham. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 3613-3619.	5.2	59
230	Hydrophilic Chromatographic Determination of Carnosine, Anserine, Balenine, Creatine, and Creatinine. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 4664-4669.	5.2	107
231	Headspace concentration of selected dry-cured aroma compounds in model systems as affected by curing agents. <i>Food Chemistry</i> , 2007, 102, 488-493.	8.2	24
232	Binding of aroma compounds by isolated myofibrillar proteins: Effect of protein concentration and conformation. <i>Food Chemistry</i> , 2007, 105, 932-939.	8.2	49
233	Simultaneous process to isolate actomyosin and actin from post-rigor porcine skeletal muscle. <i>Food Chemistry</i> , 2007, 101, 1005-1011.	8.2	18
234	Evaluation of ACE inhibitory activity of dipeptides generated by the action of porcine muscle dipeptidyl peptidases. <i>Food Chemistry</i> , 2007, 102, 511-515.	8.2	72

#	ARTICLE	IF	CITATIONS
235	Innovations in traditional foodsEFFOST 2005 Conference. Food Chemistry, 2007, 102, 435-435.	8.2	1
236	Blocking agents for ELISA quantification of compounds coming from bovine muscle crude extracts. European Food Research and Technology, 2007, 224, 623-628.	3.3	19
237	Oligopeptides hydrolysed by muscle dipeptidyl peptidases can generate angiotensin-I converting enzyme inhibitory dipeptides. European Food Research and Technology, 2007, 224, 785-790.	3.3	12
238	A fluorescence-based protocol for quantifying angiotensin-converting enzyme activity. Nature Protocols, 2006, 1, 2423-2427.	12.0	74
239	Model Studies on the Efficacy of Protein Homogenates from Raw Pork Muscle and Dry-Cured Ham in Binding Selected Flavor Compounds. Journal of Agricultural and Food Chemistry, 2006, 54, 4802-4808.	5.2	34
240	Effect of Dietary Conjugated Linoleic Acid and Monounsaturated Fatty Acid Content on Pig Muscle and Adipose Tissue Lipase and Esterase Activity. Journal of Agricultural and Food Chemistry, 2006, 54, 9241-9247.	5.2	10
241	Sensory improvement of dry-fermented sausages by the addition of cell-free extracts from <i>Debaryomyces hansenii</i> and <i>Lactobacillus sakei</i> . Meat Science, 2006, 72, 457-466.	5.5	57
242	Accelerated processing of dry-cured ham. Part 2. Influence of brine thawing/salting operation on proteolysis and sensory acceptability. Meat Science, 2006, 72, 766-772.	5.5	41
243	Accelerated processing of dry-cured ham. Part I. Viability of the use of brine thawing/salting operation. Meat Science, 2006, 72, 757-765.	5.5	23
244	A chromatography method for the screening and confirmatory detection of dexamethasone. Meat Science, 2006, 74, 676-680.	5.5	27
245	The role of muscle enzymes in dry-cured meat products with different drying conditions. Trends in Food Science and Technology, 2006, 17, 164-168.	15.1	194
246	Methods for rapid detection of chemical and veterinary drug residues in animal foods. Trends in Food Science and Technology, 2006, 17, 482-489.	15.1	115
247	Innovations in traditional foodsEFFOST 2005 conference. Trends in Food Science and Technology, 2006, 17, 470-470.	15.1	7
248	Biochemical Proteolysis Basis for Improved Processing of Dry-Cured Meats. Food Additives, 2006, , 329-351.	0.1	21
249	A rapid, simple and sensitive fluorescence method for the assay of angiotensin-I converting enzyme. Food Chemistry, 2006, 97, 546-554.	8.2	140
250	Effect of brine thawing/salting for time reduction in Spanish dry-cured ham manufacturing on proteolysis and lipolysis during salting and post-salting periods. European Food Research and Technology, 2006, 222, 509-515.	3.3	14
251	Generation of volatile flavour compounds as affected by the chemical composition of different dry-cured ham sections. European Food Research and Technology, 2006, 222, 658-666.	3.3	18
252	Protease (PrA and PrB) and prolyl and arginyl aminopeptidase activities from <i>Debaryomyces hansenii</i> as a function of growth phase and nutrient sources. International Journal of Food Microbiology, 2006, 107, 20-26.	4.7	8

#	ARTICLE	IF	CITATIONS
253	Protease and esterase activity of staphylococci. <i>International Journal of Food Microbiology</i> , 2006, 112, 223-229.	4.7	36
254	New Approaches for the Development of Functional Meat Products. <i>Food Additives</i> , 2006, , 275-308.	0.1	3
255	Stability of β -agonist methyl boronic derivatives before gas chromatography-mass spectrometry analysis. <i>Analytica Chimica Acta</i> , 2005, 529, 293-297.	5.4	16
256	Peptide generation from casein hydrolysis by immobilised porcine cathepsins. <i>Food Chemistry</i> , 2005, 92, 227-233.	8.2	4
257	Protease B from <i>Debaryomyces hansenii</i> : purification and biochemical properties. <i>International Journal of Food Microbiology</i> , 2005, 98, 167-177.	4.7	22
258	Interaction of Soluble Peptides and Proteins from Skeletal Muscle with Volatile Compounds in Model Systems As Affected by Curing Agents. <i>Journal of Agricultural and Food Chemistry</i> , 2005, 53, 1670-1677.	5.2	31
259	Safety and quality of traditional foods. <i>Trends in Food Science and Technology</i> , 2005, 16, 218.	15.1	1
260	A simple, fast and reliable methodology for the analysis of histidine dipeptides as markers of the presence of animal origin proteins in feeds for ruminants. <i>Food Chemistry</i> , 2004, 84, 485-491.	8.2	40
261	Composition and proteolytic and lipolytic enzyme activities in muscle <i>Longissimus dorsi</i> from Iberian pigs and industrial genotype pigs. <i>Food Chemistry</i> , 2004, 88, 25-33.	8.2	34
262	Effects of curing agents and the stability of a glutaminase from <i>Debaryomyces</i> spp.. <i>Food Chemistry</i> , 2004, 86, 385-389.	8.2	19
263	Effect of growth phase and dry-cured sausage processing conditions on <i>Debaryomyces</i> spp. generation of volatile compounds from branched-chain amino acids. <i>Food Chemistry</i> , 2004, 86, 391-399.	8.2	51
264	Effect of <i>Debaryomyces</i> spp. on aroma formation and sensory quality of dry-fermented sausages. <i>Meat Science</i> , 2004, 68, 439-446.	5.5	165
265	Histidine dipeptides HPLC-based test for the detection of mammalian origin proteins in feeds for ruminants. <i>Meat Science</i> , 2004, 67, 211-217.	5.5	92
266	Effect of <i>Debaryomyces</i> spp. on the proteolysis of dry-fermented sausages. <i>Meat Science</i> , 2004, 68, 319-328.	5.5	98
267	PCR-based fingerprinting techniques for rapid detection of animal species in meat products. <i>Meat Science</i> , 2004, 66, 659-665.	5.5	82
268	Quality Aspects of Pork Meat and Its Nutritional Impact. <i>Advances in Experimental Medicine and Biology</i> , 2004, 542, 25-31.	1.6	9
269	Analysis of Meat-Containing Food. <i>Food Additives</i> , 2004, , 1941-1959.	0.1	0
270	Analysis of Meat Quality. <i>Food Additives</i> , 2004, , 1961-1977.	0.1	0

#	ARTICLE	IF	CITATIONS
271	Purification and properties of an arginyl aminopeptidase from <i>Debaryomyces hansenii</i> . <i>International Journal of Food Microbiology</i> , 2003, 86, 141-151.	4.7	47
272	Specificity of the second binding protein of the peptide ABC-transporter (Dpp) of <i>Lactococcus lactis</i> IL1403. <i>FEMS Microbiology Letters</i> , 2003, 227, 33-38.	1.8	20
273	Identification of Small Peptides Generated in Spanish Dry-cured Ham. <i>Journal of Food Science</i> , 2003, 68, 64-69.	3.1	101
274	Interactions of Soluble Peptides and Proteins from Skeletal Muscle on the Release of Volatile Compounds. <i>Journal of Agricultural and Food Chemistry</i> , 2003, 51, 6828-6834.	5.2	49
275	Purification and Characterization of a Prolyl Aminopeptidase from <i>Debaryomyces hansenii</i> . <i>Applied and Environmental Microbiology</i> , 2003, 69, 227-232.	3.1	59
276	Purification and Characterization of an Arginine Aminopeptidase from <i>Lactobacillus sakei</i> . <i>Applied and Environmental Microbiology</i> , 2002, 68, 1980-1987.	3.1	58
277	Purification and characterisation of a glutaminase from <i>Debaryomyces</i> spp.. <i>International Journal of Food Microbiology</i> , 2002, 76, 117-126.	4.7	64
278	Optimisation of solid phase microextraction (SPME) for the analysis of volatile compounds in dry-cured ham. <i>Journal of the Science of Food and Agriculture</i> , 2002, 82, 1703-1709.	3.5	75
279	LIPID COMPOSITION OF PORK MUSCLE AS AFFECTED BY SIRE GENETIC TYPE. <i>Journal of Food Biochemistry</i> , 2002, 26, 91-102.	2.9	17
280	Effect of Electrical Stimulation on the Activity of Muscle Exoproteases During Beef Ageing. <i>Food Science and Technology International</i> , 2002, 8, 285-293.	2.2	3
281	Partial purification and characterisation of dipeptidyl peptidase II from porcine skeletal muscle. <i>Meat Science</i> , 2001, 57, 93-103.	5.5	31
282	Evolution of hydrophobic polypeptides during the ageing of exudative and non-exudative pork meat. <i>Meat Science</i> , 2001, 57, 395-401.	5.5	11
283	Pork meat quality affects peptide and amino acid profiles during the ageing process. <i>Meat Science</i> , 2001, 58, 197-206.	5.5	62
284	<i>Meat Fermentation Technology</i> , 2001, , .		26
285	Dipeptidyl peptidase activities along the processing of Serrano dry-cured ham. <i>European Food Research and Technology</i> , 2001, 213, 83-87.	3.3	67
286	Effect of curing conditions and <i>Lactobacillus casei</i> CRL705 on the hydrolysis of meat proteins. <i>Journal of Applied Microbiology</i> , 2001, 91, 478-487.	3.1	22
287	Dipeptidyl peptidase IV from porcine skeletal muscle: purification and biochemical properties. <i>Food Chemistry</i> , 2001, 75, 159-168.	8.2	26
288	ATP Metabolites During Aging of Exudative and Nonexudative Pork Meats. <i>Journal of Food Science</i> , 2001, 66, 68-71.	3.1	45

#	ARTICLE	IF	CITATIONS
289	Hydrolysis of pork muscle sarcoplasmic proteins by <i>Debaryomyces hansenii</i> . <i>International Journal of Food Microbiology</i> , 2001, 68, 199-206.	4.7	61
290	Purification and Characterization of an X-Prolyl-Dipeptidyl Peptidase from <i>Lactobacillus sakei</i> . <i>Applied and Environmental Microbiology</i> , 2001, 67, 1815-1820.	3.1	50
291	The use of muscle enzymes as predictors of pork meat quality. <i>Food Chemistry</i> , 2000, 69, 387-395.	8.2	79
292	Nitrogen compounds as potential biochemical markers of pork meat quality. <i>Food Chemistry</i> , 2000, 69, 371-377.	8.2	38
293	Early Postmortem Detection of Exudative Pork Meat Based on Nucleotide Content. <i>Journal of Food Science</i> , 2000, 65, 413-416.	3.1	30
294	EFFECT OF CARNOSINE, ANSERINE AND OTHER ENDOGENOUS SKELETAL PEPTIDES ON THE ACTIVITY OF PORCINE MUSCLE ALANYL AND ARGINYL AMINOPEPTIDASES. <i>Journal of Food Biochemistry</i> , 2000, 24, 69-78.	2.9	14
295	Purification and characterization of a soluble methionyl aminopeptidase from porcine skeletal muscle. <i>Meat Science</i> , 2000, 56, 247-254.	5.5	29
296	Contribution of muscle aminopeptidases to flavor development in dry-cured ham. <i>Food Research International</i> , 2000, 33, 181-185.	6.2	200
297	Purification and Biochemical Properties of Dipeptidyl Peptidase I from Porcine Skeletal Muscle. <i>Journal of Agricultural and Food Chemistry</i> , 2000, 48, 5014-5022.	5.2	35
298	Lipids of pork meat as affected by various cooking techniques / Modificaciones de los lípidos de carne de cerdo en función de su guiso. <i>Food Science and Technology International</i> , 1999, 5, 501-508.	2.2	41
299	Effect of frozen storage on lipids and lipolytic activities in the longissimus dorsi muscle of the pig. <i>European Food Research and Technology</i> , 1999, 208, 110-115.	0.6	26
300	Hydrolysis of alanine oligopeptides by porcine muscle alanyl aminopeptidase. <i>European Food Research and Technology</i> , 1999, 208, 264-266.	0.6	2
301	Hydrolysis of muscle myofibrillar proteins by <i>Lactobacillus curvatus</i> and <i>Lactobacillus sakei</i> . <i>International Journal of Food Microbiology</i> , 1999, 53, 115-125.	4.7	100
302	Effects of pig sire type and sex on carcass traits, meat quality and sensory quality of dry-cured ham. , 1999, 79, 1147-1154.		38
303	Effects of sire type and sex on pork muscle exopeptidase activity, natural dipeptides and free amino acids. <i>Journal of the Science of Food and Agriculture</i> , 1999, 79, 1280-1284.	3.5	19
304	Hydrolytic Action of <i>Lactobacillus casei</i> CRL 705 on Pork Muscle Sarcoplasmic and Myofibrillar Proteins. <i>Journal of Agricultural and Food Chemistry</i> , 1999, 47, 3441-3448.	5.2	63
305	Sensory characteristics of cooked pork loin as affected by nucleotide content and post-mortem meat quality. <i>Meat Science</i> , 1999, 51, 53-59.	5.5	72
306	Lipolytic and oxidative changes in two Spanish pork loin products: dry-cured loin and pickled-cured loin. <i>Meat Science</i> , 1999, 51, 123-128.	5.5	75

#	ARTICLE	IF	CITATIONS
307	Effects of the terminal sire type and sex on pork muscle cathepsins (B, B+L and H), cysteine proteinase inhibitors and lipolytic enzyme activities. <i>Meat Science</i> , 1999, 51, 185-189.	5.5	39
308	Postmortem meat quality and sex affect textural properties and protein breakdown of dry-cured ham. <i>Meat Science</i> , 1999, 51, 255-260.	5.5	71
309	Flavor Differences due to Processing in Dry-Cured and Other Ham Products Using Conducting Polymers (Electronic Nose). , 1999, , 169-183.		6
310	Effects of sire type and sex on pork muscle exopeptidase activity, natural dipeptides and free amino acids. <i>Journal of the Science of Food and Agriculture</i> , 1999, 79, 1280-1284.	3.5	0
311	Effect of nitrate and nitrite curing salts on microbial changes and sensory quality of non-fermented sausages. <i>International Journal of Food Microbiology</i> , 1998, 42, 213-217.	4.7	29
312	Comparison of muscle proteolytic and lipolytic enzyme levels in raw hams from Iberian and White pigs. , 1998, 76, 117-122.		52
313	Lipid composition and lipolytic enzyme activities in porcine skeletal muscles with different oxidative pattern. <i>Meat Science</i> , 1998, 49, 1-10.	5.5	85
314	Concentration of free amino acids and dipeptides in porcine skeletal muscles with different oxidative patterns. <i>Meat Science</i> , 1998, 50, 327-332.	5.5	102
315	Proteolysis and lipolysis in flavour development of dry-cured meat products. <i>Meat Science</i> , 1998, 49, S101-S110.	5.5	201
316	Purification and Characterization of a Tripeptidase from <i>Lactobacillus sake</i> . <i>Journal of Agricultural and Food Chemistry</i> , 1998, 46, 349-353.	5.2	49
317	Feedback Inhibition of Porcine Muscle Alanyl and Arginyl Aminopeptidases in Cured Meat Products. <i>Journal of Agricultural and Food Chemistry</i> , 1998, 46, 4982-4986.	5.2	21
318	The Role of Muscle Proteases and Lipases in Flavor Development During the Processing of Dry-Cured Ham. <i>Critical Reviews in Food Science and Nutrition</i> , 1998, 38, 331-352.	10.3	386
319	Biochemical Properties of Dipeptidyl Peptidase III Purified from Porcine Skeletal Muscle. <i>Journal of Agricultural and Food Chemistry</i> , 1998, 46, 3977-3984.	5.2	31
320	Purification and Characterization of an Aminopeptidase from <i>Lactobacillus sake</i> . <i>Journal of Agricultural and Food Chemistry</i> , 1997, 45, 1552-1558.	5.2	60
321	Correlations of Sensory and Volatile Compounds of Spanish "Serrano" Dry-Cured Ham as a Function of Two Processing Times. <i>Journal of Agricultural and Food Chemistry</i> , 1997, 45, 2178-2186.	5.2	235
322	Simple, Sensitive Assay for Microbial Aminopeptidase. <i>Journal of Food Science</i> , 1997, 62, 583-585.	3.1	1
323	Aminopeptidase Activities from <i>Lactobacillus sake</i> in Models of Curing Ingredients and Processing Conditions for Dry Sausage. <i>Journal of Food Science</i> , 1997, 62, 1211-1234.	3.1	19
324	Non-Volatile Components Effects on Quality of "Serrano" Dry-cured Ham as Related to Processing Time. <i>Journal of Food Science</i> , 1997, 62, 1235-1239.	3.1	104

#	ARTICLE	IF	CITATIONS
325	Polyamines Affect Activity of Aminopeptidases from <i>Lactobacillus sake</i> . <i>Journal of Food Science</i> , 1997, 62, 870-872.	3.1	3
326	SENSORY CHARACTERISTICS OF SPANISH "SERRANO" DRY-CURED HAM. <i>Journal of Sensory Studies</i> , 1997, 12, 169-179.	1.6	39
327	Effect of nitrate and nitrite curing salts on microbial changes and sensory quality of rapid ripened sausages. <i>International Journal of Food Microbiology</i> , 1997, 37, 225-229.	4.7	39
328	Effect of pre-ripening on microbial and chemical changes in dry fermented sausages. <i>Food Microbiology</i> , 1997, 14, 575-582.	4.2	33
329	Curing agents affect aminopeptidase activity from porcine skeletal muscle. <i>European Food Research and Technology</i> , 1997, 205, 343-346.	0.6	55
330	Foreword and highlights. <i>Food Chemistry</i> , 1997, 59, 489-490.	8.2	0
331	Dry-cured ham flavour: enzymatic generation and process influence. <i>Food Chemistry</i> , 1997, 59, 523-530.	8.2	204
332	HPLC Purification and Characterization of Soluble Alanyl Aminopeptidase from Porcine Skeletal Muscle. <i>Journal of Agricultural and Food Chemistry</i> , 1996, 44, 2578-2583.	5.2	53
333	Myoglobin as an Endogenous Inhibitor of Proteolytic Muscle Enzymes. <i>Journal of Agricultural and Food Chemistry</i> , 1996, 44, 3453-3456.	5.2	13
334	Comparison of aminopeptidase inhibition by amino acids in human and porcine skeletal muscle tissues in vitro. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 1996, 115, 445-450.	1.6	6
335	Effect of curing agents on m-calpain activity throughout the curing process. <i>Zeitschrift Fur Lebensmittel-Untersuchung Und -Forschung</i> , 1996, 203, 320-325.	0.6	35
336	Activity of Aminopeptidase and Lipolytic Enzymes in Five Skeletal Muscles with Various Oxidative Patterns. <i>Journal of the Science of Food and Agriculture</i> , 1996, 70, 127-130.	3.5	34
337	Pattern of Muscle Proteolytic and Lipolytic Enzymes from Light and Heavy Pigs. , 1996, 71, 124-128.		57
338	EFFECT OF MYOGLOBIN ON THE MUSCLE LIPASE SYSTEM. <i>Journal of Food Biochemistry</i> , 1996, 20, 87-92.	2.9	4
339	Biogenic Polyamines Affect Activity of Aminopeptidase B and Alanyl Aminopeptidase from Porcine Skeletal Muscle. <i>Journal of Food Science</i> , 1996, 61, 13-14.	3.1	8
340	Pattern of Muscle Proteolytic and Lipolytic Enzymes from Light and Heavy Pigs. <i>Journal of the Science of Food and Agriculture</i> , 1996, 71, 124-128.	3.5	1
341	Activity of Aminopeptidase and Lipolytic Enzymes in Five Skeletal Muscles with Various Oxidative Patterns. <i>Journal of the Science of Food and Agriculture</i> , 1996, 70, 127-130.	3.5	0
342	Peptide generation in the processing of dry-cured ham. <i>Food Chemistry</i> , 1995, 53, 187-190.	8.2	61

#	ARTICLE	IF	CITATIONS
343	Enzyme generation of free amino acids and its nutritional significance in processed pork meats. <i>Developments in Food Science</i> , 1995, 37, 1303-1322.	0.0	30
344	Isolation of flavor peptides from raw pork meat and dry-cured ham. <i>Developments in Food Science</i> , 1995, , 1323-1344.	0.0	37
345	Pre-freezing Hams Affects Lipolysis during Dry-curing. <i>Journal of Food Science</i> , 1994, 59, 303-305.	3.1	50
346	Cathepsin B, D, H and L activities in the processing of dry-cured ham. <i>Journal of the Science of Food and Agriculture</i> , 1993, 62, 157-161.	3.5	166
347	Muscle lipolysis phenomena in the processing of dry-cured ham. <i>Food Chemistry</i> , 1993, 48, 121-125.	8.2	110
348	Porcine Aminopeptidase Activity as Affected by Curing Agents. <i>Journal of Food Science</i> , 1993, 58, 724-726.	3.1	73
349	Effect of curing agents and water activity on pork muscle and adipose subcutaneous tissue lipolytic activity. <i>Zeitschrift Fur Lebensmittel-Untersuchung Und -Forschung</i> , 1993, 196, 228-232.	0.6	61
350	HPLC purification and characterization of porcine muscle aminopeptidase B. <i>Biochimie</i> , 1993, 75, 861-867.	2.6	60
351	Availability of essential amino acids in dry-cured ham. <i>International Journal of Food Sciences and Nutrition</i> , 1993, 44, 215-219.	2.8	32
352	Hydrolysis of maltose and cornstarch by glucoamylase immobilized in porous glass fibres and beads. <i>Process Biochemistry</i> , 1992, 27, 177-181.	3.7	6
353	Activities of pork muscle proteases in model cured meat systems. <i>Biochimie</i> , 1992, 74, 291-296.	2.6	92
354	EFFECT OF THE REDOX POTENTIAL ON THE MUSCLE ENZYME SYSTEM. <i>Journal of Food Biochemistry</i> , 1992, 16, 207-215.	2.9	7
355	SUBCUTANEOUS ADIPOSE TISSUE LIPOLYSIS IN THE PROCESSING OF DRY-CURED HAM. <i>Journal of Food Biochemistry</i> , 1992, 16, 323-335.	2.9	42
356	Detection of Proteolytic Activity in Microorganisms Isolated from Dry-Cured Ham. <i>Journal of Food Science</i> , 1992, 57, 1308-1310.	3.1	105
357	Muscle and Adipose Tissue Aminopeptidase Activities in Raw and Dry-Cured Ham.. <i>Journal of Food Science</i> , 1992, 57, 816-818.	3.1	71
358	Protein extractability in dry-cured ham. <i>Food Chemistry</i> , 1992, 44, 391-394.	8.2	55
359	Assay of lipase and esterase activities in fresh pork meat and dry-cured ham. <i>Zeitschrift Fur Lebensmittel-Untersuchung Und -Forschung</i> , 1992, 195, 446-450.	0.6	90
360	Deproteinization techniques for HPLC amino acid analysis in fresh pork muscle and dry-cured ham. <i>Journal of Agricultural and Food Chemistry</i> , 1991, 39, 1792-1795.	5.2	215

#	ARTICLE	IF	CITATIONS
361	Simple test for differentiation between fresh pork and frozen/thawed pork. Meat Science, 1991, 29, 177-181.	5.5	22
362	Assay of Cathepsin D activity in fresh pork muscle and dry-cured ham. Meat Science, 1991, 29, 287-293.	5.5	25
363	Problems associated with the assay of cathepsin D in meat and meat products. Food Chemistry, 1991, 40, 87-91.	8.2	8
364	Effect of dry-curing process parameters on pork muscle cathepsin B, H and L activity. Zeitschrift Fur Lebensmittel-Untersuchung Und -Forschung, 1991, 193, 541-544.	0.6	59
365	Aminopeptidase interference in the assay of muscle cathepsin H. Journal of the Science of Food and Agriculture, 1991, 54, 651-653.	3.5	5
366	Study of the White Film Developed on the Cut Surface of Vacuum-packed Dry-cured Ham Slices. Journal of Food Science, 1990, 55, 1189-1191.	3.1	18
367	Activity of cathepsin D as affected by chemical and physical dry-curing parameters. Zeitschrift Fur Lebensmittel-Untersuchung Und -Forschung, 1990, 191, 20-23.	0.6	44
368	Methane generation from chemically pretreated cellulose by anaerobic fluidized-bed reactors. Biological Wastes, 1989, 29, 201-210.	0.2	3
369	Examination of cathepsins B, D, H and L activities in dry-cured hams. Meat Science, 1988, 23, 1-7.	5.5	145
370	Fluidized bed anaerobic biodegradation of food industry wastewaters. Biological Wastes, 1987, 21, 55-61.	0.2	29
371	Scanning electron microscopic observation of porous glass fibers with immobilized glucoamylase. Applied Biochemistry and Biotechnology, 1987, 16, 71-77.	2.9	3
372	Immobilization of glucoamylase in porous glass fibers. Journal of Chemical Technology and Biotechnology, 1987, 40, 275-284.	3.2	5
373	Fluidized bed biomethanation of acetic acid. Applied Microbiology and Biotechnology, 1986, 23, 336.	3.6	11
374	Use of porous glass fiber as a support for biocatalyst immobilization. Biotechnology Letters, 1986, 8, 785-790.	2.2	14
375	Characterization of Proteolysis. , 0, , 113-134.		2
376	Flavor Development. , 0, , 153-172.		1
377	Nutritional Properties. , 0, , 173-187.		1
378	Description of Main Muscle Characteristics. , 0, , 7-26.		0

#	ARTICLE	IF	CITATIONS
379	Characterization of Lipolysis. , 0, , 135-151.		0
380	Effect of Raw Materials and Processing on Quality. , 0, , 189-210.		0
381	Main Defects and Preventive Measures. , 0, , 211-220.		0
382	Meat: Fermented Meats. , 0, , 399-415.		8
383	Rapid Liquid Chromatographic Techniques for Detection of Key (Bio)Chemical Markers. , 0, , 229-251.		2
384	Biochemistry of Meat and Fat. , 0, , 51-58.		10
385	Sensory Quality of Meat Products. , 0, , 303-328.		6
386	Sausages. , 0, , 251-264.		4
387	Dry-Fermented Sausages: An Overview. , 0, , 321-325.		9
388	Processed Pork Meat Flavors. , 0, , 281-301.		13
389	Ingredients. , 0, , 59-76.		2
390	Ham. , 0, , 233-249.		5
391	Fermented Meat Production. , 0, , 265-279.		2
392	Sensory Evaluation of Meat Products. , 0, , 457-468.		1
393	Curing. , 0, , 125-141.		8
394	Microbial Hazards in Foods: Food-Borne Infections and Intoxications. , 0, , 481-500.		13