

# Evgenii Baldin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7111455/publications.pdf>

Version: 2024-02-01

474  
papers

18,537  
citations

16451  
64  
h-index

28297  
105  
g-index

492  
all docs

492  
docs citations

492  
times ranked

9712  
citing authors

#	ARTICLE	IF	CITATIONS
1	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	3.9	489
2	Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at $s = 7 \text{ TeV}$ and $8 \text{ TeV}$ . Journal of High Energy Physics, 2016, 2016, 1.	4.7	473
3	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $s = 13 \text{ TeV}$ . European Physical Journal C, 2016, 76, 292.	3.9	453
4	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	3.9	325
5	Performance of pile-up mitigation techniques for jets in pp collisions at $s = 8 \text{ TeV}$ . European Physical Journal C, 2016, 76, 581.	3.9	298
6	Luminosity determination in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	3.9	279
7	Observation of Long-Range Elliptic Anisotropies in $\eta$ and $\phi$ Distributions. European Physical Journal C, 2016, 76, 228.	7.8	228
8	Measurement of the W-boson mass in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 110.	3.9	218
9	Search for an additional, heavy Higgs boson in the $H \rightarrow ZZ \rightarrow 2l^+ 2l^-$ decay channel at $s = 8 \text{ TeV}$ in pp collision data with the ATLAS detector. European Physical Journal C, 2016, 76, 45.	3.9	197
10	Search for high-mass dilepton resonances using 139 fb $^{-1}$ of pp collision data collected at $s = 8 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 765, 137.	4.1	196
11	Measurement of the Inelastic Proton-Proton Cross Section at $s = 8 \text{ TeV}$ with the ATLAS Detector at the LHC. Physical Review Letters, 2016, 117, 182002.	7.8	185
12	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $s = 13 \text{ TeV}$ . European Physical Journal C, 2018, 78, 903.	3.9	181
13	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	3.9	174
14	Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 173-191.	4.1	169
15	Search for new high-mass phenomena in the dilepton final state using 36 fb $^{-1}$ of proton-proton collision data at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	168
16	Measurement of the transverse momentum and $\phi$ distributions of Drell-Yan lepton pairs in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	3.9	154
17	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	3.9	145
18	Precision measurement and interpretation of inclusive $W^+ + W^-$ production. European Physical Journal C, 2017, 77, 367.	3.9	145

#	ARTICLE	IF	CITATIONS
19	Combination of the Searches for Pair-Produced Vectorlike Partners of the Third-Generation Quarks at $\sqrt{s} = 13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2018, 121, 211801.	7.8	145
20	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. <i>European Physical Journal C</i> , 2015, 75, 510.	3.9	138
21	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 199.	4.1	138
22	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	136
23	Combination of Searches for Invisible Higgs Boson Decays with the ATLAS Experiment. <i>Physical Review Letters</i> , 2019, 122, 231801.	7.8	133
24	ATLAS b-jet identification performance and efficiency measurement with $\text{arctan}(t/\tau)$ events in pp collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	132
25	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 995.	3.9	125
26	Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019, 14, P12006-P12006.	1.2	124
27	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb $^{-1}$ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	116
28	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 538.	3.9	115
29	Search for new phenomena in dijet mass and angular distributions from pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 754, 302–322.	3.9	109
30	Searches for scalar leptoquarks in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 5.	3.9	108
31	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	108
32	Search for heavy resonances decaying into WW in the $e\mu \mu \nu$ final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 24.	3.9	108
33	Search for heavy ZZ resonances in the $\ell^+ \ell^- \ell^+ \ell^-$ final states using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 293.	3.9	101
34	Measurement of the total cross section from elastic scattering in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 754, 302–322.	3.9	100
35	Search for Heavy Higgs Bosons Decaying into Two Tau Leptons with the ATLAS Detector Using $\ell^+ \ell^- \ell^+ \ell^-$ Collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Physical Review Letters</i> , 2020, 125, 051801.	7.8	97
36	Collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physical Review Letters</i> , 2020, 125, 051801.	7.8	97

#	ARTICLE	IF	CITATIONS
37	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	3.9	95
38	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	3.9	93
39	Measurement of $W\bar{A}$ and $Z$ -boson production cross sections in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 601-621.	3.9	88
40	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.	3.9	87
41	Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	3.9	86
42	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2021, 81, 1.	3.9	82
43	Measurement of the prompt $J/\psi \rightarrow \ell^+\ell^-$ pair production cross-section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	3.9	81
44	Search for dark matter at $\sqrt{s} = 13 \text{ TeV}$ in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	3.9	80
45	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	3.9	79
46	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	3.9	79
47	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2019, 79, 1.	3.9	77
48	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	3.9	75
49	Measurement of quarkonium production in proton-lead and proton-proton collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	3.9	75
50	Observation of Light-by-Light Scattering in Ultraperipheral $\text{Pb} + \text{Pb}$ Collisions with the ATLAS Detector. Physical Review Letters, 2019, 123, 052001.	3.9	75
51	Search for Heavy Higgs Bosons A/H Decaying to a Top Quark Pair in pp Collisions at $s=8 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2017, 119, 191803.	7.8	74
52	Measurement of the nuclear modification factor for inclusive jets in $\text{Pb} + \text{Pb}$ collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 790, 108-128.	3.9	74
53	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	3.9	73
54	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	3.9	73

#	ARTICLE	IF	CITATIONS
55	Search for supersymmetry at $\sqrt{s} = 13$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	3.9	72
56	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	71
57	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	3.9	71
58	Search for resonances in diphoton events at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	70
59	Search for Resonant and Non-resonant Higgs Boson Pair Production in the $t\bar{t}$ Decay Channel in $\sqrt{s}=13$ TeV proton-proton collisions collected at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 775, 105-125.	4.7	70
60	ATLAS data quality operations and performance for 2015-2018 data-taking. Journal of Instrumentation, 2020, 15, P04003-P04003.	1.2	68
62	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	67
63	Dijet Resonance Search with Weak Supervision Using $\sqrt{s}=13$ TeV proton-proton collisions in the ATLAS Detector. Physical Review Letters, 2020, 125, 131801.	4.7	67
64	A search for pair-produced resonances in four-jet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	3.9	66
65	Evidence for the $H \rightarrow b\bar{b}$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	64
66	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	64
67	Measurement of the differential cross-sections of prompt and non-prompt production of $J/\psi$ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	3.9	63
68	Measurement of the Higgs boson mass in the $H \rightarrow ZZ \rightarrow 4\ell$ and $H \rightarrow \tau^+\tau^-$ channels with $\sqrt{s} = 8$ TeV pp collisions using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 345-366.	3.9	63
69	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 154.	3.9	62
70	Performance of the ATLAS muon triggers in Run 2. Journal of Instrumentation, 2020, 15, P09015-P09015.	1.2	62
71	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13$ TeV pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	3.9	61
72	Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8$ TeV proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	3.9	61

#	ARTICLE	IF	CITATIONS
73	Prompt and non-prompt $J/\psi$ and $\psi(2S)$ suppression at high transverse momentum in $5.02\text{TeV}$ Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	3.9	61
74	Search for doubly charged scalar bosons decaying into same-sign $W$ boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	3.9	61
75	A search for the dimuon decay of the Standard Model Higgs boson with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2021, 812, 135980.	4.1	61
76	Summary of the searches for squarks and gluinos using $s = 8\text{TeV}$ pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
77	Search for dark matter produced in association with bottom or top quarks in $13\text{TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	3.9	60
78	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $s_{\text{NN}} = 2.76\text{ s}^{-1}$ and $5.0$ . European Physical Journal C, 2018, 78, 142.	3.9	59
79	New precision measurement of the $J/\psi$ - and $\psi^2$ -meson masses. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 573, 63-79.	4.1	58
80	Measurement of the production cross-section using $e^{l_1 l_2}$ events with b-tagged jets in pp collisions at $8\text{TeV}$ . European Physical Journal C, 2018, 78, 142.	4.1	57
81	Search for scalar leptoquarks in pp collisions at $13\text{TeV}$ with the ATLAS experiment. New Journal of Physics, 2016, 18, 093016.	2.9	56
82	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at $8\text{TeV}$ using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	3.9	56
83	The KEDR detector. Physics of Particles and Nuclei, 2013, 44, 657-702.	0.7	55
84	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	4.7	55
85	Charged-particle distributions in pp interactions measured with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 67-88.	4.1	54
86	Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	55
87	Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $8\text{TeV}$ using the ATLAS detector. European Physical Journal C, 2016, 76, 11.	3.9	54
88	Search for an invisibly decaying Higgs boson or dark matter candidates produced in association with a Z boson in pp collisions at $8\text{TeV}$ using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 67-88.	4.1	54
89	Search for Higgs boson pair production in the $\gamma\gamma \rightarrow WW^*$ channel using pp collision data recorded at $13\text{TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 555-574.	4.1	53
90	Search for Higgs boson pair production in the $\gamma\gamma \rightarrow WW^*$ channel using pp collision data recorded at $13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	3.9	53

#	ARTICLE	IF	CITATIONS
91	Search for the Decay of the Higgs Boson to Charm Quarks with the ATLAS Experiment. Physical Review Letters, 2018, 120, 211802. Observation of Electroweak Production of a Same-Sign $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"> \langle \text{mml:mi} \rangle W \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle \text{ Boson Pair in Association with Two Jets in } \langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"> \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle \text{ Collisions at } \langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block"> \langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ altimg="si1.svg" display="block"> \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle \text{ linebreak="goodbreak" linebreakstyle="after"> = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle \langle \text{mml:mspace width="0.25em" style="margin-left: 0.25em;"/> \langle \text{mml:mtext} \rangle TeV \langle / \text{mml:mtext} \rangle \langle / \text{mml:math} \rangle \text{ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 800, 135103.}$	7.8	53
92	$\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block"> \langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ altimg="si1.gif" display="block"> \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle \text{ linebreak="goodbreak" linebreakstyle="after"> = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle \langle \text{mml:mspace width="0.25em" style="margin-left: 0.25em;"/> \langle \text{mml:mtext} \rangle TeV \langle / \text{mml:mtext} \rangle \langle / \text{mml:math} \rangle \text{ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 800, 135103.}$	7.8	53
93	Search for lepton-flavour-violating $H \rightarrow l^+l^-$ , decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.1	53
94	Search for high-mass new phenomena in the dilepton final state using proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ . Measurement of the top quark mass in the $t\bar{t}$ channel from $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 761, 372-392.	4.7	52
95	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	3.9	52
96	Search for minimal supersymmetric standard model Higgs Bosons $H \rightarrow A$ and for a $Z' \rightarrow l^+l^-$ boson in the $\sqrt{s} = 13\text{TeV}$ final state produced in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	3.9	51
97	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8\text{TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	3.9	51
98	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{\text{NN}}} = 2.76\text{TeV}$ . European Physical Journal C, 2017, 77, 379.	3.9	51
99	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{\text{NN}}} = 5.02\text{TeV}$ Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	3.9	51
100	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	3.9	50
101	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	3.9	50
102	Search for High-Mass Resonances Decaying to $\ell^+\ell^-$ in $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 401.	3.9	50
103	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in $36\text{fb}^{-1}$ pp collisions at $\sqrt{s} = 13\text{TeV}$ . European Physical Journal C, 2018, 78, 401.	3.9	50
104	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	49
105	Search for Dark Matter Produced in Association with a Higgs-Boson Decaying to $\ell^+\ell^-$ . Physical Review Letters, 2017, 119, 181804.	7.8	49
106	Using $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block"> \langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ altimg="si1.gif" display="block"> \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle \text{ linebreak="goodbreak" linebreakstyle="after"> = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle \langle \text{mml:mspace width="0.25em" style="margin-left: 0.25em;"/> \langle \text{mml:mtext} \rangle TeV \langle / \text{mml:mtext} \rangle \langle / \text{mml:math} \rangle \text{ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 800, 135103.}$	4.7	49
107	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13\text{TeV}$ pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	49

#	ARTICLE	IF	CITATIONS
109	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	3.9	48
110	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using $36 \text{ fb}^{-1}$ of $\sqrt{s} = 13 \text{ TeV}$ pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	48
111	Status of the KEDR detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2002, 478, 420-425.	1.6	47
112	Measurement of total and differential $W + W \rightarrow$ production cross sections in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector and limits on anomalous triple-gauge-boson couplings. Journal of High Energy Physics, 2016, 2016, <i>pr</i> . coefficients for $\langle \text{mml:math} \rangle$	4.7	47
113	$\text{xml�:math} = \text{http://www.w3.org/1998/Math/MathML}$ $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle$ $\langle / \text{mml:mrow} \rangle$ $\langle / \text{mml:math} \rangle$ collisions at $\langle \text{mml:math} \rangle$	2.9	47
114	$\text{xml�:math} = \text{http://www.w3.org/1998/Math/MathML}$ $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:msqrt} \rangle$ $\langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle$ $\langle / \text{mml:msqrt} \rangle$ $\langle \text{mml:mo} \rangle = \langle / \text{mml:math} \rangle$ and $13 \text{ TeV}$ and $\langle \text{mml:math} \rangle$ $\text{mml:math} = \text{http://www.w3.org/1998/Math/MathML}$ $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mi} \rangle$	3.9	47
115	Measurements of the production cross section of a $Z$ boson in association with jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2017, 77, 361.	3.9	47
116	Measurement of the top quark mass in the $t \rightarrow t \bar{t}$ decay. European Physical Journal C, 2019, 79, 1.	3.9	47
117	Study of the rare decays of $B^0 \rightarrow B^0$ and $B^+ \rightarrow B^0$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513. Measurement of long-range multiparticle azimuthal correlations with the subevent cumulant method in $\langle \text{mml:math} \rangle$	3.9	46
118	$\text{xml�:math} = \text{http://www.w3.org/1998/Math/MathML}$ $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle$ $\langle / \text{mml:mrow} \rangle$ $\langle / \text{mml:math} \rangle$ and $\langle \text{mml:math} \rangle$ $\text{xml�:math} = \text{http://www.w3.org/1998/Math/MathML}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle$ $\langle / \text{mml:math} \rangle$ +Pb collisions with the ATLAS detector at the CERN Large Hadron Collider. Physical Review C, 2018, 97.	4.7	46
119	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	46
120	Measurement of photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1. Measurements of gluon-gluon fusion and vector-boson fusion Higgs boson production cross-sections in the $H \rightarrow WW \rightarrow 4\ell$ decay channel in pp collisions at $\langle \text{mml:math} \rangle$	3.9	46
121	$\text{xml�:math} = \text{http://www.w3.org/1998/Math/MathML}$ $\langle \text{mml:mi} \rangle \text{altimg} = \text{"si1.gif"}$ $\text{overflow} = \text{"scroll"}$ $\langle \text{mml:msqrt} \rangle$ $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle$ $\langle / \text{mml:mrow} \rangle$ $\langle / \text{mml:msqrt} \rangle$ $\langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle$ $\langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle$ width="0.25em" $\rangle$ $\langle \text{mml:mtext} \rangle \text{TeV} \langle / \text{mml:mtext} \rangle$ $\langle / \text{mml:math} \rangle$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 508-529.	4.7	46
122	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	46
123	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	45
124	Search for a heavy Higgs boson decaying into a $Z$ boson and another heavy Higgs boson in the $a_1 \rightarrow a_1 \rightarrow bb$ final state in pp collisions at $\langle \text{mml:math} \rangle$ $\text{xml�:math} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{altimg} = \text{"si1.gif"}$ $\text{overflow} = \text{"scroll"}$ $\langle \text{mml:msqrt} \rangle$ $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle$ $\langle / \text{mml:mrow} \rangle$ $\langle / \text{mml:msqrt} \rangle$ $\langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle$ $\langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 508-529.	4.7	45
125	$\text{xml�:math} = \text{http://www.w3.org/1998/Math/MathML}$ $\langle \text{mml:mi} \rangle \text{mathvariant} = \text{"italic"}$ $\langle \text{mml:math} \rangle Z \langle / \text{mml:math} \rangle$ $\langle / \text{mml:math} \rangle$ boson production in $\langle \text{mml:math} \rangle$	2.9	44
126	$\text{xml�:math} = \text{http://www.w3.org/1998/Math/MathML}$ $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle$ $\langle \text{mml:mo} \rangle + \langle / \text{mml:mo} \rangle$ $\langle \text{mml:mi} \rangle p_b \langle / \text{mml:mi} \rangle$ $\langle / \text{mml:math} \rangle$ $\text{xml�:math} = \text{http://www.w3.org/1998/Math/MathML}$ $\langle \text{mml:mi} \rangle \text{mathvariant} = \text{"italic"}$ $\langle \text{mml:math} \rangle NN \langle / \text{mml:math} \rangle$ $\langle \text{mml:msub} \rangle$ $\langle \text{mml:msqrt} \rangle$ $\langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle$ $\langle \text{mml:msub} \rangle$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle$ $\langle \text{mml:msqrt} \rangle$ $\langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle$ $\langle \text{mml:mn} \rangle 5.02 \langle / \text{mml:mn} \rangle$ $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mi} \rangle \text{altimg} = \text{"si1.gif"}$ $\text{overflow} = \text{"scroll"}$ $\langle \text{mml:mi} \rangle \hat{I}^3 \langle / \text{mml:mi} \rangle$ $\langle \text{mml:mi} \rangle \hat{I}^3 \langle / \text{mml:mi} \rangle$ $\langle \text{mml:mi} \rangle \text{mathvariant} = \text{"italic"}$ $\langle \text{mml:math} \rangle \hat{Z} \langle / \text{mml:math} \rangle$ $\langle / \text{mml:math} \rangle$ production in proton-proton collisions at $\langle \text{mml:math} \rangle$	4.1	43

#	ARTICLE	IF	CITATIONS
127	Search for charged Higgs bosons in the $H \pm \tau^{\pm}$ decay channel in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	43
128	Search for single production of vector-like quarks decaying into $Wb$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 442.	3.9	43
129	Search for single top-quark production via flavour-changing neutral currents at $8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 55.	3.9	43
130	Constraints on off-shell Higgs boson production and the Higgs boson total width in $Z Z \rightarrow 4\ell$ and $Z Z \rightarrow 2\ell 2\nu$ final states with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 786, 223-244.	4.1	43
131	Combined measurement of differential and total cross sections in the $H \rightarrow \tau^+ \tau^-$ and the $H \rightarrow a_1 a_1$ decay channels at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 786, 111-133.	4.1	43
132	Performance of top-quark and $\varvec{W}$ -boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	42
133	Measurement of the $t t \rightarrow Z$ and $t t \rightarrow W$ production cross sections in multilepton final states using $3.2 \text{ fb}^{-1}$ of $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 40. Observation of Centrality-Dependent Acoplanarity for Muon Pairs Produced via Two-Photon Scattering in $t t \rightarrow Z$ . <i>Physical Review Letters</i> , 2018, 121, 081801.	3.9	41
134	Collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review Letters</i> , 2018, 121, 081801.	7.8	41
135	Collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review Letters</i> , 2018, 121, 081801.	7.8	41
136	Higgs boson production cross-section measurements and their EFT interpretation in the $4\ell$ decay channel at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	41
137	Measurement of the $\tilde{\nu}_e$ lepton mass at the KEDR detector. <i>JETP Letters</i> , 2007, 85, 347-352.	1.4	40
138	Search for heavy resonances decaying into a $W$ or $Z$ boson and a Higgs boson in final states with leptons and b-jets in $36 \text{ fb}^{-1}$ of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	40
139	Measurements of b-jet tagging efficiency with the ATLAS detector using $t \bar{t}$ events at $\sqrt{s} = 13 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	40
140	Properties of Higgs Boson Interactions with Top Quarks in the $t \bar{t}$ system. <i>European Physical Journal C</i> , 2021, 81, 1.	7.8	40
141	Search for heavy resonances decaying into a pair of $Z$ bosons in the $4\ell$ final states using $139 \text{ fb}^{-1}$ of proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	40
142	Transverse momentum, rapidity, and centrality dependence of inclusive charged-particle production in $p + \text{Pb}$ collisions measured by the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 763, 313-336.	3.9	39
143	Search for flavour-changing neutral current top-quark decays to $qZ$ in $\sqrt{s} = 8 \text{ TeV}$ p p collision data collected with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$ . <i>European Physical Journal C</i> , 2016, 76, 12.	3.9	39
144	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8 \text{ TeV}$ . <i>European Physical Journal C</i> , 2016, 76, 87.	3.9	39

#	ARTICLE	IF	CITATIONS
145	Search for heavy long-lived charged R-hadrons with the ATLAS detector in $3.2 \text{ fb}^{-1}$ of proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 760, 647-665.	4.1	39
146	Search for a Structure in the Invariant Mass Spectrum with the ATLAS Experiment. Physical Review Letters, 2018, 120, 202007.	4.1	39
147	lepton in pp collisions with the ATLAS detector at $\sqrt{s} = 13 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 798, 134942.	4.1	39
148	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	38
149	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	38
150	Measurement of the exclusive $t\bar{t} + b\bar{b}$ process in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 777, 303-323.	4.1	38
151	Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 791, 469-492.	4.1	38
152	Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	38
153	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	3.9	37
154	Measurement of the W boson polarisation in $t\bar{t} \rightarrow t\bar{t} \gamma$ events from pp collisions at $\sqrt{s} = 8 \text{ TeV}$ in the lepton+jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	3.9	37
155	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	37
156	Electron and photon energy calibration with the ATLAS detector using 2015-2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	1.2	37
157	Search for squarks and gluinos in final states with jets and missing transverse momentum using $139 \text{ fb}^{-1}$ of $\sqrt{s} = 13 \text{ TeV}$ pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	37
158	Search for the Dimuon Decay of the Higgs Boson in pp Collisions at $s = 13 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2017, 119, 051802.	7.8	36
159	Search for pair production of heavy vector-like quarks decaying to high-pT W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	36
160	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	36
161	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t} \rightarrow t\bar{t} \gamma$ plus missing transverse momentum final state at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	36
162	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.	3.9	35

#	ARTICLE	IF	CITATIONS
163	Search for diboson resonances with boson-tagged jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 756, 228-246.	3.9	34
164	Evidence for single top-quark production in the s-channel in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector using the Matrix Element Method. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 756, 228-246.	3.9	34
165	Measurements of top-quark pair differential and double-differential cross-sections in the $\ell\ell + \text{jets}$ channel with pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	34
166	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	34
167	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	33
168	Measurements of $t\bar{t}(2S)$ and $X(3872) \rightarrow J/\psi + \ell\ell \bar{\nu}\ell$ production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	33
169	Measurement of the soft-drop jet mass to scale ratio $\langle m_{\text{soft}} / \langle m_{\text{jet}} \rangle \rangle$ . Physical Review Letters, 2018, 121, 092001.	7.8	33
170	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	33
171	Search for invisible Higgs boson decays in vector boson fusion at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 793, 499-519.	3.9	32
172	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $\ell\ell + \text{jets}$ decay channel at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2020, 80, 1.	3.9	32
173	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	3.9	31
174	Constraints on non-Standard Model Higgs boson interactions in an effective Lagrangian using differential cross sections measured in the $H \rightarrow t\bar{t}^3$ decay channel at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 753, 69-85.	4.1	31
175	Production Cross Section in $Z\bar{Z}$ Collisions at $\sqrt{s} = 13 \text{ TeV}$ . Physical Review Letters, 2016, 116, 121801.	7.8	31
176	A search for prompt lepton-jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	31
177	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
178	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb $^{-1}$ of $\sqrt{s} = 13 \text{ TeV}$ pp collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
179	Search for $W W/W Z$ resonance production in $\ell\ell qq$ final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
180	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s} = 13 \text{ TeV}$ . Journal of High Energy Physics, 2018, 2018, 1.	4.7	31

#	ARTICLE	IF	CITATIONS
181	Search for light resonances decaying to boosted quark pairs and produced in association with a photon or a jet in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 788, 316-335.	4.1	31
182	Search for the Higgs boson decays $H \rightarrow t\bar{t}$ and $H \rightarrow b\bar{b}$ at $\sqrt{s} = 13 \text{ TeV}$ in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 801, 135148.	4.1	31
183	Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	4.7	30
184	Charged-particle distributions in pp interactions at $\sqrt{s} = 8 \text{ TeV}$ measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.	3.9	30
185	Searches for the $Z \rightarrow l^+l^-$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	30
186	Study of $WW\gamma$ and $WZ\gamma$ production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2017, 77, 646.	3.9	30
187	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	30
188	Searches for lepton-flavour-violating decays of the Higgs boson in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 800, 135069.	4.1	30
189	Evidence for $t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	30
190	Search for dark matter produced in association with a hadronically decaying vector boson in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 763, 251-268.	4.1	29
191	Dijet production in pp collisions with large rapidity gaps at the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 754, 214-234.	4.1	29
192	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	3.9	29
193	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
194	Measurement of the cross section for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 770, 473-493.	4.1	29
195	Study of the material of the ATLAS inner detector for Run 2 of the LHC. Journal of Instrumentation, 2017, 12, P12009-P12009.	1.2	29
196	Searches for heavy ZZ and ZW resonances in the $q\bar{q}$ , $qq$ and $\tilde{l}\tilde{l}/\tilde{l}\tilde{l}q\bar{q}$ final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
197	Measurement of the azimuthal anisotropy of charged-particle production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physical Review C, 2020, 101, 054905.	2.9	29
198	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	29

#	ARTICLE	IF	CITATIONS
199	Combination of searches for WW, WZ, and ZZ resonances in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 755, 285-305.		
200	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$ . European Physical Journal C, 2017, 77, 804.	3.9	28
201	Measurement of $WW/WZ \rightarrow e\mu\ell\tau$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s} = 8\text{ TeV}$ with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563.	3.9	28
202	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $\sqrt{s} = 8\text{ TeV}$ . Journal of High Energy Physics, 2017, 2017, 1.	4.7	28
203	In situ calibration of large-radius jet energy and mass in $13\text{ TeV}$ proton-proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	28
204	Measurement of photon-jet transverse momentum correlations in $5.02\text{ TeV}$ Pb + Pb and pp collisions with ATLAS. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 167-190.	4.1	28
205	Measurements of top-quark pair differential cross-sections in the $e\mu\ell\tau$ channel in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 77, 292.	4.1	28
206	Measurement of the Lund Jet Plane Using Charged Particles in $13\text{ TeV}$ Proton-Proton Collisions with the ATLAS Detector. Physical Review Letters, 2020, 124, 222002.	7.8	28
207	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13\text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	28
208	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s} = 8\text{ TeV}$ using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	3.9	27
209	Measurements of top-quark pair differential cross-sections in the $e\mu\ell\tau$ channel in pp collisions at $\sqrt{s} = 13\text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	3.9	27
210	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13\text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	3.9	27
211	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\tilde{\nu}_e$ -lepton in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
212	Search for dark matter in association with a Higgs boson decaying to b-quarks in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 765, 11-31.		
213	Measurements of electroweak $W_{jj}$ production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	3.9	26
214	Searches for exclusive Higgs and Z boson decays into $\tilde{\chi}_1^0\tilde{\chi}_1^0$ , $\tilde{\chi}_1^0(2S)\tilde{\chi}_1^0$ , and $\tilde{\chi}_1^0(nS)\tilde{\chi}_1^0$ at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 776, 13-20.		
215	Searches for Higgs boson decays into $\tilde{\chi}_1^0\tilde{\chi}_1^0$ in the $p_T^{miss} > 155\text{ GeV}$ final state in $\sqrt{s} = 13\text{ TeV}$ pp collision at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 790, 1-21.		
216	Measurement of the $t\bar{t}$ production cross-section and lepton differential distributions in $\sqrt{s} = 13\text{ TeV}$ dilepton events from pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, .	3.9	26

#	ARTICLE	IF	CITATIONS
217	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $\ell\ell b\bar{b}$ and $\ell\ell W\bar{W}$ final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Euro. Phys. J. C</i> , 2017, 77, 1.	3.9	26
218	Measurement of Euclidean $\ell^+ \ell^- \ell^+ \ell^-$ final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Euro. Phys. J. C</i> , 2018, 78, 1.	4.1	25
219	Searches for heavy diboson resonances in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	25
220	Search for triboson $WW^{pm} W^{mp} W^{mp}$ production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 141.	3.9	25
221	Operation and performance of the ATLAS Tile Calorimeter in Run A1. <i>European Physical Journal C</i> , 2018, 78, 987.	3.9	25
222	Correlated long-range mixed-harmonic fluctuations measured in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 789, 444-471.	4.1	25
223	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	25
224	Search for Magnetic Monopoles and Stable High-Electric-Charge Objects in 13 TeV Proton-Proton Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2020, 124, 031802.	7.8	25
225	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 605.	3.9	24
226	Measurement of R <sub>uds</sub> and R between 3.12 and 3.72 GeV at the KEDR detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 753, 533-541.	4.1	24
227	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2016, 76, 517.	3.9	24
228	Measurement of the $W\bar{Z}$ boson pair-production cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 762, 1-22.	4.1	24
229	Measurement of forward-backward multiplicity correlations in lead-lead, proton-lead, and proton-proton collisions with the ATLAS detector. <i>Physical Review C</i> , 2017, 95.	2.9	24
230	Search for heavy resonances decaying to a W or Z boson and a Higgs boson in the $\ell\ell b\bar{b}$ final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review C</i> , 2017, 95.	4.1	24
231	Measurement of fragmentation in $\sqrt{s} = 13 \text{ TeV}$ and $\sqrt{s} = 14 \text{ TeV}$ collisions at $\eta = 0$ with the ATLAS detector. <i>Physical Review C</i> , 2018, 98.	2.9	24
232	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	24
233	Measurement of fiducial and differential $WW$ production cross-sections at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	24
234	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	24

#	ARTICLE	IF	CITATIONS
235	Measurement of main parameters of the Quark Fragmentation Fractions using the ATLAS detector and determination of the strong coupling constant using the ATLAS detector and determination of the strong coupling constant	4.1	23
236	Determination of the Ratio of the Quark Fragmentation Fractions	7.8	23
237	using the ATLAS detector and determination of the strong coupling constant	4.1	23
238	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	3.9	23
239	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. Comparison of Fragmentation Functions for Jets Dominated by Light Quarks and Gluons from	4.7	23
240	$\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block">\langle \text{mml:mi} \text{ p}\langle/\text{mml:mi}\rangle\langle \text{mml:mi} \text{ p}\langle/\text{mml:mi}\rangle\langle \text{mml:math}\rangle \text{ and } \langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block">\langle \text{mml:mrow}\langle \text{mml:mrow}\langle \text{mml:mi} \text{ Pb}\langle/\text{mml:mi}\rangle\langle \text{mml:mo}+\langle \text{mml:mo}\langle \text{mml:mi} \text{ Pb}\langle/\text{mml:mi}\rangle\langle \text{mml:mrow}\rangle\langle \text{mml:mrow}\rangle$	7.8	23
241	Collisions in ATLAS. Physical Review Letters, 2019, 123, 042001. Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . Journal of High Energy Physics, 2021, 2021, 1.	4.7	23
242	AtFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	2.9	23
243	Measurement of the $t\bar{t} \rightarrow W\bar{W}$ and $t\bar{t} \rightarrow Z\bar{Z}$ production cross sections in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
244	High-ET isolated-photon plus jets production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Nuclear Physics B, 2017, 918, 257-316. <i>(ed. in association with a photon)</i>	2.5	22
245	using pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 795, 56-75.	4.1	22
246	Measurements of top-quark pair spin correlations in the $t\bar{t} \rightarrow \mu^+\mu^-$ channel at $\sqrt{s} = 13 \text{ TeV}$ using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	22
247	<i>(ed. in association with a photon)</i> proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 800, 135324.	4.1	22
248	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	22
249	Observation and Measurement of Forward Proton Scattering in Association with Lepton Pairs Produced via the Photon Fusion Mechanism at ATLAS. Physical Review Letters, 2020, 125, 261801.	7.8	22
250	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	3.9	21
251	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	21
252	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum with ATLAS using $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ altimg="si1.gif" overflow="scroll">\langle \text{mml:msqrt}\langle \text{mml:mi} \text{ s}\langle/\text{mml:mi}\rangle\langle \text{mml:msqrt}\langle \text{mml:mo}=\langle \text{mml:mo}\langle \text{mml:mn} \text{ 13}\langle/\text{mml:mn}\rangle\langle \text{mml:mtext}\rangle\langle \text{mml:mtext}\rangle$	4.1	21

#	ARTICLE	IF	CITATIONS
253	Search for new resonances decaying to a W or Z boson and a Higgs boson in the $t\bar{t}WZ$ final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 782, 750-767.	4.1	21
254	Search for Higgs boson decays into pairs of light (pseudo)scalar particles in the $t\bar{t}S\bar{S}$ final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 782, 750-767.	4.1	21
255	Search for heavy resonances decaying to a Z boson and a photon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2021, 822, 136651.	4.1	21
256	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	20
257	Search for heavy resonances decaying to a Z boson and a photon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 764, 11-20.	4.1	20
258	Measurements of top quark spin observables in $t\bar{t}\gamma$ events using dilepton final states in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	20
259	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13 \text{ TeV}$ with ATLAS. European Physical Journal C, 2018, 78, 186.	3.9	20
260	Search for $W\rightarrow\ell^+\ell^-$ decays in the hadronic final state using pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 327-348.	4.1	20
261	Search for heavy charged long-lived particles in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ using an ionisation measurement with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 788, 96-116.	4.1	20
262	Search for Higgs Boson Decays into a Z Boson and a Light Hadronically Decaying Resonance Using 13 TeV pp Collision Data from the ATLAS Detector. Physical Review Letters, 2020, 125, 221802.	7.8	20
263	Search for flavour-changing neutral current top quark decays $t\rightarrow b\gamma$ in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	4.1	19
264	Search for resonances in the mass distribution of jet pairs with one or two jets identified as b-jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 270-279.	4.7	19
265	Search for the production of single vector-like and excited quarks in the $Wt$ final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
266	Probing lepton flavour violation via neutrinoless $\vartheta_{\mu e}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	4.7	19
267	Measurement of R between 1.84 and 3.05 GeV at the KEDR detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 770, 174-181.	4.1	19
268	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2017, 77, 765.	3.9	19
269	Measurement of the production cross-section of a single top quark in association with a Z boson in proton-proton collisions at 13 TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 780, 557-577.	4.1	19

#	ARTICLE	IF	CITATIONS
271	Prompt and non-prompt $\psi$ elliptic flow in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 784.	3.9	19
272	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb $^{-1}$ of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	19
273	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb $^{-1}$ of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. Measurement of colour flow with the jet pull angle in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ altimg="si1.gif" overflow="scroll" } \rangle \langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mover accent="true" } \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mo stretchy="false" } \rangle \hat{A} \langle / \text{mml:mo} \rangle \langle \text{mml:mrow} \rangle \langle / \text{mml:mover} \rangle \langle / \text{mml:math} \rangle$ events using the ATLAS detector at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ altimg="si2.gif" overflow="scroll" } \rangle$	4.7	19
274	Search for top quark decays $t \rightarrow qH$ , with $H \rightarrow \bar{t}^3\bar{t}^3$ , in $s = 13$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.1	18
275	Search for resonant WZ production in the fully leptonic final state in proton-proton collisions at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ altimg="si1.gif" overflow="scroll" } \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} = \rangle \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle \text{ width="0.25em" } \rangle \langle \text{mml:mtext} \rangle \text{TeV} \langle / \text{mml:mtext} \rangle \langle / \text{mml:math} \rangle$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 787, 68-88.	4.7	18
276	Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}$ production with additional heavy-flavour jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	18
277	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
278	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	18
279	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
280	Identification of high transverse momentum top quarks in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. Measurement of jet pT correlations in Pb + Pb and pp collisions at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ altimg="si1.gif" overflow="scroll" } \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} = \rangle \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 2.76 \langle / \text{mml:mn} \rangle \langle \text{mml:math} \text{ mathvariant="normal" } \rangle N \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msub} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} = \rangle \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 2.76 \langle / \text{mml:mn} \rangle \text{ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 774, 379-402.}$	4.7	17
281	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
282	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
283	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s = 13$ TeV with ATLAS. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
284	Direct top-quark decay width measurement in the $t\bar{t}$ lepton+jets channel at $\sqrt{s} = 8$ TeV with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	3.9	17
285	Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
286	Search for R-parity-violating supersymmetric particles in multi-jet final states produced in $p\bar{p}$ collisions at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ altimg="si1.gif" overflow="scroll" } \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} = \rangle \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle \text{ TeV using the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 785, 136-158.}$	4.7	17
287	Search for R-parity-violating supersymmetric particles in multi-jet final states produced in $p\bar{p}$ collisions at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ altimg="si1.gif" overflow="scroll" } \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} = \rangle \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle \text{ TeV using the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 785, 136-158.}$	4.7	17

#	ARTICLE	IF	CITATIONS
289	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
290	Measurement of azimuthal anisotropy of muons from charm and bottom hadrons in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ . <i>Nature Physics</i> , 2018, 14, 1022-1026.	4.1	17
291	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	17
292	Search for the $HH \rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	17
293	Measurement of the azimuthal anisotropy of muons from charm and bottom hadrons in $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>Physical Review Letters</i> , 2020, 124, 082301.	7.8	17
294	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	17
295	Longitudinal Flow Decorrelations in $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ Collisions at $\sqrt{s} = 13 \text{ TeV}$ . <i>Nature Physics</i> , 2021, 17, 1022-1026.	7.8	17
296	Measurements of the associated production of an Higgs boson decaying into b-quarks with a vector-like quark at high transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ . <i>Nature Physics</i> , 2021, 17, 1027-1031.	4.1	17
297	Search for displaced leptons in $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2021, 127, 051802.	7.8	17
298	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8 \text{ TeV}$ proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	16
299	Measurements of four-lepton production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 78, 847-853.	4.1	16
300	Search for single production of a vector-like quark via a heavy gluon in the 4b final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 758, 249-268.	4.1	16
301	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	16
302	Top-quark mass measurement in the all-hadronic $t\bar{t} \rightarrow t\bar{t}$ decay channel at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	16
303	Measurement of colour flow using jet-pull observables in $t\bar{t} \rightarrow t\bar{t}$ events with the ATLAS experiment at $\sqrt{s} = 13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2018, 78, 847.	3.9	16
304	Probing the Quantum Interference between Singly and Doubly Resonant Top-Quark Production in $t\bar{t} \rightarrow t\bar{t}$ Collisions at $\sqrt{s} = 13 \text{ TeV}$ . <i>Physical Review Letters</i> , 2018, 121, 152002.	7.8	16
305	Search for exclusive Higgs and Z boson decays to $t\bar{t}^3$ and $t\bar{t}^3$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	16
306	Measurement of differential cross sections and $W + W^\ast$ cross-section ratios for W boson production in association with jets at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	16

#	ARTICLE	IF	CITATIONS
307	Study of the hard double-parton scattering contribution to inclusive four-lepton production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 790, 595-614.		
308	Precise measurement of Ruds and R between 1.84 and 3.72 GeV at the KEDR detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 788, 42-51.	4.1	16
309	Measurement of the differential cross section for the production of a photon and a Z boson in the $e^+e^- \rightarrow e^+e^- \gamma Z$ reaction at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 790, 595-614.		

#	ARTICLE	IF	CITATIONS
325	Search for displaced vertices of oppositely charged leptons from decays of long-lived particles in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020, 801, 135141.	4.1	14
326	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
327	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s}=13\text{ TeV}$ . <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	14
328	Search for New Phenomena in Final States with Two Leptons and One or No b -Tagged Jets at $s=13\text{ TeV}$ Using the ATLAS Detector. <i>Physical Review Letters</i> , 2021, 127, 141801.	7.8	14
329	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13\text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
330	Search for $t\bar{t}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	14
331	Measurement of the c-jet mistagging efficiency in $t\bar{t}$ events using pp collision data at $\sqrt{s}=13\text{ TeV}$ collected with the ATLAS detector. <i>European Physical Journal C</i> , 2022, 82, .	3.9	14
332	Search for new resonances in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 760, 321-325.	4.7	14
333	Search for new resonances in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 760, 321-325.	4.7	14
334	Measurement of the CP-violating phase $\delta_{B_s}$ and the $B_s \rightarrow D^+ D^-$ meson decay width difference with $B_s \rightarrow D^+ D^-$ decays in ATLAS. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13
335	Search for new phenomena with photon+jet events in proton-proton collisions at $s = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13
336	Search for anomalous couplings in the $W tb$ vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1-46.	4.7	13
337	Measurements of top-quark pair to Z-boson cross-section ratios at $s = 13\text{ TeV}$ , 8, 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	13
338	Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at $\sqrt{s} = 13\text{ TeV}$ . <i>European Physical Journal C</i> , 2018, 78, 102.	3.9	13
339	Measurement of the production cross section of three isolated photons in pp collisions at $\sqrt{s} = 13\text{ TeV}$ . <i>European Physical Journal C</i> , 2018, 78, 102.	3.9	13
340	Search for non-resonant Higgs boson production in the $t\bar{t} \rightarrow W W \rightarrow l\ell \nu \nu$ channel in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 102.	4.1	13
341	Search for non-resonant Higgs boson production in the $t\bar{t} \rightarrow W W \rightarrow l\ell \nu \nu$ channel in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 102.	4.1	13
342	Measurement of the CP-violating phase $\phi_{B_s \rightarrow D^+ D^-}$ in $B_s \rightarrow D^+ D^-$ decays in ATLAS at 13 TeV. <i>European Physical Journal C</i> , 2021, 81, .	3.9	13

#	ARTICLE	IF	CITATIONS
343	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	13

344 Search for long-lived charginos based on a disappearing-track signature using  $136\text{fb}^{-1}$  of pp collisions at  $\sqrt{s}=13\text{TeV}$  with the ATLAS detector. European Physical Journal C, 2022, 82, .

345 New precise determination of the  $\tilde{\tau}_1$  lepton mass at KEDR detector. Nuclear Physics, Section B, Proceedings Supplements, 2007, 169, 125-131.  
Measurement of the branching ratio  $\tilde{\tau}_1 \rightarrow e^-\nu_e$ . Nuclear Physics, Section B, Proceedings Supplements, 2007, 169, 125-131.

346

#	ARTICLE	IF	CITATIONS
361	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
362	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	3.9	12
363	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and $13\text{TeV}$ . European Physical Journal C, 2022, 82, 1.	3.9	12
364	Measurement of four-jet differential cross sections in $s = 8$ TeV proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	4.7	11
365	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.	1.2	11
366	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13$ TeV recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	3.9	11
367	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	3.9	11
368	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1. <i>of angular and momentum distributions of charged particles within and around jets in</i>	4.7	11
369	<i>&lt;math&gt;\mathrm{xmlns:mml}=\mathrm{"http://www.w3.org/1998/Math/MathML"}&lt;/mml:mrow}&gt;&lt;\mathrm{mml:mi}&gt;\mathrm{Pb}&lt;/\mathrm{mml:mi}&gt;&lt;\mathrm{mml:mo}&gt;+&lt;/\mathrm{mml:mo}&gt;&lt;\mathrm{mml:mi}&gt;\mathrm{Pb}&lt;/\mathrm{mml:mi}&gt;</i> <i>&amp;lt;math&gt;\mathrm{xmlns:mml}=\mathrm{"http://www.w3.org/1998/Math/MathML"}&lt;/mml:mrow}&gt;&lt;\mathrm{mml:mi}&gt;\mathrm{p}&lt;/\mathrm{mml:mi}&gt;&lt;\mathrm{mml:mi}&gt;\mathrm{p}&lt;/\mathrm{mml:mi}&gt;&lt;/\mathrm{mml:mrow}&gt;&lt;/\mathrm{mml:math}&gt;</i>	2.9	11
370	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1. <i>Pb+Pb collisions at</i>	4.7	11
371	<i>&lt;math&gt;\mathrm{xmlns:mml}=\mathrm{"http://www.w3.org/1998/Math/MathML"}&lt;/mml:msqrt}&gt;&lt;\mathrm{mml:mrow}&gt;&lt;\mathrm{mml:msub}&gt;&lt;\mathrm{mml:mrow}&gt;&lt;\mathrm{mml:mi}&gt;\mathrm{s}&lt;/\mathrm{mml:mi}&gt;&lt;/\mathrm{mml:mrow}&gt;&lt;\mathrm{mml:mrow}&gt;&lt;\mathrm{mml:mi}&gt;\mathrm{NN}&lt;/\mathrm{mml:mi}&gt;&lt;/\mathrm{mml:mrow}&gt;&lt;\mathrm{mml:msub}&gt;&lt;\mathrm{mml:mrow}&gt;&lt;\mathrm{mml:msqrt}&gt;&lt;\mathrm{mml:mo}&gt;</i> <i>mathvariant="normal"&gt;NN&lt;/\mathrm{mml:mi}&gt;&lt;/\mathrm{mml:mrow}&gt;&lt;/\mathrm{mml:msub}&gt;&lt;/\mathrm{mml:mrow}&gt;&lt;\mathrm{mml:msqrt}&gt;&lt;\mathrm{mml:mo}&gt;</i> <i>linebreak="goodbreak" linebreakstyle="after"&gt;&gt;=&lt;/\mathrm{mml:mo}&gt;&lt;\mathrm{mml:mn}&gt;5.02&lt;/\mathrm{mml:mn}&gt;&lt;/\mathrm{mml:math}&gt; \mathrm{TeV}</i>	4.1	11
372	measured by the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and Two-particle azimuthal correlations in photonuclear ultraperipheral		
373	<i>&lt;math&gt;\mathrm{xmlns:mml}=\mathrm{"http://www.w3.org/1998/Math/MathML"}&lt;/mml:mrow}&gt;&lt;\mathrm{mml:mi}&gt;\mathrm{Pb}&lt;/\mathrm{mml:mi}&gt;&lt;\mathrm{mml:mo}&gt;+&lt;/\mathrm{mml:mo}&gt;&lt;\mathrm{mml:mi}&gt;\mathrm{Pb}&lt;/\mathrm{mml:mi}&gt;</i> <i>&amp;lt;math&gt;\mathrm{xmlns:mml}=\mathrm{"http://www.w3.org/1998/Math/MathML"}&lt;/mml:mrow}&gt;&lt;\mathrm{mml:msqrt}&gt;&lt;\mathrm{mml:msub}&gt;&lt;\mathrm{mml:mi}&gt;\mathrm{s}&lt;/\mathrm{mml:mi}&gt;&lt;\mathrm{mml:mrow}&gt;&lt;\mathrm{mml:mi}&gt;\mathrm{width}="0.16em"/&gt;&lt;\mathrm{mml:mi}&gt;\mathrm{T}&lt;/\mathrm{mml:mi}&gt;&lt;/\mathrm{mml:mrow}&gt;&lt;/\mathrm{mml:math}&gt;</i> with Physical Review C, 2021, 104,	2.9	11
374	Tau mass measurement at KEDR. Nuclear Physics, Section B, Proceedings Supplements, 2009, 189, 21-23.	0.4	10
375	A measurement of material in the ATLAS tracker using secondary hadronic interactions in 7 TeV pp collisions. Journal of Instrumentation, 2016, 11, P11020-P11020.	1.2	10
376	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	10
377	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 81. <i>Measurement of the dependence of transverse energy production at large pseudorapidity on the hard-scattering kinematics of proton-proton collisions at</i>	3.9	10
378	<i>&lt;math&gt;\mathrm{xmlns:mml}=\mathrm{"http://www.w3.org/1998/Math/MathML"}&lt;/mml:msqrt}&gt;&lt;\mathrm{mml:mi}&gt;\mathrm{s}&lt;/\mathrm{mml:mi}&gt;&lt;/\mathrm{mml:msqrt}&gt;&lt;\mathrm{mml:mo}&gt;=&lt;/\mathrm{mml:mo}&gt;&lt;\mathrm{mml:mn}&gt;2.76&lt;/\mathrm{mml:mn}&gt;&lt;\mathrm{mml:mtext}&gt;\mathrm{\text{ATe}}</i> <i>overflow="scroll"&gt;&lt;\mathrm{mml:msqrt}&gt;&lt;\mathrm{mml:mi}&gt;\mathrm{s}&lt;/\mathrm{mml:mi}&gt;&lt;/\mathrm{mml:msqrt}&gt;&lt;\mathrm{mml:mo}&gt;=&lt;/\mathrm{mml:mo}&gt;&lt;\mathrm{mml:mn}&gt;2.76&lt;/\mathrm{mml:mn}&gt;&lt;\mathrm{mml:mtext}&gt;\mathrm{\text{ATe}}</i> <i>with ATLAS. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 756, 10-28.</i>	4.1	10

#	ARTICLE	IF	CITATIONS
379	Measurement of W boson angular distributions in events with high transverse momentum jets at $\sqrt{s} = 13\text{ TeV}$ using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 765, 132-153.		
380	Measurement of the inclusive and fiducial $t\bar{t}$ production cross-sections in the $t\bar{t}\gamma$ channel. European Physical Journal C, 2018, 78, 487.	3.9	10
381	Search for flavour-changing neutral currents in processes with one top quark and a photon using 81 $\text{fb}^{-1}$ of pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 800, 135082.	4.1	10
382	Evidence for the production of three massive vector bosons with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 798, 134913.	4.1	10
383	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W\bar{W}$ and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
384	Performance of the ATLAS Transition Radiation Tracker in Run 1 of the LHC: tracker properties. Journal of Instrumentation, 2017, 12, P05002-P05002.	1.2	10
385	Measurement of the $t\bar{t}\gamma$ production cross section in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
386	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with $139 \text{ fb}^{-1}$ of pp collision data at $\sqrt{s} = 13\text{ TeV}$ . Journal of High Energy Physics, 2022, 2022, 1.	4.7	10
387	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
388	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	3.9	9
389	Measurement of the $W+W\gamma$ production cross section in pp collisions at a centre-of-mass energy of $\sqrt{s} = 13\text{ TeV}$ with the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 773, 354-374.		
390	Measurement of the $t\bar{t}\gamma\gamma$ production cross section in proton-proton collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
391	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8\text{ TeV}$ . Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
392	Measurement of the ZZ production cross section in proton-proton collisions at $s = 8\text{ TeV}$ using the ZZ $\rightarrow e^+e^- \mu^+\mu^-$ and ZZ $\rightarrow \tau^+\tau^- \mu^+\mu^-$ decay channels with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
393	Search for vector-boson resonances decaying to a top quark and bottom quark in the lepton plus jets final state in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 788, 347-370.	4.1	9
394	Combinations of single-top-quark production cross-section measurements and $ f_{LVtb} $ determinations at $\sqrt{s} = 7\text{ and }8\text{ TeV}$ with the ATLAS and CMS experiments. Journal of High Energy Physics, 2019, 2019, 1.	4.7	9
395	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at $8\text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	9

#	ARTICLE	IF	CITATIONS
397	Search for dark matter produced in association with a single top quark in $\sqrt{s}=13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1. Evidence for electroweak production of two jets in association with a $Z^{\pm}$ pair in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 829, 137077.	3.9	9
398	Measurement of the nuclear modification factor for muons from charm and bottom hadrons in Pb+Pb collisions at 5.02 TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 829, 137077.	4.1	9
399	Measurement of the relative width difference of the $B^0 \rightarrow B^- \bar{B}^0$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.1	9
400	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $\sqrt{s}=13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
401	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s}=8 \text{ TeV}$ . Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
402	Analysis of the $Wtb$ vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
403	A search for resonances decaying into a Higgs boson and a new particle X in the $XH\rightarrow q\bar{q}bb$ final state with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 779, 24-45.	4.1	8
404	Measurement of $W$ -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s}=2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	8
405	Measurements of $W+W^{\pm}$ 1 jet production cross-sections in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
406	Search for charged-lepton-flavour violation in Z-boson decays with the ATLAS detector. Nature Physics, 2021, 17, 819-825.	16.7	8
407	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. Evidence for Higgs boson decays to a low-mass dilepton system and a photon in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2021, 819, 136412.	4.7	8
408	Reconstruction and identification of boosted di- $\tau$ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
409	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, 1. Search for associated production of a Z boson with an invisibly decaying Higgs boson or dark matter candidates at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 829, 137066.	3.9	8
410	Search for Lepton-Flavor Violation in $\tau^{\pm}\tau^{\mp}$ -Boson Decays with Leptons with the ATLAS Detector. Physical Review Letters, 2021, 127, 271801.	4.1	8
411	Experience with CsI(Na) crystals for calorimetry. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1996, 379, 502-504.	7.8	8
412	Search for Lepton-Flavor Violation in $\tau^{\pm}\tau^{\mp}$ -Boson Decays with Leptons with the ATLAS Detector. Physical Review Letters, 2021, 127, 271801.	1.6	7

#	ARTICLE	IF	CITATIONS
415	Measurement of $J/\psi \rightarrow \ell^+ \ell^-$ at KEDR. Chinese Physics C, 2010, 34, 831-835.	3.7	7
416	Femtoscopy with identified charged pions in proton-lead collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV with ATLAS. Physical Review C, 2017, 96, 044909.		
417	Measurement of $Z/\gamma$ polarization in $Z/\gamma \rightarrow e^+ e^-$ . European Physical Journal C, 2018, 78, 163.	3.9	7
418	Combination of inclusive and differential $t\bar{t}$ charge asymmetry measurements using ATLAS and CMS data at $\sqrt{s} = 7$ and 8 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	7
419	Medium-induced Modification of $Z/\gamma$ -Tagged Charged Particle Yields in ATLAS. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2021, 126, 072301.	7.8	7
420	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. European Physical Journal C, 2021, 81, 1.	3.9	7
421	Search for flavour-changing interactions in three- or four-lepton events in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 824, 136832.	4.1	7
422	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	3.9	7
423	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	3.9	7
424	Search for narrow resonances in $Z/\gamma$ . European Physical Journal C, 2021, 81, 1.	4.1	6
425	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
426	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	6
427	Observation of photon-induced $W + W'$ production in pp collisions at $\sqrt{s} = 13$ TeV. Physical Review Letters, 2021, 126, 011801.	7.8	6
428	Performance of the ATLAS RPC detector and Level-1 muon barrel trigger at $\sqrt{s} = 13$ TeV using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2021, 816, 136190.	4.1	6
429	Performance of the ATLAS RPC detector and Level-1 muon barrel trigger at $\sqrt{s} = 13$ TeV. Journal of Instrumentation, 2021, 16, P07029.	1.2	6
430	Search for Heavy Resonances Decaying into a Photon and a Hadronically Decaying Higgs Boson in pp Collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector. Physical Review Letters, 2020, 125, 251802.	7.8	6
431	Performance of the ATLAS Level-1 topological trigger in Run 2. European Physical Journal C, 2022, 82, 1.	3.9	6
432	Results on $\Lambda_c^0 \rightarrow p \pi^0$ from KEDR. Nuclear Physics, Section B, Proceedings Supplements, 2008, 181-182, 353-357.	0.4	5

#	ARTICLE	IF	CITATIONS
433	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	5
434	The ATLAS Fast TracKer system. <i>Journal of Instrumentation</i> , 2021, 16, P07006.	1.2	5
435	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	5
436	Emulating the impact of additional proton-proton interactions in the ATLAS simulation by presampling sets of inelastic Monte Carlo events. <i>Computing and Software for Big Science</i> , 2022, 6, 1.	2.9	5
437	The ATLAS inner detector trigger performance in pp collisions at $13 \text{ TeV}$ during LHC Run 2. <i>European Physical Journal C</i> , 2022, 82, 1. Measurement of the ratio of the lepton widths $\frac{\Gamma(e^+)}{\Gamma(e^-)}$ . <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	5
438	Measurement of the ratio of the lepton widths $\frac{\Gamma(e^+)}{\Gamma(e^-)}$ . <i>European Physical Journal C</i> , 2022, 82, 1.	4.1	4
439	Measurement of $W + W^\pm$ production in association with one jet in proton-proton collisions at $s=8 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 763, 114-133.	4.1	4
440	Measurement of jet activity in top quark events using the $e^{\pm}/4$ final state with two b-tagged jets in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	4
441	Performance of the upgraded PreProcessor of the ATLAS Level-1 Calorimeter Trigger. <i>Journal of Instrumentation</i> , 2020, 15, P11016-P11016.	1.2	4
442	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
443	Search for top squarks in events with a Higgs or Z boson using $139 \text{ fb}^{-1}$ of pp collision data at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	4
444	Measurement of the energy response of the ATLAS calorimeter to charged pions from $\pi^+ \rightarrow \pi^+ \pi^- \pi^+$ events in Run 2 data. <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	4
445	Measurement of the production cross section of pairs of isolated photons in pp collisions at $13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
446	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using displaced vertices in the ATLAS inner detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
447	Tau mass measurement at KEDR. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 2008, 181-182, 311-313.	0.4	3
448	Measurement of the k t splitting scales in $Z \rightarrow e^+ e^-$ events in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	3
449	Measurement of $t\bar{t} \rightarrow ee(\ell\bar{\ell})$ with KEDR detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	3
450	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	3

#	ARTICLE	IF	CITATIONS
451	Measurements of sensor radiation damage in the ATLAS inner detector using leakage currents. <i>Journal of Instrumentation</i> , 2021, 16, P08025.	1.2	3
452	Measurement of b-quark fragmentation properties in jets using the decay $B\pm \rightarrow J/\psi K\pm$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	3
453	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 13$ TeV measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2022, 82, .	3.9	3
454	Recent results from the KEDR detector. <i>Chinese Physics C</i> , 2010, 34, 650-655.	3.7	2
455	Lepton mass determination at KEDR. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 2011, 218, 155-159.	0.4	2
456	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>New Journal of Physics</i> , 2016, 18, 073021.	2.9	2
457	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	2
458	Measurement of the energy asymmetry in $t\bar{t}$ production at $\sqrt{s}=13$ TeV with the ATLAS experiment and interpretation in the SMEFT framework. <i>European Physical Journal C</i> , 2022, 82, .	3.9	2
459	ATLAS Collaboration. <i>Nuclear Physics A</i> , 2016, 956, 922-944.	1.5	1
460	ATLAS Collaboration. <i>Nuclear Physics A</i> , 2017, 967, 942-964.	1.5	1
461	Measurement of $e^+e^- \rightarrow B^{\pm}\bar{B}^{\mp}$ for $\psi(2S)$ meson. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 781, 174-181.	4.1	1
462	Measurement of the jet mass in high transverse momentum $Z(\rightarrow b\bar{b})$ production at $s=13$ TeV using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021, 812, 135991.	4.1	1
463	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in $36 \text{ fb}^{-1}$ of $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. , 2018, 2018, 1.	1	
464	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $(\sqrt{s}=8, \text{TeV})$ with the ATLAS detector. , 2016, 76, 1.		1
465	Measurement of the W-boson mass in pp collisions at $(\sqrt{s}=7, \text{TeV})$ with the ATLAS detector. , 2018, 78, 1.		1
466	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $(\sqrt{s}=13, \text{TeV})$ . , 2018, 78, 1.		1
467	Operation and performance of the ATLAS semiconductor tracker in LHC Run2. <i>Journal of Instrumentation</i> , 2022, 17, P01013.	1.2	1
468	A search for an unexpected asymmetry in the production of $e^+\gamma$ and $e^-\gamma$ pairs in proton-proton collisions recorded by the ATLAS detector at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2022, 830, 137106.	4.1	1

#	ARTICLE	IF	CITATIONS
469	Investigation of the process $J/\psi \rightarrow e^+ e^-$ with the KEDR detector. Physics of Atomic Nuclei, 2009, 72, 495-500.	0.4	0
470	Recent Results from the KEDR Detector. EPJ Web of Conferences, 2012, 37, 09014.	0.3	0
471	PARAMETERS OF CHARMONIUM STATES FROM KEDR. International Journal of Modern Physics Conference Series, 2014, 35, 1460429.	0.7	0
472	STUDY OF $\Upsilon(2S) \rightarrow \pi^+\pi^-$ DECAY WITH KEDR DETECTOR. International Journal of Modern Physics Conference Series, 2014, 35, 1460462.	0.7	0
473	Measurement of R at KEDR. Nuclear and Particle Physics Proceedings, 2015, 260, 85-86.	0.5	0
474	Addendum to: Measurement of $e^+e^-(\Upsilon)$ with KEDR detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	0