

Evgenii Baldin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7111455/publications.pdf>

Version: 2024-02-01

474
papers

18,537
citations

16451
64
h-index

28297
105
g-index

492
all docs

492
docs citations

492
times ranked

9712
citing authors

#	ARTICLE	IF	CITATIONS
1	Measurement of the energy response of the ATLAS calorimeter to charged pions from $\pi^+ \pi^-$ events in Run2 data. European Physical Journal C, 2022, 82, 1.	4.1	7
2	Emulating the impact of additional proton-proton interactions in the ATLAS simulation by presampling sets of inelastic Monte Carlo events. Computing and Software for Big Science, 2022, 6, 1.	2.9	5
3	Performance of the ATLAS Level-1 topological trigger in Run2. European Physical Journal C, 2022, 82, 1.	3.9	6
4	Measurement of the c-jet mistagging efficiency in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 13$ TeV collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	14
5	Operation and performance of the ATLAS semiconductor tracker in LHC Run2. Journal of Instrumentation, 2022, 17, P01013.	1.2	1
6	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
7	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	3.9	8
8	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb^{-1} of pp collision data at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	10
9	AtLFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	2.9	23
10	Measurement of the energy response of the ATLAS calorimeter to charged pions from $\pi^+ \pi^-$ events in Run2 data. European Physical Journal C, 2022, 82, 1.	3.9	4
11	The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	3.9	5
12	Search for associated production of a Z boson with an invisibly decaying Higgs boson or dark matter candidates at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 829, 137066.	4.1	8
13	Measurement of the nuclear modification factor for muons from charm and bottom hadrons in Pb+Pb collisions at 5.02 TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 829, 137077.	4.1	9
14	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	7
15	A search for an unexpected asymmetry in the production of $e^+ e^-$ and $\mu^+ \mu^-$ pairs in proton-proton collisions recorded by the ATLAS detector at $\sqrt{s} = 13$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 830, 137106.	4.1	1
16	Measurement of the energy asymmetry in $t\bar{t}$ production at $\sqrt{s} = 13$ TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	3.9	2
17	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7$, 8 and 13 TeV. European Physical Journal C, 2022, 82, 1.	3.9	12
18	Search for long-lived charginos based on a disappearing-track signature using 136 fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	13

#	ARTICLE	IF	CITATIONS
19	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ measured with the ATLAS detector at the LHC. European Physical Journal C, 2022, 82, .	3.9	3
20	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
21	A search for the dimuon decay of the Standard Model Higgs boson with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2021, 812, 135980.	4.1	61
22	Measurement of the jet mass in high transverse momentum $Z(\rightarrow b\bar{b})$ production at $s=13 \text{ TeV}$ using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2021, 812, 135991.	4.1	1
23	Medium-Induced Modification of $\langle \text{Pb} \rangle$ -Tagged Charged Particle Yields in Pb+Pb Collisions at 5.02 TeV with the ATLAS Detector. Physical Review Letters, 2021, 126, 072301.	7.8	7
24	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	37
25	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	3.9	12
26	Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	38
27	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
28	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	17
29	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb^{-1} of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	19
30	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. <i>led in Association with a Dark Higgs Boson Decaying into</i> W^{\pm} <i>and</i> Z <i>in Fully Hadronic Final States</i>	4.7	6
31	<i>Longitudinal Flow Decorrelations in</i> Pb+Pb <i>Collisions at</i> $\sqrt{s} = 13 \text{ TeV}$. <i>Physical Review Letters</i> , 2021, 126, 122301.	7.8	6
32	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
33	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	22
34	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	18
35	Measurement of the CP-violating phase ϕ_s in $B_s \rightarrow J/\psi \phi$ decays in ATLAS at 13 TeV . European Physical Journal C, 2021, 81, .	3.9	13

#	ARTICLE	IF	CITATIONS
37	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. European Physical Journal C, 2021, 81, 1.	3.9	15
38	Search for heavy resonances decaying into a pair of Z bosons in the $\ell^+ \ell^- \ell^+ \ell^-$ and $\ell^+ \ell^- u \bar{u}$ final states using 139 fb^{-1} of proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	40
39	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, Measurement of the associated production of a Higgs boson decaying into b-quarks with a vector boson at high transverse momentum in pp collisions at $\sqrt{s} = 13\text{TeV}$. xmlns:mml="http://www.w3.org/1998/Math/MathML"	4.7	18
40	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $\ell^+ \ell^- \ell^+ \ell^-$ and $\ell^+ \ell^- W W$ final states in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1. Observation of photon-induced $W + W^\pm$ production in pp collisions at $\sqrt{s} = 13\text{TeV}$. xmlns:mml="http://www.w3.org/1998/Math/MathML"	4.1	17
41	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $\ell^+ \ell^- \ell^+ \ell^-$ and $\ell^+ \ell^- W W$ final states in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1. Observation of photon-induced $W + W^\pm$ production in pp collisions at $\sqrt{s} = 13\text{TeV}$. xmlns:mml="http://www.w3.org/1998/Math/MathML"	3.9	26
42	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13\text{TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2021, 816, 136190.	4.1	6
43	Measurements of $W + W^\pm + 1$ jet production cross-sections in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	23
44	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
45	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2021, 81, 1.	4.7	46
46	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\tilde{\tau}_l$ -lepton in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	3.9	14
47	Search for charged-lepton-flavour violation in Z-boson decays with the ATLAS detector. Nature Physics, 2021, 17, 819-825.	16.7	8
48	Search for Displaced Leptons in $\ell^+ \ell^- \ell^+ \ell^-$ and $\ell^+ \ell^- W W$ final states with the ATLAS detector. Physical Review Letters, 2021, 127, 051802.	7.8	17
49	Test of the universality of $\tilde{\tau}_l$, and $\tilde{\tau}_l/4$ lepton couplings in W-boson decays with the ATLAS detector. Nature Physics, 2021, 17, 813-818.	16.7	15
50	Two-particle azimuthal correlations in photonuclear ultraperipheral $\text{Pb} + \text{Pb}$ collisions at 5.02 TeV with ATLAS. Physical Review C, 2021, 104, .	4.7	12
51	Search for supersymmetry in events with four or more charged leptons in 139 fb^{-1} of $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
52	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W \pm$ and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
53	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8

#	ARTICLE	IF	CITATIONS
55	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	5
56	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s}=13 \text{ TeV}$. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	82
57	Performance of the ATLAS RPC detector and Level-1 muon barrel trigger at $\sqrt{s}=13 \text{ TeV}$. <i>Journal of Instrumentation</i> , 2021, 16, P07029.	1.2	6
58	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	13
59	The ATLAS Fast TracKer system. <i>Journal of Instrumentation</i> , 2021, 16, P07006.	1.2	5
60	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	3
61	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1. Evidence for Higgs boson decays to a low-mass dilepton system and a photon in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021, 819, 136412.	3.9	64
62	Measurements of sensor radiation damage in the ATLAS inner detector using leakage currents. <i>Journal of Instrumentation</i> , 2021, 16, P08025.	4.1	8
63	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	12
64	Exclusive dimuon production in ultraperipheral Pb-Pb collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review C</i> , 2021, 104, 014901.	2.9	11
65	Search for New Phenomena in Final States with Two Leptons and One or No b -Tagged Jets at $s=13 \text{ TeV}$ Using the ATLAS Detector. <i>Physical Review Letters</i> , 2021, 127, 141801.	7.8	14
66	Search for dark matter produced in association with a single top quark in $\sqrt{s}=13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1. Search for resonances decaying into photon pairs in 139 fb^{-1} of pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021, 822, 136651.	3.9	9
67	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
68	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	5
69	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	12
70	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13 \text{ TeV}$ proton-proton collision data. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	7

#	ARTICLE	IF	CITATIONS
73	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
74	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
75	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
76	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
77	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	28
78	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	3.9	7
79	Search for Lepton-Flavor Violation in $Z \rightarrow l^+l^-$ Boson Decays with Leptons with the ATLAS Detector. Physical Review Letters, 2021, 127, 271801.	7.8	8
80	Measurement of b-quark fragmentation properties in jets using the decay $B \rightarrow J/\psi K_s$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	3
81	Search for displaced vertices \rightarrow ℓ^\pm from decays of long-lived particles in pp collisions at the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 801, 135145.	4.1	14
82	Search for non-resonant Higgs boson pair production in the $b\bar{b}$, $t\bar{t}$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 801, 135145.	4.1	13
83	Searches for lepton-flavour-violating decays of the Higgs boson in $s = 13$ TeV pp collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 801, 135145.	4.1	31
84	Search for flavour-changing neutral currents in processes with one top quark and a photon using 81 fb $^{-1}$ of pp collisions at $s = 13$ TeV with the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 800, 135082.	4.1	30
85	Combination of searches for Higgs boson pairs in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 800, 135103.	4.1	10
86	Dijet Resonance Search with Weak Supervision Using Δm_{miss} . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 800, 135103.	4.1	53
87	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
88	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	4.7	67
89	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	4.1	17
90	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17

#	ARTICLE	IF	CITATIONS
91	Addendum to: Measurement of $\ell^+ \ell^- (J/\psi)$ with KEDR detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	0
92	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	24
93	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the 4π decay channel at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 1. Measurement of the $\langle m_{\text{miss}} \rangle$ production cross-section in the lepton+jets channel at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 1. altimg="si1.svg">$\langle m_{\text{miss}} \rangle$ altimg="si2.svg">$\langle m_{\text{miss}} \rangle$	3.9	32
94	Measurement of the production cross-section in the lepton+jets channel at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 1. altimg="si1.svg">$\langle m_{\text{miss}} \rangle$	4.1	12
95	Performance of the ATLAS muon triggers in Run 2. Journal of Instrumentation, 2020, 15, P09015-P09015.	1.2	62
96	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1. display="inline">$\langle m_{\text{miss}} \rangle$	3.9	34
97	Properties of Higgs Boson Interactions with Top Quarks in the $\langle m_{\text{miss}} \rangle$ and $\langle m_{\text{miss}} \rangle$ channels. European Physical Journal C, 2020, 80, 1. display="inline">$\langle m_{\text{miss}} \rangle$	7.8	40
98	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11
99	Search for the $HH \rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
100	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1. Search for Heavy Higgs Bosons Decaying into Two Tau Leptons with the ATLAS Detector Using	4.7	12
101	$\langle m_{\text{miss}} \rangle$	7.8	97
102	Measurements of the azimuthal anisotropy of charged-particle production in $\langle m_{\text{miss}} \rangle$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review C, 2020, 101, 1.	2.9	29
103	Measurements of top-quark pair spin correlations in the $\ell^+ \ell^-$ channel at $\sqrt{s} = 13$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	22
104	Performance of the upgraded PreProcessor of the ATLAS Level-1 Calorimeter Trigger. Journal of Instrumentation, 2020, 15, P11016-P11016.	1.2	4
105	Search for Higgs Boson Decays into a Z Boson and a Light Hadronically Decaying Resonance Using $\sqrt{s} = 13$ TeV pp Collision Data from the ATLAS Detector. Physical Review Letters, 2020, 125, 221802.	7.8	20
106	Higgs boson production cross-section measurements and their EFT interpretation in the 4π decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	41
107	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	36
108	ATLAS data quality operations and performance for 2015–2018 data-taking. Journal of Instrumentation, 2020, 15, P04003-P04003.	1.2	68

#	ARTICLE	IF	CITATIONS
109	Measurement of the Lund Jet Plane Using Charged Particles in 13 \AA TeV Proton-Proton Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2020, 124, 222002.	7.8	28
110	Test of CP invariance in vector-boson fusion production of the Higgs boson in the $H \rightarrow \tau^+ \tau^-$ channel in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$. <i>Physics Letters B</i> , 2020, 805, 135426.	4.1	22
111	Collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Physical Review Letters</i> , 2020, 124, 081801.	7.8	17
112	Measurement of the $t\bar{t}$ production cross-section and lepton differential distributions in dilepton events from pp collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, .	3.9	26
113	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb^{-1} of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	19
114	Search for Magnetic Monopoles and Stable High-Electric-Charge Objects in 13 \AA Tev Proton-Proton Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2020, 124, 031802.	4.1	11
115	Search for $t\bar{t}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	14
116	Reconstruction and identification of boosted di- τ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	8
117	Evidence for electroweak production of two jets in association with a Z $\tau\tau$ pair in pp collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Phys.</i> , 2020, 125, 251802.	4.1	9
118	Search for Heavy Resonances Decaying into a Photon and a Hadronically Decaying Higgs Boson in pp Collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2020, 125, 251802.	7.8	6
119	Observation and Measurement of Forward Proton Scattering in Association with Lepton Pairs Produced via the Photon Fusion Mechanism at ATLAS. <i>Physical Review Letters</i> , 2020, 125, 261801.	7.8	22
120	Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	93
121	Search for top squarks in events with a Higgs or Z boson using 139 fb^{-1} of pp collision data at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	4
122	Evidence for $t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	30
123	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	29
124	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	36
125	Alignment of the ATLAS Inner Detector in Run 2. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	12

#	ARTICLE	IF	CITATIONS
127	Determination of jet calibration and energy resolution in proton- $\bar{\text{p}}$ proton collisions at $\sqrt{s} = 8\text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	15
128	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13\text{ TeV}$ pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1. <i>Comparison of Fragmentation Functions for Jets Dominated by Light Quarks and Gluons from</i>	4.7	49
129	<i><math>\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle <\text{mml:mi}>p</\text{mml:mi}><\text{mml:mi}>p</\text{mml:mi}></\text{mml:math}> \text{ and } <\text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"}</i>	7.8	23
130	<i>Search for high-mass dilepton resonances using 139 fb$^{-1}$ of pp collision data collected at <math>\sqrt{s} = 13\text{ TeV}. <math>\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ altimg="si1.svg"} \rangle <\text{mml:msqrt}><\text{mml:mrow}><\text{mml:mi}>s</\text{mml:mi}></\text{mml:mrow}></\text{mml:msqrt}><\text{mml:mo}>\text{linebreak="goodbreak" linebreakstyle="after"}>=</\text{mml:mo}><\text{mml:mn}>13</\text{mml:mn}></\text{mml:math}> \text{ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 795, 342-351.}</i>	4.1	196
131	<i>Observation of Light-by-Light Scattering in Ultraperipheral <math>\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"}</i>	7.8	75
132	<i>Measurement of prompt photon production in <math>\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"}</i>	4.1	10
133	Combination of Searches for Invisible Higgs Boson Decays with the ATLAS Experiment. Physical Review Letters, 2019, 122, 231801.	7.8	133
134	Search for low-mass resonances decaying into two jets and produced in association with a photon using pp collisions at $\sqrt{s} = 13\text{ TeV}$. <i><math>\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ altimg="si1.svg"} \rangle <\text{mml:msqrt}><\text{mml:mrow}><\text{mml:mi}>s</\text{mml:mi}></\text{mml:mrow}></\text{mml:msqrt}><\text{mml:mo}>\text{linebreak="goodbreak" linebreakstyle="after"}>=</\text{mml:mo}><\text{mml:mn}>13</\text{mml:mn}></\text{mml:math}> \text{ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 795, 359-375.}</i>	4.1	22
135	<i><math>\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ altimg="si1.svg"} \rangle <\text{mml:msqrt}><\text{mml:mrow}><\text{mml:mi}>s</\text{mml:mi}></\text{mml:mrow}></\text{mml:msqrt}><\text{mml:mo}>\text{linebreak="goodbreak" linebreakstyle="after"}>=</\text{mml:mo}><\text{mml:mn}>13</\text{mml:mn}></\text{mml:math}> \text{ TeV with Search for a right-handed gauge boson decaying into a high-momentum heavy neutrino and a charged lepton in pp collisions with the ATLAS detector at <math>\sqrt{s} = 13\text{ TeV}. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 795, 376-382.}</i>	4.1	13
136	<i><math>\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ altimg="si1.svg"} \rangle <\text{mml:msqrt}><\text{mml:mrow}><\text{mml:mi}>s</\text{mml:mi}></\text{mml:mrow}></\text{mml:msqrt}><\text{mml:mo}>\text{linebreak="goodbreak" linebreakstyle="after"}>=</\text{mml:mo}><\text{mml:mn}>13</\text{mml:mn}></\text{mml:math}> \text{ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 798, 134942.}</i>	4.1	39
137	Measurement of the cross-section and charge asymmetry of W bosons produced in proton- $\bar{\text{p}}$ proton collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1. <i>Observation of Electroweak Production of a Same-Sign <math>\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"}</i>	3.9	24
138	<i><math>\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle <\text{mml:mi}>W</\text{mml:mi}></\text{mml:math}> \text{ Boson Pair in Association with Two Jets in <math>\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"}\bar{\text{p}} proton collision data at $\sqrt{s} = 13\text{ TeV}$. European Physical Journal C, 2019, 79, 1.</i>	7.8	53
140	Evidence for the production of three massive vector bosons with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 798, 134913.	4.1	10
141	Search for vector-boson resonances decaying to a top quark and bottom quark in the lepton plus jets final state in pp collisions at $s = 13\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 788, 347-370.	4.1	9
142	Correlated long-range mixed-harmonic fluctuations measured in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 444-471. <i>Observation of long-range correlations in p-p production in association with two jets in pp collisions at <math>\sqrt{s} = 13\text{ TeV}. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 444-471.</i>	4.1	25
143	<i><math>\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ altimg="si1.svg"} \rangle <\text{mml:msqrt}><\text{mml:mrow}><\text{mml:mi}>s</\text{mml:mi}></\text{mml:mrow}></\text{mml:msqrt}><\text{mml:mo}>\text{linebreak="goodbreak" linebreakstyle="after"}>=</\text{mml:mo}><\text{mml:mn}>13</\text{mml:mn}></\text{mml:math}> \text{ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 793, 499-519.}</i>	4.1	38
144	<i><math>\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ altimg="si1.gif" overflow="scroll"} \rangle <\text{mml:msqrt}><\text{mml:mrow}><\text{mml:mi}>s</\text{mml:mi}></\text{mml:mrow}></\text{mml:msqrt}><\text{mml:mo}>=</\text{mml:mo}><\text{mml:mn}>13</\text{mml:mn}></\text{mml:math}> \text{ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 793, 499-519.}</i>	4.1	38

#	ARTICLE	IF	CITATIONS
145	Combinations of single-top-quark production cross-section measurements and $ f_{VVtb} $ determinations at $\sqrt{s} = 7$ and 8 TeV with the ATLAS and CMS experiments. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	9
146	Measurement of VH, $H\bar{b}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	14
147	Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}$ production with additional heavy-flavour jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	18
148	Measurement of the four-lepton invariant mass spectrum in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	12
149	Performance of top-quark and W -boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	42
150	Search for the Production of a Long-Lived Neutral Particle Decaying within the ATLAS Hadronic Calorimeter in Association with a Z Boson from pp Collisions at $s=13$ TeV. <i>Physical Review Letters</i> , 2019, 122, 151801.		12
151	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019, 14, P03017-P03017.	1.2	37
152	Study of the hard double-parton scattering contribution to inclusive four-lepton production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 790, 595–614.		10
153	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 58.	3.9	61
154	In situ calibration of large-radius jet energy and mass in 13 TeV proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	28
155	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	46
156	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	6
157	Measurement of the top quark mass in the $t\bar{t} \rightarrow t\bar{t}$. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	47
158	Measurement of the nuclear modification factor for inclusive jets in Pb+Pb collisions at $\sqrt{s} = 2.76$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 790, 108–128.		14
159	Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	55
160	Measurements of gluon fusion and vector-boson fusion Higgs boson production cross-sections in the $WW \rightarrow e^+e^- \mu^+\mu^-$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 789, 508–529.		46
161	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	25
162	Measurement of fiducial and differential $WW + W\gamma$ production cross-sections at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	24

#	ARTICLE	IF	CITATIONS
181	Measurement of differential cross sections of isolated-photon plus heavy-flavour jet production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 777, 233-238.		
182	Measurement of the exclusive $t\bar{t} \rightarrow t\bar{t} + 1/\sqrt{4} \gamma$ process in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 777, 239-243.		
183	Search for boson-resonances with boson-tagged jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 777, 21-113.		
184	Search for new phenomena in high-mass final states with a photon and a jet from $\sqrt{s} = 13 \text{ TeV}$ pp collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 102.	3.9	13
185	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	3.9	52
186	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ and $\sqrt{s_{\text{NN}}} = 5.0 \text{ TeV}$. European Physical Journal C, 2018, 78, 142.	3.9	59
187	Measurement of quarkonium production in proton-lead and proton-proton collisions at $\sqrt{s} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	3.9	75
188	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13 \text{ TeV}$ with ATLAS. European Physical Journal C, 2018, 78, 186.	3.9	20
189	Search for heavy ZZ resonances in the $\ell^+\ell^-\ell^+\ell^-$ final states using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 293.	3.9	101
190	A search for pair-produced resonances in four-jet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	3.9	66
191	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
192	Search for heavy resonances decaying into WW in the $e^+e^- \rightarrow W^+W^-$ final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	3.9	108
193	Direct top-quark decay width measurement in the $t\bar{t} \rightarrow t\bar{t} + \text{lepton+jets}$ channel at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	3.9	17
194	Search for WW/WZ resonance production in $\gamma\gamma \rightarrow q\bar{q}$ final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
195	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	46
196	Measurement of the production cross-section of a single top quark in association with a Z boson in proton-proton collisions at 13 TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 780, 557-577.	4.1	19
197	Measurement of the cross section for isolated-photon plus jet production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 777, 244-248.		
198	Measurement of the production cross section of three isolated photons in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 55-76.		

#	ARTICLE	IF	CITATIONS
199	Search for an invisibly decaying Higgs boson or dark matter candidates produced in association with a Z boson in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 776, 318-337.	4.1	54
200	Prompt and non-prompt $\psi(2S)$ elliptic flow in Pb+Pb collisions at $\sqrt{s} = 5.02\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 784.	3.9	19
201	Search for Higgs boson pair production in the $\gamma\gamma \rightarrow WW \rightarrow l^+l^-$ channel using $\gamma\gamma$ pp collision data recorded at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 1007.	3.9	53
202	Measurement of colour flow using jet-pull observables in $t\bar{t}$ events with the ATLAS experiment at $\sqrt{s} = 13\text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 847.	3.9	16
203	Measurement of the suppression and azimuthal anisotropy of muons from heavy-flavor decays in Pb+Pb collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Physical Review C</i> , 2018, 98.		
204	Search for resonant WZ production in the fully leptonic final state in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 787, 68-88.		
205	Combination of the Searches for Pair-Produced Vectorlike Partners of the Third-Generation Quarks at $\sqrt{s} = 13\text{ TeV}$. <i>Observation of Centrality-Dependent Acoplanarity for Muon Pairs Produced via Two-Photon Scattering</i> . <i>Physical Review Letters</i> , 2018, 121, 212301.	1.45	145
206	Collisions at $\sqrt{s} = 13\text{ TeV}$. <i>Physical Review Letters</i> , 2018, 121, 212301.	4.1	41
207	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb^{-1} at $\sqrt{s} = 13\text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 401.	3.9	50
208	Search for Resonant and Nonresonant Higgs Boson Pair Production in the $t\bar{t}$ Decay Channel in $\sqrt{s} = 13\text{ TeV}$. <i>Physical Review Letters</i> , 2018, 121, 191801.	7.8	70
209	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	30
210	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s} = 5.02\text{ TeV}$ Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 997.	3.9	51
211	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 903.	3.9	181
212	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 995.	3.9	125
213	Operation and performance of the ATLAS Tile Calorimeter in Run 1. <i>European Physical Journal C</i> , 2018, 78, 987.	3.9	25
214	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	37
215	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb^{-1} of $\sqrt{s} = 13\text{ TeV}$ pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	48
216	Combined measurement of differential and total cross sections in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 786, 114-133.		

#	ARTICLE	IF	CITATIONS
217	Searches for exclusive Higgs and Z boson decays into J/ψ , $\tau(2S)$, and $\tau(nS)$ at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 134-155.		
218	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	67
219	Observation of the Higgs boson at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 134-155.	4.1	138
220	Constraints on off-shell Higgs boson production and the Higgs boson total width in $Z Z \rightarrow \tau^+ \tau^-$ and $Z Z \rightarrow 2\ell^+ 2\ell^-$ final states with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 223-244.	4.1	43
221	Prompt and non-prompt J/ψ and $\psi(2S)$ suppression at high transverse momentum in $\sqrt{s} = 5.02\text{ TeV}$ Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	3.9	61
222	Probing the Quantum Interference between Singly and Doubly Resonant Top-Quark Production in $t\bar{t}$ Collisions at $\sqrt{s} = 5.02\text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2018, 121, 152002.	7.8	16
223	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s} = 13\text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
224	Measurement of the Higgs boson mass in the $Z Z \rightarrow \tau^+ \tau^-$ and $Z Z \rightarrow 2\ell^+ 2\ell^-$ channels with $t\bar{t}$ and $t\bar{t} + Z$ channels with $\sqrt{s} = 13\text{ TeV}$ pp collisions using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 345-366.		
225	Measurement of $t\bar{t}ee(J/\psi)$ with KEDR detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	3
226	Search for exclusive Higgs and Z boson decays to $t\bar{t}\tau^+$ and $t\bar{t}\tau^-$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
227	Measurements of b-jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s} = 13\text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
228	Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
229	Measurement of the inclusive and fiducial $t\bar{t}$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.	3.9	10
230	Search for R-parity-violating supersymmetric particles in multi-jet final states produced in $p\bar{p}$ collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 785, 136-158.		
231	Collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2018, 121, 091801.	7.8	41
232	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	3.9	79
233	Measurement of jet fragmentation in Pb+Pb and $t\bar{t}$ collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	2.9	24
234	Measurement of the Soft-Drop Jet Mass in $t\bar{t}$ and $t\bar{t} + Z$ collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2018, 121, 092001.	7.8	33

#	ARTICLE	IF	CITATIONS
235	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	3.9	27
236	Search for the Decay of the Higgs Boson to Charm Quarks with the ATLAS Experiment. Physical Review Letters, 2018, 120, 211802.	7.8	53
237	Search for a Structure in the Invariant Mass Spectrum with the ATLAS Experiment. Physical Review Letters, 2018, 120, 202007.		
238	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	136
239	Search for Higgs boson decays into pairs of light (pseudo)scalar particles in the $t\bar{t}\gamma\gamma$ final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 782, 750-767.		
240	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
241	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	3.9	60
242	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 199.	3.9	132
243	Measurement of Z/γ polarisation in $Z/\gamma \rightarrow e^+e^-$. European Physical Journal C, 2018, 78, 163.	3.9	7
244	Searches for heavy ZZ and ZW resonances in the $t\bar{t}, q\bar{q}$ and $b\bar{b}$ final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
245	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	33
246	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $t\bar{t}, b\bar{b}$ final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 783, 392-414.		
247	Search for $W\rightarrow t\bar{b}$ decays in the hadronic final state using pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 327-348.	4.1	20
248	Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 173-191.	4.1	169
249	Measurement of differential cross sections and W/W' cross-section ratios for W boson production in association with jets at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
250	Combination of inclusive and differential charge asymmetry measurements using ATLAS and CMS data at $\sqrt{s} = 7 \text{ TeV}$ and 8 TeV . Journal of High Energy Physics, 2018, 2018, 1.	4.7	7
251	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. , 2018, 2018, 1.	1	
252	Measurement of the W-boson mass in pp collisions at $(\sqrt{s}) = 7 \text{ TeV}$ with the ATLAS detector. , 2018, 78, 1.	1	

#	ARTICLE	IF	CITATIONS
253	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton+proton collisions at $\sqrt{s} = 13 \text{ TeV}$. , 2018, 78, 1.	1	
254	Search for dark matter in association with a Higgs boson decaying to b-quarks in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 765, 11-31.		
255	Measurement of W boson angular distributions in events with high transverse momentum jets at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 765, 132-153.	4.1	21
256	Measurement of the $t\bar{t}Z$ and $t\bar{t}\bar{W}$ production cross sections in multilepton final states using 3.2 fb $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	3.9	41
257	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	3.9	29
259	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
260	Search for heavy resonances decaying to a Z boson and a photon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 764, 11-30.		
261	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	3.9	11
262	Measurement of the W boson polarisation in $t\bar{t}$ events from pp collisions at $\sqrt{s} = 8 \text{ TeV}$ in the lepton+jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	3.9	37
263	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton+proton collision data. European Physical Journal C, 2017, 77, 195.	3.9	87
264	Measurements of top-quark pair differential cross-sections in the emu channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	3.9	27
265	Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ proton+proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	3.9	61
266	High-ET isolated-photon plus jets production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Nuclear Physics B, 2017, 918, 257-316.		
267	Measurement of the prompt J/psi pair production cross-section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	3.9	81
268	Search for triboson $W^{\pm}W^{\pm}W^{\pm}$ production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	3.9	25
269	Measurement of the $W+W^-$ production cross section in pp collisions at a centre-of-mass energy of $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 775, 105-125.		
270	Search for new phenomena in high-mass diphoton final states using 37 fb $^{-1}$ of proton+proton collisions collected at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 775, 105-125.		

#	ARTICLE	IF	CITATIONS
271	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	3.9	325
272	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	3.9	56
273	Measurements of electroweak W_{jj} production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	3.9	26
274	Measurements of long-range azimuthal anisotropies and associated Fourier coefficients for collisions at 7, 8, 13 TeV and 130 GeV. European Physical Journal C, 2017, 77, 475.	2.9	47
275	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	3.9	145
276	Measurement of R between 1.84 and 3.05 GeV at the KEDR detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 770, 174-181.	4.1	19
277	Measurement of the cross section for inclusive isolated-photon production in pp collisions at 7, 8, 13 TeV and 130 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 770, 473-493.	4.1	20
278	Measurement of multi-particle azimuthal correlations in pp, p \bar{p} and low-multiplicity Pb \bar{p} collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	3.9	86
279	Measurement of forward-backward multiplicity correlations in lead-lead, proton-lead, and proton-proton collisions with the ATLAS detector. Physical Review C, 2017, 95, .	2.9	24
280	Search for the Dimuon Decay of the Higgs Boson in pp Collisions at $s=13\text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2017, 119, 051802.	7.8	36
281	Search for Dark Matter Produced in Association with a Higgs Boson Decaying to $b\bar{b}$. Using $b\bar{b}$ events to search for dark matter produced in association with a Higgs boson decaying to $b\bar{b}$. Physical Review Letters, 2017, 119, 181804.	7.8	49
282	Search for Heavy Higgs Bosons A/H Decaying to a Top Quark Pair in pp Collisions at $s=8\text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2017, 119, 191803.	7.8	74
283	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $s = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
284	Measurement of the cross-section for electroweak production of dijets in association with a Z boson in pp collisions at 7, 8, 13 TeV and 130 GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 775, 206-228.	4.1	24
285	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$. European Physical Journal C, 2017, 77, 804.	3.9	28
286	Measurement of the $t\bar{t}\gamma$ production cross section in proton-proton collisions at $s=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
287	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8\text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
288	Search for heavy resonances decaying to a W or Z boson and a Higgs boson in the $b\bar{b} \rightarrow q\bar{q}$ decay channel. T _j ETQ ₀ 0.0 rgBT /Overlock 10 Tf 50 37 Td (stretchy="false")	4.1	24

#	ARTICLE	IF	CITATIONS
289	Measurement of jet pT correlations in Pb + Pb and pp collisions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 774, 379-402.	4.1	17
290	ATLAS Collaboration. Nuclear Physics A, 2017, 967, 942-964.	1.5	1
291	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	3.9	75
292	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ p_T collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	3.9	12
293	Measurement of the ZZ production cross section in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ZZ $\rightarrow e^+e^- \mu^+\mu^-$ and ZZ $\rightarrow \tau^+\tau^-$ decay channels with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	3.9	1
294	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
295	Measurements of $\Gamma(2S)$ and $X(3872) \rightarrow J/\psi \ell^+ \ell^-$ production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	33
296	Measurements of top-quark pair to Z-boson cross-section ratios at $\sqrt{s} = 13 \text{ TeV}$, 8, 7 TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	13
297	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	3.9	79
298	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	3.9	489
299	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	3.9	71
300	Measurements of the production cross section of a Z boson in association with jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2017, 77, 361.	3.9	47
301	Precision measurement and interpretation of inclusive W^+W^+ , W^-W^- European Physical Journal C, 2017, 77, 367.	3.9	145
302	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ $\text{NN} = 2.76$. European Physical Journal C, 2017, 77, 379.	3.9	51
303	Search for dark matter at $\sqrt{s} = 13 \text{ TeV}$ in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	3.9	80
304	Measurement of charged-particle distributions sensitive to the underlying event in $\sqrt{s} = 13 \text{ TeV}$ proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
305	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	3.9	50
306	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8

#	ARTICLE	IF	CITATIONS
307	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2017, 77, 765.	3.9	19
308	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
309	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
310	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
311	Femtoscopics with identified charged pions in proton-lead collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with ATLAS. Physical Review C, 2017, 96, 1.	3.9	10
312	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	38
313	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.	3.9	35
314	Measurement of WW/WZ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563.	3.9	28
315	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s = 13 \text{ TeV}$ proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	4.7	12
316	Searches for the $Z\tilde{l}^3$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	30
317	Studies of $Z\tilde{l}^3$ production in association with a high-mass dijet system in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
318	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	16
319	Search for top quark decays $t \rightarrow qH$, with $H \rightarrow \tilde{l}^3\tilde{l}^3$, in $s = 13 \text{ TeV}$ pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	18
320	Study of $WW\gamma$ and $WZ\gamma$ in $s = 13 \text{ TeV}$ pp collisions. European Physical Journal C, 2017, 77, 646.	3.9	30
321	Measurements of top quark spin observables in $t\bar{t}\gamma$ events using dilepton final states in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	20
322	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
323	Top-quark mass measurement in the all-hadronic $t\bar{t}\gamma$ decay channel at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	16
324	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	28

#	ARTICLE	IF	CITATIONS
325	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	45
326	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	31
327	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	36
328	Study of the material of the ATLAS inner detector for Run 2 of the LHC. <i>Journal of Instrumentation</i> , 2017, 12, P12009-P12009.	1.2	29
329	Measurement of the k t splitting scales in $Z \rightarrow e^+ e^-$ events in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	3
330	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
331	Evidence for the $H \rightarrow b \bar{b}$ decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	64
332	Search for new high-mass phenomena in the dilepton final state using 36 fb^{-1} of proton-proton collision data at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	168
333	Performance of the ATLAS Transition Radiation Tracker in Run 1 of the LHC: tracker properties. <i>Journal of Instrumentation</i> , 2017, 12, P05002-P05002.	1.2	10
334	A measurement of material in the ATLAS tracker using secondary hadronic interactions in 7 TeV pp collisions. <i>Journal of Instrumentation</i> , 2016, 11, P11020-P11020.	1.2	10
335	Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	30
336	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	10
337	Measurement of event-shape observables in $Z \rightarrow e^+ e^-$ + $Z \rightarrow \ell^+ \ell^-$ events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 375.	3.9	15
338	Charged-particle distributions in pp interactions at $\sqrt{s} = 8 \text{ TeV}$ measured with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 403.	3.9	30
339	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp interactions measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 502.	3.9	61
340	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 547.	3.9	37
341	Search for minimal supersymmetric standard model Higgs Bosons H_A and for a Z' boson in the $t\bar{t}$ final state produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 585.	3.9	51
342	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. <i>European Physical Journal C</i> , 2016, 76, 666.	3.9	73

#	ARTICLE	IF	CITATIONS
343	Measurement of the $\bar{b} b \bar{b} b$ dijet cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	3.9	12
344	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	3.9	21
345	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	3.9	23
346	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	3.9	24
347	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2016, 76, 292.	3.9	453
348	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	3.9	48
349	Measurement of total and differential $W + W^*$ production cross sections in proton-proton collisions at $s = 8$ TeV with the ATLAS detector and limits on anomalous triple-gauge-boson couplings. Journal of High Energy Physics, 2016, 2016, .	4.7	47
350	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	3.9	31
351	Measurement of $W + W^*$ production in association with one jet in proton-proton collisions at $s = 8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 763, 114-133.	4.1	4
352	Search for dark matter produced in association with a hadronically decaying vector boson in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 763, 114-133.	4.1	29
353	Transverse momentum, rapidity, and centrality dependence of inclusive charged-particle production in p+ Pb collisions measured by the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 763, 313-336.	4.1	39
354	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	44
355	Measurement of R uds and R between 3.12 and 3.72 GeV at the KEDR detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 753, 533-541.	4.1	24
356	Dijet production in pp collisions with large rapidity gaps at the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 754, 214-234.	4.1	29
357	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	71
358	Constraints on non-Standard Model Higgs boson interactions in an effective Lagrangian using differential cross sections measured in the $H \rightarrow b\bar{b}$ decay channel at $s = 8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 753, 69-85.	4.1	31
359	Search for flavour-changing neutral current top-quark decays to $q\bar{q} Z$ in pp collision data collected with the ATLAS detector at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 12.	3.9	39
360	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 87.	3.9	39

#	ARTICLE	IF	CITATIONS
361	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	3.9	10
362	Search for charged Higgs bosons in the $H \rightarrow t\bar{t}$ decay channel in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	43
363	Search for heavy long-lived charged R-hadrons with the ATLAS detector in 3.2 fb^{-1} of proton-proton collision data at $\sqrt{s} = 8 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 760, 647-665.	4.1	39
364	Measurement of $W A^\pm$ and Z -boson production cross sections in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 601-621.	4.1	38
365	Search for TeV-scale gravity signatures in high-mass final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 760, 520-537.	4.1	12
366	Search for high-mass new phenomena in the dilepton final state using proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 760, 370-392.	4.1	10
367	Search for New resonance events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 762, 334-352.	4.1	9
368	Study of the rare decays of $B^0 \rightarrow \mu^+ \mu^-$ and $B^0 \rightarrow \mu^+ \mu^- \nu \bar{\nu}$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	3.9	46
369	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 517.	3.9	24
370	Search for resonances in diphoton events at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	70
371	Search for resonances in the mass distribution of jet pairs with one or two jets identified as b-jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 761, 157-178.	4.1	19
372	Measurement of the total cross section from elastic scattering in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 761, 179-188.	4.1	18
373	Measurement of the total cross section from elastic scattering in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 762, 1-22.	4.1	17
374	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	3.9	43
375	Measurement of the top quark mass in the channel $t\bar{t} \rightarrow Wb \rightarrow l\nu b\bar{b}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 761, 19-26.	4.1	52
376	ATLAS Collaboration. Nuclear Physics A, 2016, 956, 922-944.	1.5	1
377	Search for charged Higgs bosons produced in association with a top quark and decaying via $H \rightarrow t\bar{t}$, $t\bar{t} \rightarrow b\bar{b}l\bar{l}$ using pp collision data recorded at $\sqrt{s} = 8 \text{ TeV}$ by the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 555-574.	4.1	53
378	Measurement of the relative width difference of the $B^0 \rightarrow \mu^+ \mu^-$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	8

#	ARTICLE	IF	CITATIONS
379	Search for scalar leptoquarks in $\langle\langle pp\rangle\rangle$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment. New Journal of Physics, 2016, 18, 093016.	2.9	56
380	Search for Higgs and Z boson decays to $\ell^+\ell^-$ with the ATLAS detector. Physical Review Letters, 2016, 117, 111802.	7.8	13
381	Production cross section in $\langle\langle pp\rangle\rangle$ collisions at $\sqrt{s} = 13$ TeV. Observation of long-range elliptic azimuthal anisotropies in $\langle\langle pp\rangle\rangle$ collisions with the ATLAS detector. Physical Review Letters, 2016, 117, 111802.	7.8	31
382	Collisions with the ATLAS detector. Physical Review Letters, 2016, 117, 111802.	7.8	228
383	Production cross-section using $e^{1/4}$ events with b-tagged jets in $\langle\langle pp\rangle\rangle$ collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2016, 76, 295.	4.1	57
384	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	3.9	50
385	Performance of pile-up mitigation techniques for jets in $\langle\langle pp\rangle\rangle$ collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 581.	3.9	298
386	Measurement of the Inelastic Proton-Proton Cross Section at $\sqrt{s} = 13$ TeV with the ATLAS Detector at the LHC. Physical Review Letters, 2016, 117, 182002.	7.8	185
387	Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at $s = 7$ TeV and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	473
388	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8$ TeV App collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	3.9	51
389	Measurement of jet activity in top quark events using the $e^{1/4}$ final state with two b-tagged jets in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	4
390	Measurement of the transverse momentum and ϕ distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	3.9	154
391	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^+e^- \nu \bar{\nu}$ with the ATLAS detector at $s = 8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
392	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	20
393	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $s = 8$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
394	Identification of high transverse momentum top quarks in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
395	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	2.9	2
396	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.	1.2	11

#	ARTICLE	IF	CITATIONS
397	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2016, 76, 538.	3.9	115
398	Measurement of the differential cross-sections of prompt and non-prompt production of J/ψ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	3.9	63
399	Luminosity determination in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	3.9	279
400	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	3.9	11
401	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	33
402	Searches for heavy diboson resonances in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	25
403	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8 \text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
404	Search for the Standard Model Higgs boson decaying into b \bar{b} produced in association with top quarks decaying hadronically in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	21
405	Measurement of the CP-violating phase δ_s and the $B_s^0 \rightarrow J/\psi \ell^+ \ell^-$ decay width difference with $B_s^0 \rightarrow J/\psi \ell^+ \ell^-$ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
406	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	3.9	73
407	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	38
408	A search for prompt lepton-jets in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	31
409	Search for new phenomena with photon+jet events in proton-proton collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
410	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
411	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
412	Search for strong gravity in multijet final states produced in pp collisions at $s = 13 \text{ TeV}$ using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
413	Measurements of four-lepton production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 756, 1-10.	4.7	10
414	Measurement of the charge asymmetry in highly boosted top-quark pair production in pp collision data collected by the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 756, 52-71.	4.7	9

#	ARTICLE	IF	CITATIONS
415	Measurement of the dependence of transverse energy production at large pseudorapidity on the hard-scattering kinematics of proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 756, 41.	4.1	10
416	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum with ATLAS using $\sqrt{s} = 13 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 756, 21.	4.1	21
417	Search for single production of a vector-like quark via a heavy gluon in the $t\bar{t}$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 757, 16.	4.1	16
418	Search for new phenomena in dijet mass and angular distributions from $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 751, 13.	4.1	13
419	Evidence for single top-quark production in the s-channel in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector using the Matrix Element Method. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 751, 102.	4.1	21
420	Charged-particle distributions in $\sqrt{s} = 13 \text{ TeV}$ pp interactions measured with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 756, 67.	4.1	13
421	Combination of searches for $W\gamma\gamma$ and $Z\gamma\gamma$ resonances in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 755, 285.	4.1	28
422	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 154.	3.9	62
423	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	3.9	95
424	Probing lepton flavour violation via neutrinoless $\nu_\mu \rightarrow \nu_e + \nu_\tau + \nu_\chi$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	3.9	19
425	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	3.9	9
426	Search for supersymmetry at $\sqrt{s} = 13 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	3.9	72
427	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	49
428	Search for anomalous couplings in the Wtb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	4.7	13
429	Searches for scalar leptoquarks in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 5.	3.9	109
430	Measurements of fiducial cross-sections for $t\bar{t}\gamma$ production with one or two additional b-jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2016, 76, 11.	3.9	54
431	Search for an additional, heavy Higgs boson in the $H \rightarrow ZZ \rightarrow H \rightarrow Z\bar{Z}$ decay channel at $\sqrt{s} = 8 \text{ TeV}$ in pp collision data with the ATLAS detector. European Physical Journal C, 2016, 76, 45.	3.9	197
432	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	3.9	43

#	ARTICLE	IF	CITATIONS
433	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Final analysis of KEDR data on atm . atm http://www.w3.org/1998/Math/MathML " altimg="si1.gif" overflow="scroll"><math>\langle \text{mml:mi} \rangle J \langle / \text{mml:mi} \rangle < \text{mml:mo} \text{stretchy="false"} \rangle \langle / \text{mml:mo} \rangle < \text{mml:mi} \rangle \langle / \text{mml:mi} \rangle < \text{mml:math} \text{and} < \text{mml:math} \text{xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si101.gif" overflow="scroll"}> \langle / \text{mml:mi} \rangle \langle / \text{mml:mi} \rangle < \text{mml:math} \text{stretchy="false"} \rangle \langle / \text{mml:mo} \rangle < \text{mml:mi} \rangle \langle / \text{mml:mi} \rangle < \text{mml:math} \text{boson production} \text{mathvariant="italic"} \langle / \text{mml:math} \rangle \langle \text{mml:mrow} \rangle < \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle < \text{mml:mo} \rangle + \langle / \text{mml:mo} \rangle < \text{mml:mi} \rangle P_b \langle / \text{mml:mi} \rangle \text{at} < \text{mml:math} \text{Determination of the Ratio of } \langle \text{mml:math} \text{xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si102.gif" display="inline"} \rangle b \langle / \text{mml:mi} \rangle < \text{mml:math} \text{-Quark Fragmentation Fractions} \langle \text{mml:math} \text{display="block"} \rangle 5.02 \langle / \text{mml:mn} \rangle < \text{mml:mrow} \rangle < \text{mml:mi} \rangle f_8 \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle < \text{mml:mi} \rangle f_{\bar{8}} \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle < \text{mml:mi} \rangle d \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \text{Physical Review Letters, 2015, 115, 262001. Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.}	1	
434	Search for lepton-flavour-violating $H \rightarrow l^+l^-$ decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.1	19
435	Measurement of four-jet differential cross sections in $s = 8 \text{ TeV}$ proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	2.9	
436	Measurement of transverse energy-energy correlations in multi-jet events in pp collisions at $\sqrt{s}=8 \text{ TeV}$ using the ATLAS detector and determination of the strong coupling constant. atm Measurement of exclusive $t\bar{t}W\bar{W}$ production in proton-proton collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector atm Measurement of exclusive $t\bar{t}Z\bar{Z}$ production in proton-proton collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector atm Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	7.8	23
437	Searches for squarks and gluinos using $s = 8 \text{ TeV}$ pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	55
438	Search for flavour-changing neutral current top quark decays $t \rightarrow b \nu$ in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	52
439	Measurement of the branching ratio atm Measurement of the branching ratio atm Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector atm Measurement of exclusive $t\bar{t}Z\bar{Z}$ production in proton-proton collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector atm Measurement of the branching ratio atm Summary of the searches for squarks and gluinos using $s = 8 \text{ TeV}$ pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	11
440	Measurement of the branching ratio atm Measurement of the branching ratio atm Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector atm Measurement of exclusive $t\bar{t}Z\bar{Z}$ production in proton-proton collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector atm Measurement of the branching ratio atm Summary of the searches for squarks and gluinos using $s = 8 \text{ TeV}$ pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.1	23
441	Measurement of the branching ratio atm Measurement of the branching ratio atm Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector atm Measurement of exclusive $t\bar{t}Z\bar{Z}$ production in proton-proton collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector atm Measurement of the branching ratio atm Summary of the searches for squarks and gluinos using $s = 8 \text{ TeV}$ pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.1	18
442	Measurement of the branching ratio atm Measurement of the branching ratio atm Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector atm Measurement of exclusive $t\bar{t}Z\bar{Z}$ production in proton-proton collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector atm Measurement of the branching ratio atm Summary of the searches for squarks and gluinos using $s = 8 \text{ TeV}$ pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.1	43
443	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	108
444	Search for flavour-changing neutral current top quark decays $t \rightarrow b \nu$ in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
445	Measurement of the $t\bar{t}W\bar{W}$ and $t\bar{t}Z\bar{Z}$ production cross sections in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
446	Search for flavour-changing neutral current top quark decays $t \rightarrow b \nu$ in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	4.7	19
447			

#	ARTICLE	IF	CITATIONS
451	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	3.9	138
452	Measurement of $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll" \rangle \langle \text{mml:mi} \rangle J \langle / \text{mml:mi} \rangle \langle \text{mml:mo stretchy="false" \rangle / \langle \text{mml:mo} \langle \text{mml:mi} \rangle \langle / \text{mml:mi} \rangle \langle \text{mml:mo stretchy="false" \rangle \hat{\tau} \langle / \text{mml:mo} \langle \text{mml:mi} \rangle \langle / \text{mml:mi} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle \hat{\nu} \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle \langle / \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:math variant="normal" \rangle c \langle / \text{mml:math} \rangle \langle \text{mml:mrow} \rangle \langle / \text{mml:msub} \rangle \langle / \text{mml:math} \rangle \text{ decay rate and } \langle \text{mml:math} \text{ xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns: xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:sb="http://www.elsevier.com/xml/common/struct-bib/dtd" xmlns:ce="http://www.elsevier.com/xml/common/ce/dtd" \rangle$	4.1	4
453	PARAMETERS OF CHARMONIUM STATES FROM KEDR. International Journal of Modern Physics Conference Series, 2014, 35, 1460429.	0.7	0
454	STUDY OF $\tilde{\chi}(2S) \rightarrow \frac{1}{4}+\frac{1}{4}$ - DECAY WITH KEDR DETECTOR. International Journal of Modern Physics Conference Series, 2014, 35, 1460462.	0.7	0
455	The KEDR detector. Physics of Particles and Nuclei, 2013, 44, 657-702.	0.7	55
456	Recent Results from the KEDR Detector. EPJ Web of Conferences, 2012, 37, 09014.	0.3	0
457	Measurement of main parameters of the $\langle \text{mml:math altimg="si1.gif" overflow="scroll" \rangle \langle \text{mml:mi} \rangle J \langle / \text{mml:mi} \rangle \langle \text{mml:mo stretchy="false" \rangle / \langle \text{mml:mo} \langle \text{mml:mi} \rangle \langle / \text{mml:mi} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle \langle / \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:math variant="normal" \rangle c \langle / \text{mml:math} \rangle \langle \text{mml:mrow} \rangle \langle / \text{mml:msub} \rangle \langle / \text{mml:math} \rangle \text{ decay rate and } \langle \text{mml:math} \text{ xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns: xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:sb="http://www.elsevier.com/xml/common/struct-bib/dtd" xmlns:ce="http://www.elsevier.com/xml/common/ce/dtd" \rangle$	4.1	23
458	$\tilde{\chi}_1^0$, lepton mass determination at KEDR. Nuclear Physics, Section B, Proceedings Supplements, 2011, 218, 155-159.	0.4	2
459	Search for narrow resonances in $\langle \text{mml:math altimg="si1.gif" overflow="scroll" \rangle \langle \text{mml:mi} \rangle J \langle / \text{mml:mi} \rangle \langle \text{mml:mo stretchy="false" \rangle / \langle \text{mml:mo} \langle \text{mml:mi} \rangle \langle / \text{mml:mi} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle \langle / \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:math variant="normal" \rangle c \langle / \text{mml:math} \rangle \langle \text{mml:mrow} \rangle \langle / \text{mml:msub} \rangle \langle / \text{mml:math} \rangle \text{ decay rate and } \langle \text{mml:math} \text{ xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns: xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:sb="http://www.elsevier.com/xml/common/struct-bib/dtd" xmlns:ce="http://www.elsevier.com/xml/common/ce/dtd" \rangle$	4.1	25
460	Measurement of $\langle \text{mml:math altimg="si1.gif" overflow="scroll" \rangle \langle \text{mml:mi} \rangle J \langle / \text{mml:mi} \rangle \langle \text{mml:mo stretchy="false" \rangle / \langle \text{mml:mo} \langle \text{mml:mi} \rangle \langle / \text{mml:mi} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle \langle / \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:math variant="normal" \rangle c \langle / \text{mml:math} \rangle \langle \text{mml:mrow} \rangle \langle / \text{mml:msub} \rangle \langle / \text{mml:math} \rangle \text{ decay rate and } \langle \text{mml:math} \text{ xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns: xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:sb="http://www.elsevier.com/xml/common/struct-bib/dtd" xmlns:ce="http://www.elsevier.com/xml/common/ce/dtd" \rangle$	4.1	6

#	ARTICLE		IF	CITATIONS
469	Results on τ , from KEDR. Nuclear Physics, Section B, Proceedings Supplements, 2008, 181-182, 353-357.		0.4	5
470	Measurement of the $\tilde{\nu}_\mu$ lepton mass at the KEDR detector. JETP Letters, 2007, 85, 347-352.		1.4	40
471	New precise determination of the $\tilde{\nu}_\mu$ lepton mass at KEDR detector. Nuclear Physics, Section B, Proceedings Supplements, 2007, 169, 125-131.		0.4	12
472	New precision measurement of the J/ψ - and $\psi^{\prime 2}$ -meson masses. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 573, 63-79.		4.1	58
473	Status of the KEDR detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2002, 478, 420-425.		1.6	47
474	Experience with CsI(Na) crystals for calorimetry. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1996, 379, 502-504.		1.6	7