

# Rob M Kok

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7112283/publications.pdf>

Version: 2024-02-01

64  
papers

2,888  
citations

186265

28  
h-index

168389

53  
g-index

64  
all docs

64  
docs citations

64  
times ranked

3374  
citing authors

#	ARTICLE	IF	CITATIONS
1	Li X & Zhang C. Comparative efficacy of nine antidepressants in treating Chinese patients with post-stroke depression: A network meta-analysis. <i>Journal of affective disorders</i> . 2020; 266: 540-548. <i>Journal of Affective Disorders</i> , 2021, 278, 405-406.	4.1	2
2	Tolerability of lithium: A naturalistic discontinuation study in older inpatients (≥60 years). <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1231-1240.	2.7	4
3	Predicting rehospitalisation in older inpatients with a psychotic disorder. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 1151-1155.	2.7	0
4	ECT non-responders: prognosis and treatment after 12 unilateral electroconvulsive therapy sessions for major depression. <i>Journal of Affective Disorders</i> , 2020, 272, 501-507.	4.1	7
5	Effects of Pharmacogenetic Screening for CYP2D6 Among Elderly Starting Therapy With Nortriptyline or Venlafaxine. <i>Journal of Clinical Psychopharmacology</i> , 2019, 39, 583-590.	1.4	15
6	Candidate CSPG4 mutations and induced pluripotent stem cell modeling implicate oligodendrocyte progenitor cell dysfunction in familial schizophrenia. <i>Molecular Psychiatry</i> , 2019, 24, 757-771.	7.9	51
7	Limited Evidence for Risk Factors for Proarrhythmia and Sudden Cardiac Death in Patients Using Antidepressants: Dutch Consensus on ECG Monitoring. <i>Drug Safety</i> , 2018, 41, 655-664.	3.2	7
8	Lifestyle factors and the course of depression in older adults: A NESDO study. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 1000-1008.	2.7	21
9	Vascular risk factors in older patients with depression: outcome of electroconvulsive therapy versus medication. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 371-378.	2.7	7
10	Electroconvulsive Therapy for Agitation and Aggression in Dementia: A Systematic Review. <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, 419-434.	1.2	32
11	55-plussers en problematisch alcoholgebruik in de huisartsenpraktijk. <i>Bijblijven (Amsterdam)</i> , Tj ETQq1 1 0.784314, rgbT / Overlock 10	0.8	0
12	A Six-Year Prospective Study of the Prognosis and Predictors in Patients With Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, 985-997.	1.2	42
13	Leucocyte telomere length is no molecular marker of physical frailty in late-life depression. <i>Experimental Gerontology</i> , 2018, 111, 229-234.	2.8	8
14	Mood, Brain and Aging: The Value of Longitudinal Approaches in Geriatric Psychiatry. <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, S16-S17.	1.2	0
15	New Research on Substance Misuse and Abuse among Aging Adults. <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, S48-S49.	1.2	0
16	Associations between age and the course of major depressive disorder: a 2-year longitudinal cohort study. <i>Lancet Psychiatry</i> , 2018, 5, 581-590.	7.4	97
17	Effect of chronic somatic diseases on the course of late-life depression. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 779-787.	2.7	23
18	Management of Depression in Older Adults. <i>JAMA - Journal of the American Medical Association</i> , 2017, 317, 2114.	7.4	540

#	ARTICLE	IF	CITATIONS
19	Gender Differences in Cognitive Functioning in Older Alcohol-Dependent Patients. Substance Use and Misuse, 2017, 52, 574-580.	1.4	8
20	Nonpharmacologic Treatments for Depression in Older Adultsâ€”Reply. JAMA - Journal of the American Medical Association, 2017, 318, 1284.	7.4	4
21	Detecting delirium in elderly outpatients with cognitive impairment. International Psychogeriatrics, 2016, 28, 1303-1311.	1.0	36
22	Prevalence of mild cognitive impairment and dementia in older nonâ€“western immigrants in the Netherlands: a crossâ€“sectional study. International Journal of Geriatric Psychiatry, 2016, 31, 1040-1049.	2.7	59
23	Early Complete Remitters After Electroconvulsive Therapy. Journal of ECT, 2016, 32, 82-87.	0.6	12
24	Preliminary longitudinal results of neuropsychological education as first and sole intervention for new tinnitus patients. International Tinnitus Journal, 2016, 20, 11-7.	0.2	1
25	Social factors and readmission after inpatient detoxification in older alcoholâ€“dependent patients. American Journal on Addictions, 2015, 24, 661-666.	1.4	7
26	Authors' reply. British Journal of Psychiatry, 2015, 206, 167-168.	2.8	0
27	Speed of remission in elderly patients with depression: Electroconvulsive therapy<i>v</i>. medication. British Journal of Psychiatry, 2015, 206, 67-71.	2.8	123
28	Effects and cost-effectiveness of pharmacogenetic screening for CYP2D6 among older adults starting therapy with nortriptyline or venlafaxine: study protocol for a pragmatic randomized controlled trial (CYSCETrial). Trials, 2015, 16, 37.	1.6	14
29	The two-year course of late-life depression; results from the Netherlands study of depression in older persons. BMC Psychiatry, 2015, 15, 20.	2.6	99
30	Relapse and long-term cognitive performance after brief pulse or ultrabrief pulse right unilateral electroconvulsive therapy: A multicenter naturalistic follow up. Journal of Affective Disorders, 2015, 184, 137-144.	4.1	22
31	Older Age Is Associated with Rapid Remission of Depression After Electroconvulsive Therapy: A Latent Class Growth Analysis. American Journal of Geriatric Psychiatry, 2015, 23, 274-282.	1.2	54
32	Decrease in unmet needs contributes to improved motivation for treatment in elderly patients with severe mental illness. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 125-132.	3.1	5
33	Two years' outcome of acute mania in bipolar disorder: different effects of age and age of onset. International Journal of Geriatric Psychiatry, 2015, 30, 201-209.	2.7	47
34	Depression in later life: A more somatic presentation?. Journal of Affective Disorders, 2015, 170, 196-202.	4.1	65
35	Short- and long-term neurocognitive functioning after electroconvulsive therapy in depressed elderly: a prospective naturalistic study. International Psychogeriatrics, 2014, 26, 315-324.	1.0	54
36	Treatment of alcohol use disorders in the elderly: an overview of RCTs. International Psychogeriatrics, 2014, 26, 1767-1770.	1.0	5

#	ARTICLE	IF	CITATIONS
37	Cognitive functioning in older adults with early, late, and very late onset alcohol dependence. <i>International Psychogeriatrics</i> , 2014, 26, 1863-1869.	1.0	25
38	The effectiveness of assertive community treatment for elderly patients with severe mental illness: a randomized controlled trial. <i>BMC Psychiatry</i> , 2014, 14, 42.	2.6	22
39	Physical and Mental Health and Social Functioning in Older Alcohol-Dependent Inpatients: The Role of Age of Onset. <i>European Addiction Research</i> , 2014, 20, 226-232.	2.4	8
40	Heterogeneity of late-life depression: relationship with cognitive functioning. <i>International Psychogeriatrics</i> , 2014, 26, 953-963.	1.0	49
41	Correlates of Alcohol Abstinence and At-Risk Alcohol Consumption in Older Adults with Depression: the NESDO Study. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 866-874.	1.2	48
42	Dr Spaans and Colleagues Reply. <i>Journal of Clinical Psychiatry</i> , 2014, 75, 777-778.	2.2	0
43	What Is the Role of Medications in Late Life Depression?. <i>Psychiatric Clinics of North America</i> , 2013, 36, 597-605.	1.3	14
44	Use of a Structured Medication History to Establish Medication Use at Admission to an Old Age Psychiatric Clinic: A Prospective Observational Study. <i>CNS Drugs</i> , 2013, 27, 963-969.	5.9	20
45	Lack of motivation for treatment associated with greater care needs and psychosocial problems. <i>Aging and Mental Health</i> , 2013, 17, 1052-1058.	2.8	9
46	Characteristics, prevalence, risk factors, and underlying mechanism of hyponatremia in elderly patients treated with antidepressants: A cross-sectional study. <i>Maturitas</i> , 2013, 76, 357-363.	2.4	44
47	Efficacy of ultrabrief pulse electroconvulsive therapy for depression: A systematic review. <i>Journal of Affective Disorders</i> , 2013, 150, 720-726.	4.1	35
48	Efficacy and Cognitive Side Effects After Brief Pulse and Ultrabrief Pulse Right Unilateral Electroconvulsive Therapy for Major Depression. <i>Journal of Clinical Psychiatry</i> , 2013, 74, e1029-e1036.	2.2	58
49	Phenomenology of depression in older compared with younger adults: Meta-analysis. <i>British Journal of Psychiatry</i> , 2012, 200, 275-281.	2.8	261
50	The subscale structure of the Inventory of Depressive Symptomatology Self Report (IDS-SR) in older persons. <i>Journal of Psychiatric Research</i> , 2012, 46, 1383-1388.	3.1	36
51	Efficacy of treatment in older depressed patients: A systematic review and meta-analysis of double-blind randomized controlled trials with antidepressants. <i>Journal of Affective Disorders</i> , 2012, 141, 103-115.	4.1	142
52	Neurocognitive effects after brief pulse and ultrabrief pulse unilateral electroconvulsive therapy for major depression: A review. <i>Journal of Affective Disorders</i> , 2012, 140, 233-243.	4.1	101
53	Continuing Treatment of Depression in the Elderly: A Systematic Review and Meta-Analysis of Double-Blinded Randomized Controlled Trials With Antidepressants. <i>American Journal of Geriatric Psychiatry</i> , 2011, 19, 249-255.	1.2	109
54	The Netherlands study of depression in older persons (NESDO); a prospective cohort study. <i>BMC Research Notes</i> , 2011, 4, 524.	1.4	130

#	ARTICLE	IF	CITATIONS
55	Treatment of Psychotic Depression in the Elderly Compared With Nonpsychotic Depression. <i>Journal of Clinical Psychopharmacology</i> , 2010, 30, 465-467.	1.4	3
56	Early response as predictor of final remission in elderly depressed patients. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 1299-1303.	2.7	15
57	Outcome of late-life depression after 3 years of sequential treatment. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 274-281.	4.5	33
58	The Course of Adverse Effects of Nortriptyline and Venlafaxine in Elderly Patients with Major Depression. <i>Journal of the American Geriatrics Society</i> , 2009, 57, 2112-2117.	2.6	7
59	Early behavioural changes during antidepressant treatment in elderly patients. <i>International Journal of Geriatric Psychiatry</i> , 2008, 23, 769-771.	2.7	1
60	Hippocampal volume and subcortical white matter lesions in late life depression: comparison of early and late onset depression. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2007, 78, 638-640.	1.9	97
61	Cardiovascular Changes Associated With Venlafaxine in the Treatment of Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2007, 15, 725.	1.2	9
62	Cerebral volume measurements and subcortical white matter lesions and short-term treatment response in late life depression. <i>International Journal of Geriatric Psychiatry</i> , 2007, 22, 468-474.	2.7	53
63	Venlafaxine versus nortriptyline in the treatment of elderly depressed inpatients: a randomised, double-blind, controlled trial. <i>International Journal of Geriatric Psychiatry</i> , 2007, 22, 1247-1254.	2.7	37
64	Lithium Augmentation Compared With Phenelzine in Treatment-Resistant Depression in the Elderly. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 1177-1185.	2.2	51