

Patrik Spanel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7118253/publications.pdf>

Version: 2024-02-01

297
papers

13,919
citations

18482

62
h-index

32842

100
g-index

303
all docs

303
docs citations

303
times ranked

5871
citing authors

#	ARTICLE	IF	CITATIONS
1	Selected ion flow tube mass spectrometry (SIFT-MS) for on-line trace gas analysis. <i>Mass Spectrometry Reviews</i> , 2005, 24, 661-700.	5.4	683
2	Quantitative analysis of ammonia on the breath of patients in end-stage renal failure. <i>Kidney International</i> , 1997, 52, 223-228.	5.2	328
3	A longitudinal study of ammonia, acetone and propanol in the exhaled breath of 30 subjects using selected ion flow tube mass spectrometry, SIFT-MS. <i>Physiological Measurement</i> , 2006, 27, 321-337.	2.1	323
4	Progress in SIFT-MS: Breath analysis and other applications. <i>Mass Spectrometry Reviews</i> , 2011, 30, 236-267.	5.4	289
5	Time variation of ammonia, acetone, isoprene and ethanol in breath: a quantitative SIFT-MS study over 30 days. <i>Physiological Measurement</i> , 2003, 24, 107-119.	2.1	210
6	Selected ion flow tube studies of the reactions of H ₃ O ⁺ , NO ⁺ , and O ₂ ⁺ with several aromatic and aliphatic hydrocarbons. <i>International Journal of Mass Spectrometry</i> , 1998, 181, 1-10.	1.5	205
7	SIFT studies of the reactions of H ₃ O ⁺ , NO ⁺ and O ₂ ⁺ with a series of alcohols. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1997, 167-168, 375-388.	1.8	196
8	Selected ion flow tube: a technique for quantitative trace gas analysis of air and breath. <i>Medical and Biological Engineering and Computing</i> , 1996, 34, 409-419.	2.8	195
9	SIFT studies of the reactions of H ₃ O ⁺ , NO ⁺ and O ₂ ⁺ with a series of aldehydes and ketones. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1997, 165-166, 25-37.	1.8	194
10	Ions in the terrestrial atmosphere and in interstellar clouds. <i>Mass Spectrometry Reviews</i> , 1995, 14, 255-278.	5.4	166
11	Analysis of formaldehyde in the headspace of urine from bladder and prostate cancer patients using selected ion flow tube mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 1999, 13, 1354-1359.	1.5	166
12	Breath Analysis: The Approach Towards Clinical Applications. <i>Mini-Reviews in Medicinal Chemistry</i> , 2007, 7, 115-129.	2.4	166
13	Trace gases in breath of healthy volunteers when fasting and after a protein-calorie meal: a preliminary study. <i>Journal of Applied Physiology</i> , 1999, 87, 1584-1588.	2.5	160
14	The Novel Selected-ion Flow Tube Approach to Trace Gas Analysis of Air and Breath. , 1996, 10, 1183-1198.		154
15	A longitudinal study of ethanol and acetaldehyde in the exhaled breath of healthy volunteers using selected-ion flow-tube mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2006, 20, 61-68.	1.5	148
16	A general method for the calculation of absolute trace gas concentrations in air and breath from selected ion flow tube mass spectrometry data. <i>International Journal of Mass Spectrometry</i> , 2006, 249-250, 230-239.	1.5	148
17	Mass spectrometry for real-time quantitative breath analysis. <i>Journal of Breath Research</i> , 2014, 8, 027101.	3.0	147
18	Mass Spectrometric Analysis of Exhaled Breath for the Identification of Volatile Organic Compound Biomarkers in Esophageal and Gastric Adenocarcinoma. <i>Annals of Surgery</i> , 2015, 262, 981-990.	4.2	138

#	ARTICLE	IF	CITATIONS
19	Quantification of acetaldehyde released by lung cancer cells in vitro using selected ion flow tube mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2003, 17, 845-850.	1.5	137
20	Selected Ion Flow Tube Mass Spectrometry Analysis of Exhaled Breath for Volatile Organic Compound Profiling of Esophago-Gastric Cancer. <i>Analytical Chemistry</i> , 2013, 85, 6121-6128.	6.5	135
21	Studies of Electron Attachment at Thermal Energies Using the Flowing Afterglow "Langmuir Probe" Technique. <i>Advances in Atomic, Molecular and Optical Physics</i> , 1994, 32, 307-343.	2.3	134
22	Analysis of breath, exhaled via the mouth and nose, and the air in the oral cavity. <i>Journal of Breath Research</i> , 2008, 2, 037013.	3.0	133
23	A longitudinal study of breath isoprene in healthy volunteers using selected ion flow tube mass spectrometry (SIFT-MS). <i>Physiological Measurement</i> , 2006, 27, 13-22.	2.1	131
24	Application of ion chemistry and the SIFT technique to the quantitative analysis of trace gases in air and on breath. <i>International Reviews in Physical Chemistry</i> , 1996, 15, 231-271.	2.3	130
25	Detection of volatile compounds emitted by <i>Pseudomonas aeruginosa</i> using selected ion flow tube mass spectrometry. <i>Pediatric Pulmonology</i> , 2005, 39, 452-456.	2.0	130
26	The challenge of breath analysis for clinical diagnosis and therapeutic monitoring. <i>Analyst</i> , The, 2007, 132, 390-396.	3.5	125
27	A longitudinal study of methanol in the exhaled breath of 30 healthy volunteers using selected ion flow tube mass spectrometry, SIFT-MS. <i>Physiological Measurement</i> , 2006, 27, 637-648.	2.1	122
28	Selected ion flow tube - mass spectrometry: detection and real-time monitoring of flavours released by food products. <i>Rapid Communications in Mass Spectrometry</i> , 1999, 13, 585-596.	1.5	120
29	Compounds enhanced in a mass spectrometric profile of smokers' exhaled breath versus non-smokers as determined in a pilot study using PTR-MS. <i>Journal of Breath Research</i> , 2008, 2, 026002.	3.0	119
30	Breath acetone concentration; biological variability and the influence of diet. <i>Physiological Measurement</i> , 2011, 32, N23-N31.	2.1	119
31	SIFT studies of the reactions of H ₃ O ⁺ , NO ⁺ and O ₂ ⁺ with a series of volatile carboxylic acids and esters. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1998, 172, 137-147.	1.8	118
32	An exploratory comparative study of volatile compounds in exhaled breath and emitted by skin using selected ion flow tube mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2008, 22, 526-532.	1.5	116
33	Reactions of Hydrated Hydronium Ions and Hydrated Hydroxide Ions with Some Hydrocarbons and Oxygen-Bearing Organic Molecules. <i>The Journal of Physical Chemistry</i> , 1995, 99, 15551-15556.	2.9	111
34	Volatile metabolites in the exhaled breath of healthy volunteers: their levels and distributions. <i>Journal of Breath Research</i> , 2007, 1, 014004.	3.0	110
35	Plasma Volume, Albumin, and Fluid Status in Peritoneal Dialysis Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010, 5, 1463-1470.	4.5	106
36	Ambient analysis of trace compounds in gaseous media by SIFT-MS. <i>Analyst</i> , The, 2011, 136, 2009.	3.5	104

#	ARTICLE	IF	CITATIONS
37	Direct, rapid quantitative analyses of BVOCs using SIFT-MS and PTR-MS obviating sample collection. <i>TrAC - Trends in Analytical Chemistry</i> , 2011, 30, 945-959.	11.4	98
38	Quantification of acetonitrile in exhaled breath and urinary headspace using selected ion flow tube mass spectrometry. <i>International Journal of Mass Spectrometry</i> , 2003, 228, 655-665.	1.5	96
39	Dissociative recombination of H ₃ ⁺ and some other interstellar ions: a controversy resolved. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1993, 129, 163-182.	1.8	93
40	Can volatile compounds in exhaled breath be used to monitor control in diabetes mellitus?. <i>Journal of Breath Research</i> , 2011, 5, 022001.	3.0	91
41	Isoprene levels in the exhaled breath of 200 healthy pupils within the age range 7-18 years studied using SIFT-MS. <i>Journal of Breath Research</i> , 2010, 4, 017101.	3.0	90
42	A selected ion flow tube mass spectrometry study of ammonia in mouth- and nose-exhaled breath and in the oral cavity. <i>Rapid Communications in Mass Spectrometry</i> , 2008, 22, 783-789.	1.5	88
43	Formation and decay of C ₆₀ ⁻ following free electron capture by C ₆₀ . <i>Journal of Chemical Physics</i> , 1995, 102, 2516-2521.	3.0	85
44	Acetone, ammonia and hydrogen cyanide in exhaled breath of several volunteers aged 4-83 years. <i>Journal of Breath Research</i> , 2007, 1, 011001.	3.0	83
45	Quantification of breath isoprene using the selected ion flow tube mass spectrometric analytical method. , 1999, 13, 1733-1738.		81
46	Variability in the concentrations of volatile metabolites emitted by genotypically different strains of <i>Pseudomonas aeruginosa</i> . <i>Journal of Applied Microbiology</i> , 2012, 113, 701-713.	3.1	81
47	A selected ion flow tube study of the reactions of H ₃ O ⁺ , NO ⁺ , and O ₂ ⁺ with saturated and unsaturated aldehydes and subsequent hydration of the product ions. <i>International Journal of Mass Spectrometry</i> , 2002, 213, 163-176.	1.5	80
48	Quantification of methyl thiocyanate in the headspace of <i>Pseudomonas aeruginosa</i> cultures and in the breath of cystic fibrosis patients by selected ion flow tube mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2011, 25, 2459-2467.	1.5	80
49	On-line measurement of the absolute humidity of air, breath and liquid headspace samples by selected ion flow tube mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2001, 15, 563-569.	1.5	78
50	On-line, simultaneous quantification of ethanol, some metabolites and water vapour in breath following the ingestion of alcohol. <i>Physiological Measurement</i> , 2002, 23, 477-489.	2.1	78
51	Selected ion flow tube, SIFT, studies of the reactions of H ₃ O ⁺ , NO ⁺ and O ₂ ⁺ with eleven C ₁₀ H ₁₆ monoterpenes. <i>International Journal of Mass Spectrometry</i> , 2003, 228, 117-126.	1.5	78
52	Selected ion flow tube studies of the reactions of H ₃ O ⁺ , NO ⁺ , and O ₂ ⁺ with several amines and some other nitrogen-containing molecules. <i>International Journal of Mass Spectrometry</i> , 1998, 176, 203-211.	1.5	76
53	Hydrogen cyanide, a volatile biomarker of <i>Pseudomonas aeruginosa</i> infection. <i>Journal of Breath Research</i> , 2013, 7, 044001.	3.0	76
54	A new "online" method to measure increased exhaled isoprene in end-stage renal failure. <i>Nephrology Dialysis Transplantation</i> , 2001, 16, 836-839.	0.7	75

#	ARTICLE	IF	CITATIONS
55	On-line, real time monitoring of exhaled trace gases by SIFT-MS in the perioperative setting: a feasibility study. <i>Analyst</i> , 2011, 136, 3233.	3.5	75
56	Quantification of ammonia in human breath by the selected ion flow tube analytical method using H ₃ O ⁺ and O ₂ ⁺ precursor ions. , 1998, 12, 763-766.		74
57	Electron attachment to C ₆₀ at low energies. <i>Chemical Physics Letters</i> , 1993, 213, 202-206.	2.6	73
58	Selected Ion Flow Tube Mass Spectrometry Analysis of Volatile Metabolites in Urine Headspace for the Profiling of Gastro-Esophageal Cancer. <i>Analytical Chemistry</i> , 2013, 85, 3409-3416.	6.5	72
59	Selected ion flow tube studies of the reactions of H ₃ O ⁺ , NO ⁺ , and O ₂ ⁺ with some organosulphur molecules. <i>International Journal of Mass Spectrometry</i> , 1998, 176, 167-176.	1.5	71
60	A quantitative study of the influence of inhaled compounds on their concentrations in exhaled breath. <i>Journal of Breath Research</i> , 2013, 7, 017106.	3.0	68
61	Selected Ion Flow Tube Mass Spectrometry for On-Line Trace Gas Analysis in Biology and Medicine. <i>European Journal of Mass Spectrometry</i> , 2007, 13, 77-82.	1.0	67
62	Concurrent use of H ₃ O ⁺ , NO ⁺ , and O ₂ ⁺ precursor ions for the detection and quantification of diverse trace gases in the presence of air and breath by selected ion-flow tube mass spectrometry. <i>International Journal of Mass Spectrometry</i> , 2001, 209, 81-97.	1.5	66
63	The varying influences of gas and electron temperatures on the rates of electron attachment to some selected molecules. <i>Journal of Physics B: Atomic, Molecular and Optical Physics</i> , 1995, 28, 2941-2957.	1.5	65
64	Breath analysis of ammonia, volatile organic compounds and deuterated water vapor in chronic kidney disease and during dialysis. <i>Bioanalysis</i> , 2014, 6, 843-857.	1.5	65
65	Concentrations of some metabolites in the breath of healthy children aged 7-18 years measured using selected ion flow tube mass spectrometry (SIFT-MS). <i>Journal of Breath Research</i> , 2009, 3, 036001.	3.0	64
66	Hydrogen cyanide concentrations in the breath of adult cystic fibrosis patients with and without <i>Pseudomonas aeruginosa</i> infection. <i>Journal of Breath Research</i> , 2013, 7, 026010.	3.0	63
67	Reactions of H ₃ O ⁺ and OH [•] ions with some organic molecules; applications to trace gas analysis in air. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1995, 145, 177-186.	1.8	62
68	Quantification of pentane in exhaled breath, a potential biomarker of bowel disease, using selected ion flow tube mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2013, 27, 1983-1992.	1.5	62
69	Analysis of ketones by selected ion flow tube mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2003, 17, 2655-2660.	1.5	61
70	Quantification of trace levels of the potential cancer biomarkers formaldehyde, acetaldehyde and propanol in breath by SIFT-MS. <i>Journal of Breath Research</i> , 2008, 2, 046003.	3.0	61
71	Ionic diffusion and mass discrimination effects in the new generation of short flow tube SIFT-MS instruments. <i>International Journal of Mass Spectrometry</i> , 2009, 281, 15-23.	1.5	61
72	Selected ion flow tube mass spectrometry of urine headspace. , 1999, 13, 724-729.		60

#	ARTICLE	IF	CITATIONS
73	Quantitative selected ion flow tube mass spectrometry: The influence of ionic diffusion and mass discrimination. <i>Journal of the American Society for Mass Spectrometry</i> , 2001, 12, 863-872.	2.8	60
74	A study of sulfur-containing compounds in mouth- and nose-exhaled breath and in the oral cavity using selected ion flow tube mass spectrometry. <i>Journal of Breath Research</i> , 2008, 2, 046004.	3.0	60
75	Quantification of acetaldehyde and carbon dioxide in the headspace of malignant and non-malignant lung cells in vitro by SIFT-MS. <i>Analyst, The</i> , 2009, 134, 2419.	3.5	60
76	A selected ion flow tube (SIFT), study of the reactions of H ₃ O ⁺ , NO ⁺ and O ₂ ⁺ ions with a series of alkenes; in support of SIFT-MS. <i>International Journal of Mass Spectrometry</i> , 2002, 218, 87-101.	1.5	59
77	Advances in On-line Absolute Trace Gas Analysis by SIFT-MS. <i>Current Analytical Chemistry</i> , 2013, 9, 525-539.	1.2	59
78	SIFT studies of the reactions of H ₃ O ⁺ , NO ⁺ and O ₂ ⁺ with several ethers. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1998, 172, 239-247.	1.8	58
79	On-line determination of the deuterium abundance in breath water vapour by flowing afterglow mass spectrometry with applications to measurements of total body water. <i>Rapid Communications in Mass Spectrometry</i> , 2001, 15, 25-32.	1.5	57
80	Selected Ion Flow Tube-MS Analysis of Headspace Vapor from Gastric Content for the Diagnosis of Gastro-Esophageal Cancer. <i>Analytical Chemistry</i> , 2012, 84, 9550-9557.	6.5	57
81	Quantification of hydrogen cyanide in humid air by selected ion flow tube mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2004, 18, 1869-1873.	1.5	56
82	Selected ion flow tube studies of the reactions of H ₃ O ⁺ , NO ⁺ , and O ₂ ⁺ with several aromatic and aliphatic monosubstituted halocarbons. <i>International Journal of Mass Spectrometry</i> , 1999, 189, 213-223.	1.5	53
83	Accuracy and precision of flowing afterglow mass spectrometry for the determination of the deuterium abundance in the headspace of aqueous liquids and exhaled breath water. <i>Rapid Communications in Mass Spectrometry</i> , 2001, 15, 867-872.	1.5	53
84	A selected ion flow tube study of the reactions of NO ⁺ and O ₂ ⁺ ions with some organic molecules: The potential for trace gas analysis of air. <i>Journal of Chemical Physics</i> , 1996, 104, 1893-1899.	3.0	52
85	Variation in hydrogen cyanide production between different strains of <i>Pseudomonas aeruginosa</i> . <i>European Respiratory Journal</i> , 2011, 38, 409-414.	6.7	51
86	A study of thermal decomposition and combustion products of disposable polyethylene terephthalate (PET) plastic using high resolution fourier transform infrared spectroscopy, selected ion flow tube mass spectrometry and gas chromatography mass spectrometry. <i>Molecular Physics</i> , 2008, 106, 1205-1214.	1.7	50
87	Laser Ablation of FOX-7: Proposed Mechanism of Decomposition. <i>Analytical Chemistry</i> , 2011, 83, 1069-1077.	6.5	50
88	Selected ion flow tube studies of the reactions of H ₃ O ⁺ , NO ⁺ , and O ₂ ⁺ with some chloroalkanes and chloroalkenes. <i>International Journal of Mass Spectrometry</i> , 1999, 184, 175-181.	1.5	49
89	Quantification of methane in humid air and exhaled breath using selected ion flow tube mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2010, 24, 1296-1304.	1.5	49
90	A selected ion-flow tube study of the reactions of O ⁺ , H ⁺ and HeH ⁺ with several molecular gases at 300 K. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1992, 117, 457-473.	1.8	47

#	ARTICLE	IF	CITATIONS
91	Analysis of petrol and diesel vapour and vehicle engine exhaust gases using selected ion flow tube mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2002, 16, 1124-1134.	1.5	46
92	The concentration distributions of some metabolites in the exhaled breath of young adults. <i>Journal of Breath Research</i> , 2007, 1, 026001.	3.0	46
93	Breath concentration of acetic acid vapour is elevated in patients with cystic fibrosis. <i>Journal of Breath Research</i> , 2016, 10, 021002.	3.0	46
94	Quantification of volatile metabolites in exhaled breath by selected ion flow tube mass spectrometry, SIFT-MS. <i>Clinical Mass Spectrometry</i> , 2020, 16, 18-24.	1.9	46
95	Analysis of volatile emissions from porcine faeces and urine using selected ion flow tube mass spectrometry. <i>Bioresource Technology</i> , 2000, 75, 27-33.	9.6	45
96	Effects of dietary nutrients on volatile breath metabolites. <i>Journal of Nutritional Science</i> , 2013, 2, e34.	1.9	45
97	An on-line Langmuir probe technique for the study of afterglow plasmas. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1995, 149-150, 299-310.	1.8	44
98	Gas phase reactions of some positive ions with atomic and molecular hydrogen at 300 K. <i>Journal of Chemical Physics</i> , 1997, 106, 3982-3987.	3.0	44
99	Quantification of hydrogen sulphide in humid air by selected ion flow tube mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2000, 14, 1136-1140.	1.5	44
100	Increase of acetone and ammonia in urine headspace and breath during ovulation quantified using selected ion flow tube mass spectrometry. <i>Physiological Measurement</i> , 2003, 24, 191-199.	2.1	44
101	Analysis of the isobaric compounds propanol, acetic acid and methyl formate in humid air and breath by selected ion flow tube mass spectrometry, SIFT-MS. <i>International Journal of Mass Spectrometry</i> , 2009, 285, 42-48.	1.5	44
102	Combining Near-Subject Absolute and Relative Measures of Longitudinal Hydration in Hemodialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009, 4, 1791-1798.	4.5	43
103	Pentane and other volatile organic compounds, including carboxylic acids, in the exhaled breath of patients with Crohn's disease and ulcerative colitis. <i>Journal of Breath Research</i> , 2018, 12, 016002.	3.0	43
104	Dissociative recombination of H ₃ ⁺ . Experiment and theory reconciled. <i>Chemical Physics Letters</i> , 1993, 211, 454-460.	2.6	42
105	The Selected Ion Flow Tube Method for Workplace Analyses of Trace Gases in Air and Breath: Its Scope, Validation, and Applications. <i>Journal of Occupational and Environmental Hygiene</i> , 1998, 13, 817-823.	0.4	42
106	A selected ion flow tube study of the reactions of H ₃ O ⁺ , NO ⁺ and O ₂ ⁺ with some phenols, phenyl alcohols and cyclic carbonyl compounds in support of SIFT-MS and PTR-MS. <i>International Journal of Mass Spectrometry</i> , 2004, 239, 139-146.	1.5	42
107	Generation of volatile compounds on mouth exposure to urea and sucrose: implications for exhaled breath analysis. <i>Physiological Measurement</i> , 2006, 27, N7-N17.	2.1	42
108	SPME-GC-MS versus Selected Ion Flow Tube Mass Spectrometry (SIFT-MS) Analyses for the Study of Volatile Compound Generation and Oxidation Status during Dry Fermented Sausage Processing. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 1931-1938.	5.2	42

#	ARTICLE	IF	CITATIONS
109	FALP studies of the dissociative recombination coefficients for O ₂ ⁺ and NO ⁺ within the electron temperature range 300–2000 K. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1993, 129, 183-191.	1.8	41
110	A study of the composition of the products of laser-induced breakdown of hexogen, octogen, pentrite and trinitrotoluene using selected ion flow tube mass spectrometry and UV-Vis spectrometry. <i>Analyst, The</i> , 2010, 135, 1106.	3.5	41
111	Influence of weakly bound adduct ions on breath trace gas analysis by selected ion flow tube mass spectrometry (SIFT-MS). <i>International Journal of Mass Spectrometry</i> , 2009, 280, 128-135.	1.5	40
112	Selected Ion Flow Tube-Mass Spectrometry for Absolute Quantification of Aroma Compounds in the Headspace of Dry Fermented Sausages. <i>Analytical Chemistry</i> , 2010, 82, 5819-5829.	6.5	40
113	Volatile compounds in health and disease. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2011, 14, 455-460.	2.5	40
114	Exhaled breath concentrations of acetic acid vapour in gastro-esophageal reflux disease. <i>Journal of Breath Research</i> , 2014, 8, 037109.	3.0	40
115	Exhaled breath hydrogen cyanide as a marker of early <i>Pseudomonas aeruginosa</i> infection in children with cystic fibrosis. <i>ERJ Open Research</i> , 2015, 1, 00044-2015.	2.6	40
116	Rapid measurement of deuterium content of breath following oral ingestion to determine body water. <i>Physiological Measurement</i> , 2001, 22, 651-659.	2.1	39
117	Ammonia release from heated "street" cannabis leaf and its potential toxic effects on cannabis users. <i>Addiction</i> , 2008, 103, 1671-1677.	3.3	39
118	Quantitative analysis of volatile metabolites released <i>in vitro</i> by bacteria of the genus <i>Stenotrophomonas</i> for identification of breath biomarkers of respiratory infection in cystic fibrosis. <i>Journal of Breath Research</i> , 2015, 9, 027104.	3.0	39
119	Quantification of volatile compounds in the headspace of aqueous liquids using selected ion flow tube mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2002, 16, 2148-2153.	1.5	38
120	Rapid detection of lipid oxidation in beef muscle packed under modified atmosphere by measuring volatile organic compounds using SIFT-MS. <i>Food Chemistry</i> , 2012, 135, 1801-1808.	8.2	38
121	SIFT-MS and FA-MS methods for ambient gas phase analysis: developments and applications in the UK. <i>Analyst, The</i> , 2015, 140, 2573-2591.	3.5	38
122	Quantification by SIFT-MS of acetaldehyde released by lung cells in a 3D model. <i>Analyst, The</i> , 2013, 138, 91-95.	3.5	37
123	Acetone, butanone, pentanone, hexanone and heptanone in the headspace of aqueous solution and urine studied by selected ion flow tube mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2009, 23, 1097-1104.	1.5	36
124	An investigation of suitable bag materials for the collection and storage of breath samples containing hydrogen cyanide. <i>Journal of Breath Research</i> , 2012, 6, 036004.	3.0	36
125	Assessment of Rumen Processes by Selected-Ion-Flow-Tube Mass Spectrometric Analysis of Rumen Gases. <i>Journal of Dairy Science</i> , 2001, 84, 1438-1444.	3.4	35
126	Selected ion flow tube, SIFT, studies of the reactions of H ₃ O ⁺ , NO ⁺ and O ₂ ⁺ with compounds released by <i>Pseudomonas</i> and related bacteria. <i>International Journal of Mass Spectrometry</i> , 2004, 233, 245-251.	1.5	35

#	ARTICLE	IF	CITATIONS
127	Selected ion flow tube mass spectrometry of exhaled breath condensate headspace. <i>Rapid Communications in Mass Spectrometry</i> , 2008, 22, 2844-2850.	1.5	35
128	HNC/HCN Ratio in Acetonitrile, Formamide, and BrCN Discharge. <i>Journal of Physical Chemistry A</i> , 2011, 115, 1885-1899.	2.5	35
129	Selected Ion Flow-Drift Tube Mass Spectrometry: Quantification of Volatile Compounds in Air and Breath. <i>Analytical Chemistry</i> , 2015, 87, 12151-12160.	6.5	35
130	A selected ion flow tube, SIFT, study of the reactions of H ₃ O ⁺ , NO ⁺ and O ₂ ⁺ ions with several N- and O-containing heterocyclic compounds in support of SIFT-MS. <i>International Journal of Mass Spectrometry</i> , 2004, 237, 167-174.	1.5	34
131	Selected ion flow tube (SIFT) studies of the reactions of H ₃ O ⁺ , NO ⁺ and O ₂ ⁺ with six volatile phytogenic esters. <i>International Journal of Mass Spectrometry</i> , 2011, 300, 31-38.	1.5	34
132	Formation of SF ₅ ⁺ in electron attachment to SF ₆ ; swarm and beam results reconciled. <i>Chemical Physics Letters</i> , 1995, 240, 481-488.	2.6	33
133	Time-resolved selected ion flow tube mass spectrometric quantification of the volatile compounds generated by <i>E. coli</i> JM109 cultured in two different media. <i>Rapid Communications in Mass Spectrometry</i> , 2011, 25, 2163-2172.	1.5	33
134	Reactions of the selected ion flow tube mass spectrometry reagent ions H ₃ O ⁺ and NO ⁺ with a series of volatile aldehydes of biogenic significance. <i>Rapid Communications in Mass Spectrometry</i> , 2014, 28, 1917-1928.	1.5	33
135	Differentiation of pulmonary bacterial pathogens in cystic fibrosis by volatile metabolites emitted by their <i>in vitro</i> cultures: <i>Pseudomonas aeruginosa</i> , <i>Staphylococcus aureus</i> , <i>Stenotrophomonas maltophilia</i> and the <i>Burkholderia cepacia</i> complex. <i>Journal of Breath Research</i> , 2016, 10, 037102.	3.0	33
136	FALP studies of electron attachment at elevated electron temperatures: the influence of attachment on electron energy distributions. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1993, 129, 193-203.	1.8	32
137	A selected ion flow tube, SIFT, study of the reactions of H ₃ O ⁺ , NO ⁺ and O ₂ ⁺ ions with a series of diols. <i>International Journal of Mass Spectrometry</i> , 2002, 218, 227-236.	1.5	32
138	Bronchoalveolar lavage examined by solid phase microextraction, gas chromatography-mass spectrometry and selected ion flow tube mass spectrometry. <i>Journal of Microbiological Methods</i> , 2006, 65, 76-86.	1.6	32
139	Pitfalls in the analysis of volatile breath biomarkers: suggested solutions and SIFT-MS quantification of single metabolites. <i>Journal of Breath Research</i> , 2015, 9, 022001.	3.0	32
140	Understanding Gas Phase Ion Chemistry Is the Key to Reliable Selected Ion Flow Tube-Mass Spectrometry Analyses. <i>Analytical Chemistry</i> , 2020, 92, 12750-12762.	6.5	32
141	Status of selected ion flow tube MS: accomplishments and challenges in breath analysis and other areas. <i>Bioanalysis</i> , 2016, 8, 1183-1201.	1.5	31
142	Selected ion flow tube mass spectrometry for targeted analysis of volatile organic compounds in human breath. <i>Nature Protocols</i> , 2021, 16, 3419-3438.	12.0	31
143	Selected ion flow tube studies of the reactions of H ₃ O ⁺ , NO ⁺ , and O ₂ ⁺ with eleven amine structural isomers of c ₅ H ₁₃ N. <i>International Journal of Mass Spectrometry</i> , 1999, 185-187, 139-147.	1.5	30
144	Comparative measurements of total body water in healthy volunteers by online breath deuterium measurement and other near-subject methods. <i>American Journal of Clinical Nutrition</i> , 2002, 76, 1295-1301.	4.7	30

#	ARTICLE	IF	CITATIONS
145	What is the real utility of breath ammonia concentration measurements in medicine and physiology?. Journal of Breath Research, 2018, 12, 027102.	3.0	30
146	A SIFT study of the reactions of H ₂ ONO ⁺ ions with several types of organic molecules. International Journal of Mass Spectrometry, 2003, 230, 1-9.	1.5	29
147	Electron Temperature Relaxation in Afterglow Plasmas: Diffusion Cooling. Contributions To Plasma Physics, 1994, 34, 69-79.	1.1	28
148	Kinetics and isotope patterns of ethanol and acetaldehyde emissions from yeast fermentations of glucose and glucose-6,6-d ₂ using selected ion flow tube mass spectrometry: a case study. Rapid Communications in Mass Spectrometry, 2002, 16, 69-76.	1.5	28
149	A convenient method for calculation of ionic diffusion coefficients for accurate selected ion flow tube mass spectrometry, SIFT-MS. International Journal of Mass Spectrometry, 2005, 244, 148-154.	1.5	28
150	The quantification of carbon dioxide in humid air and exhaled breath by selected ion flow tube mass spectrometry. Rapid Communications in Mass Spectrometry, 2009, 23, 1419-1425.	1.5	28
151	Real time monitoring of population dynamics in concurrent bacterial growth using SIFT-MS quantification of volatile metabolites. Analyst, The, 2013, 138, 4795.	3.5	28
152	Quantification by SIFT-MS of volatile compounds emitted by in vitro cultures of <i>S. aureus</i> , <i>S. pneumoniae</i> and <i>H. influenzae</i> isolated from patients with respiratory diseases. Analytical Methods, 2014, 6, 2460.	2.7	28
153	Competitive association and charge transfer in the reactions of NO ⁺ with some ketones: a selected ion flow drift tube study. International Journal of Mass Spectrometry, 1999, 193, 35-43.	1.5	27
154	A SIFT study of the reactions of H ₃ O ⁺ , NO ⁺ and O ₂ ⁺ with hydrogen peroxide and peroxyacetic acid. International Journal of Mass Spectrometry, 2003, 228, 269-283.	1.5	27
155	Quantification of hydrogen cyanide and 2-aminoacetophenone in the headspace of <i>Pseudomonas aeruginosa</i> cultured under biofilm and planktonic conditions. Analytical Methods, 2012, 4, 3661.	2.7	27
156	On-line analysis of diesel engine exhaust gases by selected ion flow tube mass spectrometry. Rapid Communications in Mass Spectrometry, 2004, 18, 2830-2838.	1.5	26
157	Selected ion flow tube mass spectrometry of 3-hydroxybutyric acid, acetone and other ketones in the headspace of aqueous solution and urine. International Journal of Mass Spectrometry, 2008, 272, 78-85.	1.5	26
158	Quantification of volatile compounds released by roasted coffee by selected ion flow tube mass spectrometry. Rapid Communications in Mass Spectrometry, 2018, 32, 739-750.	1.5	26
159	Studies of interstellar ion reactions using the SIFT technique: isotope fractionation. Accounts of Chemical Research, 1992, 25, 414-420.	15.6	25
160	THE SELECTED ION FLOW TUBE (SIFT) – A NOVEL TECHNIQUE FOR BIOLOGICAL MONITORING. Annals of Occupational Hygiene, 1996, , .	1.9	25
161	Electron attachment to and in the gas phase. Journal of Physics B: Atomic, Molecular and Optical Physics, 1996, 29, 5199-5212.	1.5	25
162	Selected ion flow tube mass spectrometry analyses of stable isotopes in water: Isotopic composition of H ₃ O ⁺ and H ₃ O ⁺ (H ₂ O) ₃ ions in exchange reactions with water vapor. Journal of the American Society for Mass Spectrometry, 2000, 11, 866-875.	2.8	25

#	ARTICLE	IF	CITATIONS
163	A non-invasive, on-line deuterium dilution technique for the measurement of total body water in haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 2064-2070.	0.7	25
164	Product ion distributions for the reactions of NO ⁺ with some physiologically significant aldehydes obtained using a SRI-TOF-MS instrument. <i>International Journal of Mass Spectrometry</i> , 2014, 363, 23-31.	1.5	25
165	Validation of the SIFT technique for trace gas analysis of breath using the syringe injection technique. <i>Annals of Occupational Hygiene</i> , 1997, 41, 373-382.	1.9	24
166	The influence of electron-electron collisions on electron thermalization in He and Ar afterglow plasmas. <i>Chemical Physics Letters</i> , 2003, 372, 728-732.	2.6	24
167	A selected ion flow tube study of the reactions of H ₃ O ⁺ , NO ⁺ and O ₂ ⁺ with seven isomers of hexanol in support of SIFT-MS. <i>International Journal of Mass Spectrometry</i> , 2012, 319-320, 25-30.	1.5	24
168	Increase of methanol in exhaled breath quantified by SIFT-MS following aspartame ingestion. <i>Journal of Breath Research</i> , 2015, 9, 047104.	3.0	24
169	Kinetics of ethanol decay in mouth- and nose-exhaled breath measured on-line by selected ion flow tube mass spectrometry following varying doses of alcohol. <i>Rapid Communications in Mass Spectrometry</i> , 2010, 24, 1066-1074.	1.5	23
170	Account: On the Features, Successes and Challenges of Selected Ion Flow Tube Mass Spectrometry. <i>European Journal of Mass Spectrometry</i> , 2013, 19, 225-246.	1.0	23
171	Quantification by SIFT-MS of volatile compounds emitted by <i>Aspergillus fumigatus</i> cultures and in co-culture with <i>Pseudomonas aeruginosa</i> , <i>Staphylococcus aureus</i> and <i>Streptococcus pneumoniae</i> . <i>Analytical Methods</i> , 2014, 6, 8154-8164.	2.7	23
172	A study of electron attachment to C ₇₀ using the FALP technique. <i>Chemical Physics Letters</i> , 1994, 229, 262-266.	2.6	22
173	The selected ion flow tube (SIFT)?A novel technique for biological monitoring. <i>Annals of Occupational Hygiene</i> , 1996, 40, 615-626.	1.9	22
174	Do linear logistic model analyses of volatile biomarkers in exhaled breath of cystic fibrosis patients reliably indicate <i>Pseudomonas aeruginosa</i> infection?. <i>Journal of Breath Research</i> , 2016, 10, 036013.	3.0	22
175	The development of a fully integrated 3D printed electrochemical platform and its application to investigate the chemical reaction between carbon dioxide and hydrazine. <i>Electrochimica Acta</i> , 2020, 360, 136984.	5.2	22
176	Energy dependencies of fast reactions of positive ions X ⁺ with HCl from near thermal to ~2 eV center-of-mass collision energy (X ⁺ =H ⁺ ,H ₂ ⁺ ,H ₃ ⁺ ,N ⁺ ,N ₂ ⁺ ,Ar ⁺ ,C ⁺ ,CH ⁺ , CH ₂ ⁺ ,CH ₃ ⁺ ,CH ₄ ⁺ ,CH ₅ ⁺). <i>Journal of Chemical Physics</i> , 1993, 98, 6995-7003.	3.0	21
177	A selected ion flow tube, SIFT, study of the ion chemistry of H ₃ O ⁺ , NO ⁺ and O ₂ ⁺ ions with several nitroalkanes in the presence of water vapour. <i>International Journal of Mass Spectrometry</i> , 2004, 239, 57-65.	1.5	21
178	Combined use of gas chromatography and selected ion flow tube mass spectrometry for absolute trace gas quantification. <i>Rapid Communications in Mass Spectrometry</i> , 2006, 20, 563-567.	1.5	21
179	Advantages of breath testing for the early diagnosis of lung cancer. <i>Expert Review of Molecular Diagnostics</i> , 2010, 10, 255-257.	3.1	21
180	Real Time Detection of Aroma Compounds in Meat and Meat Products by SIFT-MS and Comparison to Conventional Techniques (SPME-GC-MS). <i>Current Analytical Chemistry</i> , 2013, 9, 622-630.	1.2	21

#	ARTICLE	IF	CITATIONS
181	SIFT-MS Analysis of Nose-Exhaled Breath; Mouth Contamination and the Influence of Exercise. <i>Current Analytical Chemistry</i> , 2013, 9, 565-575.	1.2	21
182	SIFT studies of the reactions of C ⁺ , CH ⁺ and CH ₂ ⁺ with HCl and CO ₂ , and CH ₃ ⁺ with HCl. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1993, 129, 131-143.	1.8	20
183	The role of Formula and Formula ions in the degradation of interstellar molecules. <i>Monthly Notices of the Royal Astronomical Society</i> , 1994, 266, 31-34.	4.4	20
184	An investigation of the reactions of H ₃ O ⁺ and O ₂ ⁺ with NO, NO ₂ , N ₂ O and HNO ₂ in support of selected ion flow tube mass spectrometry. , 2000, 14, 646-651.		20
185	Selected ion flow tube studies of the reactions of H ₃ O ⁺ , NO ⁺ and O ₂ ⁺ with the anaesthetic gases halothane, isoflurane and sevoflurane. <i>Rapid Communications in Mass Spectrometry</i> , 2002, 16, 1860-1870.	1.5	20
186	Coordinated FA-MS and SIFT-MS analyses of breath following ingestion of D ₂ O and ethanol: total body water, dispersal kinetics and ethanol metabolism. <i>Physiological Measurement</i> , 2005, 26, 447-457.	2.1	20
187	Microwave plasma ion sources for selected ion flow tube mass spectrometry: Optimizing their performance and detection limits for trace gas analysis. <i>International Journal of Mass Spectrometry</i> , 2007, 267, 117-124.	1.5	20
188	Quantification of methylamine in the headspace of ethanol of agricultural origin by selected ion flow tube mass spectrometry. <i>International Journal of Mass Spectrometry</i> , 2009, 286, 1-6.	1.5	20
189	Selected ion flow tube, SIFT, studies of the reactions of H ₃ O ⁺ , NO ⁺ and O ₂ ⁺ with some biologically active isobaric compounds in preparation for SIFT-MS analyses. <i>International Journal of Mass Spectrometry</i> , 2011, 303, 81-89.	1.5	20
190	The SIFT and FALP techniques; applications to ionic and electronic reactions studies and their evolution to the SIFT-MS and FA-MS analytical methods. <i>International Journal of Mass Spectrometry</i> , 2015, 377, 467-478.	1.5	20
191	Influence of Convection on the Diffusive Transport and Sieving of Water and Small Solutes across the Peritoneal Membrane. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 437-443.	6.1	19
192	Increase of acetone emitted by urine in relation to ovulation. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2006, 85, 1008-1011.	2.8	18
193	Ion chemistry at elevated ion-molecule interaction energies in a selected ion flow-drift tube: reactions of H ₃ ⁺ , NO ⁺ and O ₂ ⁺ with saturated aliphatic ketones. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 31714-31723.	2.8	18
194	A further investigation of the reaction of C ₂ H ₂ ⁺ with H ₂ . <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1993, 129, 145-153.	1.8	17
195	The reactions of positive and negative halogen ions with Cl ₂ and Br ₂ . <i>Journal of Chemical Physics</i> , 1993, 98, 8660-8666.	3.0	17
196	The Influence of Collisions in the Space Charge Sheath on the Ion current Collected by a Langmuir Probe. <i>Contributions To Plasma Physics</i> , 1995, 35, 3-14.	1.1	17
197	The Influence of Ion Neutral Collisions in the Plasma Sheath on the Ion Current to an Electrostatic Probe: Monte Carlo Simulation. <i>Contributions To Plasma Physics</i> , 1995, 35, 203-212.	1.1	17
198	Is Hydrogen Cyanide a Marker of Burkholderia cepacia Complex?. <i>Journal of Clinical Microbiology</i> , 2013, 51, 3849-3851.	3.9	17

#	ARTICLE	IF	CITATIONS
199	Direct detection and quantification of malondialdehyde vapour in humid air using selected ion flow tube mass spectrometry supported by gas chromatography/mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2015, 29, 1069-1079.	1.5	17
200	SIFT-MS quantification of several breath biomarkers of inflammatory bowel disease, IBD: A detailed study of the ion chemistry. <i>International Journal of Mass Spectrometry</i> , 2016, 396, 35-41.	1.5	17
201	On the importance of accurate quantification of individual volatile metabolites in exhaled breath. <i>Journal of Breath Research</i> , 2017, 11, 047106.	3.0	17
202	Electrostatic Switching and Selection of H_3O^+ , NO^+ , and O_2^+ Reagent Ions for Selected Ion Flow-Drift Tube Mass Spectrometric Analyses of Air and Breath. <i>Analytical Chemistry</i> , 2019, 91, 5380-5388.	6.5	17
203	H_3O^+ , NO^+ and O_2^+ reactions with saturated and unsaturated monoketones and diones; focus on hydration of product ions. <i>International Journal of Mass Spectrometry</i> , 2019, 435, 173-180.	1.5	17
204	Swarm Techniques. <i>Methods in Experimental Physics</i> , 1995, , 273-298.	0.1	16
205	Measuring transport of water across the peritoneal membrane. <i>Kidney International</i> , 2003, 64, 1911-1915.	5.2	16
206	Experimental and theoretical investigation of electron attachment to SF_5Cl . <i>Journal of Chemical Physics</i> , 2008, 128, 094309.	3.0	16
207	Selected ion flow tube study of the reactions of H_3O^+ and NO^+ with a series of primary alcohols in the presence of water vapour in support of selected ion flow tube mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2017, 31, 437-446.	1.5	16
208	SIFT Applications in Mass Spectrometry. , 1999, , 2092-2105.		15
209	A selected ion flow tube study of the ion molecule association reactions of protonated (MH^+), nitrosinated (MNO^+) and dehydroxidated ($M\dot{O}H^+$) carboxylic acids (M) with H_2O . <i>International Journal of Mass Spectrometry</i> , 2014, 368, 15-22.	1.5	15
210	Comparative SIFT-MS, GC-MS and FTIR analysis of methane fuel produced in biogas stations and in artificial photosynthesis over acidic anatase TiO_2 and montmorillonite. <i>Journal of Molecular Spectroscopy</i> , 2018, 348, 152-160.	1.2	14
211	A coordinated flowing afterglow and crossed beam study of electron attachment to CCl_3Br . <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1997, 167-168, 1-12.	1.8	13
212	Product ion distributions for the reactions of NO^+ with some physiologically significant volatile organosulfur and organoselenium compounds obtained using a selective reagent ionization time-of-flight mass spectrometer. <i>Rapid Communications in Mass Spectrometry</i> , 2014, 28, 1683-1690.	1.5	13
213	Sensitivity of secondary electrospray ionization mass spectrometry to a range of volatile organic compounds: Ligand switching ion chemistry and the influence of spray, guiding electric fields. <i>Rapid Communications in Mass Spectrometry</i> , 2021, 35, e9187.	1.5	13
214	SELECTED ION FLOW TUBE MASS SPECTROMETRY, SIFT-MS, FOR ON-LINE TRACE GAS ANALYSIS OF BREATH. , 2005, , .		13
215	Minimising the Effects of Isobaric Product Ions in SIFT-MS Quantification of Acetaldehyde, Dimethyl Sulphide and Carbon Dioxide. <i>Current Analytical Chemistry</i> , 2013, 9, 550-557.	1.2	13
216	Radiation from the reactions of NO^+ with $Cl\dot{O}$ and $I\dot{O}$. <i>Chemical Physics Letters</i> , 1996, 258, 477-484.	2.6	12

#	ARTICLE	IF	CITATIONS
217	A directly coupled monolithic rectangular resonator forming a robust microwave plasma ion source for SIFT-MS. <i>Plasma Sources Science and Technology</i> , 2004, 13, 282-284.	3.1	12
218	Reagent and analyte ion hydrates in secondary electrospray ionization mass spectrometry (SESI-MS), their equilibrium distributions and dehydration in an ion transfer capillary: Modelling and experiments. <i>Rapid Communications in Mass Spectrometry</i> , 2021, 35, e9047.	1.5	12
219	Some reactions of the highly polar ion ArH ⁺ 3. <i>Chemical Physics Letters</i> , 1992, 191, 587-591.	2.6	11
220	Release of toxic ammonia and volatile organic compounds by heated cannabis and their relation to tetrahydrocannabinol content. <i>Analytical Methods</i> , 2015, 7, 4104-4110.	2.7	11
221	Spectroscopic investigations of high-energy-density plasma transformations in a simulated early reducing atmosphere containing methane, nitrogen and water. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 27317-27325.	2.8	11
222	Selected ion flow tube mass spectrometry analyses of laser decomposition products of a range of explosives and ballistic propellants. <i>Analytical Methods</i> , 2016, 8, 1145-1150.	2.7	11
223	Evaluation of lipid peroxidation by the analysis of volatile aldehydes in the headspace of synthetic membranes using selected ion flow tube mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2018, 32, 1617-1628.	1.5	11
224	Volatile compounds released by Nalophan; implications for selected ion flow tube mass spectrometry and other chemical ionisation mass spectrometry analytical methods. <i>Rapid Communications in Mass Spectrometry</i> , 2020, 34, e8602.	1.5	11
225	Product ion distributions and rate coefficients for the attachment reactions of electrons with CHCl ₂ Br, CCl ₂ Br ₂ , and CHClBr ₂ . <i>International Journal of Mass Spectrometry</i> , 2001, 205, 243-252.	1.5	10
226	Selected Ion Flow Tube Study of Ion-Molecule Reactions of N ⁺ (³ P) and Kr ⁺ with C ₃ Hydrocarbons Propane, Propene, and Propyne. <i>Journal of Physical Chemistry A</i> , 2011, 115, 7310-7315.	2.5	10
227	Determination of residence times of ions in a resistive glass selected ion flow-drift tube using the Hadamard transformation. <i>Rapid Communications in Mass Spectrometry</i> , 2015, 29, 1563-1570.	1.5	10
228	Acetic acid is elevated in the exhaled breath of cystic fibrosis patients. <i>Journal of Cystic Fibrosis</i> , 2017, 16, e17-e18.	0.7	10
229	Addition of fast-gas chromatography to selected ion flow tube mass spectrometry for analysis of individual monoterpenes in mixtures. <i>Atmospheric Measurement Techniques</i> , 2019, 12, 4965-4982.	3.1	10
230	Impact of oral cleansing strategies on exhaled volatile organic compound levels. <i>Rapid Communications in Mass Spectrometry</i> , 2020, 34, e8706.	1.5	10
231	Dissociation of H ₃ O ⁺ , NO ⁺ and O ₂ ⁺ reagent ions injected into nitrogen carrier gas in SIFT-MS and reactivity of the ion fragments. <i>International Journal of Mass Spectrometry</i> , 2020, 458, 116438.	1.5	10
232	Breath Analysis and the Measurement of Total Body Water Using Isotope Dilution – Applications in the Dialysis Clinic. <i>Current Analytical Chemistry</i> , 2013, 9, 593-599.	1.2	10
233	Mass Spectrometric Quantification of Volatile Compounds Released by Fresh Atlantic Salmon Stored at 4 °C under Modified Atmosphere Packaging and Vacuum Packaging for up to 16 Days. <i>ACS Food Science & Technology</i> , 2022, 2, 400-414.	2.7	10
234	In-tube collision-induced dissociation for selected ion flow-drift tube mass spectrometry, SIFDT-MS: a case study of NO ⁺ reactions with isomeric monoterpenes. <i>Rapid Communications in Mass Spectrometry</i> , 2016, 30, 2009-2016.	1.5	9

#	ARTICLE	IF	CITATIONS
235	Variation in Exhaled Acetone and Other Ketones in Patients Undergoing Bariatric Surgery: a Prospective Cross-sectional Study. <i>Obesity Surgery</i> , 2018, 28, 2439-2446.	2.1	9
236	Chemical ionization of glyoxal and formaldehyde with H_3O^+ ions using SIFT-MS under variable system humidity. <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 10170-10178.	2.8	9
237	The reactions of some interstellar ions with benzene, cyclopropane and cyclohexane. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1995, 141, 117-126.	1.8	8
238	The increase of breath ammonia induced by niacin ingestion quantified by selected ion flow tube mass spectrometry. <i>Physiological Measurement</i> , 2006, 27, 437-444.	2.1	8
239	Quantification of octanol-water partition coefficients of several aldehydes in a bubble column using selected ion flow tube mass spectrometry. <i>Fluid Phase Equilibria</i> , 2014, 367, 22-28.	2.5	8
240	The in vitro identification and quantification of volatile biomarkers released by cystic fibrosis pathogens. <i>Analytical Methods</i> , 2015, 7, 818-824.	2.7	8
241	Characterization of spoilage-related volatile organic compounds in packaged leaf salads. <i>Flavour and Fragrance Journal</i> , 2020, 35, 24-33.	2.6	8
242	DETECTION OF H. PYLORI INFECTION BY BREATH AMMONIA FOLLOWING UREA INGESTION. , 2005, , .		8
243	Atomization of As and Se volatile species in a dielectric barrier discharge atomizer after hydride generation: Fate of analyte studied by selected ion flow tube mass spectrometry. <i>Analytica Chimica Acta</i> , 2022, 1190, 339256.	5.4	8
244	Kinetics of reactions of NH_4^+ with some biogenic organic molecules and monoterpenes in helium and nitrogen carrier gases: A potential reagent ion for selected ion flow tube mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2022, 36, .	1.5	8
245	SIFT studies of the reactions of rare gas atomic ions with Cl_2 and Br_2 . <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1993, 129, 155-162.	1.8	7
246	Recent studies of electron attachment and electron-ion recombination at thermal energies. <i>Plasma Sources Science and Technology</i> , 1995, 4, 302-306.	3.1	7
247	Dispersal kinetics of deuterated water in the lungs and airways following mouth inhalation: real-time breath analysis by flowing afterglow mass spectrometry (FA-MS). <i>Journal of Breath Research</i> , 2010, 4, 017109.	3.0	7
248	Determination of the Deuterium Abundances in Water from 156 to 10,000 μ ppm by SIFT-MS. <i>Journal of the American Society for Mass Spectrometry</i> , 2011, 22, 179-186.	2.8	7
249	Real-Time Quantification of Traces of Biogenic Volatile Selenium Compounds in Humid Air by Selected Ion Flow Tube Mass Spectrometry. <i>Analytical Chemistry</i> , 2012, 84, 4979-4983.	6.5	7
250	Recent SIFT-MS Studies of Volatile Compounds in Physiology, Medicine and Cell Biology. , 2013, , 48-76.		7
251	Evaluation of peroxidative stress of cancer cells <i>in vitro</i> by real-time quantification of volatile aldehydes in culture headspace. <i>Rapid Communications in Mass Spectrometry</i> , 2017, 31, 1344-1352.	1.5	7
252	Increase of the Charge Transfer Rate Coefficients for NO^+ and O_2^+ Reactions with Isoprene Molecules at Elevated Interaction Energies. <i>Journal of Physical Chemistry A</i> , 2018, 122, 9733-9737.	2.5	7

#	ARTICLE	IF	CITATIONS
253	Ligand Switching Ion Chemistry: An SIFT-MS Case Study of the Primary and Secondary Reactions of Protonated Acetic Acid Hydrates with Acetone. <i>Journal of the American Society for Mass Spectrometry</i> , 2021, 32, 2251-2260.	2.8	7
254	Dynamics of Formation of Products D_2CN^+ , DCN^+ , and CD_3^+ in the Reaction of N^+ with CD_4 : A Crossed-Beam and Theoretical Study. <i>Journal of Physical Chemistry A</i> , 2010, 114, 1384-1391.	2.5	6
255	Time-integrated thermal desorption for quantitative SIFT-MS analyses of atmospheric monoterpenes. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 2997-3007.	3.7	6
256	Selected Ion Flow Tube Mass Spectrometry (SIFT-MS) and Flowing Afterglow Mass Spectrometry (FA-MS) for the Determination of the Deuterium Abundance in Water Vapour. , 2004, , 88-102.		5
257	APPLICATIONS OF SELECTED ION FLOW TUBE MASS SPECTROMETRY, SIFT-MS, IN ADDICTION RESEARCH. , 2005, , .		5
258	FLOWING AFTERGLOW MASS SPECTROMETRY (FA-MS) FOR THE DETERMINATION OF THE DEUTERIUM ABUNDANCE IN BREATH WATER VAPOUR AND AQUEOUS LIQUID HEADSPACE. , 2005, , .		5
259	Longitudinal measurements of total body water and body composition in healthy volunteers by online breath deuterium measurement and other near-subject methods. <i>International Journal of Body Composition Research</i> , 2004, 2, 99-106.	0.5	5
260	Relative influence of helium and nitrogen carrier gases on analyte ion branching ratios in SIFT-MS. <i>International Journal of Mass Spectrometry</i> , 2022, 476, 116835.	1.5	5
261	Injection of deuterated water into the pulmonary/alveolar circulation; measurement of HDO in exhaled breath and implications to breath analysis. <i>Journal of Breath Research</i> , 2012, 6, 036005.	3.0	4
262	Counting cell number in situ by quantification of dimethyl sulphide in culture headspace. <i>Analyst</i> , The, 2014, 139, 4903-4907.	3.5	4
263	Styrene radical cations for chemical ionization mass spectrometry analyses of monoterpene hydrocarbons. <i>Rapid Communications in Mass Spectrometry</i> , 2019, 33, 1870-1876.	1.5	4
264	Parallel secondary electrospray ionisation mass spectrometry and selected ion flow tube mass spectrometry quantification of trace amounts of volatile ketones. <i>Rapid Communications in Mass Spectrometry</i> , 2021, 35, e8981.	1.5	4
265	ANALYSIS OF BREATH USING SIFT-MS: A COMPARISON OF THE BREATH COMPOSITION OF HEALTHY VOLUNTEERS AND SERIOUSLY-ILL ICU PATIENTS. , 2005, , .		4
266	The influences of gas and electron temperatures on electron attachment in gas electrical discharges. <i>European Physical Journal D</i> , 1998, 48, 1119-1134.	0.4	3
267	SIFT Applications in Mass Spectrometry*. , 1999, , 2518-2530.		3
268	Comment on "Influences of mixed expiratory sampling parameters on exhaled volatile organic compound concentrations". <i>Journal of Breath Research</i> , 2011, 5, 048001.	3.0	3
269	P88: Is Hydrogen Cyanide a Marker of Burkholderia Cepacia Complex Infection?. <i>Thorax</i> , 2012, 67, A102.1-A102.	5.6	3
270	Tu1248 Noninvasive Quantification of Volatile Metabolites in Breath: A Potential Indicator of Inflammatory Bowel Diseases Activity. <i>Gastroenterology</i> , 2012, 142, S-784.	1.3	3

#	ARTICLE	IF	CITATIONS
271	Product ion distributions for the reactions of NO ⁺ with some N-containing and O-containing heterocyclic compounds obtained using SRI-TOF-MS. <i>International Journal of Mass Spectrometry</i> , 2015, 386, 42-46.	1.5	3
272	A Pilot Study of Ion - Molecule Reactions at Temperatures Relevant to the Atmosphere of Titan. <i>Origins of Life and Evolution of Biospheres</i> , 2016, 46, 533-538.	1.9	3
273	Selected Ion Flow Tube (SIFT) Applications in Mass Spectrometry. , 2017, , 56-68.		3
274	A detailed study of the ion chemistry of alkenes focusing on heptenes aimed at their SIFT-MS quantification. <i>International Journal of Mass Spectrometry</i> , 2018, 425, 16-21.	1.5	3
275	Experimental study of the reaction of NO ⁺ ions with CO ₂ molecules at temperatures and energies relevant to the Martian atmosphere. <i>Icarus</i> , 2020, 335, 113416.	2.5	3
276	Ion chemistry of phthalates in selected ion flow tube mass spectrometry: isomeric effects and secondary reactions with water vapour. <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 16345-16352.	2.8	3
277	Selected ion flow tube mass spectrometry analyses of isobaric compounds methanol and hydrazine in humid air. <i>Rapid Communications in Mass Spectrometry</i> , 2020, 34, e8744.	1.5	3
278	Cross Platform Analysis of Volatile Organic Compounds Using Selected Ion Flow Tube and Proton-Transfer-Reaction Mass Spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2021, 32, 1215-1223.	2.8	3
279	THE COMBINED USE OF SIFT-MS AND FA-MS TO INVESTIGATE FIRST-PASS METABOLISM OF ETHANOL. , 2005, , .		3
280	Editorial (Hot-Topic: Selected Ion Flow Tube Mass Spectrometry, SIFT-MS). <i>Current Analytical Chemistry</i> , 2013, 9, 523-524.	1.2	3
281	Ternary association reactions of H ₃ O ⁺ , NO ⁺ and O ₂ ⁺ with N ₂ , O ₂ , CO ₂ and H ₂ O; implications for selected ion flow tube mass spectrometry analyses of air and breath. <i>Rapid Communications in Mass Spectrometry</i> , 2022, 36, e9241.	1.5	3
282	Combining Fourier transform nuclear quadrupole resonance (FT-NQR) spectroscopy and mass spectrometry (MS) to study the electronic structure of titanocene dichlorides. <i>Analyst, The</i> , 2012, 137, 1338.	3.5	2
283	¹⁴ N NQR Quantification of Sodium Nitrite and Urotropin Using Singular Spectrum Analysis (SSA) for Data Filtering. <i>Applied Magnetic Resonance</i> , 2020, 51, 449-460.	1.2	2
284	Selected ion flow tube mass spectrometry: detection and real-time monitoring of flavours released by food products. <i>Rapid Communications in Mass Spectrometry</i> , 1999, 13, 585-596.	1.5	2
285	Quantification of hydrogen sulphide in humid air by selected ion flow tube mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2000, 14, 1136-1140.	1.5	2
286	Analysis of formaldehyde in the headspace of urine from bladder and prostate cancer patients using selected ion flow tube mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 1999, 13, 1354-1359.	1.5	1
287	Monte Carlo Simulations of the Influence of Ion-Neutral Collisions on the Ion Currents Collected by Electrostatic Probes. <i>Contributions To Plasma Physics</i> , 2002, 42, 91-98.	1.1	1
288	Falp Studies of Electron-Ion Recombination and Electron Attachment. <i>NATO ASI Series Series B: Physics</i> , 1994, , 487-493.	0.2	1

#	ARTICLE	IF	CITATIONS
289	Selected ion flow tube mass spectrometry. , 2020, , 137-153.		1
290	P224 Exhaled pentane may identify disease activity in patients with inflammatory bowel diseases. Journal of Crohn's and Colitis, 2014, 8, S156.	1.3	0
291	P197 The Incidence Of New Pseudomonas Aeruginosa Infection In Children With Cystic Fibrosis. Thorax, 2014, 69, A162-A163.	5.6	0
292	Experimental study of the reaction of O ⁺ ions with CO ₂ molecules with different ternary gases at temperatures relevant to the martian ionosphere. Icarus, 2021, 354, 114057.	2.5	0
293	Soft Chemical Ionization Mass Spectrometric Analyses of Hazardous Gases and Decomposition Products of Explosives in Air. NATO Science for Peace and Security Series B: Physics and Biophysics, 2021, , 187-201.	0.3	0
294	Ion Formation in Microwave Discharge through Moist Air. Wuli Huaxue Xuebao/ Acta Physico - Chimica Sinica, 2002, 18, 232-236.	4.9	0
295	OFR-7 Breath testing for colorectal polyps and cancer- the colorectal breath analysis1 study (COBRA1). , 2021, , .		0
296	Influence of water vapour on selected ion flow tube mass spectrometric analyses of trace gases in humid air and breath. Rapid Communications in Mass Spectrometry, 2000, 14, 1898-1906.	1.5	0
297	Kinetics and isotope patterns of ethanol and acetaldehyde emissions from yeast fermentations of glucose and glucose-6,6-d ₂ using selected ion flow tube mass spectrometry: a case study. Rapid Communications in Mass Spectrometry, 2002, 16, 69.	1.5	0