
## Yan Bao

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7119103/publications.pdf Version: 2024-02-01



#	Article	lF	CITATIONS
1	Global identification of fullâ€length cassava IncRNAs unveils the role of <i>coldâ€responsive intergenic IncRNA 1</i> in cold stress response. Plant, Cell and Environment, 2022, 45, 412-426.	5.7	19
2	Genome-wide association identifies a missing hydrolase for tocopherol synthesis in plants. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, .	7.1	11
3	Guidelines for the use and interpretation of assays for monitoring autophagy (4th) Tj ETQq1 1 0.784314 rgBT /C	)verlock 1 9.1	0 Tf 50 662 1,430
4	Global Characterization of XRN 5′-3′ Exoribonucleases and Their Responses to Environmental Stresses in Plants. Diversity, 2021, 13, 612.	1.7	1
5	High throughput profiling of tocochromanols in leaves and seeds of Arabidopsis and Maize. Plant Methods, 2020, 16, 126.	4.3	6
6	ER-Phagy and Its Role in ER Homeostasis in Plants. Plants, 2020, 9, 1771.	3.5	15
7	Phylogenetics of Molecular Regulators Contributing to Plant Stress Tolerance. Diversity, 2020, 12, 407.	1.7	0
8	Links between drought stress and autophagy in plants. Plant Signaling and Behavior, 2020, 15, 1779487.	2.4	8
9	COST1 regulates autophagy to control plant drought tolerance. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 7482-7493.	7.1	71
10	COST1 balances plant growth and stress tolerance via attenuation of autophagy. Autophagy, 2020, 16, 1157-1158.	9.1	12
11	PdMYB118, isolated from a red leaf mutant of Populus deltoids, is a new transcription factor regulating anthocyanin biosynthesis in poplar. Plant Cell Reports, 2019, 38, 927-936.	5.6	22
12	Mutation of 4-coumarate: coenzyme A ligase 1 gene affects lignin biosynthesis and increases the cell wall digestibility in maize brown midrib5 mutants. Biotechnology for Biofuels, 2019, 12, 82.	6.2	40
13	Overexpression of NHL6 affects seed production in transgenic Arabidopsis plants. Plant Growth Regulation, 2019, 88, 41-47.	3.4	9
14	A Functional Unfolded Protein Response Is Required for Normal Vegetative Development. Plant Physiology, 2019, 179, 1834-1843.	4.8	37
15	Low concentration of corn steep liquor promotes seed germination, plant growth, biomass production and flowering in soybean. Plant Growth Regulation, 2019, 87, 29-37.	3.4	9
16	Simultaneous regulation of <i>F5H</i> in <scp>COMT</scp> â€ <scp>RNA</scp> i transgenic switchgrass alters effects of <i><scp>COMT</scp></i> suppression on syringyl lignin biosynthesis. Plant Biotechnology Journal, 2019, 17, 836-845.	8.3	54
17	Subtly Manipulated Expression of ZmmiR156 in Tobacco Improves Drought and Salt Tolerance Without Changing the Architecture of Transgenic Plants. Frontiers in Plant Science, 2019, 10, 1664.	3.6	33
18	Alteration of <i>S</i> â€adenosylhomocysteine levels affects lignin biosynthesis in switchgrass. Plant Biotechnology Journal, 2018, 16, 2016-2026.	8.3	17

Yan Bao

#	Article	IF	CITATIONS
19	IRE1B degrades RNAs encoding proteins that interfere with the induction of autophagy by ER stress in <i>Arabidopsis thaliana</i> . Autophagy, 2018, 14, 1562-1573.	9.1	66
20	Using Arabidopsis Mesophyll Protoplasts to Study Unfolded Protein Response Signaling. Bio-protocol, 2018, 8, e3101.	0.4	2
21	Overexpression of <i>Populus trichocarpa <scp>CYP</scp>85A3</i> promotes growth and biomass production in transgenic trees. Plant Biotechnology Journal, 2017, 15, 1309-1321.	8.3	58
22	Biochemical Methods to Monitor Autophagic Responses in Plants. Methods in Enzymology, 2017, 588, 497-513.	1.0	11
23	The Unfolded Protein Response Supports Plant Development and Defense as well as Responses to Abiotic Stress. Frontiers in Plant Science, 2017, 8, 344.	3.6	74
24	<scp>IRE</scp> 1, a component of the unfolded protein response signaling pathway, protects pollen development in Arabidopsis from heat stress. Plant Journal, 2016, 88, 193-204.	5.7	113
25	Role of Arabidopsis NHL family in ABA and stress response. Plant Signaling and Behavior, 2016, 11, e1180493.	2.4	12
26	Overexpression of the NDR1/HIN1-Like Gene NHL6 Modifies Seed Germination in Response to Abscisic Acid and Abiotic Stresses in Arabidopsis. PLoS ONE, 2016, 11, e0148572.	2.5	39
27	Overexpression of a Populus trichocarpa H+-pyrophosphatase gene PtVP1.1 confers salt tolerance on transgenic poplar. Tree Physiology, 2015, 35, 663-677.	3.1	45
28	Characterization of Arabidopsis Tubby-like proteins and redundant function of AtTLP3 and AtTLP9 in plant response to ABA and osmotic stress. Plant Molecular Biology, 2014, 86, 471-483.	3.9	51
29	The tumor necrosis factor receptorâ€associated factor (TRAF)â€like family protein SEVEN IN ABSENTIA 2 (SINA2) promotes drought tolerance in an <scp>ABA</scp> â€dependent manner in <scp>A</scp> rabidopsis. New Phytologist, 2014, 202, 174-187.	7.3	64
30	Introduction of the rice CYP714D1 gene into Populus inhibits expression of its homologous genes and promotes growth, biomass production and xylem fibre length in transgenic trees. Journal of Experimental Botany, 2013, 64, 2847-2857.	4.8	18
31	The woody plant poplar has a functionally conserved salt overly sensitive pathway in response to salinity stress. Plant Molecular Biology, 2010, 74, 367-380.	3.9	120