Ernesto Benito

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7120325/publications.pdf

Version: 2024-02-01

25 2,123
papers citations h

17 24
h-index g-index

25 25 all docs citations

25 times ranked 2811 citing authors

#	Article	IF	CITATIONS
1	Genomic Analysis of the Necrotrophic Fungal Pathogens Sclerotinia sclerotiorum and Botrytis cinerea. PLoS Genetics, 2011, 7, e1002230.	3.5	902
2	Expansion of Signal Transduction Pathways in Fungi by Extensive Genome Duplication. Current Biology, 2016, 26, 1577-1584.	3.9	175
3	Plant Defense Mechanisms Are Activated during Biotrophic and Necrotrophic Development of <i>Colletotricum graminicola</i> in Maize Â. Plant Physiology, 2012, 158, 1342-1358.	4.8	172
4	Fungal and plant gene expression during synchronized infection of tomato leaves by Botrytis cinerea. European Journal of Plant Pathology, 1998, 104, 207-220.	1.7	170
5	Genetic Diversity of Fusarium oxysporum Strains from Common Bean Fields in Spain. Applied and Environmental Microbiology, 1999, 65, 3335-3340.	3.1	98
6	The phytoene dehydrogenase gene of Phycomyces: regulation of its expression by blue light and vitamin A. Molecular Genetics and Genomics, 1997, 253, 734-744.	2.4	71
7	Application of differential display RT-PCR to the analysis of gene expression in a plant-fungus interaction. Plant Molecular Biology, 1996, 32, 947-957.	3.9	65
8	Cloning and sequence analysis of the Mucor circinelloides pyrG gene encoding orotidine-5′-monophosphate decarã ylase: use of pyrG for homologous transformation. Gene, 1992, 116, 59-67.	2.2	64
9	Flux of nitric oxide between the necrotrophic pathogen <i>Botrytis cinerea</i> and the host plant. Molecular Plant Pathology, 2011, 12, 606-616.	4.2	50
10	Isolation and molecular analysis of the orotidine-5′-phosphate decarboxylase gene (pyrG) of Phycomyces blakesleeanus. Molecular Genetics and Genomics, 1990, 224, 269-278.	2.4	46
11	Gene expression patterns and dynamics of the colonization of common bean (Phaseolus vulgaris L.) by highly virulent and weakly virulent strains of Fusarium oxysporum. Frontiers in Microbiology, 2015, 6, 234.	3.5	46
12	Isolation, characterization and transformation, by autonomous replication, of Mucor circinelloides OMPdecase-deficient mutants. Molecular Genetics and Genomics, 1995, 248, 126-135.	2.4	45
13	Heterologous transformation of Mucor circinelloides with the Phycomyces blakesleeanus leul gene. Current Genetics, 1992, 21, 215-223.	1.7	42
14	The flavohemoglobin BCFHG1 is the main NO detoxification system and confers protection against nitrosative conditions but is not a virulence factor in the fungal necrotroph Botrytis cinerea. Fungal Genetics and Biology, 2010, 47, 484-496.	2.1	31
15	Double-stranded RNA and virus-like particles in the grass endophyte Epichloë festucae. Mycological Research, 1998, 102, 914-918.	2.5	23
16	Functional Analysis of the Phycomyces carRA Gene Encoding the Enzymes Phytoene Synthase and Lycopene Cyclase. PLoS ONE, 2011, 6, e23102.	2.5	20
17	Interallelic complementation provides genetic evidence for the multimeric organization of the Phycomyces blakesleeanusphytoene dehydrogenase. FEBS Journal, 2002, 269, 902-908.	0.2	19
18	Heterologous Expression of the Phycomyces blakesleeanus Phytoene Dehydrogenase Gene (carB) in Mucor circinelloides. Current Microbiology, 1999, 39, 259-264.	2.2	18

ERNESTO BENITO

#	Article	IF	CITATIONS
19	Enhanced resistance to Botrytis cinerea in genetically-modified Vitis vinifera L. plants over-expressing the grapevine stilbene synthase gene. Plant Cell, Tissue and Organ Culture, 2015, 120, 229-238.	2.3	17
20	Physiological and population genetic analysis of <i>Botrytis</i> field isolates from vineyards in Castilla y León, Spain. Plant Pathology, 2019, 68, 523-536.	2.4	14
21	Nucleotide sequence of the Phycomyces blakesleeanus leu1 gene. Nucleic Acids Research, 1990, 18, 4612-4612.	14.5	13
22	Fusarium Wilt of Common Bean in the Castilla y Leon Region of Spain Plant Disease, 1996, 80, 600.	1.4	10
23	Protein–DNA interactions in the promoter region of the Phycomyces carB and carRA genes correlate with the kinetics of their mRNA accumulation in response to light. Fungal Genetics and Biology, 2010, 47, 773-781.	2.1	9
24	Bcmimp1, a Botrytis cinerea Gene Transiently Expressed in planta, Encodes a Mitochondrial Protein. Frontiers in Microbiology, 2016, 7, 213.	3 . 5	3
25	Nutritional factors modulating plant and fruit susceptibility to pathogens: BARD workshop, Haifa, Israel, February 25–26, 2018. Phytoparasitica, 2020, 48, 317-333.	1.2	0