

ShenguHua Wu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7120564/publications.pdf>

Version: 2024-02-01

35
papers

737
citations

687363

13
h-index

552781

26
g-index

36
all docs

36
docs citations

36
times ranked

694
citing authors

#	ARTICLE	IF	CITATIONS
1	Species clarification of the prize medicinal Ganoderma mushroom “Lingzhi”: Fungal Diversity, 2012, 56, 49-62.	12.3	198
2	Global diversity of the Ganoderma lucidum complex (Ganodermataceae, Polyporales) inferred from morphology and multilocus phylogeny. Phytochemistry, 2015, 114, 7-15.	2.9	137
3	The white-rotting genus Phanerochaete is polyphyletic and distributed throughout the phleboid clade of the Polyporales (Basidiomycota). Fungal Diversity, 2010, 42, 107-118.	12.3	57
4	Phylogenetic analyses of Aleurodiscus s.l. and allied genera. Mycologia, 2001, 93, 720-731.	1.9	28
5	Phylogenetic Analyses of Aleurodiscus s.l. and Allied Genera. Mycologia, 2001, 93, 720.	1.9	24
6	Species diversity, taxonomy and multi-gene phylogeny of phleboid clade (Phanerochaetaceae, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 54	12.3	23
7	Three new species of Hyphodontia from Taiwan. Mycological Progress, 2009, 8, 165-169.	1.4	19
8	Hydnophanerochaete and Odontoefibula, two new genera of phanerochaetoid fungi (Polyporales,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.9	19
9	Three new species of Hyphodontia s.l. (Basidiomycota) with poroid or raduloid hymenophore. Mycological Progress, 2017, 16, 553-564.	1.4	18
10	<i>Pseudolagarobasidium</i> (Basidiomycota): on the reinstatement of a genus of parasitic, saprophytic, and endophytic resupinate fungi. Botany, 2008, 86, 1319-1325.	1.0	17
11	Phylogeny and taxonomy of <i>Ceriporia</i> and other related taxa and description of three new species. Mycologia, 2020, 112, 64-82.	1.9	17
12	Three new species of <i>Hyphodontia</i> with poroid hymenial surface. Mycologia, 2001, 93, 1019-1025.	1.9	16
13	Clarification of the Concept of Ganoderma orbiforme with High Morphological Plasticity. PLoS ONE, 2014, 9, e98733.	2.5	16
14	The First Whole Genome Sequencing of Sanghuangporus sanghuang Provides Insights into Its Medicinal Application and Evolution. Journal of Fungi (Basel, Switzerland), 2021, 7, 787.	3.5	15
15	<i>Brunneocorticium pyriforme</i>, a new corticioid fungal genus and species belonging to the euagarics clade. Mycologia, 2007, 99, 302-309.	1.9	14
16	Two new species of Phanerochaete (Basidiomycota) and redescription of P. robusta. Mycological Progress, 2018, 17, 425-435.	1.4	14
17	<i>Neoaleurodiscus fujii</i>, a new genus and new species found at the timberline in Japan. Mycologia, 2010, 102, 217-223.	1.9	12
18	<i>Ganoderma bambusicola</i>, sp. nov. (Polyporales, Basidiomycota) from southern Asia</i>. Phytotaxa, 2020, 456, 75-85.	0.3	11

#	ARTICLE	IF	CITATIONS
19	Nine new species of Phanerochaete from Taiwan. <i>Mycological Research</i> , 1998, 102, 1126-1132.	2.5	9
20	Revision of the taxonomic status of the genus <i>Gloeoporus</i> (Polyporales, Basidiomycota) reveals two new species. <i>Mycological Progress</i> , 2018, 17, 855-863.	1.4	9
21	Three new species of Phanerochaete (Polyporales, Basidiomycota). <i>MycKeys</i> , 2018, 41, 91-106.	1.9	9
22	Two new species of <i>Aleurodiscus</i> s.l. (Russulales, Basidiomycota) on bamboo from tropics. <i>Mycoscience</i> , 2017, 58, 213-220.	0.8	8
23	<i>Sanghuangporus vitexicola</i> sp. nov. (Hymenochaetales, Tj ETQq1 1 0.784314, <i>Overlock 10</i>	0.5	8
24	<i>Brunneocorticium pyriforme</i> , a new corticioid fungal genus and species belonging to the euagarics clade. <i>Mycologia</i> , 2007, 99, 302-309.	1.9	7
25	Four species of polyporoid fungi newly recorded from Taiwan. <i>Mycotaxon</i> , 2018, 133, 45-54.	0.3	7
26	Resolution of the nomenclature for <i>niu-chang-chih</i> (<i>Taiwanofungus camphoratus</i>), an important medicinal polypore. <i>Taxon</i> , 2012, 61, 1305-1310.	0.7	6
27	Four new species of <i>Phylloporia</i> (Hymenochaetales, Basidiomycota) from southeastern Taiwan. <i>Mycological Progress</i> , 2020, 19, 743-752.	1.4	5
28	(2101) Proposal to conserve the name <i>Ganoderma camphoratum</i> (<i>Taiwanofungus camphoratus</i>) (Polyporales) with a conserved type. <i>Taxon</i> , 2012, 61, 1321-1322.	0.7	3
29	<i>Purpureocorticium microsporium</i> (Basidiomycota) gen. et sp. nov. from East Asia. <i>Mycological Progress</i> , 2018, 17, 357-364.	1.4	3
30	Four new East Asian species of <i>Aleurodiscus</i> with echinulate basidiospores. <i>MycKeys</i> , 2019, 52, 71-87.	1.9	3
31	<i>Phylloporia moricola</i> sp. nov. (Hymenochaetales, Basidiomycota) from China. <i>Phytotaxa</i> , 2021, 501, 181-188.	0.3	2
32	<i>Aleurodiscus bicornis</i> and <i>A. formosanus</i> spp. nov. (Basidiomycota) with smooth basidiospores, and redescription of <i>A. parvisporus</i> . <i>Mycological Progress</i> , 2022, 21, 147-157.	1.4	2
33	Three new species of <i>Cylindrobasidium</i> (Physalacriaceae, Agaricales) from East Asia. <i>Mycological Progress</i> , 2021, 20, 1297-1308.	1.4	1
34	<i>Schizocorticium</i> gen. nov. (Hymenochaetales, Basidiomycota) with three new species. <i>Mycological Progress</i> , 2021, 20, 769-779.	1.4	0
35	<i>Dendrocorticopsis orientalis</i> gen. et sp. nov. of the Punctulariaceae (Corticiales, Basidiomycota) revealed by molecular data. <i>MycKeys</i> , 0, 90, 19-30.	1.9	0