

ShenguHua Wu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7120564/publications.pdf>

Version: 2024-02-01

35
papers

737
citations

687363

13
h-index

552781

26
g-index

36
all docs

36
docs citations

36
times ranked

694
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>Aleurodiscus bicornis</i> and <i>A. formosanus</i> spp. nov. (Basidiomycota) with smooth basidiospores, and redescription of <i>A. parvisporus</i> . <i>Mycological Progress</i> , 2022, 21, 147-157.	1.4	2
2	<i>Phylloporia moricola</i> sp. nov. (Hymenochaetales, Basidiomycota) from China. <i>Phytotaxa</i> , 2021, 501, 181-188.	0.3	2
3	<i>Schizocorticium</i> gen. nov. (Hymenochaetales, Basidiomycota) with three new species. <i>Mycological Progress</i> , 2021, 20, 769-779.	1.4	0
4	The First Whole Genome Sequencing of <i>Sanghuangporus sanghuang</i> Provides Insights into Its Medicinal Application and Evolution. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021, 7, 787.	3.5	15
5	Three new species of <i>Cylindrobasidium</i> (Physalacriaceae, Agaricales) from East Asia. <i>Mycological Progress</i> , 2021, 20, 1297-1308.	1.4	1
6	Species diversity, taxonomy and multi-gene phylogeny of phlebioid clade (Phanerochaetaceae). <i>Trends in Microbiology</i> , 2010, 18, 50-54.	12.3	23
7	Phylogeny and taxonomy of <i>Ceriporia</i> and other related taxa and description of three new species. <i>Mycologia</i> , 2020, 112, 64-82.	1.9	17
8	Four new species of <i>Phylloporia</i> (Hymenochaetales, Basidiomycota) from southeastern Taiwan. <i>Mycological Progress</i> , 2020, 19, 743-752.	1.4	5
9	<i>Ganoderma bambusicola</i> sp. nov. (Polyporales, Basidiomycota) from southern Asia. <i>Phytotaxa</i> , 2020, 456, 75-85.	0.3	11
10	<i>Sanghuangporus vitexicola</i> sp. nov. (Hymenochaetales). <i>Trends in Microbiology</i> , 2010, 18, 382-388.	0.3	8
11	Four new East Asian species of <i>Aleurodiscus</i> with echinulate basidiospores. <i>MycKeys</i> , 2019, 52, 71-87.	1.9	3
12	Revision of the taxonomic status of the genus <i>Gloeoporus</i> (Polyporales, Basidiomycota) reveals two new species. <i>Mycological Progress</i> , 2018, 17, 855-863.	1.4	9
13	Two new species of <i>Phanerochaete</i> (Basidiomycota) and redescription of <i>P. robusta</i> . <i>Mycological Progress</i> , 2018, 17, 425-435.	1.4	14
14	<i>Purpureocorticium microsporum</i> (Basidiomycota) gen. et sp. nov. from East Asia. <i>Mycological Progress</i> , 2018, 17, 357-364.	1.4	3
15	Four species of polyporoid fungi newly recorded from Taiwan. <i>Mycotaxon</i> , 2018, 133, 45-54.	0.3	7
16	<i>Hydnophanerochaete</i> and <i>Odontoefibula</i> , two new genera of phanerochaetoid fungi (Polyporales). <i>Trends in Microbiology</i> , 2010, 18, 19-25.	1.9	19
17	Three new species of <i>Phanerochaete</i> (Polyporales, Basidiomycota). <i>MycKeys</i> , 2018, 41, 91-106.	1.9	9
18	Two new species of <i>Aleurodiscus</i> s.l. (Russulales, Basidiomycota) on bamboo from tropics. <i>Mycoscience</i> , 2017, 58, 213-220.	0.8	8

#	ARTICLE	IF	CITATIONS
19	Three new species of <i>Hyphodontia</i> s.l. (Basidiomycota) with poroid or raduloid hymenophore. <i>Mycological Progress</i> , 2017, 16, 553-564.	1.4	18
20	Global diversity of the <i>Ganoderma lucidum</i> complex (Ganodermataceae, Polyporales) inferred from morphology and multilocus phylogeny. <i>Phytochemistry</i> , 2015, 114, 7-15.	2.9	137
21	Clarification of the Concept of <i>Ganoderma orbiforme</i> with High Morphological Plasticity. <i>PLoS ONE</i> , 2014, 9, e98733.	2.5	16
22	Species clarification of the prize medicinal <i>Ganoderma</i> mushroom “Lingzhi”: <i>Fungal Diversity</i> , 2012, 56, 49-62.	12.3	198
23	Resolution of the nomenclature for <i>niu-chang-chih</i> (<i>Taiwanofungus camphoratus</i>), an important medicinal polypore. <i>Taxon</i> , 2012, 61, 1305-1310.	0.7	6
24	(2101) Proposal to conserve the name <i>Ganoderma camphoratum</i> (<i>Taiwanofungus camphoratus</i>) (Polyporales) with a conserved type. <i>Taxon</i> , 2012, 61, 1321-1322.	0.7	3
25	The white-rotting genus <i>Phanerochaete</i> is polyphyletic and distributed throughout the phleboid clade of the Polyporales (Basidiomycota). <i>Fungal Diversity</i> , 2010, 42, 107-118.	12.3	57
26	<i>Neoleurodiscus fujii</i> , a new genus and new species found at the timberline in Japan. <i>Mycologia</i> , 2010, 102, 217-223.	1.9	12
27	Three new species of <i>Hyphodontia</i> from Taiwan. <i>Mycological Progress</i> , 2009, 8, 165-169.	1.4	19
28	<i>Pseudolagarobasidium</i> (Basidiomycota): on the reinstatement of a genus of parasitic, saprophytic, and endophytic resupinate fungi. <i>Botany</i> , 2008, 86, 1319-1325.	1.0	17
29	<i>Brunneocorticium pyriforme</i> , a new corticioid fungal genus and species belonging to the euagarics clade. <i>Mycologia</i> , 2007, 99, 302-309.	1.9	7
30	<i>Brunneocorticium pyriforme</i> , a new corticioid fungal genus and species belonging to the euagarics clade. <i>Mycologia</i> , 2007, 99, 302-309.	1.9	14
31	Three new species of <i>Hyphodontia</i> with poroid hymenial surface. <i>Mycologia</i> , 2001, 93, 1019-1025.	1.9	16
32	Phylogenetic analyses of <i>Aleurodiscus</i> s.l. and allied genera. <i>Mycologia</i> , 2001, 93, 720-731.	1.9	28
33	Phylogenetic Analyses of <i>Aleurodiscus</i> s.l. and Allied Genera. <i>Mycologia</i> , 2001, 93, 720.	1.9	24
34	Nine new species of <i>Phanerochaete</i> from Taiwan. <i>Mycological Research</i> , 1998, 102, 1126-1132.	2.5	9
35	<i>Dendrocorticopsis orientalis</i> gen. et sp. nov. of the Punctulariaceae (Corticiales, Basidiomycota) revealed by molecular data. <i>MycKeys</i> , 0, 90, 19-30.	1.9	0