Juan Carlos Leza

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7133738/publications.pdf

Version: 2024-02-01

62 2,711 27 50
papers citations h-index g-index

64 64 64 4349
all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Sphk2 deletion is involved in structural abnormalities and Th17 response but does not aggravate colon inflammation induced by sub-chronic stress. Scientific Reports, 2022, 12, 4073.	3.3	2
2	CCL2 Inhibition of Pro-Resolving Mediators Potentiates Neuroinflammation in Astrocytes. International Journal of Molecular Sciences, 2022, 23, 3307.	4.1	6
3	The role of BDNF and NGF plasma levels in first-episode schizophrenia: A longitudinal study. European Neuropsychopharmacology, 2022, 57, 105-117.	0.7	4
4	Preclinical animal models of mental illnesses to translate findings from the bench to the bedside: Molecular brain mechanisms and peripheral biomarkers associated to early life stress or immune challenges. European Neuropsychopharmacology, 2022, 58, 55-79.	0.7	22
5	Dysfunction of Inflammatory Pathways and Their Relationship With Psychological Factors in Adult Female Patients With Eating Disorders. Frontiers in Pharmacology, 2022, 13, 846172.	3.5	1
6	Microglial <scp>CX3CR1</scp> production increases in Alzheimer's disease and is regulated by noradrenaline. Glia, 2021, 69, 73-90.	4.9	21
7	The prefrontal cortex as a target for atypical antipsychotics in schizophrenia, lessons of neurodevelopmental animal models. Progress in Neurobiology, 2021, 199, 101967.	5.7	18
8	COVID-19 una oportunidad única para explorar la relación entre la infección prenatal materna, el desarrollo cerebral y los trastornos neuropsiquiátricos en la descendencia. Revista De PsiquiatrÃa Y Salud Mental, 2021, 14, 1-3.	1.8	6
9	Omega-3 fatty acids during adolescence prevent schizophrenia-related behavioural deficits: Neurophysiological evidences from the prenatal viral infection with Polyl:C. European Neuropsychopharmacology, 2021, 46, 14-27.	0.7	13
10	Paliperidone Reversion of Maternal Immune Activation-Induced Changes on Brain Serotonin and Kynurenine Pathways. Frontiers in Pharmacology, 2021, 12, 682602.	3.5	7
11	Viewpoint European COVID-19 exit strategy for people with severe mental disorders: Too little, but not yet too late. Brain, Behavior, and Immunity, 2021, 94, 15-17.	4.1	17
12	Severe mental illness and European COVID-19 vaccination strategies. Lancet Psychiatry,the, 2021, 8, 356-359.	7.4	50
13	Neuroplasticity and inflammatory alterations in the nucleus accumbens are corrected after risperidone treatment in a schizophrenia-related developmental model in rats. Schizophrenia Research, 2021, 235, 17-28.	2.0	13
14	Kynurenine pathway in post-mortem prefrontal cortex and cerebellum in schizophrenia: relationship with monoamines and symptomatology. Journal of Neuroinflammation, 2021, 18, 198.	7.2	8
15	The Role of the Oral Microbiota Related to Periodontal Diseases in Anxiety, Mood and Trauma- and Stress-Related Disorders. Frontiers in Psychiatry, 2021, 12, 814177.	2.6	26
16	Gut microbiota, innate immune pathways, and inflammatory control mechanisms in patients with major depressive disorder. Translational Psychiatry, 2021, 11, 645.	4.8	34
17	Dysfunction of inflammatory pathways in adolescent female patients with anorexia nervosa. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2020, 96, 109727.	4.8	26
18	Toll-like receptor 4 agonist and antagonist lipopolysaccharides modify innate immune response in rat brain circumventricular organs. Journal of Neuroinflammation, 2020, 17, 6.	7.2	27

#	Article	IF	CITATIONS
19	Expression and Functionality Study of 9 Toll-Like Receptors in 33 Drug-Na \tilde{A} -ve Non-Affective First Episode Psychosis Individuals: A 3-Month Study. International Journal of Molecular Sciences, 2020, 21, 6106.	4.1	6
20	Inflammatory and antioxidant pathway dysfunction in borderline personality disorder. Psychiatry Research, 2020, 284, 112782.	3.3	25
21	Depletion of brain perivascular macrophages regulates acute restraint stress-induced neuroinflammation and oxidative/nitrosative stress in rat frontal cortex. European Neuropsychopharmacology, 2020, 34, 50-64.	0.7	9
22	Acute effects of a session of electroconvulsive therapy on brain-derived neurotrophic factor plasma levels. Revista De PsiquiatrÃa Y Salud Mental, 2020, , .	1.8	1
23	Chronic Mild Stress Alters Kynurenine Pathways Changing the Glutamate Neurotransmission in Frontal Cortex of Rats. Molecular Neurobiology, 2019, 56, 490-501.	4.0	41
24	Reboxetine Treatment Reduces Neuroinflammation and Neurodegeneration in the 5xFAD Mouse Model of Alzheimer's Disease: Role of CCL2. Molecular Neurobiology, 2019, 56, 8628-8642.	4.0	21
25	Risperidone Ameliorates Prefrontal Cortex Neural Atrophy and Oxidative/Nitrosative Stress in Brain and Peripheral Blood of Rats with Neonatal Ventral Hippocampus Lesion. Journal of Neuroscience, 2019, 39, 8584-8599.	3.6	29
26	Risperidone administered during adolescence induced metabolic, anatomical and inflammatory/oxidative changes in adult brain: A PET and MRI study in the maternal immune stimulation animal model. European Neuropsychopharmacology, 2019, 29, 880-896.	0.7	27
27	Modulation of Monoaminergic Systems by Antidepressants in the Frontal Cortex of Rats After Chronic Mild Stress Exposure. Molecular Neurobiology, 2019, 56, 7522-7533.	4.0	14
28	Diez años de investigación traslacional colaborativa en enfermedades mentales: el CIBERSAM. Revista De PsiquiatrÃa Y Salud Mental, 2019, 12, 1-8.	1.8	68
29	Repeated Restraint Stress Decreases Na,K-ATPase Activity via Oxidative and Nitrosative Damage in the Frontal Cortex of Rats. Neuroscience, 2018, 393, 273-283.	2.3	24
30	Comparison of the anti-inflammatory effect of aripiprazole and risperidone in 75 drug-naÃ⁻ve first episode psychosis individuals: A 3†months randomized study. Schizophrenia Research, 2018, 202, 226-233.	2.0	37
31	Alternative Method to Detect Neuronal Degeneration and Amyloid \hat{l}^2 Accumulation in Free-Floating Brain Sections With Fluoro-Jade. ASN Neuro, 2018, 10, 175909141878435.	2.7	11
32	Cardiovascular Risk in Early Psychosis: Relationship with Inflammation and Clinical Features 6 Months after Diagnosis. International Journal of Neuropsychopharmacology, 2018, 21, 410-422.	2.1	13
33	Effects of the antipsychotic paliperidone on stress-induced changes in the endocannabinoid system in rat prefrontal cortex. World Journal of Biological Psychiatry, 2017, 18, 457-470.	2.6	8
34	Oleoylethanolamide prevents neuroimmune HMGB1/TLR4/NFâ€kB danger signaling in rat frontal cortex and depressiveâ€like behavior induced by ethanol binge administration. Addiction Biology, 2017, 22, 724-741.	2.6	88
35	Paliperidone reverts Toll-like receptor 3 signaling pathway activation and cognitive deficits in a maternal immune activation mouse model of schizophrenia. Neuropharmacology, 2017, 116, 196-207.	4.1	42
36	Noradrenaline induces CX3CL1 production and release by neurons. Neuropharmacology, 2017, 114, 146-155.	4.1	15

#	Article	IF	CITATIONS
37	Lipopolysaccharide enters the rat brain by a lipoprotein-mediated transport mechanism in physiological conditions. Scientific Reports, 2017, 7, 13113.	3.3	99
38	Differential regulation of the TLR4 signalling pathway in post-mortem prefrontal cortex and cerebellum in chronic schizophrenia: Relationship with SP transcription factors. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2017, 79, 481-492.	4.8	27
39	The Atypical Antipsychotic Paliperidone Regulates Endogenous Antioxidant/Anti-Inflammatory Pathways in Rat Models of Acute and Chronic Restraint Stress. Neurotherapeutics, 2016, 13, 833-843.	4.4	38
40	Dysregulated peripheral endocannabinoid system signaling is associated with cognitive deficits in first-episode psychosis. Journal of Psychiatric Research, 2016, 75, 14-21.	3.1	18
41	Modulation of the antioxidant nuclear factor (erythroid 2-derived)-like 2 pathway by antidepressants in rats. Neuropharmacology, 2016, 103, 79-91.	4.1	35
42	Bacterial translocation affects intracellular neuroinflammatory pathways in a depression-like model in rats. Neuropharmacology, 2016, 103, 122-133.	4.1	36
43	Toward Omics-Based, Systems Biomedicine, and Path and Drug Discovery Methodologies for Depression-Inflammation Research. Molecular Neurobiology, 2016, 53, 2927-2935.	4.0	40
44	Evidence of activation of the Toll-like receptor-4 proinflammatory pathway in patients with schizophrenia. Journal of Psychiatry and Neuroscience, 2016, 41, E46-E55.	2.4	65
45	Discrimination between Alzheimer's Disease and Late Onset Bipolar Disorder Using Multivariate Analysis. Frontiers in Aging Neuroscience, 2015, 7, 231.	3.4	28
46	Pro-/Antiinflammatory Dysregulation in Early Psychosis: Results from a 1-Year Follow-Up Study. International Journal of Neuropsychopharmacology, 2015, 18, pyu037-pyu037.	2.1	26
47	Glucocorticoid receptor gene (NR3C1) methylation processes as mediators of early adversity in stress-related disorders causality: A critical review. Neuroscience and Biobehavioral Reviews, 2015, 55, 520-535.	6.1	262
48	Stress induced by the socially evaluated cold-pressor test cause equivalent deficiencies of sensory gating in male subjects with schizophrenia and healthy controls. Psychiatry Research, 2015, 228, 283-288.	3.3	12
49	Inflammation in schizophrenia: A question of balance. Neuroscience and Biobehavioral Reviews, 2015, 55, 612-626.	6.1	155
50	Systemic Administration of Oleoylethanolamide Protects from Neuroinflammation and Anhedonia Induced by LPS in Rats. International Journal of Neuropsychopharmacology, 2015, 18, pyu111-pyu111.	2.1	75
51	Pro-/Anti-inflammatory Dysregulation in Patients With First Episode of Psychosis: Toward an Integrative Inflammatory Hypothesis of Schizophrenia. Schizophrenia Bulletin, 2014, 40, 376-387.	4.3	156
52	Toll-like 4 receptor inhibitor TAK-242 decreases neuroinflammation in rat brain frontal cortex after stress. Journal of Neuroinflammation, 2014, 11, 8.	7.2	102
53	Basal low antioxidant capacity correlates with cognitive deficits in early onset psychosis. A 2-year follow-up study. Schizophrenia Research, 2014, 156, 23-29.	2.0	42
54	Birth Weight, Working Memory and Epigenetic Signatures in IGF2 and Related Genes: A MZ Twin Study. PLoS ONE, 2014, 9, e103639.	2.5	14

#	Article	IF	CITATION
55	Stress-Induced Neuroinflammation: Role of the Toll-Like Receptor-4 Pathway. Biological Psychiatry, 2013, 73, 32-43.	1.3	169
56	Risperidone normalizes increased inflammatory parameters and restores anti-inflammatory pathways in a model of neuroinflammation. International Journal of Neuropsychopharmacology, 2013, 16, 121-135.	2.1	87
57	Endogenous cannabinoid system regulates intestinal barrier function in vivo through cannabinoid type 1 receptor activation. American Journal of Physiology - Renal Physiology, 2012, 302, G565-G571.	3.4	44
58	Decreased glutathione levels predict loss of brain volume in children and adolescents with first-episode psychosis in a two-year longitudinal study. Schizophrenia Research, 2012, 137, 58-65.	2.0	50
59	Cognitive impairment is related to oxidative stress and chemokine levels in first psychotic episodes. Schizophrenia Research, 2012, 137, 66-72.	2.0	96
60	Origin and consequences of brain Toll-like receptor 4 pathway stimulation in an experimental model of depression. Journal of Neuroinflammation, 2011, 8, 151.	7.2	134
61	Stress Mediators Regulate Brain Prostaglandin Synthesis and Peroxisome Proliferator-Activated Receptor-Î ³ Activation after Stress in Rats. Endocrinology, 2008, 149, 1969-1978.	2.8	92
62	Group B <i>Streptococcus</i> and <i>E. coli</i> LPSâ€induced NOâ€dependent hyporesponsiveness to noradrenaline in isolated intrapulmonary arteries of neonatal piglets. British Journal of Pharmacology, 1995, 115, 261-266.	5.4	28