
Aileen Davis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7135154/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Fundamentals of osteoarthritis: outcome evaluation with patient-reported measures and functional tests. Osteoarthritis and Cartilage, 2022, 30, 775-785.	1.3	15
2	Developing the Breast Utility Instrument, a preference-based instrument to measure health-related quality of life in women with breast cancer: Confirmatory factor analysis of the EORTC QLQ-C30 and BR45 to establish dimensions. PLoS ONE, 2022, 17, e0262635.	2.5	5
3	Factors influencing pain response following GLA:D® patient education and supervised exercise in males and females with hip osteoarthritis. Arthritis Care and Research, 2022, , .	3.4	3
4	Limiting the Risk of Osteoarthritis After Anterior Cruciate Ligament Injury: Are Health Care Providers Missing the Opportunity to Intervene?. Arthritis Care and Research, 2021, 73, 1754-1762.	3.4	3
5	Treating Heel Pain in Adults: A Randomized Controlled Trial of Hard vs Modified Soft Custom Orthotics and Heel Pads. Archives of Physical Medicine and Rehabilitation, 2021, 102, 363-370.	0.9	3
6	The Clinically Important Difference and Patient Acceptable Symptomatic State for Commonly Used Patient-Reported Outcomes After Knee Cartilage Repair. American Journal of Sports Medicine, 2021, 49, 193-199.	4.2	29
7	A concept analysis and overview of outcome measures used for evaluating patients with proximal humerus fractures. Disability and Rehabilitation, 2021, 43, 1450-1462.	1.8	3
8	Developing a short-form version of the HIV Disability Questionnaire (SF-HDQ) for use in clinical practice: a Rasch analysis. Health and Quality of Life Outcomes, 2021, 19, 6.	2.4	9
9	Experiences of People Living With HIV in Community Based Exercise: A Qualitative Longitudinal Study. Journal of the International Association of Providers of AIDS Care, 2021, 20, 232595822199534.	1.5	6
10	Immediate outcomes following the GLA:D® program in Denmark, Canada and Australia. A longitudinal analysis including 28,370 patients with symptomatic knee or hip osteoarthritis. Osteoarthritis and Cartilage, 2021, 29, 502-506.	1.3	40
11	Analgesic effect of perineural local anesthetics, steroids, and conventional medical management for trauma and compression-related peripheral neuropathic pain: a retrospective cohort study. Pain Reports, 2021, 6, e945.	2.7	2
12	Examining the impact of a community-based exercise intervention on cardiorespiratory fitness, cardiovascular health, strength, flexibility and physical activity among adults living with HIV: A three-phased intervention study. PLoS ONE, 2021, 16, e0257639.	2.5	11
13	Development of an Intervention to Manage Knee Osteoarthritis Risk and Symptoms Following Anterior Cruciate Ligament Injury. Osteoarthritis and Cartilage, 2021, , .	1.3	2
14	A Qualitative Study of Fitness Coaches' Experiences in Community Based Exercise with People Living with HIV. Journal of the International Association of Providers of AIDS Care, 2021, 20, 232595822110467.	1.5	2
15	Disability and self-care living strategies among adults living with HIV during the COVID-19 pandemic. AIDS Research and Therapy, 2021, 18, 87.	1.7	5
16	Systematic Review and Appraisal of the Cross ultural Validity of Functional Status Assessment Measures in Rheumatoid Arthritis. Arthritis Care and Research, 2020, 72, 798-805.	3.4	6
17	Factors That Influence the Reintegration to Normal Living for Older Adults 2 Years Post Hip Fracture. Journal of Applied Gerontology, 2020, 39, 1323-1331.	2.0	5
18	Why Is Exercise Effective in Reducing Pain in People with Osteoarthritis?. Current Treatment Options in Rheumatology, 2020, 6, 146-159.	1.4	4

#	Article	IF	CITATIONS
19	Validation process of Toronto Exremity Salvage Score in Italian: A quality of life measure for patients with extremity bone and soft tissue tumors. Journal of Surgical Oncology, 2020, 121, 630-637.	1.7	9
20	Development and content validation of the Muscular Dystrophy Child Health Index of Life with Disabilities questionnaire for children with Duchenne muscular dystrophy. Developmental Medicine and Child Neurology, 2019, 61, 75-81.	2.1	8
21	A scoping review of rehabilitation interventions for survivors of head and neck cancer. Disability and Rehabilitation, 2019, 41, 2093-2107.	1.8	28
22	Body‧elf Unity With a New Hip or Knee: Understanding Total Joint Replacement Within an Embodiment Framework. ACR Open Rheumatology, 2019, 1, 90-96.	2.1	7
23	Parent Proxy Discrepancy Groups of Quality of Life in Childhood Epilepsy. Value in Health, 2019, 22, 822-828.	0.3	15
24	A systematic review of estimates of the minimalÂclinically important difference and patient acceptable symptom state of the Western Ontario and McMaster Universities Osteoarthritis Index in patients who underwent total hip and total knee replacement. Osteoarthritis and Cartilage, 2019, 27, 1408-1419.	1.3	49
25	A Systematic Review and Standardized Comparison of Available Evidence for Outcome Measures Used to Evaluate Proximal Humerus Fracture Patients. Journal of Orthopaedic Trauma, 2019, 33, e256-e262.	1.4	9
26	GLA:D to have a high-value option for patients with knee and hip arthritis across four continents: Good Life with osteoArthritis from Denmark. British Journal of Sports Medicine, 2018, 52, 1544-1545.	6.7	40
27	Rating Scales and Performanceâ€based Measures for Assessment of Functional Ability in Huntington's Disease: Critique and Recommendations. Movement Disorders Clinical Practice, 2018, 5, 361-372.	1.5	22
28	Evaluation of a rehabilitation planning consult for survivors of head and neck cancer. Head and Neck, 2018, 40, 1415-1424.	2.0	5
29	Quality of Life in Huntington's Disease: Critique and Recommendations for Measures Assessing Patient Healthâ€Related Quality of Life and Caregiver Quality of Life. Movement Disorders, 2018, 33, 742-749.	3.9	23
30	Clinical classes of injured workers with chronic low back pain: a latent class analysis with relationship to working status. European Spine Journal, 2018, 27, 117-124.	2.2	11
31	Cross-cultural adaptation and implementation of Good Life with osteoarthritis in Denmark (GLA:Dâ,,¢): group education and exercise for hip and knee osteoarthritis is feasible in Canada. Osteoarthritis and Cartilage, 2018, 26, 211-219.	1.3	34
32	Factors associated with the orthopaedic surgeon's decision to recommend total joint replacement in hip and knee osteoarthritis: an international cross-sectional study of 1905 patients. Osteoarthritis and Cartilage, 2018, 26, 1311-1318.	1.3	23
33	Presurgery osteoarthritis severity over 10 years in 2 Ontario prospective total knee replacement cohorts: a cohort study. CMAJ Open, 2018, 6, E269-E275.	2.4	1
34	Validated Measures of Illness Perception and Behavior in People with Knee Pain and Knee Osteoarthritis: A Scoping Review. Pain Practice, 2017, 17, 99-114.	1.9	7
35	Cross-cultural adaptation and validation of the Japanese version of the Toronto Extremity Salvage Score (TESS) for patients with malignant musculoskeletal tumors in the upper extremities. Journal of Orthopaedic Science, 2017, 22, 127-132.	1.1	15
36	Response to letter by Saenzâ€Farret et al. on "Rating scales for behavioral symptoms in Huntington's disease: Critique and recommendations― Movement Disorders, 2017, 32, 482-482.	3.9	0

#	Article	IF	CITATIONS
37	A prospective cohort study examining medical and social factors associated with engagement in life activities following total hip replacement. Osteoarthritis and Cartilage, 2017, 25, 1032-1039.	1.3	5
38	Awaiting knee joint replacement surgery: An occupational perspective on the experience of osteoarthritis. Journal of Occupational Science, 2017, 24, 216-224.	1.3	9
39	Does the person's context influence engagement in life activities following primary knee replacement? Results from a Canadian prospective cohort study. BMJ Open, 2017, 7, e015737.	1.9	0
40	Myasthenia Gravis Impairment Index. Neurology, 2017, 89, 2357-2364.	1.1	35
41	Development, Sensibility, and Validity of a Systemic Autoimmune Rheumatic Disease Case Ascertainment Tool. Journal of Rheumatology, 2017, 44, 18-23.	2.0	6
42	Public opinion on community-based education and exercise programs for managing hip and knee osteoarthritis-like symptoms: results of a survey. Patient Preference and Adherence, 2016, 10, 283.	1.8	8
43	Commonalities and differences in the implementation of models of care for arthritis: key informant interviews from Canada. BMC Health Services Research, 2016, 16, 415.	2.2	8
44	Rating scales for behavioral symptoms in Huntington's disease: Critique and recommendations. Movement Disorders, 2016, 31, 1466-1478.	3.9	44
45	Study protocol for a pilot, randomised, double-blinded, placebo controlled trial of perineural local anaesthetics and steroids for chronic post-traumatic neuropathic pain in the ankle and foot: the PREPLANS study. BMJ Open, 2016, 6, e012293.	1.9	6
46	Evaluating a community-based exercise intervention with adults living with HIV: protocol for an interrupted time series study. BMJ Open, 2016, 6, e013618.	1.9	18
47	Primary care physicians' perceptions about and confidence in deciding which patients to refer for total joint arthroplasty of the hip and knee. Osteoarthritis and Cartilage, 2016, 24, 451-457.	1.3	17
48	Psychometric properties of the Neck OutcOme Score, Neck Disability Index, and Short Form–36 were evaluated in patients with neck pain. Journal of Clinical Epidemiology, 2016, 79, 31-40.	5.0	31
49	Disease-specific pain and function predict future pain impact in hip and knee osteoarthritis. Clinical Rheumatology, 2016, 35, 2999-3005.	2.2	17
50	Cross-cultural validation of the ICOAP and physical function short forms of the HOOS and KOOS in a multi-country study of patients with hip and knee osteoarthritis. Osteoarthritis and Cartilage, 2016, 24, 2077-2081.	1.3	17
51	Key Preoperative Clinical Factors Predicting Outcome in Surgically Treated Patients with Metastatic Epidural Spinal Cord Compression: Results from a Survey of 438 AOSpine International Members. World Neurosurgery, 2016, 93, 436-448.e15.	1.3	13
52	Factors Influencing Outcomes of Older Adults After Undergoing Rehabilitation for Hip Fracture. Journal of the American Geriatrics Society, 2016, 64, 1601-1609.	2.6	46
53	Implementation of musculoskeletal Models of Care in primary care settings: Theory, practice, evaluation and outcomes for musculoskeletal health in high-income economies. Best Practice and Research in Clinical Rheumatology, 2016, 30, 375-397.	3.3	43
54	Osteoarthritis: Models for appropriate care across the disease continuum. Best Practice and Research in Clinical Rheumatology, 2016, 30, 503-535.	3.3	123

#	Article	IF	CITATIONS
55	Development and validation of the Myasthenia Gravis Impairment Index. Neurology, 2016, 87, 879-886.	1.1	43
56	Health-related quality of life following treatment for extremity soft tissue sarcoma. Journal of Surgical Oncology, 2016, 114, 821-827.	1.7	16
57	Measures for Pain and Function Assessments for Patients With Osteoarthritis. Journal of the American Academy of Orthopaedic Surgeons, The, 2016, 24, e148-e162.	2.5	9
58	Postoperative Pain Management Among Dominican and American Health-Care Providers. Journal of Bone and Joint Surgery - Series A, 2016, 98, e50.	3.0	17
59	An institutional ethnography of chronic pain management in family medicine (COPE) study protocol. BMC Health Services Research, 2015, 15, 494.	2.2	14
60	Understanding why people do or do not engage in activities following total joint replacement: a longitudinal qualitative study. Osteoarthritis and Cartilage, 2015, 23, 860-867.	1.3	39
61	Children's perspective of quality of life in epilepsy. Neurology, 2015, 84, 1830-1837.	1.1	76
62	Do women have poorer outcomes following total knee replacement?. Osteoarthritis and Cartilage, 2015, 23, 1476-1482.	1.3	42
63	Physical Activity and Experience of Total Knee Replacement in Patients One to Four Years Postsurgery in the Dominican Republic: A Qualitative Study. Arthritis Care and Research, 2015, 67, 65-73.	3.4	26
64	Multiattribute health utility scoring for the computerized adaptive measure CAT-5D-QOL was developed and validated. Journal of Clinical Epidemiology, 2015, 68, 1213-1220.e6.	5.0	4
65	Visits to Rheumatologists for Arthritis: The Role of Access to Primary Care Physicians, Geographic Availability of Rheumatologists, and Socioeconomic Status. Arthritis Care and Research, 2015, 67, 230-239.	3.4	32
66	Development and preliminary evaluation of a rehabilitation consult for survivors of head and neck cancer: an intervention mapping protocol. Implementation Science, 2015, 10, 6.	6.9	14
67	Role of Magnetic Resonance Imaging in Predicting Surgical Outcome in Patients With Cervical Spondylotic Myelopathy. Spine, 2015, 40, 171-178.	2.0	87
68	Cross-cultural adaptation and validation of the Japanese version of the Toronto Extremity Salvage Score (TESS) for patients with malignant musculoskeletal tumors in the lower extremities. Journal of Orthopaedic Science, 2015, 20, 1098-1105.	1.1	25
69	The influence of patient factors on patient-reported outcomes of orthopedic surgery involving implantable devices: A systematic review. Seminars in Arthritis and Rheumatism, 2015, 44, 461-471.	3.4	5
70	Assessment of the patient with osteoarthritis and measurement of outcomes. , 2015, , 1492-1497.		0
71	The long-term outcome of patients treated operatively and non-operatively for scoliosis deformity secondary to spina bifida. Bone and Joint Journal, 2014, 96-B, 1244-1251.	4.4	16
72	An Examination of Adolescent Bone Tumor Patient Responses on the Activities Scale for Kids (ASK). Physical and Occupational Therapy in Pediatrics, 2014, 34, 213-228.	1.3	7

#	Article	IF	CITATIONS
73	A qualitative study of the consequences of knee symptoms: †It's like you're an athlete and you go to a couch potato'. BMJ Open, 2014, 4, e006006.	1.9	37
74	The pathway to orthopaedic surgery: a population study of the role of access to primary care and availability of orthopaedic services in Ontario, Canada. BMJ Open, 2014, 4, e004472-e004472.	1.9	14
75	"We're All Looking for Solutionsâ€: A Qualitative Study of the Management of Knee Symptoms. Arthritis Care and Research, 2014, 66, 1033-1040.	3.4	20
76	The Multiligament Quality of Life Questionnaire. American Journal of Sports Medicine, 2014, 42, 2906-2916.	4.2	17
77	Defining age-related differences in outcome after traumatic spinal cord injury: analysis of a combined, multicenter dataset. Spine Journal, 2014, 14, 1192-1198.	1.3	58
78	A Conceptual Framework for Evaluating Impairments in Myasthenia Gravis. PLoS ONE, 2014, 9, e98089.	2.5	23
79	Outcomes of squamous cell cancer of the oral tongue managed at the princess margaret hospital. Head and Neck, 2013, 35, 632-641.	2.0	34
80	Development of a paper-and-pencil semi-adaptive questionnaire for 5 domains of health-related quality of life Research, 2013, 22, 2829-2842.	3.1	5
81	Which Patients Are Most Likely to Benefit From Total Joint Arthroplasty?. Arthritis and Rheumatism, 2013, 65, 1243-1252.	6.7	163
82	Performance of individual items of the quantitative myasthenia gravis score. Neuromuscular Disorders, 2013, 23, 413-417.	0.6	18
83	OARSI recommended performance-based tests to assess physical function in people diagnosed with hip or knee osteoarthritis. Osteoarthritis and Cartilage, 2013, 21, 1042-1052.	1.3	545
84	Stewardship Practices of U.S. Biobanks. Science Translational Medicine, 2013, 5, 215cm7.	12.4	34
85	Where is the patient in models of patient-centred care: a grounded theory study of total joint replacement patients. BMC Health Services Research, 2013, 13, 531.	2.2	23
86	Evaluation of patient-centered rehabilitation model targeting older persons with a hip fracture, including those with cognitive impairment. BMC Geriatrics, 2013, 13, 136.	2.7	56
87	Osteoarthritis year in review: outcome of rehabilitation. Osteoarthritis and Cartilage, 2013, 21, 1414-1424.	1.3	30
88	Social role participation and the life course in healthy adults and individuals with osteoarthritis: Are we overlooking the impact on the middle-aged?. Social Science and Medicine, 2013, 81, 87-93.	3.8	55
89	Return to work and workplace activity limitations following total hip or knee replacement. Osteoarthritis and Cartilage, 2013, 21, 1485-1493.	1.3	74
90	Assessment of Spinal Cord Compression by Magnetic Resonance Imaging—Can It Predict Surgical Outcomes in Degenerative Compressive Myelopathy? A Systematic Review. Spine, 2013, 38, 1409-1421.	2.0	41

#	Article	IF	CITATIONS
91	Predictors of Surgical Outcome in Cervical Spondylotic Myelopathy. Spine, 2013, 38, 392-400.	2.0	84
92	Reliability of Quantitative Magnetic Resonance Imaging Methods in the Assessment of Spinal Canal Stenosis and Cord Compression in Cervical Myelopathy. Spine, 2013, 38, 245-252.	2.0	47
93	Surgery or Consultation: A Population-Based Cohort Study of Use of Orthopaedic Surgeon Services. PLoS ONE, 2013, 8, e65560.	2.5	10
94	Understanding recovery: Changes in the relationships of the International Classification of Functioning (ICF) components over time. Social Science and Medicine, 2012, 75, 1999-2006.	3.8	14
95	A Clinical Prediction Model for Long-Term Functional Outcome after Traumatic Spinal Cord Injury Based on Acute Clinical and Imaging Factors. Journal of Neurotrauma, 2012, 29, 2263-2271.	3.4	156
96	An inpatient rehabilitation model of care targeting patients with cognitive impairment. BMC Geriatrics, 2012, 12, 21.	2.7	21
97	A single group follow-up study of non-surgical patients seen by physiotherapists working in expanded roles in orthopaedic departments: recall of recommendations, change in exercise and self-efficacy. BMC Research Notes, 2012, 5, 669.	1.4	8
98	Meeting the challenge of the ageing of the population: Issues in access to specialist care for arthritis. Best Practice and Research in Clinical Rheumatology, 2012, 26, 599-609.	3.3	18
99	Multiple joint involvement in total knee replacement for osteoarthritis: Effects on patientâ€reported outcomes. Arthritis Care and Research, 2012, 64, 838-846.	3.4	65
100	Osteoarthritis year 2011 in review: rehabilitation and outcomes. Osteoarthritis and Cartilage, 2012, 20, 201-206.	1.3	18
101	Minimally clinically important improvement: all non-responders are not really non-responders an illustration from total knee replacement. Osteoarthritis and Cartilage, 2012, 20, 364-367.	1.3	21
102	Preliminary Development and Validation of a Paediatric Cardiopulmonary Physiotherapy Discharge Tool. Physiotherapy Canada Physiotherapie Canada, 2011, 63, 34-44.	0.6	7
103	The role of pain and functional impairment in the decision to recommend total joint replacement in hip and knee osteoarthritis: an international cross-sectional study of 1909 patients. Report of the OARSI-OMERACT Task Force on total joint replacement. Osteoarthritis and Cartilage, 2011, 19, 147-154.	1.3	162
104	Neuropathic pain symptoms in a community knee OA cohort. Osteoarthritis and Cartilage, 2011, 19, 647-654.	1.3	219
105	The trajectory of recovery and the inter-relationships of symptoms, activity and participation in the first year following total hip and knee replacement. Osteoarthritis and Cartilage, 2011, 19, 1413-1421.	1.3	89
106	Can the Toronto Extremity Salvage Score Produce Reliable Results When Used Online?. Clinical Orthopaedics and Related Research, 2011, 469, 1750-1756.	1.5	9
107	Patient Disease Perceptions and Coping Strategies for Arthritis in a Developing Nation: A Qualitative Study. BMC Musculoskeletal Disorders, 2011, 12, 228.	1.9	22
108	A longitudinal study to explain the painâ€depression link in older adults with osteoarthritis. Arthritis Care and Research, 2011, 63, 1382-1390.	3.4	243

#	Article	IF	CITATIONS
109	Measuring participation in people with spondyloarthritis using the social role participation questionnaire. Annals of the Rheumatic Diseases, 2011, 70, 1765-1769.	0.9	20
110	Does body mass index affect clinical outcome post-operatively and at five years after primary unilateral total hip replacement performed for osteoarthritis?. Journal of Bone and Joint Surgery: British Volume, 2011, 93-B, 1178-1182.	3.4	123
111	ICRS Recommendation Document. Cartilage, 2011, 2, 122-136.	2.7	114
112	Provision of Orthopaedic Workforce and Implications for Access to Orthopaedic Services in Ontario. Journal of Bone and Joint Surgery - Series A, 2011, 93, 863-870.	3.0	12
113	Function and Health Status Outcomes Following Soft Tissue Reconstruction for Limb Preservation in Extremity Soft Tissue Sarcoma. Annals of Surgical Oncology, 2010, 17, 1052-1062.	1.5	60
114	Comparing Patient Outcomes After THA and TKA: Is There a Difference?. Clinical Orthopaedics and Related Research, 2010, 468, 542-546.	1.5	236
115	Evaluating the responsiveness of the ICOAP following hip or knee replacement. Osteoarthritis and Cartilage, 2010, 18, 1043-1045.	1.3	38
116	Factors influencing inpatient rehabilitation length of stay following revision hip replacements: a retrospective study. BMC Musculoskeletal Disorders, 2010, 11, 252.	1.9	13
117	How do existing HIV-specific instruments measure up? Evaluating the ability of instruments to describe disability experienced by adults living with HIV. Health and Quality of Life Outcomes, 2010, 8, 88.	2.4	22
118	Health care utilization for musculoskeletal disorders. Arthritis Care and Research, 2010, 62, 161-169.	3.4	67
119	In-hospital mortality following hip fracture care in southern Ontario. Canadian Journal of Surgery, 2010, 53, 294-8.	1.2	33
120	There's more to life than everyday function: the challenge of measuring social role participation in ankylosing spondylitis. Nature Clinical Practice Rheumatology, 2009, 5, 46-51.	3.2	7
121	Using Exploratory Focus Groups to Establish a Sampling Strategy to Investigate Disability Experienced by Adults Living with HIV. Current HIV Research, 2009, 7, 626-633.	0.5	5
122	Comparative, validity and responsiveness of the HOOS-PS and KOOS-PS to the WOMAC physical function subscale in total joint replacement for Osteoarthritis. Osteoarthritis and Cartilage, 2009, 17, 843-847.	1.3	135
123	Psychometric properties of the French translation of the reduced KOOS and HOOS (KOOS-PS and) Tj ETQq1 1 C	.784314 r 1.3	rgBT_/Overloc
124	A population-based study of ambulatory and surgical services provided by orthopaedic surgeons for musculoskeletal conditions. BMC Health Services Research, 2009, 9, 56.	2.2	27
125	Patient expectations for surgical outcome in extremity soft tissue sarcoma. Journal of Surgical Oncology, 2009, 100, 375-381.	1.7	36
126	Putting episodic disability into context: a qualitative study exploring factors that influence disability experienced by adults living with HIV/AIDS. Journal of the International AIDS Society, 2009, 12, 30-30.	3.0	81

#	Article	IF	CITATIONS
127	Expanding roles in orthopaedic care: a comparison of physiotherapist and orthopaedic surgeon recommendations for triage. Journal of Evaluation in Clinical Practice, 2009, 15, 178-183.	1.8	81
128	Outcomes for older adults in an inpatient rehabilitation facility following hip fracture (HF) surgery. Archives of Gerontology and Geriatrics, 2009, 49, e23-e31.	3.0	34
129	OARSI/OMERACT Criteria of Being Considered a Candidate for Total Joint Replacement in Knee/Hip Osteoarthritis as an Endpoint in Clinical Trials Evaluating Potential Disease Modifying Osteoarthritic Drugs. Journal of Rheumatology, 2009, 36, 2097-2099.	2.0	32
130	Putting episodic disability into context: a qualitative study exploring factors that influence disability experienced by adults living with HIV/AIDS. Journal of the International AIDS Society, 2009, 2, 5.	3.0	70
131	Outcomes of total joint arthroplasty in academic versus community hospitals. Canadian Journal of Surgery, 2009, 52, 413-6.	1.2	27
132	Cultural adaptation, translation and validation of a functional outcome questionnaire (TESS) to Portuguese with application to patients with lower extremity osteosarcoma. Pediatric Blood and Cancer, 2008, 50, 1039-1042.	1.5	25
133	Function, disability, and healthâ€related quality of life after allograftâ€prosthesis composite reconstructions of the proximal femur. Journal of Surgical Oncology, 2008, 97, 210-215.	1.7	26
134	The development of a short measure of physical function for knee OA KOOS-Physical Function Shortform (KOOS-PS) – an OARSI/OMERACT initiative. Osteoarthritis and Cartilage, 2008, 16, 542-550.	1.3	219
135	Development and preliminary psychometric testing of a new OA pain measure – an OARSI/OMERACT initiative. Osteoarthritis and Cartilage, 2008, 16, 409-414.	1.3	245
136	The development of a short measure of physical function for hip OA HOOS-Physical Function Shortform (HOOS-PS): an OARSI/OMERACT initiative. Osteoarthritis and Cartilage, 2008, 16, 551-559.	1.3	156
137	"So, are you back to work yet?―Re-conceptualizing â€~work' and â€~return to work' in the context of primary bone cancer. Social Science and Medicine, 2008, 67, 1826-1836.	3.8	68
138	Change in patient concerns following total knee arthroplasty described with the International Classification of Functioning, Disability and Health: a repeated measures design. Health and Quality of Life Outcomes, 2008, 6, 112.	2.4	24
139	Exploring disability from the perspective of adults living with HIV/AIDS: Development of a conceptual framework. Health and Quality of Life Outcomes, 2008, 6, 76.	2.4	146
140	Willingness to go through surgery again validated the WOMAC clinically important difference from THR/TKR surgery. Journal of Clinical Epidemiology, 2008, 61, 907-918.	5.0	116
141	Inpatient Compared with Home-Based Rehabilitation Following Primary Unilateral Total Hip or Knee Replacement: A Randomized Controlled Trial. Journal of Bone and Joint Surgery - Series A, 2008, 90, 1673-1680.	3.0	194
142	Validity of the <i>Motor-Free Visual Perceptual Test—Revised (MVPT-R)</i> : An Item Response Analysis. Journal of Occupational Therapy, Schools, and Early Intervention, 2008, 1, 33-60.	0.7	3
143	Waiting for hip revision surgery: the impact on patient disability. Canadian Journal of Surgery, 2008, 51, 92-6.	1.2	13
144	Understanding social role participation: what matters to people with arthritis?. Journal of Rheumatology, 2008, 35, 1655-63.	2.0	57

#	Article	IF	CITATIONS
145	Rehabilitating Patients With Dementia Who Have Had a Hip Fracture. Topics in Geriatric Rehabilitation, 2007, 23, 161-173.	0.4	28
146	Rehabilitating Patients With Dementia Who Have Had a Hip Fracture. Topics in Geriatric Rehabilitation, 2007, 23, 174-182.	0.4	33
147	A cross-sectional look at patient concerns in the first six weeks following primary total knee arthroplasty. Health and Quality of Life Outcomes, 2007, 5, 48.	2.4	35
148	Age and drug therapy are key prognostic factors for first clinical fracture in patients with primary osteoporosis. Osteoporosis International, 2007, 18, 1091-1100.	3.1	6
149	Wound healing morbidity in STS patients treated with preoperative radiotherapy in relation to in vitro skin fibroblast radiosensitivity, proliferative capacity and TGF-β activity. Radiotherapy and Oncology, 2006, 78, 17-26.	0.6	20
150	Assessment of health-related quality of life in arthritis: conceptualization and development of five item banks using item response theory. Health and Quality of Life Outcomes, 2006, 4, 33.	2.4	36
151	Evaluating Function and Health Related Quality of Life in Patients Treated for Extremity Soft Tissue Sarcoma. Quality of Life Research, 2006, 15, 1439-1446.	3.1	84
152	Effectiveness of the primary therapist model for rheumatoid arthritis rehabilitation: A randomized controlled trial. Arthritis and Rheumatism, 2006, 55, 42-52.	6.7	34
153	Primary therapist model for patients referred for rheumatoid arthritis rehabilitation: A cost-effectiveness analysis. Arthritis and Rheumatism, 2006, 55, 402-410.	6.7	16
154	"What do you expect? You're just getting older― A comparison of perceived osteoarthritis-related and aging-related health experiences in middle- and older-age adults. Arthritis and Rheumatism, 2006, 55, 905-912.	6.7	177
155	Bone invasion in extremity soft-tissue sarcoma. Cancer, 2006, 106, 2692-2700.	4.1	53
156	Predictors of Functional Outcome Two Years Following Revision Hip Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2006, 88, 685-691.	3.0	74
157	PREDICTORS OF FUNCTIONAL OUTCOME TWO YEARS FOLLOWING REVISION HIP ARTHROPLASTY. Journal of Bone and Joint Surgery - Series A, 2006, 88, 685-691.	3.0	2
158	Uncemented Tumor Endoprostheses at the Knee. Clinical Orthopaedics and Related Research, 2005, &NA, 71-79.	1.5	125
159	The Surgical and Functional Outcome of Limb-Salvage Surgery With Vascular Reconstruction for Soft Tissue Sarcoma of the Extremity. Annals of Surgical Oncology, 2005, 12, 1102-1110.	1.5	92
160	Development of a clinical definition for acute respiratory distress syndrome using the Delphi technique. Journal of Critical Care, 2005, 20, 147-154.	2.2	114
161	The Indications for and the Prognostic Significance of Amputation as the Primary Surgical Procedure for Localized Soft Tissue Sarcoma of the Extremity. Annals of Surgical Oncology, 2005, 12, 10-17.	1.5	84
162	Evaluating physical function in an adolescent bone tumor population. Pediatric Blood and Cancer, 2005, 45, 635-643.	1.5	26

#	Article	IF	CITATIONS
163	TP53 Mutations and Outcome in Osteosarcoma: A Prospective, Multicenter Study. Journal of Clinical Oncology, 2005, 23, 1483-1490.	1.6	123
164	Late radiation morbidity following randomization to preoperative versus postoperative radiotherapy in extremity soft tissue sarcoma. Radiotherapy and Oncology, 2005, 75, 48-53.	0.6	583
165	Periprosthetic Bone Remodeling Around a Prosthesis for Distal Femoral Tumors. Journal of Arthroplasty, 2005, 20, 219-224.	3.1	8
166	Computer Use Associated With Poor Long-Term Prognosis of Conservatively Managed Lateral Epicondylalgia. Journal of Orthopaedic and Sports Physical Therapy, 2004, 34, 770-780.	3.5	19
167	The Influence of Anatomic Location on Functional Outcome in Lower-Extremity Soft-Tissue Sarcoma. Annals of Surgical Oncology, 2004, 11, 476-482.	1.5	76
168	Rehabilitation and quality-of-life issues in patients with extremity soft tissue sarcoma. Current Treatment Options in Oncology, 2004, 5, 477-488.	3.0	30
169	Evaluation of clinical utility of BTC-2000 for measuring soft tissue fibrosis. International Journal of Radiation Oncology Biology Physics, 2004, 60, 286-294.	0.8	9
170	Factors associated with prognosis of lateral epicondylitis after 8 weeks of physical therapy. Archives of Physical Medicine and Rehabilitation, 2004, 85, 308-318.	0.9	86
171	Clonogenic survival and cytokinesis-blocked binucleation of skin fibroblasts and normal tissue complications in soft tissue sarcoma patients treated with preoperative radiotherapy. Radiotherapy and Oncology, 2004, 72, 103-112.	0.6	9
172	Measuring postirradiation subcutaneous soft-tissue fibrosis: state-of-the-art and future directions. Seminars in Radiation Oncology, 2003, 13, 203-213.	2.2	31
173	The influence of anatomic location on outcome in patients with soft tissue sarcoma of the extremity. Cancer, 2003, 97, 485-492.	4.1	70
174	Large segment allograft survival is improved with intramedullary cement. Journal of Surgical Oncology, 2003, 84, 198-208.	1.7	52
175	Work status after distal femoral Kotz reconstruction for malignant tumors of bone. Archives of Physical Medicine and Rehabilitation, 2003, 84, 62-68.	0.9	12
176	Rasch analysis of the western ontariomcmaster (WOMAC) osteoarthritis index: results from community and arthroplasty samples. Journal of Clinical Epidemiology, 2003, 56, 1076-1083.	5.0	43
177	Test of Visual Perceptual SkillsRevised: An Overview and Critique. Scandinavian Journal of Occupational Therapy, 2003, 10, 3-15.	1.7	26
178	Motor-Free Visual Perception Test — Revised: An Overview and Critique. British Journal of Occupational Therapy, 2003, 66, 159-167.	0.9	11
179	Classifying Failed Hip Arthroplasty: Generalizability of Reliability and Validity. Clinical Orthopaedics and Related Research, 2003, 415, 171-179.	1.5	13
180	Function and Health Status Outcomes in a Randomized Trial Comparing Preoperative and Postoperative Radiotherapy in Extremity Soft Tissue Sarcoma. Journal of Clinical Oncology, 2002, 20, 4472-4477.	1.6	243

#	Article	IF	CITATIONS
181	Diagnosis of Recurrent Meniscal Tears: Prospective Evaluation of Conventional MR Imaging, Indirect MR Arthrography, and Direct MR Arthrography. Radiology, 2002, 222, 421-429.	7.3	131
182	Giant Cell Tumor of Long Bone: A Canadian Sarcoma Group Study. Clinical Orthopaedics and Related Research, 2002, 397, 248-258.	1.5	302
183	Preoperative versus postoperative radiotherapy in soft-tissue sarcoma of the limbs: a randomised trial. Lancet, The, 2002, 359, 2235-2241.	13.7	1,340
184	A fresh osteochondral allograft alternative. Journal of Arthroplasty, 2002, 17, 50-53.	3.1	51
185	Long-term clinical experience with fresh osteochondral allografts for articular knee defects in high demand patients. Cell and Tissue Banking, 2002, 3, 175-182.	1.1	61
186	Functional Evaluation in Distal Femoral Endoprosthetic Replacement for Bone Sarcoma. Clinical Orthopaedics and Related Research, 2001, 389, 173-180.	1.5	48
187	Sciatic Nerve Resection in the Thigh. Clinical Orthopaedics and Related Research, 2001, 382, 34-41.	1.5	50
188	Long-Term Followup of Fresh Femoral Osteochondral Allografts for Posttraumatic Knee Defects. Clinical Orthopaedics and Related Research, 2001, 391, S318-S327.	1.5	183
189	Pathologic Fractures of the Proximal Femur Secondary to Benign Bone Tumors. Clinical Orthopaedics and Related Research, 2001, 393, 279-286.	1.5	43
190	Malignant Gastrointestinal Stromal Tumors of the Small Intestine: A Review of 50 Cases From a Prospective Database. Annals of Surgical Oncology, 2001, 8, 50-59.	1.5	292
191	Development, test reliability and validation of a classification for revision hip arthroplasty. Journal of Orthopaedic Research, 2001, 19, 50-56.	2.3	78
192	Comparison of two methods of reconstruction for primary malignant tumors at the knee: A sequential cohort study. Journal of Surgical Oncology, 2001, 77, 89-99.	1.7	98
193	The Western Ontario and McMaster Universities Osteoarthritis Index (WOMAC): a review of its utility and measurement properties. Arthritis and Rheumatism, 2001, 45, 453-461.	6.7	768
194	Comparison of two methods of reconstruction for primary malignant tumors at the knee: A sequential cohort study. Journal of Surgical Oncology, 2001, 77, 89-99.	1.7	1
195	Malignant Gastrointestinal Stromal Tumors of the Small Intestine: A Review of 50 Cases From a Prospective Database. Annals of Surgical Oncology, 2001, 8, 50-59.	1.5	5
196	Classification of positive margins after resection of soft-tissue sarcoma of the limb predicts the risk of local recurrence. Journal of Bone and Joint Surgery: British Volume, 2001, 83-B, 1149-1155.	3.4	79
197	Classification of positive margins after resection of soft-tissue sarcoma of the limb predicts the risk of local recurrence. Journal of Bone and Joint Surgery: British Volume, 2001, 83, 1149-1155.	3.4	176
198	Reliability and Intraoperative Validity of Preoperative Assessment of Standardized Plain Radiographs in Predicting Bone Loss at Revision Hip Surgery. Journal of Bone and Joint Surgery - Series A, 2001, 83, 1040-1046.	3.0	104

#	Article	IF	CITATIONS
199	Predictors of functional outcomes following limb salvage surgery for lower-extremity soft tissue sarcoma. , 2000, 73, 206-211.		123
200	A comparison of staging systems for localized extremity soft tissue sarcoma. Cancer, 2000, 88, 2721-2730.	4.1	103
201	Developmental switch in the expression of GABAA receptor subunits α1 and α2 in the hypothalamus and limbic system of the rat. Developmental Brain Research, 2000, 119, 127-138.	1.7	53
202	Proliferative Activity (Ki-67 Expression) and Outcome in High Grade Osteosarcoma: A Study of 27 Cases. Sarcoma, 2000, 4, 47-55.	1.3	13
203	MDR1 Gene Expression and Outcome in Osteosarcoma: A Prospective, Multicenter Study. Journal of Clinical Oncology, 2000, 18, 2685-2694.	1.6	80
204	Developmental increase in 3H-muscimol binding to the Î ³ -aminobutyric acidA receptor in hypothalamic and limbic areas of the rat: why is the ventromedial nucleus of the hypothalamus an exception?. Neuroscience Letters, 2000, 288, 223-227.	2.1	10
205	Periprosthetic bone remodelling around a prosthesis for distal femoral tumours. Journal of Bone and Joint Surgery: British Volume, 2000, 82-B, 120-125.	3.4	7
206	Periprosthetic bone remodelling around a prosthesis for distal femoral tumours. Journal of Bone and Joint Surgery: British Volume, 2000, 82, 120-125.	3.4	20
207	Symptoms and their Relationship to Disability Following Treatment for Lower Extremity Tumours. Sarcoma, 1999, 3, 73-77.	1.3	13
208	Measuring disability of the upper extremity: A rationale supporting the use of a regional outcome measure. Journal of Hand Therapy, 1999, 12, 269-274.	1.5	128
209	Functional outcome in extremity soft tissue sarcoma. Seminars in Radiation Oncology, 1999, 9, 360-368.	2.2	33
210	Comparison between a 2- and 3-grade system in predicting metastatic-free survival in extremity soft-tissue sarcoma. , 1999, 72, 77-82.		22
211	Functional outcome in amputation versus limb sparing of patients with lower extremity sarcoma: A matched case-control study. Archives of Physical Medicine and Rehabilitation, 1999, 80, 615-618.	0.9	169
212	Evaluating Functional Outcome in Patients With Lower Extremity Sarcoma. Clinical Orthopaedics and Related Research, 1999, 358, 83???100.	1.5	129
213	Gender issues in patients with extremity soft-tissue sarcoma: A pilot study. Cancer Nursing, 1999, 22, 111-118.	1.5	21
214	Evaluating functional outcome in patients with lower extremity sarcoma. Clinical Orthopaedics and Related Research, 1999, , 90-100.	1.5	30
215	Neurogenic Sarcomas: Experience at the University of Toronto. Neurosurgery, 1998, 43, 56-64.	1.1	81
216	Function after subtotal scapulectomy for neoplasm of bone and soft tissue. Journal of Bone and Joint Surgery: British Volume, 1998, 80-B, 38-42.	3.4	11

#	Article	IF	CITATIONS
217	A Comparison of Outcome of Osteoarticular Allograft Reconstruction and Shoulder Arthrodesis Following Resection of Primary Tumours of the Proximal Humerus. Sarcoma, 1998, 2, 163-170.	1.3	25
218	Function after subtotal scapulectomy for neoplasm of bone and soft tissue. Journal of Bone and Joint Surgery: British Volume, 1998, 80, 38-42.	3.4	34
219	Functional Outcome in Limb-Salvage Surgery for Soft Tissue Tumours of the Foot and Ankle. Sarcoma, 1997, 1, 67-74.	1.3	39
220	Limb salvage surgery and adjuvant radiotherapy for soft tissue sarcomas of the forearm and hand. Journal of Hand Surgery, 1997, 22, 495-503.	1.6	65
221	The Geometric Osteotomy: Joint Preservation in Juxta-Articular Surface Bone Neoplasms. Sarcoma, 1997, 1, 167-174.	1.3	5
222	The impact of residual disease on local recurrence in patients treated by initial unplanned resection for soft tissue sarcoma of the extremity. , 1997, 66, 81-87.		143
223	Fresh osteochondral allografts for post-traumatic osteochondral defects of the knee. Journal of Bone and Joint Surgery: British Volume, 1997, 79, 1008-1013.	3.4	238
224	Reconstruction of Massive Bone Defects with Allograft in Revision Total Knee Arthroplasty*. Journal of Bone and Joint Surgery - Series A, 1997, 79, 17-25.	3.0	122
225	Soft tissue sarcoma of the extremity. Limb salvage after failure of combined conservative therapy. Radiotherapy and Oncology, 1996, 41, 209-214.	0.6	86
226	Development of an upper extremity outcome measure: The DASH (disabilities of the arm, shoulder, and) Tj ETQqQ	0 0 0 rgBT 2,1	/Overlock 10 4,131
227	Development of a measure of physical function for patients with bone and soft tissue sarcoma. Quality of Life Research, 1996, 5, 508-516.	3.1	458
228	Normal Values for the Childhood Signal-Averaged ECG. PACE - Pacing and Clinical Electrophysiology, 1996, 19, 793-801.	1.2	12
229	Residual Disease following Unplanned Excision of a Soft-Tissue Sarcoma of an Extremity*. Journal of Bone and Joint Surgery - Series A, 1996, 78, 650-5.	3.0	244
230	Long-term follow-up of efficacy and safety of megavoltage radiotherapy in high-risk giant cell tumors of bone. International Journal of Radiation Oncology Biology Physics, 1995, 33, 689-694.	0.8	97
231	Outcome following radiation treatment for high-risk pigmented villonodular synovitis. International Journal of Radiation Oncology Biology Physics, 1995, 32, 777-786.	0.8	184
232	Complex acetabular reconstruction for metastatic tumor. Journal of Arthroplasty, 1995, 10, 301-306.	3.1	58
233	The effect of intramedullary cement on intercalary allograft reconstruction of bone defects after tumour resection: a pilot study. Canadian Journal of Surgery, 1995, 38, 521-7.	1.2	19
234	Prognostic factors in osteosarcoma: a critical review Journal of Clinical Oncology, 1994, 12, 423-431.	1.6	387

#	Article	IF	CITATIONS
235	Wound-Healing Complications after Soft-Tissue Sarcoma Surgery. Plastic and Reconstructive Surgery, 1994, 93, 980-987.	1.4	186
236	Paraspinal Soft-Tissue Sarcoma Classification of 14 Cases. Spine, 1993, 18, 1292-1297.	2.0	8
237	Functional outcome in patients treated with surgery and irradiation for soft tissue tumours. Journal of Surgical Oncology, 1991, 48, 224-231.	1.7	83