

# JÃ¼rgen Pannek

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7138136/publications.pdf>

Version: 2024-02-01

91  
papers

2,941  
citations

201674

27  
h-index

175258

52  
g-index

106  
all docs

106  
docs citations

106  
times ranked

1826  
citing authors

#	ARTICLE	IF	CITATIONS
1	EAU Guidelines on Neurogenic Lower Urinary Tract Dysfunction. <i>European Urology</i> , 2009, 56, 81-88.	1.9	429
2	Summary of European Association of Urology (EAU) Guidelines on Neuro-Urology. <i>European Urology</i> , 2016, 69, 324-333.	1.9	406
3	Sacral Neuromodulation for Neurogenic Lower Urinary Tract Dysfunction: Systematic Review and Meta-analysis. <i>European Urology</i> , 2010, 58, 865-874.	1.9	200
4	Clinical usefulness of urodynamic assessment for maintenance of bladder function in patients with spinal cord injury. <i>Neurourology and Urodynamics</i> , 2007, 26, 228-233.	1.5	124
5	Transitional cell carcinoma in patients with spinal cord injury: a high risk malignancy?. <i>Urology</i> , 2002, 59, 240-244.	1.0	109
6	International Spinal Cord Injury Urinary Tract Infection Basic Data Set. <i>Spinal Cord</i> , 2013, 51, 700-704.	1.9	83
7	Tibial Nerve Stimulation for Treating Neurogenic Lower Urinary Tract Dysfunction: A Systematic Review. <i>European Urology</i> , 2015, 68, 859-867.	1.9	83
8	Initial experience with the treatment of neurogenic detrusor overactivity with a new $\beta$ -3 agonist (mirabegron) in patients with spinal cord injury. <i>Spinal Cord</i> , 2016, 54, 78-82.	1.9	71
9	Long-term effects of repeated intradetrusor botulinum neurotoxin A injections on detrusor function in patients with neurogenic bladder dysfunction. <i>BJU International</i> , 2009, 104, 1246-1250.	2.5	63
10	Value of urodynamic findings in predicting upper urinary tract damage in neurourological patients: A systematic review. <i>Neurourology and Urodynamics</i> , 2018, 37, 1522-1540.	1.5	56
11	Risk factors for symptomatic urinary tract infections in individuals with chronic neurogenic lower urinary tract dysfunction. <i>Spinal Cord</i> , 2016, 54, 682-686.	1.9	54
12	Long-term effectiveness and complication rates of bladder augmentation in patients with neurogenic bladder dysfunction: A systematic review. <i>Neurourology and Urodynamics</i> , 2017, 36, 1685-1702.	1.5	47
13	History of Urinary Diversion. <i>Urologia Internationalis</i> , 1998, 60, 1-10.	1.3	43
14	Clinical usefulness of ambulatory urodynamics in the diagnosis and treatment of lower urinary tract dysfunction. <i>Scandinavian Journal of Urology and Nephrology</i> , 2008, 42, 428-432.	1.4	42
15	Influence of Continential Ileal Urinary Diversion on Vitamin B12 Absorption. <i>Journal of Urology</i> , 1996, 155, 1206-1208.	0.4	40
16	Sacral bladder denervation for treatment of detrusor hyperreflexia and autonomic dysreflexia. <i>Urology</i> , 2001, 58, 28-32.	1.0	40
17	The Artificial Urinary Sphincter in Patients with Spinal Cord Lesion: Description of a Modified Technique and Clinical Results. <i>European Urology</i> , 2009, 55, 687-695.	1.9	39
18	Urodynamic results, clinical efficacy, and complication rates of sacral intradural deafferentation and sacral anterior root stimulation in patients with neurogenic lower urinary tract dysfunction resulting from complete spinal cord injury. <i>Neurourology and Urodynamics</i> , 2014, 33, 1202-1206.	1.5	39

#	ARTICLE	IF	CITATIONS
19	Transcutaneous Electrical Nerve Stimulation for Treating Neurogenic Lower Urinary Tract Dysfunction: A Systematic Review. <i>European Urology</i> , 2016, 69, 1102-1111.	1.9	39
20	Does Optimizing Bladder Management Equal Optimizing Quality of Life? Correlation Between Health-related Quality of Life and Urodynamic Parameters in Patients With Spinal Cord Lesions. <i>Urology</i> , 2009, 74, 263-266.	1.0	37
21	Mission impossible? Urological management of patients with spinal cord injury during pregnancy: a systematic review. <i>Spinal Cord</i> , 2011, 49, 1028-1032.	1.9	37
22	Orchitis due to Vasculitis in Autoimmune Diseases. <i>Scandinavian Journal of Rheumatology</i> , 1997, 26, 151-154.	1.1	36
23	Increasing Resistance against Antibiotics in Bacteria Isolated from the Lower Urinary Tract of an Outpatient Population of Spinal Cord Injury Patients. <i>Urologia Internationalis</i> , 2004, 73, 143-148.	1.3	34
24	Perceived needs and experiences with healthcare services of women with spinal cord injury during pregnancy and childbirth – a qualitative content analysis of focus groups and individual interviews. <i>BMC Health Services Research</i> , 2015, 15, 234.	2.2	31
25	Immunosenescence in persons with spinal cord injury in relation to urinary tract infections -a cross-sectional study-. <i>Immunity and Ageing</i> , 2017, 14, 22.	4.2	30
26	Bladder emptying method is the primary determinant of urinary tract infections in patients with spinal cord injury: results from a prospective rehabilitation cohort study. <i>BJU International</i> , 2019, 123, 342-352.	2.5	30
27	Prostate size and PSA serum levels in male patients with spinal cord injury. <i>Urology</i> , 2003, 62, 845-848.	1.0	29
28	Medical complications during pregnancy and childbirth in women with SCI in Switzerland. <i>Spinal Cord</i> , 2016, 54, 183-187.	1.9	29
29	Morbidity of urodynamic testing in patients with spinal cord injury: is antibiotic prophylaxis necessary?. <i>Spinal Cord</i> , 2007, 45, 771-774.	1.9	28
30	Effects of solifenacin in patients with neurogenic detrusor overactivity as a result of spinal cord lesion. <i>Spinal Cord</i> , 2013, 51, 306-309.	1.9	25
31	Continent catheterizable tubes/stomas in adult neuro-urological patients: A systematic review. <i>Neurourology and Urodynamics</i> , 2017, 36, 1711-1722.	1.5	24
32	Transurethral Resection of the Prostate With Microprocessor Controlled Electrosurgical Unit. <i>Journal of Urology</i> , 1997, 158, 497-501.	0.4	23
33	Bacterial contamination of test stimulation leads during percutaneous nerve stimulation. <i>Urology</i> , 2005, 65, 1096-1098.	1.0	23
34	Value of the Danish prostate symptom score compared to the AUA symptom score and pressure/flow studies in the preoperative evaluation of men with symptomatic benign prostatic hyperplasia. <i>Neurourology and Urodynamics</i> , 1998, 17, 9-18.	1.5	22
35	Use of complementary and alternative medicine in persons with spinal cord injury in Switzerland: a survey study. <i>Spinal Cord</i> , 2015, 53, 569-572.	1.9	21
36	Functional outcome of supratrigonal cystectomy and augmentation ileocystoplasty in adult patients with refractory neurogenic lower urinary tract dysfunction. <i>Neurourology and Urodynamics</i> , 2016, 35, 260-266.	1.5	21

#	ARTICLE	IF	CITATIONS
37	Urodynamic and Rectomanometric Findings in Urinary Incontinence. <i>Scandinavian Journal of Urology and Nephrology</i> , 1996, 30, 457-460.	1.4	18
38	TASCIâ€”transcutaneous tibial nerve stimulation in patients with acute spinal cord injury to prevent neurogenic detrusor overactivity: protocol for a nationwide, randomised, sham-controlled, double-blind clinical trial. <i>BMJ Open</i> , 2020, 10, e039164.	1.9	18
39	Management of urinary tract infections in patients with neurogenic bladder: challenges and solutions. <i>Research and Reports in Urology</i> , 2017, Volume 9, 121-127.	1.0	17
40	Systematic review of the changes in the microbiome following spinal cord injury: animal and human evidence. <i>Spinal Cord</i> , 2022, 60, 288-300.	1.9	17
41	Bladder management in individuals with chronic neurogenic lower urinary tract dysfunction. <i>Spinal Cord</i> , 2016, 54, 609-613.	1.9	16
42	Expression of purinergic P2X2-receptors in neurogenic bladder dysfunction due to spinal cord injury: a preliminary immunohistochemical study. <i>Spinal Cord</i> , 2009, 47, 561-564.	1.9	15
43	Treatment of stress urinary incontinence in men with spinal cord injury: minimally invasive= minimally effective?. <i>Spinal Cord</i> , 2017, 55, 739-742.	1.9	15
44	Urodynamically controlled management of spinal cord injury in children. , 1997, 16, 285-292.		14
45	Urodynamic and rectomanometric findings in patients with spinal cord injury. <i>Neurourology and Urodynamics</i> , 2001, 20, 95-103.	1.5	14
46	To clamp or not to clamp? Bladder management by suprapubic catheterization in patients with neurogenic bladder dysfunction. <i>World Journal of Urology</i> , 2010, 28, 637-641.	2.2	14
47	Longâ€”term course of sacral anterior root stimulation in spinal cord injured individuals: The fate of the detrusor. <i>Neurourology and Urodynamics</i> , 2017, 36, 1596-1600.	1.5	13
48	Heterogeneity in reporting on urinary outcome and cure after surgical interventions for stress urinary incontinence in adult neuroâ€”urological patients: A systematic review. <i>Neurourology and Urodynamics</i> , 2018, 37, 554-565.	1.5	13
49	Usefulness of classical homeopathy for the prophylaxis of recurrent urinary tract infections in individuals with chronic neurogenic lower urinary tract dysfunction. <i>Journal of Spinal Cord Medicine</i> , 2019, 42, 453-459.	1.4	13
50	Quality of life of patients with renal cell carcinoma or prostate cancer after radical surgery. <i>International Urology and Nephrology</i> , 1997, 29, 637-643.	1.4	12
51	Crossâ€”sectional study of the sperm quality in semen samples from spinal cord injured men after longâ€”term cryopreservation. <i>Andrology</i> , 2015, 3, 213-219.	3.5	12
52	Prevention of Recurrent Urinary Tract Infections in Neurourology. <i>European Urology Focus</i> , 2020, 6, 817-819.	3.1	12
53	Organ-preserving treatment of an epididymal abscess in a patient with spinal cord injury. <i>Spinal Cord</i> , 2014, 52, S7-S8.	1.9	11
54	Delivering care under uncertainty: Swiss providersâ€™ experiences in caring for women with spinal cord injury during pregnancy and childbirth â€” an expert interview study. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 181.	2.4	11

#	ARTICLE	IF	CITATIONS
55	Clinical usefulness of urine cytology in the detection of bladder tumors in patients with neurogenic lower urinary tract dysfunction. <i>Research and Reports in Urology</i> , 2017, Volume 9, 219-223.	1.0	11
56	Effects of oral immunomodulation therapy on urinary tract infections in individuals with chronic spinal cord injuryâ€”A retrospective cohort study. <i>Neurourology and Urodynamics</i> , 2019, 38, 346-352.	1.5	11
57	Residual urine volumes after intermittent catheterization in men with spinal cord injury. <i>Spinal Cord</i> , 2013, 51, 776-779.	1.9	10
58	Usefulness of classical homoeopathy for the prevention of urinary tract infections in patients with neurogenic bladder dysfunction: A case series. <i>Indian Journal of Research in Homoeopathy</i> , 2014, 8, 31.	0.1	10
59	Testicular resistive index determined by Doppler ultrasonography in men with spinal cord injury - a case series. <i>Andrologia</i> , 2015, 47, 811-815.	2.1	9
60	Efficacy and Safety of Surgical Treatments for Neurogenic Stress Urinary Incontinence in Adults: A Systematic Review. <i>European Urology Focus</i> , 2022, 8, 1090-1102.	3.1	9
61	Bacterial Persistence in the Prostate After Antibiotic Treatment of Chronic Bacterial Prostatitis in Men With Spinal Cord Injury. <i>Urology</i> , 2014, 83, 515-520.	1.0	8
62	Definitions of Urinary Tract Infection Used in Interventional Studies Involving Neurourological Patientsâ€”A Systematic Review. <i>European Urology Focus</i> , 2021, , .	3.1	8
63	Treatment of Complicated Urinary Tract Infections in Individuals with Chronic Neurogenic Lower Urinary Tract Dysfunction: Are Antibiotics Mandatory?. <i>Urologia Internationalis</i> , 2018, 100, 434-439.	1.3	7
64	Tolerability and safety of urotainerÂ® polihexanide 0.02% in catheterized patients: a prospective cohort study. <i>BMC Urology</i> , 2020, 20, 92.	1.4	7
65	Influence of continent ileal urinary diversion on vitamin B12 absorption. <i>Journal of Urology</i> , 1996, 155, 1206-8.	0.4	7
66	Sacral Neuromodulation for Neurogenic Lower Urinary Tract Dysfunction. , 2022, 1, .		7
67	Nerve growth factor does not seem to be a biomarker for neurogenic lower urinary tract dysfunction after spinal cord injury. <i>Neurourology and Urodynamics</i> , 2017, 36, 659-662.	1.5	6
68	Update from TASCI, a Nationwide, Randomized, Sham-controlled, Double-blind Clinical Trial on Transcutaneous Tibial Nerve Stimulation in Patients with Acute Spinal Cord Injury to Prevent Neurogenic Detrusor Overactivity. <i>European Urology Focus</i> , 2020, 6, 877-879.	3.1	6
69	Are 200 units of onabotulinumtoxin A sufficient for the suppression of neurogenic detrusor overactivity in individuals with established 300-unit botulinum toxin treatment? A retrospective cohort study. <i>World Journal of Urology</i> , 2021, 39, 543-547.	2.2	5
70	Bladder management in individuals with spinal cord injury or disease during and after primary rehabilitation: a retrospective cohort study. <i>World Journal of Urology</i> , 2022, 40, 1737-1742.	2.2	5
71	Fear of risks of cure in the treatment of a giant germ cell tumour. <i>International Urology and Nephrology</i> , 1996, 28, 553-557.	1.4	4
72	Charcot arthropathy of the spine in spinal cord injured individuals with sacral deafferentation and anterior root stimulator implantation. <i>Neurourology and Urodynamics</i> , 2016, 35, 241-245.	1.5	4

#	ARTICLE	IF	CITATIONS
73	Vesicostomy in adult meningocele patients. Reappraisal of an old technique. , 1999, 31, 643-645.		3
74	Successful treatment of overactive bladder in a child with myasthenia gravis. Scandinavian Journal of Urology and Nephrology, 2008, 42, 397-398.	1.4	3
75	Urodynamic or video-urodynamic assessment in patients with spinal cord injury: this is not a question!. Spinal Cord, 2015, 53, S22-S24.	1.9	3
76	<p>Real-World Effects of Mirabegron in Patients with Chronic Neurogenic Detrusor Overactivity â€“ A Retrospective Cohort Study</p>. Research and Reports in Urology, 2020, Volume 12, 187-192.	1.0	3
77	Immunomodulation for primary prevention of urinary tract infections in patients with spinal cord injury during primary rehabilitation: protocol for a randomized placebo-controlled pilot trial (UROVAXOM-pilot). Trials, 2021, 22, 677.	1.6	3
78	Changes in Bacterial Spectrum and Resistance Patterns Over Time in the Urine of Patients with Neurogenic Lower Urinary Tract Dysfunction Due to Spinal Cord Injury. Urologia Internationalis, 2021, 105, 483-489.	1.3	2
79	Examinations and assessments in patients with a newly acquired spinal cord injury â€“ retrospective chart analysis as part of a quality improvement project. Swiss Medical Weekly, 2020, 150, w20291.	1.6	2
80	An Unusual Reason for Kock Pouch Urinary Incontinence. Urology, 2007, 70, 179.e3-179.e4.	1.0	1
81	Sacral neuromodulation: No more skiing?. Scandinavian Journal of Urology, 2016, 50, 132-133.	1.0	1
82	Optimizing clinical trial design using prospective cohort study data: a case study in neuro-urology. Spinal Cord, 2021, 59, 1003-1012.	1.9	1
83	Time to say good-bye? Homeopathy, skeptics and thoughts on how to proceed. Journal of Complementary and Integrative Medicine, 2021, .	0.9	1
84	Usefulness of Hydrastis for the prevention of encrustation of long-term indwelling catheters in persons with neurogenic bladder dysfunction: a case series. Spinal Cord Series and Cases, 2021, 7, 66.	0.6	1
85	An instrument for assessing quality of life in persons with neurogenic lower urinary tract dysfunction: validation of the German short-form Qualiveen questionnaire. Spinal Cord, 2022, 60, 306-311.	1.9	1
86	Management of stress urinary incontinence in female patients with spinal cord injury by autologous fascial sling: time for a revival?. Spinal Cord Series and Cases, 2022, 8, .	0.6	1
87	Muscle fibrillation as a sign of electrode damage in sacral neuromodulation. Scandinavian Journal of Urology and Nephrology, 2006, 40, 168-169.	1.4	0
88	Re: Detrusor Acontractility After Acute Spinal Cord Injuryâ€”Myth or Reality?. European Urology, 2018, 74, 677.	1.9	0
89	Endoscopic Evaluation of Neurogenic Bladder. , 2019, , 199-200.		0
90	Homeopathic Treatment of a Lower Leg Edemaâ€”A Case Report. Homeopathy, 2021, 110, 194-197.	1.0	0

#	ARTICLE	IF	CITATIONS
91	Neuro-Urology in Spinal Cord Injury. , 2017, , 363-396.		0