Daniela Fortini

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7142934/publications.pdf

Version: 2024-02-01

236925 434195 2,997 31 25 31 citations h-index g-index papers 31 31 31 3879 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Contemporary Incl1 plasmids involved in the transmission and spread of antimicrobial resistance in Enterobacteriaceae. Plasmid, 2021, 118, 102392.	1.4	67
2	Circulation of $\langle i \rangle$ bla $\langle i \rangle$ $\langle sub \rangle$ KPC-3 $\langle sub \rangle$ -Carrying IncX3 Plasmids among Citrobacter freundii Isolates in an Italian Hospital. Antimicrobial Agents and Chemotherapy, 2017, 61, .	3.2	19
3	Diversity, virulence, and antimicrobial resistance of the KPC-producing Klebsiella pneumoniae ST307 clone. Microbial Genomics, 2017, 3, e000110.	2.0	122
4	Complete Genome Sequence of KPC-3- and CTX-M-15-Producing Klebsiella pneumoniae Sequence Type 307. Genome Announcements, 2016, 4, .	0.8	21
5	Double Copies ofblaKPC-3::Tn4401aon an IncX3 Plasmid in Klebsiella pneumoniae Successful Clone ST512 from Italy. Antimicrobial Agents and Chemotherapy, 2016, 60, 646-649.	3. 2	26
6	A novel plasmid carrying blaCTX-M-15 identified in commensal Escherichia coli from healthy pregnant women in Ibadan, Nigeria. Journal of Global Antimicrobial Resistance, 2015, 3, 9-12.	2.2	25
7	High Prevalence of <i>oqx</i> AB in <i>Escherichia coli</i> Isolates from Domestic and Wild Lagomorphs in Italy. Microbial Drug Resistance, 2014, 20, 118-123.	2.0	34
8	Genomics of KPC-Producing Klebsiella pneumoniae Sequence Type 512 Clone Highlights the Role of RamR and Ribosomal S10 Protein Mutations in Conferring Tigecycline Resistance. Antimicrobial Agents and Chemotherapy, 2014, 58, 1707-1712.	3.2	114
9	Reversion to susceptibility of a carbapenem-resistant clinical isolate of Klebsiella pneumoniae producing KPC-3. Journal of Antimicrobial Chemotherapy, 2013, 68, 2482-2486.	3.0	46
10	High rate of colistin resistance among patients with carbapenem-resistant Klebsiella pneumoniae infection accounts for an excess of mortality. Clinical Microbiology and Infection, 2013, 19, E23-E30.	6.0	256
11	Incl1 plasmids associated with the spread of CMY-2, CTX-M-1 and SHV-12 in Escherichia coli of animal and human origin. Clinical Microbiology and Infection, 2013, 19, E238-E240.	6.0	55
12	Plasmid Content of a Clinically Relevant Klebsiella pneumoniae Clone from the Czech Republic Producing CTX-M-15 and QnrB1. Antimicrobial Agents and Chemotherapy, 2013, 57, 1073-1076.	3.2	54
13	Expansion of the IncX plasmid family for improved identification and typing of novel plasmids in drug-resistant Enterobacteriaceae. Plasmid, 2012, 68, 43-50.	1.4	260
14	First Report on IncN Plasmid-Mediated Quinolone Resistance Gene <i>qnrS1</i> in Porcine <i>Escherichia coli</i> in Europe. Microbial Drug Resistance, 2011, 17, 567-573.	2.0	27
15	Rapid, simple, and low-cost identification of Candida species using high-resolution melting analysis. Diagnostic Microbiology and Infectious Disease, 2011, 69, 283-285.	1.8	32
16	Plasmid-mediated quinolone resistance and \hat{A} -lactamases in Escherichia coli from healthy animals from Nigeria. Journal of Antimicrobial Chemotherapy, 2011, 66, 1269-1272.	3.0	84
17	Ciprofloxacin-resistant, CTX-M-15-producing Escherichia coli ST131 clone in extraintestinal infections in Italy. Clinical Microbiology and Infection, 2010, 16, 1555-1558.	6.0	49
18	Replicon sequence typing of IncF plasmids carrying virulence and resistance determinants. Journal of Antimicrobial Chemotherapy, 2010, 65, 2518-2529.	3.0	598

#	Article	IF	CITATIONS
19	Novel genetic environment of plasmid-mediated quinolone resistance gene qnrB2 in Salmonella Bredeney from poultry. Journal of Antimicrobial Chemotherapy, 2009, 64, 1332-1334.	3.0	8
20	First Report of Plasmid-Mediated Quinolone Resistance Determinant <i>qnrS1</i> in an <i>Escherichia coli</i> Strain of Animal Origin in Italy. Antimicrobial Agents and Chemotherapy, 2009, 53, 3112-3114.	3.2	42
21	Characterization of plasmids harbouring qnrS1, qnrB2 and qnrB19 genes in Salmonella. Journal of Antimicrobial Chemotherapy, 2009, 63, 274-281.	3.0	249
22	Multilocus sequence typing of Incl1 plasmids carrying extended-spectrum β-lactamases in Escherichia coli and Salmonella of human and animal origin. Journal of Antimicrobial Chemotherapy, 2008, 61, 1229-1233.	3.0	236
23	Molecular Epidemiology of <i>Escherichia coli</i> Producing Extended-Spectrum \hat{I}^2 -Lactamases Isolated in Rome, Italy. Journal of Clinical Microbiology, 2008, 46, 103-108.	3.9	112
24	Whole-Genome Pyrosequencing of an Epidemic Multidrug-Resistant <i>Acinetobacter baumannii</i> Strain Belonging to the European Clone II Group. Antimicrobial Agents and Chemotherapy, 2008, 52, 2616-2625.	3.2	240
25	Optimization of High-Resolution Melting Analysis for Low-Cost and Rapid Screening of Allelic Variants of Bacillus anthracis by Multiple-Locus Variable-Number Tandem Repeat Analysis. Clinical Chemistry, 2007, 53, 1377-1380.	3.2	38
26	Multicopy bla OXA-58 Gene as a Source of High-Level Resistance to Carbapenems in Acinetobacter baumannii. Antimicrobial Agents and Chemotherapy, 2007, 51, 2324-2328.	3.2	106
27	Six novel mutations of theRUNX2 gene in Italian patients with cleidocranial dysplasia. Human Mutation, 2003, 22, 104-104.	2.5	30
28	Current insights into familial spastic paraparesis: new advances in an old disease. Functional Neurology, 2003, 18, 43-9.	1.3	7
29	Missense and splice site mutations in SPG4 suggest loss-of-function in dominant spastic paraplegia. Journal of Neurology, 2002, 249, 200-205.	3.6	27
30	Inhibition of HIV-1 transcription by cyclopentenone prostaglandin A1 in Jurkat T lymphocytes. Journal of Biological Regulators and Homeostatic Agents, 2000, 14, 209-16.	0.7	1
31	Induction of the heat-shock response by antiviral prostaglandins in human cells infected with human immunodeficiency virus type 1. FEBS Journal, 1998, 256, 334-341.	0.2	12