

# Norie Sawada

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7150588/publications.pdf>

Version: 2024-02-01

354  
papers

9,730  
citations

50244

46  
h-index

79644

73  
g-index

362  
all docs

362  
docs citations

362  
times ranked

14144  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Genome-wide association study identifies 112 new loci for body mass index in the Japanese population. <i>Nature Genetics</i> , 2017, 49, 1458-1467.   | 9.4 | 380       |
| 2  | The JPHC Study: Design and Some Findings on the Typical Japanese Diet. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 777-782.  | 0.6 | 313       |
| 3  | Large-scale genome-wide association study in a Japanese population identifies novel susceptibility loci across different diseases. <i>Nature Genetics</i> , 2020, 52, 669-679.  | 9.4 | 304       |
| 4  | Population-specific and trans-ancestry genome-wide analyses identify distinct and shared genetic risk loci for coronary artery disease. <i>Nature Genetics</i> , 2020, 52, 1169-1177.   | 9.4 | 206       |
| 5  | Validity of Short and Long Self-Administered Food Frequency Questionnaires in Ranking Dietary Intake in Middle-Aged and Elderly Japanese in the Japan Public Health Center-Based Prospective Study for the Next Generation (JPHC-NEXT) Protocol Area. <i>Journal of Epidemiology</i> , 2016, 26, 420-432. | 1.1 | 180       |
| 6  | Consumption of n-3 Fatty Acids and Fish Reduces Risk of Hepatocellular Carcinoma. <i>Gastroenterology</i> , 2012, 142, 1468-1475.   | 0.6 | 164       |
| 7  | Identification of 28 new susceptibility loci for type 2 diabetes in the Japanese population. <i>Nature Genetics</i> , 2019, 51, 379-386.  | 9.4 | 164       |
| 8  | Attributable causes of cancer in Japan in 2005—systematic assessment to estimate current burden of cancer attributable to known preventable risk factors in Japan. <i>Annals of Oncology</i> , 2012, 23, 1362-1369.   | 0.6 | 152       |
| 9  | Quality of diet and mortality among Japanese men and women: Japan Public Health Center based prospective study. <i>BMJ</i> , 2016, 352, i1209.  | 3.0 | 135       |
| 10 | Association between type 2 diabetes and risk of cancer mortality: a pooled analysis of over 771,000 individuals in the Asia Cohort Consortium. <i>Diabetologia</i> , 2017, 60, 1022-1032.   | 2.9 | 132       |
| 11 | Characterizing rare and low-frequency height-associated variants in the Japanese population. <i>Nature Communications</i> , 2019, 10, 4393.   | 5.8 | 123       |
| 12 | Association of Animal and Plant Protein Intake With All-Cause and Cause-Specific Mortality in a Japanese Cohort. <i>JAMA Internal Medicine</i> , 2019, 179, 1509.   | 2.6 | 120       |
| 13 | Association of Diabetes With All-Cause and Cause-Specific Mortality in Asia. <i>JAMA Network Open</i> , 2019, 2, e192696.   | 2.8 | 103       |
| 14 | Tobacco Smoking and Mortality in Asia. <i>JAMA Network Open</i> , 2019, 2, e191474.   | 2.8 | 102       |
| 15 | Consumption of sodium and salted foods in relation to cancer and cardiovascular disease: the Japan Public Health Center-based Prospective Study. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 456-464.   | 2.2 | 100       |
| 16 | Burden of Total and Cause-Specific Mortality Related to Tobacco Smoking among Adults Aged ≥45 Years in Asia: A Pooled Analysis of 21 Cohorts. <i>PLoS Medicine</i> , 2014, 11, e1001631.  | 3.9 | 98        |
| 17 | Dietary patterns and all-cause, cancer, and cardiovascular disease mortality in Japanese men and women: The Japan public health center-based prospective study. <i>PLoS ONE</i> , 2017, 12, e0174848.   | 1.1 | 96        |
| 18 | Soy Intake and Breast Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiologic Evidence Among the Japanese Population. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 282-295.  | 0.6 | 79        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Prediction of the 10-year probability of gastric cancer occurrence in the Japanese population: the JPHC study cohort. <i>International Journal of Cancer</i> , 2016, 138, 320-331.   | 2.3 | 78        |
| 20 | Overall and Central Obesity and Risk of Lung Cancer: A Pooled Analysis. <i>Journal of the National Cancer Institute</i> , 2018, 110, 831-842.  | 3.0 | 78        |
| 21 | Isoflavone intake and risk of lung cancer: a prospective cohort study in Japan. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 722-728.   | 2.2 | 77        |
| 22 | Green tea consumption and gastric cancer in Japanese: a pooled analysis of six cohort studies. <i>Gut</i> , 2009, 58, 1323-1332.   | 6.1 | 76        |
| 23 | Low Free Testosterone and Prostate Cancer Risk: A Collaborative Analysis of 20 Prospective Studies. <i>European Urology</i> , 2018, 74, 585-594.   | 0.9 | 75        |
| 24 | Genetic polymorphisms of ADH1B, ADH1C and ALDH2, alcohol consumption, and the risk of gastric cancer: the Japan Public Health Center-based prospective study. <i>Carcinogenesis</i> , 2015, 36, 223-231.   | 1.3 | 69        |
| 25 | Association of Breakfast Intake With Incident Stroke and Coronary Heart Disease. <i>Stroke</i> , 2016, 47, 477-481.  | 1.0 | 69        |
| 26 | Changing trends in the prevalence of <i>H. pylori</i> infection in Japan (1908-2003): a systematic review and meta-regression analysis of 170,752 individuals. <i>Scientific Reports</i> , 2017, 7, 15491.   | 1.6 | 69        |
| 27 | Risk and preventive factors for prostate cancer in Japan: The Japan Public Health Center-based prospective (JPHC) study. <i>Journal of Epidemiology</i> , 2017, 27, 2-7.   | 1.1 | 67        |
| 28 | Association of green tea consumption with mortality due to all causes and major causes of death in a Japanese population: the Japan Public Health Center-based Prospective Study (JPHC Study). <i>Annals of Epidemiology</i> , 2015, 25, 512-518.e3.                     | 0.9 | 66        |
| 29 | Associations of All-Cause Mortality with Census-Based Neighbourhood Deprivation and Population Density in Japan: A Multilevel Survival Analysis. <i>PLoS ONE</i> , 2014, 9, e97802.  | 1.1 | 65        |
| 30 | Genetic Predisposition to Ischemic Stroke. <i>Stroke</i> , 2017, 48, 253-258.  | 1.0 | 64        |
| 31 | Body weight at age 20 years, subsequent weight change and breast cancer risk defined by estrogen and progesterone receptor status: the Japan public health center-based prospective study. <i>International Journal of Cancer</i> , 2011, 129, 1214-1224.                | 2.3 | 63        |
| 32 | Dietary fish, n-3 polyunsaturated fatty acid consumption, and depression risk in Japan: a population-based prospective cohort study. <i>Translational Psychiatry</i> , 2017, 7, e1242-e1242.   | 2.4 | 62        |
| 33 | Low-Carbohydrate Diet and Type 2 Diabetes Risk in Japanese Men and Women: The Japan Public Health Center-Based Prospective Study. <i>PLoS ONE</i> , 2015, 10, e0118377.  | 1.1 | 61        |
| 34 | Plasma 25-hydroxyvitamin D concentration and subsequent risk of total and site specific cancers in Japanese population: large case-cohort study within Japan Public Health Center-based Prospective Study cohort. <i>BMJ: British Medical Journal</i> , 2018, 360, k671. | 2.4 | 61        |
| 35 | Meat Consumption and Colorectal Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiologic Evidence Among the Japanese Population. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 641-650.   | 0.6 | 60        |
| 36 | Smoking, Alcohol, and Biliary Tract Cancer Risk: A Pooling Project of 26 Prospective Studies. <i>Journal of the National Cancer Institute</i> , 2019, 111, 1263-1278.  | 3.0 | 60        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Increased Levels of Branched-Chain Amino Acid Associated With Increased Risk of Pancreatic Cancer in a Prospective Case-Control Study of a Large Cohort. <i>Gastroenterology</i> , 2018, 155, 1474-1482.e1.   | 0.6 | 59        |
| 38 | Long-term Dietary Cadmium Intake and Cancer Incidence. <i>Epidemiology</i> , 2012, 23, 368-376.   | 1.2 | 58        |
| 39 | Association of coffee intake with total and cause-specific mortality in a Japanese population: the Japan Public Health Center-based Prospective Study. <i>American Journal of Clinical Nutrition</i> , 2015, 101, 1029-1037.  | 2.2 | 58        |
| 40 | Sustained Weight Loss and Risk of Breast Cancer in Women 50 Years and Older: A Pooled Analysis of Prospective Data. <i>Journal of the National Cancer Institute</i> , 2020, 112, 929-937.   | 3.0 | 58        |
| 41 | Association of Sleep Duration With All- and Major-Cause Mortality Among Adults in Japan, China, Singapore, and Korea. <i>JAMA Network Open</i> , 2021, 4, e2122837.   | 2.8 | 58        |
| 42 | 10-Year risk of colorectal cancer: Development and validation of a prediction model in middle-aged Japanese men. <i>Cancer Epidemiology</i> , 2010, 34, 534-541.  | 0.8 | 56        |
| 43 | Daily Total Physical Activity and Incident Stroke. <i>Stroke</i> , 2017, 48, 1730-1736.   | 1.0 | 55        |
| 44 | Cigarette Smoking and Esophageal Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiologic Evidence Among the Japanese Population. <i>Japanese Journal of Clinical Oncology</i> , 2012, 42, 63-73.   | 0.6 | 53        |
| 45 | Alcohol and smoking and subsequent risk of prostate cancer in Japanese men: The Japan Public Health Center-based prospective study. <i>International Journal of Cancer</i> , 2014, 134, 971-978.  | 2.3 | 52        |
| 46 | High Dietary Acid Load Score Is Associated with Increased Risk of Type 2 Diabetes in Japanese Men: The Japan Public Health Center-based Prospective Study. <i>Journal of Nutrition</i> , 2016, 146, 1076-1083.  | 1.3 | 52        |
| 47 | GWAS identifies two novel colorectal cancer loci at 16q24.1 and 20q13.12. <i>Carcinogenesis</i> , 2018, 39, 652-660.  | 1.3 | 52        |
| 48 | Diabetes and cancer risk: A Mendelian randomization study. <i>International Journal of Cancer</i> , 2020, 146, 712-719.   | 2.3 | 52        |
| 49 | Fermented Soy Product Intake Is Inversely Associated with the Development of High Blood Pressure: The Japan Public Health Center-Based Prospective Study. <i>Journal of Nutrition</i> , 2017, 147, 1749-1756.   | 1.3 | 51        |
| 50 | Cigarette smoking and cervical cancer risk: an evaluation based on a systematic review and meta-analysis among Japanese women. <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 77-86.  | 0.6 | 51        |
| 51 | The association between midlife serum high-density lipoprotein and mild cognitive impairment and dementia after 19 years of follow-up. <i>Translational Psychiatry</i> , 2019, 9, 26.   | 2.4 | 50        |
| 52 | 12 new susceptibility loci for prostate cancer identified by genome-wide association study in Japanese population. <i>Nature Communications</i> , 2019, 10, 4422.   | 5.8 | 49        |
| 53 | Fish, <i>n</i>-polyunsaturated fatty acids and <i>n</i>-polyunsaturated fatty acids intake and breast cancer risk: The <sc>J</sc>/<sc>apan <sc>P</sc>/<sc>ublic <sc>H</sc>/<sc>ealth <sc>C</sc>/<sc>enter-based prospective study. <i>International Journal of Cancer</i> , 2015, 137, 2915-2926. | 2.3 | 48        |
| 54 | Association of vegetable and fruit intake with gastric cancer risk among Japanese: a pooled analysis of four cohort studies. <i>Annals of Oncology</i> , 2014, 25, 1228-1233.   | 0.6 | 47        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Association between mortality and incidence rates of coronary heart disease and stroke: The Japan Public Health Center-based prospective (JPHC) study. <i>International Journal of Cardiology</i> , 2016, 222, 281-286.                          | 0.8 | 47        |
| 56 | Validity of a Self-Administered Food Frequency Questionnaire for Middle-Aged Urban Cancer Screenees: Comparison With 4-Day Weighed Dietary Records. <i>Journal of Epidemiology</i> , 2011, 21, 447-458.  | 1.1 | 46        |
| 57 | Coping strategies and risk of cardiovascular disease incidence and mortality: the Japan Public Health Center-based prospective Study. <i>European Heart Journal</i> , 2016, 37, 890-899.   | 1.0 | 45        |
| 58 | Association of soy and fermented soy product intake with total and cause specific mortality: prospective cohort study. <i>BMJ, The</i> , 2020, 368, m34.   | 3.0 | 45        |
| 59 | Transethnic Meta-Analysis of Genome-Wide Association Studies Identifies Three New Loci and Characterizes Population-Specific Differences for Coronary Artery Disease. <i>Circulation Genomic and Precision Medicine</i> , 2020, 13, e002670.     | 1.6 | 44        |
| 60 | Association of high-density lipoprotein cholesterol concentration with different types of stroke and coronary heart disease: The Japan Public Health Center-based prospective (JPHC) study. <i>Atherosclerosis</i> , 2017, 265, 147-154.         | 0.4 | 43        |
| 61 | Dietary acrylamide intake and risk of breast cancer: The Japan Public Health Center-based Prospective Study. <i>Cancer Science</i> , 2018, 109, 843-853.   | 1.7 | 43        |
| 62 | Physical inactivity, prolonged sedentary behaviors, and use of visual display terminals as potential risk factors for dry eye disease: JPHC-NEXT study. <i>Ocular Surface</i> , 2020, 18, 56-63.   | 2.2 | 42        |
| 63 | Quantitative Assessment of the Retina Using OCT and Associations with Cognitive Function. <i>Ophthalmology</i> , 2020, 127, 107-118.   | 2.5 | 41        |
| 64 | Alcohol consumption-associated breast cancer incidence and potential effect modifiers: the Japan Public Health Center-based Prospective Study. <i>International Journal of Cancer</i> , 2010, 127, 685-695.                                      | 2.3 | 40        |
| 65 | Rice consumption is not associated with risk of cardiovascular disease morbidity or mortality in Japanese men and women: a large population-based, prospective cohort study. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 199-207. | 2.2 | 40        |
| 66 | Plasma Organochlorines and Subsequent Risk of Prostate Cancer in Japanese Men: A Nested Case-control Study. <i>Environmental Health Perspectives</i> , 2010, 118, 659-665.   | 2.8 | 39        |
| 67 | Dietary arsenic intake and subsequent risk of cancer: the Japan Public Health Center-based (JPHC) Prospective Study. <i>Cancer Causes and Control</i> , 2013, 24, 1403-1415.   | 0.8 | 39        |
| 68 | Fish, n-3 PUFA consumption, and pancreatic cancer risk in Japanese: a large, population-based, prospective cohort study. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1490-1497.   | 2.2 | 39        |
| 69 | High hemoglobin A1c levels within the non-diabetic range are associated with the risk of all cancers. <i>International Journal of Cancer</i> , 2016, 138, 1741-1753.   | 2.3 | 39        |
| 70 | Impact of Alcohol Intake and Drinking Patterns on Mortality From All Causes and Major Causes of Death in a Japanese Population. <i>Journal of Epidemiology</i> , 2018, 28, 140-148.  | 1.1 | 39        |
| 71 | Genome-wide association study identifies gastric cancer susceptibility loci at 12q24.11 and 20q11.21. <i>Cancer Science</i> , 2018, 109, 4015-4024.  | 1.7 | 39        |
| 72 | Seaweed intake and risk of cardiovascular disease: the Japan Public Health Center-based Prospective (JPHC) Study. <i>American Journal of Clinical Nutrition</i> , 2019, 110, 1449-1455.  | 2.2 | 39        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Genome-wide association study identified new susceptible genetic variants in HLA class I region for hepatitis B virus-related hepatocellular carcinoma. <i>Scientific Reports</i> , 2018, 8, 7958.  | 1.6 | 38        |
| 74 | Dietary fiber intake and total and cause-specific mortality: the Japan Public Health Center-based prospective study. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 1027-1035.  | 2.2 | 38        |
| 75 | Association between adherence to the Japanese diet and all-cause and cause-specific mortality: the Japan Public Health Center-based Prospective Study. <i>European Journal of Nutrition</i> , 2021, 60, 1327-1336.                        | 1.8 | 37        |
| 76 | Coffee and tea consumption and mortality from all causes, cardiovascular disease and cancer: a pooled analysis of prospective studies from the Asia Cohort Consortium. <i>International Journal of Epidemiology</i> , 2022, 51, 626-640.  | 0.9 | 37        |
| 77 | Isoflavone intake and risk of gastric cancer: a population-based prospective cohort study in Japan. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 147-154.  | 2.2 | 36        |
| 78 | Dietary magnesium intake and risk of incident coronary heart disease in men: A prospective cohort study. <i>Clinical Nutrition</i> , 2018, 37, 1602-1608.   | 2.3 | 35        |
| 79 | Validating the dietary inflammatory index using inflammatory biomarkers in a Japanese population: A cross-sectional study of the JPHC-FFQ validation study. <i>Nutrition</i> , 2020, 69, 110569.  | 1.1 | 35        |
| 80 | Measures of body fatness and height in early and mid-to-late adulthood and prostate cancer: risk and mortality in The Pooling Project of Prospective Studies of Diet and Cancer. <i>Annals of Oncology</i> , 2020, 31, 103-114.           | 0.6 | 35        |
| 81 | Cholesterol and egg intakes and the risk of type 2 diabetes: The Japan Public Health Center-based Prospective Study. <i>British Journal of Nutrition</i> , 2014, 112, 1636-1643.  | 1.2 | 34        |
| 82 | Dietary pattern and breast cancer risk in Japanese women: the Japan Public Health Center-based Prospective Study (JPHC Study). <i>British Journal of Nutrition</i> , 2016, 115, 1769-1779.  | 1.2 | 34        |
| 83 | Cruciferous Vegetable Intake Is Inversely Associated with Lung Cancer Risk among Current Nonsmoking Men in the Japan Public Health Center (JPHC) Study. <i>Journal of Nutrition</i> , 2017, 147, 841-849.                                 | 1.3 | 34        |
| 84 | Perceived stress level and risk of cancer incidence in a Japanese population: the Japan Public Health Center (JPHC)-based Prospective Study. <i>Scientific Reports</i> , 2017, 7, 12964.  | 1.6 | 34        |
| 85 | Circulating sex hormones in relation to anthropometric, sociodemographic and behavioural factors in an international dataset of 12,300 men. <i>PLoS ONE</i> , 2017, 12, e0187741.   | 1.1 | 34        |
| 86 | Genome-wide association meta-analysis identifies GP2 gene risk variants for pancreatic cancer. <i>Nature Communications</i> , 2020, 11, 3175.   | 5.8 | 34        |
| 87 | Hepatitis B and C virus infection and risk of lymphoid malignancies: A population-based cohort study (JPHC Study). <i>Cancer Epidemiology</i> , 2015, 39, 562-566.  | 0.8 | 33        |
| 88 | Dietary acid load and mortality among Japanese men and women: the Japan Public Health Center-based Prospective Study. <i>American Journal of Clinical Nutrition</i> , 2017, 106, 146-154.   | 2.2 | 33        |
| 89 | Hepatitis B and C Virus Infection and Risk of Pancreatic Cancer: A Population-Based Cohort Study (JPHC) Tj ETQq1 1.0.784314 rgBT /Cv  | 1.1 | 32        |
| 90 | Association of leisure-time physical activity with total and cause-specific mortality: a pooled analysis of nearly a half million adults in the Asia Cohort Consortium. <i>International Journal of Epidemiology</i> , 2018, 47, 771-779. | 0.9 | 32        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Validity of self-reported tooth counts and masticatory status study of a Japanese adult population. <i>Journal of Oral Rehabilitation</i> , 2018, 45, 393-398.  | 1.3 | 32        |
| 92  | Plasma testosterone and sex hormone-binding globulin concentrations and the risk of prostate cancer among Japanese men: A nested case-control study. <i>Cancer Science</i> , 2010, 101, 2652-2657.                                    | 1.7 | 31        |
| 93  | Association between green tea/coffee consumption and biliary tract cancer: A population-based cohort study in Japan. <i>Cancer Science</i> , 2016, 107, 76-83.  | 1.7 | 31        |
| 94  | Cigarette smoking and bladder cancer risk: an evaluation based on a systematic review of epidemiologic evidence in the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2016, 46, 273-283.                         | 0.6 | 31        |
| 95  | Changes in the Employment Status and Risk of Stroke and Stroke Types. <i>Stroke</i> , 2017, 48, 1176-1182.  | 1.0 | 31        |
| 96  | Green tea consumption and mortality in Japanese men and women: a pooled analysis of eight population-based cohort studies in Japan. <i>European Journal of Epidemiology</i> , 2019, 34, 917-926.                                      | 2.5 | 31        |
| 97  | Anthropometric Risk Factors for Cancers of the Biliary Tract in the Biliary Tract Cancers Pooling Project. <i>Cancer Research</i> , 2019, 79, 3973-3982.  | 0.4 | 31        |
| 98  | Impact of Moderate-Intensity and Vigorous-Intensity Physical Activity on Mortality. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 715-721.   | 0.2 | 30        |
| 99  | Body-Mass Index and Pancreatic Cancer Incidence: A Pooled Analysis of Nine Population-Based Cohort Studies With More Than 340,000 Japanese Subjects. <i>Journal of Epidemiology</i> , 2018, 28, 245-252.                              | 1.1 | 30        |
| 100 | The Japan Public Health Center-based Prospective Study for the Next Generation (JPHC-NEXT): Study Design and Participants. <i>Journal of Epidemiology</i> , 2020, 30, 46-54.  | 1.1 | 30        |
| 101 | Non-High-Density Lipoprotein Cholesterol and Risk of Stroke Subtypes and Coronary Heart Disease: The Japan Public Health Center-Based Prospective (JPHC) Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 363-374. | 0.9 | 30        |
| 102 | Body size and weight change over adulthood and risk of breast cancer by menopausal and hormone receptor status: a pooled analysis of 20 prospective cohort studies. <i>European Journal of Epidemiology</i> , 2021, 36, 37-55.        | 2.5 | 30        |
| 103 | Association of dietary diversity with total mortality and major causes of mortality in the Japanese population: JPHC study. <i>European Journal of Clinical Nutrition</i> , 2020, 74, 54-66.  | 1.3 | 29        |
| 104 | Body Mass Index and Subsequent Risk of Kidney Cancer: A Prospective Cohort Study in Japan. <i>Annals of Epidemiology</i> , 2010, 20, 466-472.   | 0.9 | 28        |
| 105 | Diagnosed diabetes and premature death among middle-aged Japanese: results from a large-scale population-based cohort study in Japan (JPHC study). <i>BMJ Open</i> , 2015, 5, e007736-e007736.  | 0.8 | 28        |
| 106 | Dietary consumption of antioxidant vitamins and subsequent lung cancer risk: The Japan Public Health Center-based prospective study. <i>International Journal of Cancer</i> , 2018, 142, 2441-2460.                                   | 2.3 | 28        |
| 107 | Dietary Acrylamide Intake and Risk of Esophageal, Gastric, and Colorectal Cancer: The Japan Public Health Center-based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1461-1468.                 | 1.1 | 28        |
| 108 | Working Hours and Risk of Acute Myocardial Infarction and Stroke Among Middle-Aged Japanese Men: The Japan Public Health Center-Based Prospective Study Cohort II. <i>Circulation Journal</i> , 2019, 83, 1072-1079.                  | 0.7 | 28        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Low carbohydrate diet and all cause and cause-specific mortality. <i>Clinical Nutrition</i> , 2021, 40, 2016-2024.   | 2.3 | 28        |
| 110 | A Pooled Analysis of 15 Prospective Cohort Studies on the Association between Fruit, Vegetable, and Mature Bean Consumption and Risk of Prostate Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 1276-1287.                                   | 1.1 | 27        |
| 111 | Dietary intake of antioxidant vitamins and risk of stroke: the Japan Public Health Center-based Prospective Study. <i>European Journal of Clinical Nutrition</i> , 2017, 71, 1179-1185.  | 1.3 | 27        |
| 112 | Circulating isoflavone and lignan concentrations and prostate cancer risk: a meta-analysis of individual participant data from seven prospective studies including 2,828 cases and 5,593 controls. <i>International Journal of Cancer</i> , 2018, 143, 2677-2686.      | 2.3 | 27        |
| 113 | Dietary acrylamide intake and the risk of endometrial or ovarian cancers in Japanese women. <i>Cancer Science</i> , 2018, 109, 3316-3325.  | 1.7 | 26        |
| 114 | Circulating inflammatory markers and colorectal cancer risk: A prospective case-cohort study in Japan. <i>International Journal of Cancer</i> , 2018, 143, 2767-2776.  | 2.3 | 26        |
| 115 | Association of Alcohol Intake with the Risk of Malignant Lymphoma and Plasma Cell Myeloma in Japanese: A Population-Based Cohort Study (Japan Public Health Center-based Prospective Study). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 429-434. | 1.1 | 25        |
| 116 | Evidence-based cancer prevention recommendations for Japanese. <i>Japanese Journal of Clinical Oncology</i> , 2018, 48, 576-586.   | 0.6 | 25        |
| 117 | A Collaborative Analysis of Individual Participant Data from 19 Prospective Studies Assesses Circulating Vitamin D and Prostate Cancer Risk. <i>Cancer Research</i> , 2019, 79, 274-285.   | 0.4 | 25        |
| 118 | Body mass index and colorectal cancer risk: A Mendelian randomization study. <i>Cancer Science</i> , 2021, 112, 1579-1588.   | 1.7 | 25        |
| 119 | Fiber intake and risk of subsequent prostate cancer in Japanese men. <i>American Journal of Clinical Nutrition</i> , 2015, 101, 118-125.   | 2.2 | 24        |
| 120 | Circulating sex hormone levels and colorectal cancer risk in Japanese postmenopausal women: The JPHC nested case-control study. <i>International Journal of Cancer</i> , 2019, 145, 1238-1244.   | 2.3 | 24        |
| 121 | Coffee drinking and colorectal cancer and its subsites: A pooled analysis of 8 cohort studies in Japan. <i>International Journal of Cancer</i> , 2018, 143, 307-316.   | 2.3 | 23        |
| 122 | Dietary patterns and prostate cancer risk in Japanese: the Japan Public Health Center-based Prospective Study (JPHC Study). <i>Cancer Causes and Control</i> , 2018, 29, 589-600.  | 0.8 | 23        |
| 123 | Body Mass Index and Risks of Incident Ischemic Stroke Subtypes: The Japan Public Health Center-Based Prospective (JPHC) Study. <i>Journal of Epidemiology</i> , 2019, 29, 325-333.   | 1.1 | 23        |
| 124 | Dietary Inflammatory Index Is Associated With Inflammation in Japanese Men. <i>Frontiers in Nutrition</i> , 2021, 8, 604296.   | 1.6 | 23        |
| 125 | Socioeconomic Status Inconsistency and Risk of Stroke Among Japanese Middle-Aged Women. <i>Stroke</i> , 2014, 45, 2592-2598.   | 1.0 | 22        |
| 126 | Coffee drinking and colorectal cancer risk: an evaluation based on a systematic review and meta-analysis among the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2016, 46, 781-787.  | 0.6 | 22        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Coffee and green tea consumption in relation to brain tumor risk in a Japanese population. <i>International Journal of Cancer</i> , 2016, 139, 2714-2721.   | 2.3 | 22        |
| 128 | Plasma tea catechins and risk of cardiovascular disease in middle-aged Japanese subjects: The JPHC study. <i>Atherosclerosis</i> , 2018, 277, 90-97.  | 0.4 | 22        |
| 129 | Revisit of an unanswered question by pooled analysis of eight cohort studies in Japan: Does cigarette smoking and alcohol drinking have interaction for the risk of esophageal cancer?. <i>Cancer Medicine</i> , 2019, 8, 6414-6425.                          | 1.3 | 22        |
| 130 | Work-family conflict and self-rated health among Japanese workers: How household income modifies associations. <i>PLoS ONE</i> , 2017, 12, e0169903.  | 1.1 | 22        |
| 131 | Occupational sitting time and risk of all-cause mortality among Japanese workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015, 41, 519-528.  | 1.7 | 22        |
| 132 | Vitamin D Receptor Gene Polymorphism and the Risk of Colorectal Cancer: A Nested Case-Control Study. <i>PLoS ONE</i> , 2016, 11, e0164648.  | 1.1 | 21        |
| 133 | Inclusion of a Genetic Risk Score into a Validated Risk Prediction Model for Colorectal Cancer in Japanese Men Improves Performance. <i>Cancer Prevention Research</i> , 2017, 10, 535-541.   | 0.7 | 21        |
| 134 | The relationship between vegetable/fruit consumption and gallbladder/bile duct cancer: A population-based cohort study in Japan. <i>International Journal of Cancer</i> , 2017, 140, 1009-1019.   | 2.3 | 21        |
| 135 | The association between adult attained height and sitting height with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , 2017, 12, e0173117.   | 1.1 | 21        |
| 136 | <i>Helicobacter pylori</i> infection, atrophic gastritis, and risk of pancreatic cancer: A population-based cohort study in a large Japanese population: the JPHC Study. <i>Scientific Reports</i> , 2019, 9, 6099.   | 1.6 | 21        |
| 137 | Smoking and colorectal cancer: A pooled analysis of 10 population-based cohort studies in Japan. <i>International Journal of Cancer</i> , 2021, 148, 654-664.   | 2.3 | 21        |
| 138 | Association of Anthropometric Characteristics with the Risk of Malignant Lymphoma and Plasma Cell Myeloma in a Japanese Population: A Population-Based Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1623-1631.              | 1.1 | 20        |
| 139 | Coping behaviors and suicide in the middle-aged and older Japanese general population: the Japan Public Health Center-based Prospective Study. <i>Annals of Epidemiology</i> , 2014, 24, 199-205.   | 0.9 | 20        |
| 140 | <i>CYP1A1</i> , <i>GSTM1</i> and <i>GSTT1</i> genetic polymorphisms and gastric cancer risk among Japanese: A nested case-control study within a large-scale population-based prospective study. <i>International Journal of Cancer</i> , 2016, 139, 759-768. | 2.3 | 20        |
| 141 | Marital Transition and Risk of Stroke. <i>Stroke</i> , 2016, 47, 991-998.   | 1.0 | 20        |
| 142 | Dietary patterns and colorectal cancer risk in middle-aged adults: A large population-based prospective cohort study. <i>Clinical Nutrition</i> , 2018, 37, 1019-1026.  | 2.3 | 20        |
| 143 | Validity of a Self-administered Food Frequency Questionnaire for the Estimation of Acrylamide Intake in the Japanese Population: The JPHC FFQ Validation Study. <i>Journal of Epidemiology</i> , 2018, 28, 482-487.   | 1.1 | 20        |
| 144 | Reproductive history and risk of cognitive impairment in Japanese women. <i>Maturitas</i> , 2019, 128, 22-28.   | 1.0 | 20        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Neighborhood Deprivation and Risk of Cancer Incidence, Mortality and Survival: Results from a Population-Based Cohort Study in Japan. <i>PLoS ONE</i> , 2014, 9, e106729.   | 1.1 | 19        |
| 146 | The association of active and secondhand smoking with oral health in adults: Japan public health center-based study. <i>Tobacco Induced Diseases</i> , 2015, 13, 19.  | 0.3 | 19        |
| 147 | Chocolate consumption and risk of stroke among men and women: A large population-based, prospective cohort study. <i>Atherosclerosis</i> , 2017, 260, 8-12.   | 0.4 | 19        |
| 148 | High serum total cholesterol is associated with suicide mortality in Japanese women. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 259-268.  | 2.2 | 19        |
| 149 | Smoking and Pancreatic Cancer Incidence: A Pooled Analysis of 10 Population-Based Cohort Studies in Japan. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1370-1378.  | 1.1 | 19        |
| 150 | Prediagnostic circulating inflammation biomarkers and esophageal squamous cell carcinoma: A case-cohort study in Japan. <i>International Journal of Cancer</i> , 2020, 147, 686-691.  | 2.3 | 19        |
| 151 | High-Negative Anti- <i>Helicobacter pylori</i> IgG Antibody Titers and Long-Term Risk of Gastric Cancer: Results from a Large-Scale Population-Based Cohort Study in Japan. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 420-426. | 1.1 | 19        |
| 152 | Fermented soy products intake and risk of cardiovascular disease and total cancer incidence: The Japan Public Health Center-based Prospective study. <i>European Journal of Clinical Nutrition</i> , 2021, 75, 954-968.                               | 1.3 | 19        |
| 153 | Cigarette smoking, alcohol drinking, and oral cavity and pharyngeal cancer in the Japanese: a population-based cohort study in Japan. <i>European Journal of Cancer Prevention</i> , 2018, 27, 171-179.   | 0.6 | 19        |
| 154 | Coping strategies and cancer incidence and mortality: The Japan Public Health Center-based prospective study. <i>Cancer Epidemiology</i> , 2016, 40, 126-133.   | 0.8 | 18        |
| 155 | Dietary fiber intake and risk of breast cancer defined by estrogen and progesterone receptor status: the Japan Public Health Center-based Prospective Study. <i>Cancer Causes and Control</i> , 2017, 28, 569-578.                                    | 0.8 | 18        |
| 156 | Comparison of land use regression models for NO <sub>2</sub> based on routine and campaign monitoring data from an urban area of Japan. <i>Science of the Total Environment</i> , 2018, 631-632, 1029-1037.   | 3.9 | 18        |
| 157 | Smoking, Alcohol Consumption, and Risks for Biliary Tract Cancer and Intrahepatic Bile Duct Cancer. <i>Journal of Epidemiology</i> , 2019, 29, 180-186.   | 1.1 | 18        |
| 158 | Coffee, green tea and liver cancer risk: an evaluation based on a systematic review of epidemiologic evidence among the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 972-984.  | 0.6 | 18        |
| 159 | Cruciferous vegetable intake and mortality in middle-aged adults: A prospective cohort study. <i>Clinical Nutrition</i> , 2019, 38, 631-643.  | 2.3 | 18        |
| 160 | Intensity-specific validity and reliability of the Japan Public Health Center-based prospective study-physical activity questionnaire. <i>Preventive Medicine Reports</i> , 2020, 20, 101169.   | 0.8 | 18        |
| 161 | Habitual tub bathing and risks of incident coronary heart disease and stroke. <i>Heart</i> , 2020, 106, 732-737.  | 1.2 | 18        |
| 162 | Circulating free testosterone and risk of aggressive prostate cancer: Prospective and Mendelian randomisation analyses in international consortia. <i>International Journal of Cancer</i> , 2022, 151, 1033-1046.                                     | 2.3 | 18        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Plasma Isoflavones and Risk of Primary Liver Cancer in Japanese Women and Men with Hepatitis Virus Infection: A Nested Case-Control Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 532-537.            | 1.1 | 17        |
| 164 | Effect of body-mass index on the risk of gastric cancer: A population-based cohort study in A Japanese population. <i>Cancer Epidemiology</i> , 2019, 63, 101622.   | 0.8 | 17        |
| 165 | Low-carbohydrate diet and risk of cancer incidence: The Japan Public Health Center-based prospective study. <i>Cancer Science</i> , 2022, 113, 744-755.   | 1.7 | 17        |
| 166 | Trends in the proportions of stroke subtypes and coronary heart disease in the Japanese men and women from 1995 to 2009. <i>Atherosclerosis</i> , 2016, 248, 219-223.   | 0.4 | 16        |
| 167 | Plasma adiponectin levels, ADIPOQ variants, and incidence of type 2 diabetes: A nested case-control study. <i>Diabetes Research and Clinical Practice</i> , 2017, 127, 254-264.   | 1.1 | 16        |
| 168 | Female reproductive factors and risk of all-cause and cause-specific mortality among women: The Japan Public Health Center-based Prospective Study (JPHC study). <i>Annals of Epidemiology</i> , 2018, 28, 597-604.e6.          | 0.9 | 16        |
| 169 | Genome-wide association meta-analysis and Mendelian randomization analysis confirm the influence of ALDH2 on sleep duration in the Japanese population. <i>Sleep</i> , 2019, 42, .  | 0.6 | 16        |
| 170 | Coffee consumption and mortality in Japanese men and women: A pooled analysis of eight population-based cohort studies in Japan (Japan Cohort Consortium). <i>Preventive Medicine</i> , 2019, 123, 270-277.                     | 1.6 | 16        |
| 171 | Association of BMI and height with the risk of endometrial cancer, overall and by histological subtype: a population-based prospective cohort study in Japan. <i>European Journal of Cancer Prevention</i> , 2019, 28, 196-202. | 0.6 | 16        |
| 172 | Dairy foods, calcium, and risk of breast cancer overall and for subtypes defined by estrogen receptor status: a pooled analysis of 21 cohort studies. <i>American Journal of Clinical Nutrition</i> , 2021, 114, 450-461.       | 2.2 | 16        |
| 173 | Association Between Physical Activity and Risk of Disabling Dementia in Japan. <i>JAMA Network Open</i> , 2022, 5, e224590.   | 2.8 | 16        |
| 174 | Neighborhood contextual factors for smoking among middle-aged Japanese: A multilevel analysis. <i>Health and Place</i> , 2015, 31, 17-23.   | 1.5 | 15        |
| 175 | Daily Total Physical Activity and Incident Cardiovascular Disease in Japanese Men and Women. <i>Circulation</i> , 2017, 135, 1471-1473.   | 1.6 | 15        |
| 176 | Development of a risk prediction model for lung cancer: The Japan Public Health Center-based Prospective Study. <i>Cancer Science</i> , 2018, 109, 854-862.   | 1.7 | 15        |
| 177 | Adult height and all-cause and cause-specific mortality in the Japan Public Health Center-based Prospective Study (JPHC). <i>PLoS ONE</i> , 2018, 13, e0197164.   | 1.1 | 15        |
| 178 | Menstrual and reproductive factors and type 2 diabetes risk: The Japan Public Health Center-based Prospective Study. <i>Journal of Diabetes Investigation</i> , 2019, 10, 147-153.  | 1.1 | 15        |
| 179 | Diet quality and depression risk in a Japanese population: the Japan Public Health Center (JPHC)-based Prospective Study. <i>Scientific Reports</i> , 2019, 9, 7150.  | 1.6 | 15        |
| 180 | Dietary Acrylamide Intake and the Risk of Pancreatic Cancer: The Japan Public Health Center-Based Prospective Study. <i>Nutrients</i> , 2020, 12, 3584.   | 1.7 | 15        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | Burden of cancer attributable to modifiable factors in Japan in 2015. <i>Global Health &amp; Medicine</i> , 2022, 4, 26-36.  | 0.6 | 15        |
| 182 | The association between complete and partial non-response to psychosocial questions and suicide: the JPHC Study. <i>European Journal of Public Health</i> , 2015, 25, 424-430.   | 0.1 | 14        |
| 183 | Alcohol consumption, genetic variants in the alcohol- and folate metabolic pathways and colorectal cancer risk: the JPHC Study. <i>Scientific Reports</i> , 2016, 6, 36607.  | 1.6 | 14        |
| 184 | Body mass index change during adulthood and risk of oesophageal squamous-cell carcinoma in a Japanese population: the Japan Public Health (JPHC)-based prospective study. <i>British Journal of Cancer</i> , 2017, 117, 1715-1722. | 2.9 | 14        |
| 185 | Alcohol consumption and bladder cancer risk with or without the flushing response: The Japan Public Health Center-based Prospective Study. <i>International Journal of Cancer</i> , 2017, 141, 2480-2488.                          | 2.3 | 14        |
| 186 | Plasma 25-hydroxy vitamin D and subsequent prostate cancer risk in a nested Case-Control study in Japan: The JPHC study. <i>European Journal of Clinical Nutrition</i> , 2017, 71, 132-136.  | 1.3 | 14        |
| 187 | Predictive performance of a genetic risk score using 11 susceptibility alleles for the incidence of Type 2 diabetes in a general Japanese population: a nested case-control study. <i>Diabetic Medicine</i> , 2018, 35, 602-611.   | 1.2 | 14        |
| 188 | Coffee and green tea consumption and subsequent risk of acute myeloid leukemia and myelodysplastic syndromes in Japan. <i>International Journal of Cancer</i> , 2018, 142, 1130-1138.  | 2.3 | 14        |
| 189 | Association between serum liver enzymes and all-cause mortality: The Japan Public Health Center-based Prospective Study. <i>Liver International</i> , 2019, 39, 1566-1576.   | 1.9 | 14        |
| 190 | Epidemiology of nonmelanoma skin cancer in Japan: Occupational type, lifestyle, and family history of cancer. <i>Cancer Science</i> , 2020, 111, 4257-4265.  | 1.7 | 14        |
| 191 | Variations in the estimated intake of acrylamide from food in the Japanese population. <i>Nutrition Journal</i> , 2020, 19, 17.  | 1.5 | 14        |
| 192 | Identification of a novel uterine leiomyoma GWAS locus in a Japanese population. <i>Scientific Reports</i> , 2020, 10, 1197.   | 1.6 | 14        |
| 193 | Effects of <i>Helicobacter pylori</i> eradication on gastric cancer incidence in the Japanese population: a systematic evidence review. <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 1158-1170.                        | 0.6 | 14        |
| 194 | Weight change during middle age and risk of stroke and coronary heart disease: The Japan Public Health Center-based Prospective Study. <i>Atherosclerosis</i> , 2021, 322, 67-73.  | 0.4 | 14        |
| 195 | Serum anti-AP3D1 antibodies are risk factors for acute ischemic stroke related with atherosclerosis. <i>Scientific Reports</i> , 2021, 11, 13450.  | 1.6 | 14        |
| 196 | Relationship between unhealthy sleep status and dry eye symptoms in a Japanese population: The JPHC-NEXT study. <i>Ocular Surface</i> , 2021, 21, 306-312.   | 2.2 | 14        |
| 197 | Fermented and nonfermented soy foods and the risk of breast cancer in a Japanese population-based cohort study. <i>Cancer Medicine</i> , 2021, 10, 757-771.  | 1.3 | 14        |
| 198 | Smoking and alcohol and subsequent risk of myelodysplastic syndromes in Japan: the Japan Public Health Center-based Prospective Study. <i>British Journal of Haematology</i> , 2017, 178, 747-755.                                 | 1.2 | 13        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Risk of thyroid cancer in relation to height, weight, and body mass index in Japanese individuals: a population-based cohort study. <i>Cancer Medicine</i> , 2018, 7, 2200-2210.   | 1.3 | 13        |
| 200 | Dietary Acrylamide Intake and the Risk of Liver Cancer: The Japan Public Health Center-Based Prospective Study. <i>Nutrients</i> , 2020, 12, 2503.   | 1.7 | 13        |
| 201 | Serum anti-DIDO1, anti-CPSF2, and anti-FOXJ2 antibodies as predictive risk markers for acute ischemic stroke. <i>BMC Medicine</i> , 2021, 19, 131.   | 2.3 | 13        |
| 202 | Glycemic index and glycemic load and risk of colorectal cancer: a population-based cohort study (JPHC Study). <i>Cancer Causes and Control</i> , 2016, 27, 583-593.  | 0.8 | 12        |
| 203 | Smoking and subsequent risk of leukemia in Japan: The Japan Public Health Center-based Prospective Study. <i>Journal of Epidemiology</i> , 2017, 27, 305-310.  | 1.1 | 12        |
| 204 | Online version of the self-administered food frequency questionnaire for the Japan Public Health Center-based Prospective Study for the Next Generation (JPHC-NEXT) protocol: Relative validity, usability, and comparison with a printed questionnaire. <i>Journal of Epidemiology</i> , 2017, 27, 435-446. | 1.1 | 12        |
| 205 | Validity and Reproducibility of a Self-Administered Food Frequency Questionnaire for the Assessment of Sugar Intake in Middle-Aged Japanese Adults. <i>Nutrients</i> , 2019, 11, 554.  | 1.7 | 12        |
| 206 | Dietary Acrylamide Intake and Risk of Lung Cancer: The Japan Public Health Center Based Prospective Study. <i>Nutrients</i> , 2020, 12, 2417.  | 1.7 | 12        |
| 207 | Relationships of diabetes and hyperglycaemia with intraocular pressure in a Japanese population: the JPHC-NEXT Eye Study. <i>Scientific Reports</i> , 2020, 10, 5355.  | 1.6 | 12        |
| 208 | Consumption of flavonoid-rich fruits, flavonoids from fruits and stroke risk: a prospective cohort study. <i>British Journal of Nutrition</i> , 2021, 126, 1717-1724.  | 1.2 | 12        |
| 209 | Alcohol consumption and breast cancer risk in Japan: A pooled analysis of eight population-based cohort studies. <i>International Journal of Cancer</i> , 2021, 148, 2736-2747.  | 2.3 | 12        |
| 210 | Dietary Acrylamide Intake and the Risk of Hematological Malignancies: The Japan Public Health Center-Based Prospective Study. <i>Nutrients</i> , 2021, 13, 590.  | 1.7 | 12        |
| 211 | Associations between reproductive factors and biliary tract cancers in women from the Biliary Tract Cancers Pooling Project. <i>Journal of Hepatology</i> , 2020, 73, 863-872.   | 1.8 | 12        |
| 212 | Soy product intake and risk of incident disabling dementia: the JPHC Disabling Dementia Study. <i>European Journal of Nutrition</i> , 2022, 61, 4045-4057.   | 1.8 | 12        |
| 213 | History of diabetes and risk of suicide and accidental death in Japan: The Japan Public Health Centre-based Prospective Study, 1990-2012. <i>Diabetes and Metabolism</i> , 2016, 42, 184-191.  | 1.4 | 11        |
| 214 | Menstrual and reproductive factors in the risk of thyroid cancer in Japanese women: the Japan Public Health Center-Based Prospective Study. <i>European Journal of Cancer Prevention</i> , 2018, 27, 361-369.  | 0.6 | 11        |
| 215 | Changes in Smoking Status and Mortality From All Causes and Lung Cancer: A Longitudinal Analysis of a Population-based Study in Japan. <i>Journal of Epidemiology</i> , 2019, 29, 11-17.   | 1.1 | 11        |
| 216 | Association of BMI, Smoking, and Alcohol with Multiple Myeloma Mortality in Asians: A Pooled Analysis of More than 800,000 Participants in the Asia Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1861-1867.   | 1.1 | 11        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | Association between educational level and total and cause-specific mortality: a pooled analysis of over 694 000 individuals in the Asia Cohort Consortium. <i>BMJ Open</i> , 2019, 9, e026225.                                      | 0.8 | 11        |
| 218 | Fruit and vegetable intake and pancreatic cancer risk in a population-based cohort study in Japan. <i>International Journal of Cancer</i> , 2019, 144, 1858-1866.   | 2.3 | 11        |
| 219 | Association of Vegetable, Fruit, and Okinawan Vegetable Consumption With Incident Stroke and Coronary Heart Disease. <i>Journal of Epidemiology</i> , 2020, 30, 37-45.  | 1.1 | 11        |
| 220 | Study Design and Baseline Profiles of Participants in the Uonuma CKD Cohort Study in Niigata, Japan. <i>Journal of Epidemiology</i> , 2020, 30, 170-176.  | 1.1 | 11        |
| 221 | Cross-Sectional Association Between Employment Status and Self-Rated Health Among Middle-Aged Japanese Women: The Influence of Socioeconomic Conditions and Work-Life Conflict. <i>Journal of Epidemiology</i> , 2020, 30, 396-403. | 1.1 | 11        |
| 222 | Occupational sitting time and subsequent risk of cancer: The Japan Public Health Center-based Prospective Study. <i>Cancer Science</i> , 2020, 111, 974-984.  | 1.7 | 11        |
| 223 | Fat mass and obesity-associated gene polymorphisms, pre-diagnostic plasma adipokine levels and the risk of colorectal cancer: The Japan Public Health Center-based Prospective Study. <i>PLoS ONE</i> , 2020, 15, e0229005.         | 1.1 | 11        |
| 224 | Associations between changes in fruit and vegetable consumption and weight change in Japanese adults. <i>European Journal of Nutrition</i> , 2021, 60, 217-227.   | 1.8 | 11        |
| 225 | Reproductive factors and gallbladder/bile duct cancer: a population-based cohort study in Japan. <i>European Journal of Cancer Prevention</i> , 2017, 26, 292-300.  | 0.6 | 10        |
| 226 | Smoking and subsequent risk of acute myeloid leukaemia: A pooled analysis of 9 cohort studies in Japan. <i>Hematological Oncology</i> , 2018, 36, 262-268.  | 0.8 | 10        |
| 227 | Coffee Consumption and Lung Cancer Risk: The Japan Public Health Center-Based Prospective Study. <i>Journal of Epidemiology</i> , 2018, 28, 207-213.  | 1.1 | 10        |
| 228 | Menstrual and reproductive factors and risk of vertebral fractures in Japanese women: the Japan Public Health Center-based prospective (JPHC) study. <i>Osteoporosis International</i> , 2018, 29, 2791-2801.                       | 1.3 | 10        |
| 229 | Fish intake and risk of mortality due to aortic dissection and aneurysm: A pooled analysis of the Japan cohort consortium. <i>Clinical Nutrition</i> , 2019, 38, 1678-1683.   | 2.3 | 10        |
| 230 | Passive smoking and type 2 diabetes among never-smoking women: The Japan Public Health Center-based Prospective Study. <i>Journal of Diabetes Investigation</i> , 2020, 11, 1352-1358.  | 1.1 | 10        |
| 231 | Comparison between the impact of fermented and unfermented soy intake on the risk of liver cancer: the JPHC Study. <i>European Journal of Nutrition</i> , 2021, 60, 1389-1401.  | 1.8 | 10        |
| 232 | Associations of coffee and tea consumption with lung cancer risk. <i>International Journal of Cancer</i> , 2021, 148, 2457-2470.  | 2.3 | 10        |
| 233 | Dietary Acrylamide Intake and the Risks of Renal Cell, Prostate, and Bladder Cancers: A Japan Public Health Center-Based Prospective Study. <i>Nutrients</i> , 2021, 13, 780.   | 1.7 | 10        |
| 234 | Reproductive Factors and Lung Cancer Risk among Never-Smoking Japanese Women with 21 Years of Follow-Up: A Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1185-1192.                                | 1.1 | 10        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 235 | Association between meat and saturated fatty acid intake and lung cancer risk: The Japan Public Health Center-based prospective study. <i>International Journal of Cancer</i> , 2020, 147, 3019-3028.                | 2.3 | 10        |
| 236 | Association between meat intake and mortality due to all-cause and major causes of death in a Japanese population. <i>PLoS ONE</i> , 2020, 15, e0244007.   | 1.1 | 10        |
| 237 | Long-term exposure to fine particle matter and all-cause mortality and cause-specific mortality in Japan: the JPHC Study. <i>BMC Public Health</i> , 2022, 22, 466.  | 1.2 | 10        |
| 238 | Sleep duration and risk of cancer incidence and mortality: A pooled analysis of six population-based cohorts in Japan. <i>International Journal of Cancer</i> , 2022, 151, 1068-1080.                                | 2.3 | 10        |
| 239 | Rice, bread, noodle and cereal intake and colorectal cancer in Japanese men and women: the Japan Public Health Center-based prospective Study (JPHC Study). <i>British Journal of Cancer</i> , 2014, 110, 1316-1321. | 2.9 | 9         |
| 240 | Prediagnostic Calcium Intake and Lung Cancer Survival: A Pooled Analysis of 12 Cohort Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 1060-1070.   | 1.1 | 9         |
| 241 | Metabolome analysis for pancreatic cancer risk in nested case-control study: Japan Public Health Center-based prospective Study. <i>Cancer Science</i> , 2018, 109, 1672-1681.                                       | 1.7 | 9         |
| 242 | Meat subtypes and colorectal cancer risk: A pooled analysis of 6 cohort studies in Japan. <i>Cancer Science</i> , 2019, 110, 3603-3614.  | 1.7 | 9         |
| 243 | High Myopia and Its Associated Factors in JPHC-NEXT Eye Study: A Cross-Sectional Observational Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 1788.   | 1.0 | 9         |
| 244 | Identification of two novel breast cancer loci through large-scale genome-wide association study in the Japanese population. <i>Scientific Reports</i> , 2019, 9, 17332.   | 1.6 | 9         |
| 245 | The Association Between Habitual Sleep Duration and Mortality According to Sex and Age: The Japan Public Health Center-based Prospective Study. <i>Journal of Epidemiology</i> , 2021, 31, 109-118.                  | 1.1 | 9         |
| 246 | Working cancer survivors' physical and mental characteristics compared to cancer-free workers in Japan: a nationwide general population-based study. <i>Journal of Cancer Survivorship</i> , 2021, 15, 912-921.      | 1.5 | 9         |
| 247 | Long-term antihypertensive drug use and risk of cancer: The Japan Public Health Center-based prospective study. <i>Cancer Science</i> , 2021, 112, 1997-2005.  | 1.7 | 9         |
| 248 | Association of Choroidal Thickness with Intermediate Age-Related Macular Degeneration in a Japanese Population. <i>Ophthalmology Retina</i> , 2021, 5, 528-535.  | 1.2 | 9         |
| 249 | Association between C-reactive protein and risk of overall and 18 site-specific cancers in a Japanese case-cohort. <i>British Journal of Cancer</i> , 2022, 126, 1481-1489.  | 2.9 | 9         |
| 250 | Trends in cancer prognosis in a population-based cohort survey: Can recent advances in cancer therapy affect the prognosis?. <i>Cancer Epidemiology</i> , 2015, 39, 97-103.  | 0.8 | 8         |
| 251 | Genome-wide association study (GWAS) of ovarian cancer in Japanese predicted regulatory variants in 22q13.1. <i>PLoS ONE</i> , 2018, 13, e0209096.   | 1.1 | 8         |
| 252 | Higher Dietary Non-enzymatic Antioxidant Capacity Is Associated with Decreased Risk of All-Cause and Cardiovascular Disease Mortality in Japanese Adults. <i>Journal of Nutrition</i> , 2019, 149, 1967-1976.        | 1.3 | 8         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 253 | Diet Quality Affects the Association between Census-Based Neighborhood Deprivation and All-Cause Mortality in Japanese Men and Women: The Japan Public Health Center-Based Prospective Study. <i>Nutrients</i> , 2019, 11, 2194.                     | 1.7 | 8         |
| 254 | Association of estimated dietary acid load with albuminuria in Japanese adults: a cross-sectional study. <i>BMC Nephrology</i> , 2019, 20, 194.  | 0.8 | 8         |
| 255 | Relationship between dietary non-enzymatic antioxidant capacity and type 2 diabetes risk in the Japan Public Health Center-based Prospective Study. <i>Nutrition</i> , 2019, 66, 62-69.  | 1.1 | 8         |
| 256 | Circulating Inflammation Markers and Risk of Gastric and Esophageal Cancers: A Caseâ€“Cohort Study Within the Japan Public Health Centerâ€“Based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 829-832.        | 1.1 | 8         |
| 257 | Soy food and isoflavones are not associated with changes in serum lipids and glycohemoglobin concentrations among Japanese adults: a cohort study. <i>European Journal of Nutrition</i> , 2020, 59, 2075-2087.                                       | 1.8 | 8         |
| 258 | Inclusion of a geneâ€“environment interaction between alcohol consumption and the aldehyde dehydrogenase 2 genotype in a risk prediction model for upper aerodigestive tract cancer in Japanese men. <i>Cancer Science</i> , 2020, 111, 3835-3844.   | 1.7 | 8         |
| 259 | Dietary fiber intake and risk of gastric cancer: The <sc>Japan Public Health Center</sc>-based prospective study. <i>International Journal of Cancer</i> , 2021, 148, 2664-2673.   | 2.3 | 8         |
| 260 | Heterogeneity of Associations between Total and Types of Fish Intake and the Incidence of Type 2 Diabetes: Federated Meta-Analysis of 28 Prospective Studies Including 956,122 Participants. <i>Nutrients</i> , 2021, 13, 1223.                      | 1.7 | 8         |
| 261 | Relation Between Body Mass Index and Dry Eye Disease: The Japan Public Health Centerâ€“Based Prospective Study for the Next Generation. <i>Eye and Contact Lens</i> , 2021, 47, 449-455.   | 0.8 | 8         |
| 262 | Association of dietary intakes of vitamin B12, vitamin B6, folate, and methionine with the risk of esophageal cancer: the Japan Public Health Center-based (JPHC) prospective study. <i>BMC Cancer</i> , 2021, 21, 982.                              | 1.1 | 8         |
| 263 | Sugary drink consumption and risk of kidney and bladder cancer in Japanese adults. <i>Scientific Reports</i> , 2021, 11, 21701.  | 1.6 | 8         |
| 264 | Association between body mass index and oesophageal cancer mortality: a pooled analysis of prospective cohort studies with >800â€“000 individuals in the Asia Cohort Consortium. <i>International Journal of Epidemiology</i> , 2022, 51, 1190-1203. | 0.9 | 8         |
| 265 | Smoking is a risk factor for development of adult T-cell leukemia/lymphoma in Japanese human T-cell leukemia virus type-1 carriers. <i>Cancer Causes and Control</i> , 2016, 27, 1059-1066.  | 0.8 | 7         |
| 266 | Comparison of weighed food record procedures for the reference methods in two validation studies of food frequency questionnaires. <i>Journal of Epidemiology</i> , 2017, 27, 331-337.   | 1.1 | 7         |
| 267 | Quantifying the association of low-intensity and late initiation of tobacco smoking with total and cause-specific mortality in Asia. <i>Tobacco Control</i> , 2021, 30, 328-335.   | 1.8 | 7         |
| 268 | Sugary Drink Consumption and Subsequent Colorectal Cancer Risk: The Japan Public Health Centerâ€“Based Prospective Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 782-788.   | 1.1 | 7         |
| 269 | Myopia, corneal endothelial cell density and morphology in a Japanese population-based cross-sectional study: the JPHC-NEXT Eye Study. <i>Scientific Reports</i> , 2021, 11, 6366.   | 1.6 | 7         |
| 270 | Smoking cessation, weight gain and risk of cardiovascular disease. <i>Heart</i> , 2022, 108, 375-381.  | 1.2 | 7         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 271 | Alcohol consumption, tobacco smoking, and subsequent risk of renal cell carcinoma: The JPHC study. <i>Cancer Science</i> , 2021, 112, 5068-5077.  | 1.7 | 7         |
| 272 | Physical activity and subsequent risk of kidney, bladder and upper urinary tract cancer in the Japanese population: the Japan Public Health Centre-based Prospective Study. <i>British Journal of Cancer</i> , 2019, 120, 571-574.            | 2.9 | 6         |
| 273 | Cruciferous vegetable intake and colorectal cancer risk: Japan public health center-based prospective study. <i>European Journal of Cancer Prevention</i> , 2019, 28, 420-427.  | 0.6 | 6         |
| 274 | Family history of cancer and subsequent risk of cancer: A large-scale population-based prospective study in Japan. <i>International Journal of Cancer</i> , 2020, 147, 331-337.   | 2.3 | 6         |
| 275 | Soy and isoflavone consumption and subsequent risk of prostate cancer mortality: the Japan Public Health Center-based Prospective Study. <i>International Journal of Epidemiology</i> , 2020, 49, 1553-1561.                                  | 0.9 | 6         |
| 276 | Metabolic Syndrome, Physical Activity, and Inflammation: A Cross-Sectional Analysis of 110 Circulating Biomarkers in Japanese Adults. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1639-1646.                             | 1.1 | 6         |
| 277 | Intake of Vegetables and Fruits and the Risk of Cataract Incidence in a Japanese Population: The Japan Public Health Center-Based Prospective Study. <i>Journal of Epidemiology</i> , 2021, 31, 21-29.  | 1.1 | 6         |
| 278 | Association Between Birth Weight and Risk of Pregnancy-Induced Hypertension and Gestational Diabetes in Japanese Women: JPHC-NEXT Study. <i>Journal of Epidemiology</i> , 2022, 32, 168-173.  | 1.1 | 6         |
| 279 | OUP accepted manuscript. <i>International Journal of Epidemiology</i> , 2021, , .   | 0.9 | 6         |
| 280 | Prediagnostic circulating inflammation-related biomarkers and gastric cancer: A case-cohort study in Japan. <i>Cytokine</i> , 2021, 144, 155558.  | 1.4 | 6         |
| 281 | Food frequency questionnaire reproducibility for middle-aged and elderly Japanese. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2019, 28, 362-370.   | 0.3 | 6         |
| 282 | Meat consumption and gastric cancer risk: The Japan Public Health Center-based Prospective Study. <i>American Journal of Clinical Nutrition</i> , 2021, , .   | 2.2 | 6         |
| 283 | Inverse Association between Fruit and Vegetable Intake and All-Cause Mortality: Japan Public Health Center-Based Prospective Study. <i>Journal of Nutrition</i> , 2022, 152, 2245-2254.   | 1.3 | 6         |
| 284 | Validity and reliability of a self-administered food frequency questionnaire for the JPHC study: The assessment of amino acid intake. <i>Journal of Epidemiology</i> , 2017, 27, 242-247.   | 1.1 | 5         |
| 285 | Coffee and Green Tea Consumption and Subsequent Risk of Malignant Lymphoma and Multiple Myeloma in Japan: The Japan Public Health Center-based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 1352-1356. | 1.1 | 5         |
| 286 | High serum total cholesterol is associated with suicide mortality in Japanese women independently of menopause. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 80-81.   | 2.2 | 5         |
| 287 | Female reproductive factors and risk of lymphoid neoplasm: The Japan Public Health Center-based Prospective Study. <i>Cancer Science</i> , 2019, 110, 1442-1452.  | 1.7 | 5         |
| 288 | Plasma C-peptide and glycated albumin and subsequent risk of cancer: From a large prospective case-cohort study in Japan. <i>International Journal of Cancer</i> , 2019, 144, 718-729.  | 2.3 | 5         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 289 | Soy Intake and Colorectal Cancer Risk: Results from a Pooled Analysis of Prospective Cohort Studies Conducted in China and Japan. <i>Journal of Nutrition</i> , 2020, 150, 2442-2450.   | 1.3 | 5         |
| 290 | Estimation of the performance of a risk prediction model for gastric cancer occurrence in Japan: Evidence from a small external population. <i>Cancer Epidemiology</i> , 2020, 67, 101766.  | 0.8 | 5         |
| 291 | Consumption of flavonoid-rich fruits and risk of CHD: a prospective cohort study. <i>British Journal of Nutrition</i> , 2020, 124, 952-959.   | 1.2 | 5         |
| 292 | Validity of a food frequency questionnaire for the estimation of total polyphenol intake estimates and its major food sources in the Japanese population: the JPHC FFQ Validation Study. <i>Journal of Nutritional Science</i> , 2021, 10, e35. | 0.7 | 5         |
| 293 | Risk Factors for Gallstones and Cholecystectomy: A Large-Scale Population-Based Prospective Cohort Study in Japan. <i>Digestive Diseases</i> , 2022, 40, 385-393.   | 0.8 | 5         |
| 294 | Dietary glycemic index, glycemic load, and endometrial cancer risk: The Japan Public Health Center-based Prospective Study. <i>Cancer Science</i> , 2021, 112, 3682-3690.   | 1.7 | 5         |
| 295 | Association of sugary drink consumption with all-cause and cause-specific mortality: the Japan Public Health Center-based Prospective Study. <i>Preventive Medicine</i> , 2021, 148, 106561.  | 1.6 | 5         |
| 296 | Reliability of self-reported questionnaire for epidemiological investigation of <i>Helicobacter pylori</i> eradication in a population-based cohort study. <i>Scientific Reports</i> , 2021, 11, 15605.   | 1.6 | 5         |
| 297 | Association between sugar and starch intakes and type 2 diabetes risk in middle-aged adults in a prospective cohort study. <i>European Journal of Clinical Nutrition</i> , 2022, 76, 746-755.   | 1.3 | 5         |
| 298 | Peanut Consumption and Risk of Stroke and Ischemic Heart Disease in Japanese Men and Women: The JPHC Study. <i>Stroke</i> , 2021, 52, 3543-3550.  | 1.0 | 5         |
| 299 | Burden of cancer attributable to consumption of alcohol in Japan in 2015. <i>GHM Open</i> , 2021, 1, 51-55.   | 0.1 | 5         |
| 300 | Hobby Engagement and Risk of Disabling Dementia. <i>Journal of Epidemiology</i> , 2023, 33, 456-463.  | 1.1 | 5         |
| 301 | The Validity and Reproducibility of Dietary Non-enzymatic Antioxidant Capacity Estimated by Self-administered Food Frequency Questionnaires. <i>Journal of Epidemiology</i> , 2018, 28, 428-436.  | 1.1 | 4         |
| 302 | Relationship between Meat/Fish Consumption and Biliary Tract Cancer: The Japan Public Health Center-based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 95-102.   | 1.1 | 4         |
| 303 | Soy Food Intake and Pancreatic Cancer Risk: The Japan Public Health Center-based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1214-1221.   | 1.1 | 4         |
| 304 | Validation Study of Diabetes Definitions Using Japanese Diagnosis Procedure Combination Data Among Hospitalized Patients. <i>Journal of Epidemiology</i> , 2023, 33, 165-169.   | 1.1 | 4         |
| 305 | Body Mass Index, Height, Weight Change, and Subsequent Lung Cancer Risk: The Japan Public Health Center-based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1708-1716.                                    | 1.1 | 4         |
| 306 | Association of serum levels of antibodies against ALDOA and FH4 with transient ischemic attack and cerebral infarction. <i>BMC Neurology</i> , 2021, 21, 274.   | 0.8 | 4         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 307 | Excess Body Fatness during Early to Mid-Adulthood and Survival from Colorectal and Breast Cancer: A Pooled Analysis of Five International Cohort Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 325-333.         | 1.1 | 4         |
| 308 | Vegetable and fruit intake and the risk of bladder cancer: Japan Public Health Center-based prospective study. <i>British Journal of Cancer</i> , 2022, 126, 1647-1658.   | 2.9 | 4         |
| 309 | Changes in the living arrangement and risk of stroke in Japan; does it matter who lives in the household? Who among the family matters?. <i>PLoS ONE</i> , 2017, 12, e0173860.  | 1.1 | 3         |
| 310 | The association between plasma C-peptide concentration and the risk of prostate cancer: a nested case-control study within a Japanese population-based prospective study. <i>European Journal of Cancer Prevention</i> , 2018, 27, 461-467. | 0.6 | 3         |
| 311 | Female reproductive factors and risk of external causes of death among women: The Japan Public Health Center-based Prospective Study (JPHC Study). <i>Scientific Reports</i> , 2019, 9, 14329.  | 1.6 | 3         |
| 312 | Lack of social support and social trust as potential risk factors for dry eye disease: JPHC-NEXT study. <i>Ocular Surface</i> , 2019, 17, 278-284.  | 2.2 | 3         |
| 313 | Association Between Okinawan Vegetables Consumption and Risk of Type 2 Diabetes in Japanese Communities: The JPHC Study. <i>Journal of Epidemiology</i> , 2020, 30, 227-235.  | 1.1 | 3         |
| 314 | Impact of alcohol drinking on cancer risk with consideration of flushing response: The Japan Public Health Center-based Prospective Study Cohort (JPHC study). <i>Preventive Medicine</i> , 2020, 133, 106026.                              | 1.6 | 3         |
| 315 | Relationship between nerve fiber layer defect and the presence of epiretinal membrane in a Japanese population: The JPHC-NEXT Eye Study. <i>Scientific Reports</i> , 2020, 10, 779.   | 1.6 | 3         |
| 316 | Effectiveness of Screening Using Fecal Occult Blood Testing and Colonoscopy on the Risk of Colorectal Cancer: The Japan Public Health Center-based Prospective Study. <i>Journal of Epidemiology</i> , 2023, 33, 91-100.                    | 1.1 | 3         |
| 317 | Apolipoprotein A2 Isoforms in Relation to the Risk of Myocardial Infarction: A Nested Case-Control Analysis in the JPHC Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021, 28, 483-490.  | 0.9 | 3         |
| 318 | Long-term Response of <i>Helicobacter pylori</i> Antibody Titer After Eradication Treatment in Middle-aged Japanese: JPHC-NEXT Study. <i>Journal of Epidemiology</i> , 2023, 33, 1-7.   | 1.1 | 3         |
| 319 | Exploratory Research on Determinants of Place of Death in a Large-scale Cohort Study: The JPHC Study. <i>Journal of Epidemiology</i> , 2023, 33, 120-126.   | 1.1 | 3         |
| 320 | Alcohol intake and stomach cancer risk in Japan: A pooled analysis of six cohort studies. <i>Cancer Science</i> , 2022, 113, 261-276.   | 1.7 | 3         |
| 321 | Association between coffee consumption and risk of prostate cancer in Japanese men: a population-based cohort study in Japan. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, , cebp.0484.2021.                                | 1.1 | 3         |
| 322 | Association of B Vitamins and Methionine Intake with the Risk of Gastric Cancer: The Japan Public Health Center-based Prospective Study. <i>Cancer Prevention Research</i> , 2022, 15, 101-110.   | 0.7 | 3         |
| 323 | Burden of cancer attributable to excess bodyweight and physical inactivity in Japan in 2015. <i>GHM Open</i> , 2021, 1, 56-62.  | 0.1 | 3         |
| 324 | Association between Meat, Fish, and Fatty Acid Intake and Non-Hodgkin Lymphoma Incidence: The Japan Public Health Center-based Prospective Study. <i>Journal of Nutrition</i> , 2022, 152, 1895-1906.                                       | 1.3 | 3         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 325 | Alcohol Drinking and Bladder Cancer Risk From a Pooled Analysis of Ten Cohort Studies in Japan. <i>Journal of Epidemiology</i> , 2020, 30, 309-313.   | 1.1 | 2         |
| 326 | Risk of stroke in cancer survivors using a propensity score-matched cohort analysis. <i>Scientific Reports</i> , 2021, 11, 5599.  | 1.6 | 2         |
| 327 | Impact of reproductive factors on breast cancer incidence: Pooled analysis of nine cohort studies in Japan. <i>Cancer Medicine</i> , 2021, 10, 2153-2163.   | 1.3 | 2         |
| 328 | Dietary glycemic index, glycemic load and mortality: Japan Public Health Center-based prospective study. <i>European Journal of Nutrition</i> , 2021, 60, 4607-4620.  | 1.8 | 2         |
| 329 | International strategy in cancer epidemiology: Japan's involvement in global projects and future role. <i>Global Health &amp; Medicine</i> , 2021, 3, 187-195.  | 0.6 | 2         |
| 330 | Circulating Inflammation Markers and Pancreatic Cancer Risk: A Prospective Case-Cohort Study in Japan. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 236-241.  | 1.1 | 2         |
| 331 | Urinary Stones and Risk of Coronary Heart Disease and Stroke: the Japan Public Health Center-Based Prospective Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 1208-1215.   | 0.9 | 2         |
| 332 | Burden of cancer attributable to exogenous hormone use in Japan in 2015. <i>GHM Open</i> , 2021, 1, 97-101.   | 0.1 | 2         |
| 333 | Midlife intake of the isoflavone genistein and soy, and the risk of late-life cognitive impairment: the JPHC Saku Mental Health Study. <i>Journal of Epidemiology</i> , 2021, , .   | 1.1 | 2         |
| 334 | Dietary fibre intake is associated with reduced risk of lung cancer: a Japan public health centre-based prospective study (JPHC). <i>International Journal of Epidemiology</i> , 2022, 51, 1142-1152.   | 0.9 | 2         |
| 335 | Adult height in relation to the risk of colorectal cancer among the Japanese population: an evaluation based on systematic review and meta-analysis. <i>Japanese Journal of Clinical Oncology</i> , 2022, 52, 322-330.                                | 0.6 | 2         |
| 336 | The association between midlife living arrangement and psychiatrist-diagnosed depression in later life: who among your family members reduces the risk of depression?. <i>Translational Psychiatry</i> , 2022, 12, 156.                               | 2.4 | 2         |
| 337 | Body mass index and height in relation to brain tumor risk in a Japanese population. <i>Annals of Epidemiology</i> , 2020, 51, 1-6.   | 0.9 | 1         |
| 338 | Validity of dietary isothiocyanate intake estimates from a food frequency questionnaire using 24-h urinary isothiocyanate excretion as an objective biomarker: the JPHC-NEXT protocol area. <i>European Journal of Clinical Nutrition</i> , 2021, , . | 1.3 | 1         |
| 339 | Menstrual and reproductive factors and limitations in activities of daily living: A case-control study within the Japan Public Health Center-based Prospective Study. <i>Journal of Obstetrics and Gynaecology Research</i> , 2021, 47, 3903-3912.    | 0.6 | 1         |
| 340 | Having hobbies and the risk of cardiovascular disease incidence: A Japan public health center-based study. <i>Atherosclerosis</i> , 2021, 335, 1-7.   | 0.4 | 1         |
| 341 | Total, animal, and plant protein intake and pneumonia mortality in the Japan Public Health Center-based Prospective Study. <i>American Journal of Clinical Nutrition</i> , 2022, 115, 781-789.  | 2.2 | 1         |
| 342 | Cross-sectional associations between the types/amounts of beverages consumed and the glycemia status: The Japan public health center-based Prospective Diabetes study. <i>Metabolism Open</i> , 2022, 14, 100185.                                     | 1.4 | 1         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 343 | Association of Plasma Iron Status with Subsequent Risk of Total and Site-Specific Cancer: A Large Caseâ€‘Cohort Study within JPHC Study. <i>Cancer Prevention Research</i> , 2022, 15, 669-678.  | 0.7 | 1         |
| 344 | P1-348 Leisure-time physical activity and breast cancer risk defined by oestrogen and progesterone receptor status: the Japan public health center-based prospective study. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A163-A163. | 2.0 | 0         |
| 345 | 2140 Association of arterial stiffness with left atrial structure and phasic function: a community-based cohort study. <i>European Heart Journal</i> , 2019, 40, .   | 1.0 | 0         |
| 346 | Non-alcoholic beverages intake and risk of cardiovascular disease among Japanese men and women: the JPHC study. <i>British Journal of Nutrition</i> , 2021, , 1-20.  | 1.2 | 0         |
| 347 | Low <i>MICA</i> gene expression confers an increased risk of Gravesâ€™ disease: a Mendelian randomization study. <i>Thyroid</i> , 2021, , .  | 2.4 | 0         |
| 348 | Public access to summary statistics for genome-wide association studies of body mass index, weight, and height among healthy Japanese individuals: the Japanese Consortium of Genetic Epidemiology studies. <i>Journal of Epidemiology</i> , 2021, , . | 1.1 | 0         |
| 349 | Applicability of a web-based 24-hour dietary recall tool for Japanese populations in large-scale epidemiological studies. <i>Journal of Epidemiology</i> , 2022, , .   | 1.1 | 0         |
| 350 | COT-6 Body mass index and height in relation to brain tumor risk in a Japanese population. <i>Neuro-Oncology Advances</i> , 2021, 3, vi29-vi29.  | 0.4 | 0         |
| 351 | Title is missing!. , 2020, 15, e0244007.   |     | 0         |
| 352 | Title is missing!. , 2020, 15, e0244007.   |     | 0         |
| 353 | Title is missing!. , 2020, 15, e0244007.   |     | 0         |
| 354 | Title is missing!. , 2020, 15, e0244007.   |     | 0         |