

# Norie Sawada

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7150588/publications.pdf>

Version: 2024-02-01

354  
papers

9,730  
citations

50244

46  
h-index

79644

73  
g-index

362  
all docs

362  
docs citations

362  
times ranked

14144  
citing authors

#	ARTICLE	IF	CITATIONS
1	Validation Study of Diabetes Definitions Using Japanese Diagnosis Procedure Combination Data Among Hospitalized Patients. <i>Journal of Epidemiology</i> , 2023, 33, 165-169.	1.1	4
2	Effectiveness of Screening Using Fecal Occult Blood Testing and Colonoscopy on the Risk of Colorectal Cancer: The Japan Public Health Center-based Prospective Study. <i>Journal of Epidemiology</i> , 2023, 33, 91-100.	1.1	3
3	Long-term Response of <i>Helicobacter pylori</i> Antibody Titer After Eradication Treatment in Middle-aged Japanese: JPHC-NEXT Study. <i>Journal of Epidemiology</i> , 2023, 33, 1-7.	1.1	3
4	Exploratory Research on Determinants of Place of Death in a Large-scale Cohort Study: The JPHC Study. <i>Journal of Epidemiology</i> , 2023, 33, 120-126.	1.1	3
5	Hobby Engagement and Risk of Disabling Dementia. <i>Journal of Epidemiology</i> , 2023, 33, 456-463.	1.1	5
6	Association Between Birth Weight and Risk of Pregnancy-Induced Hypertension and Gestational Diabetes in Japanese Women: JPHC-NEXT Study. <i>Journal of Epidemiology</i> , 2022, 32, 168-173.	1.1	6
7	Risk Factors for Gallstones and Cholecystectomy: A Large-Scale Population-Based Prospective Cohort Study in Japan. <i>Digestive Diseases</i> , 2022, 40, 385-393.	0.8	5
8	Smoking cessation, weight gain and risk of cardiovascular disease. <i>Heart</i> , 2022, 108, 375-381.	1.2	7
9	Association between sugar and starch intakes and type 2 diabetes risk in middle-aged adults in a prospective cohort study. <i>European Journal of Clinical Nutrition</i> , 2022, 76, 746-755.	1.3	5
10	Coffee and tea consumption and mortality from all causes, cardiovascular disease and cancer: a pooled analysis of prospective studies from the Asia Cohort Consortium. <i>International Journal of Epidemiology</i> , 2022, 51, 626-640.	0.9	37
11	Circulating Inflammation Markers and Pancreatic Cancer Risk: A Prospective Case-Cohort Study in Japan. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 236-241.	1.1	2
12	Alcohol intake and stomach cancer risk in Japan: A pooled analysis of six cohort studies. <i>Cancer Science</i> , 2022, 113, 261-276.	1.7	3
13	Low-carbohydrate diet and risk of cancer incidence: The Japan Public Health Center-based prospective study. <i>Cancer Science</i> , 2022, 113, 744-755.	1.7	17
14	Association of B Vitamins and Methionine Intake with the Risk of Gastric Cancer: The Japan Public Health Center-based Prospective Study. <i>Cancer Prevention Research</i> , 2022, 15, 101-110.	0.7	3
15	Excess Body Fatness during Early to Mid-Adulthood and Survival from Colorectal and Breast Cancer: A Pooled Analysis of Five International Cohort Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 325-333.	1.1	4
16	Burden of cancer attributable to modifiable factors in Japan in 2015. <i>Global Health &amp; Medicine</i> , 2022, 4, 26-36.	0.6	15
17	Association between body mass index and oesophageal cancer mortality: a pooled analysis of prospective cohort studies with $>80000$ individuals in the Asia Cohort Consortium. <i>International Journal of Epidemiology</i> , 2022, 51, 1190-1203.	0.9	8
18	Association between C-reactive protein and risk of overall and 18 site-specific cancers in a Japanese case-cohort. <i>British Journal of Cancer</i> , 2022, 126, 1481-1489.	2.9	9

#	ARTICLE	IF	CITATIONS
19	Applicability of a web-based 24-hour dietary recall tool for Japanese populations in large-scale epidemiological studies. <i>Journal of Epidemiology</i> , 2022, , .	1.1	0
20	Vegetable and fruit intake and the risk of bladder cancer: Japan Public Health Center-based prospective study. <i>British Journal of Cancer</i> , 2022, 126, 1647-1658.	2.9	4
21	Dietary fibre intake is associated with reduced risk of lung cancer: a Japan public health centre-based prospective study (JPHC). <i>International Journal of Epidemiology</i> , 2022, 51, 1142-1152.	0.9	2
22	Association Between Physical Activity and Risk of Disabling Dementia in Japan. <i>JAMA Network Open</i> , 2022, 5, e224590.	2.8	16
23	Long-term exposure to fine particle matter and all-cause mortality and cause-specific mortality in Japan: the JPHC Study. <i>BMC Public Health</i> , 2022, 22, 466.	1.2	10
24	Adult height in relation to the risk of colorectal cancer among the Japanese population: an evaluation based on systematic review and meta-analysis. <i>Japanese Journal of Clinical Oncology</i> , 2022, 52, 322-330.	0.6	2
25	Total, animal, and plant protein intake and pneumonia mortality in the Japan Public Health Center-based Prospective Study. <i>American Journal of Clinical Nutrition</i> , 2022, 115, 781-789.	2.2	1
26	The association between midlife living arrangement and psychiatrist-diagnosed depression in later life: who among your family members reduces the risk of depression?. <i>Translational Psychiatry</i> , 2022, 12, 156.	2.4	2
27	Cross-sectional associations between the types/amounts of beverages consumed and the glycemia status: The Japan public health center-based Prospective Diabetes study. <i>Metabolism Open</i> , 2022, 14, 100185.	1.4	1
28	Circulating free testosterone and risk of aggressive prostate cancer: Prospective and Mendelian randomisation analyses in international consortia. <i>International Journal of Cancer</i> , 2022, 151, 1033-1046.	2.3	18
29	Sleep duration and risk of cancer incidence and mortality: A pooled analysis of six population-based cohorts in Japan. <i>International Journal of Cancer</i> , 2022, 151, 1068-1080.	2.3	10
30	Association between Meat, Fish, and Fatty Acid Intake and Non-Hodgkin Lymphoma Incidence: The Japan Public Health Center-based Prospective Study. <i>Journal of Nutrition</i> , 2022, 152, 1895-1906.	1.3	3
31	Inverse Association between Fruit and Vegetable Intake and All-Cause Mortality: Japan Public Health Center-Based Prospective Study. <i>Journal of Nutrition</i> , 2022, 152, 2245-2254.	1.3	6
32	Soy product intake and risk of incident disabling dementia: the JPHC Disabling Dementia Study. <i>European Journal of Nutrition</i> , 2022, 61, 4045-4057.	1.8	12
33	Association of Plasma Iron Status with Subsequent Risk of Total and Site-Specific Cancer: A Large Case-based Cohort Study within JPHC Study. <i>Cancer Prevention Research</i> , 2022, 15, 669-678.	0.7	1
34	Associations between changes in fruit and vegetable consumption and weight change in Japanese adults. <i>European Journal of Nutrition</i> , 2021, 60, 217-227.	1.8	11
35	Quantifying the association of low-intensity and late initiation of tobacco smoking with total and cause-specific mortality in Asia. <i>Tobacco Control</i> , 2021, 30, 328-335.	1.8	7
36	The Association Between Habitual Sleep Duration and Mortality According to Sex and Age: The Japan Public Health Center-based Prospective Study. <i>Journal of Epidemiology</i> , 2021, 31, 109-118.	1.1	9

#	ARTICLE	IF	CITATIONS
37	Comparison between the impact of fermented and unfermented soy intake on the risk of liver cancer: the JPHC Study. <i>European Journal of Nutrition</i> , 2021, 60, 1389-1401.	1.8	10
38	Association between adherence to the Japanese diet and all-cause and cause-specific mortality: the Japan Public Health Center-based Prospective Study. <i>European Journal of Nutrition</i> , 2021, 60, 1327-1336.	1.8	37
39	Low carbohydrate diet and all cause and cause-specific mortality. <i>Clinical Nutrition</i> , 2021, 40, 2016-2024.	2.3	28
40	Associations of coffee and tea consumption with lung cancer risk. <i>International Journal of Cancer</i> , 2021, 148, 2457-2470.	2.3	10
41	Dietary fiber intake and risk of gastric cancer: The <sc>Japan Public Health Center</sc>-based prospective study. <i>International Journal of Cancer</i> , 2021, 148, 2664-2673.	2.3	8
42	Body size and weight change over adulthood and risk of breast cancer by menopausal and hormone receptor status: a pooled analysis of 20 prospective cohort studies. <i>European Journal of Epidemiology</i> , 2021, 36, 37-55.	2.5	30
43	Fermented soy products intake and risk of cardiovascular disease and total cancer incidence: The Japan Public Health Center-based Prospective study. <i>European Journal of Clinical Nutrition</i> , 2021, 75, 954-968.	1.3	19
44	Smoking and colorectal cancer: A pooled analysis of 10 population-based cohort studies in Japan. <i>International Journal of Cancer</i> , 2021, 148, 654-664.	2.3	21
45	Intake of Vegetables and Fruits and the Risk of Cataract Incidence in a Japanese Population: The Japan Public Health Center-Based Prospective Study. <i>Journal of Epidemiology</i> , 2021, 31, 21-29.	1.1	6
46	Validity of a food frequency questionnaire for the estimation of total polyphenol intake estimates and its major food sources in the Japanese population: the JPHC FFQ Validation Study. <i>Journal of Nutritional Science</i> , 2021, 10, e35.	0.7	5
47	OUP accepted manuscript. <i>International Journal of Epidemiology</i> , 2021, , .	0.9	6
48	Consumption of flavonoid-rich fruits, flavonoids from fruits and stroke risk: a prospective cohort study. <i>British Journal of Nutrition</i> , 2021, 126, 1717-1724.	1.2	12
49	Working cancer survivors's™ physical and mental characteristics compared to cancer-free workers in Japan: a nationwide general population-based study. <i>Journal of Cancer Survivorship</i> , 2021, 15, 912-921.	1.5	9
50	Sugary Drink Consumption and Subsequent Colorectal Cancer Risk: The Japan Public Health Center-Based Prospective Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 782-788.	1.1	7
51	Body mass index and colorectal cancer risk: A Mendelian randomization study. <i>Cancer Science</i> , 2021, 112, 1579-1588.	1.7	25
52	Dietary Acrylamide Intake and the Risks of Renal Cell, Prostate, and Bladder Cancers: A Japan Public Health Center-Based Prospective Study. <i>Nutrients</i> , 2021, 13, 780.	1.7	10
53	Alcohol consumption and breast cancer risk in Japan: A pooled analysis of eight population-based cohort studies. <i>International Journal of Cancer</i> , 2021, 148, 2736-2747.	2.3	12
54	Dietary Acrylamide Intake and the Risk of Hematological Malignancies: The Japan Public Health Center-Based Prospective Study. <i>Nutrients</i> , 2021, 13, 590.	1.7	12

#	ARTICLE	IF	CITATIONS
55	Risk of stroke in cancer survivors using a propensity score-matched cohort analysis. <i>Scientific Reports</i> , 2021, 11, 5599.	1.6	2
56	Impact of reproductive factors on breast cancer incidence: Pooled analysis of nine cohort studies in Japan. <i>Cancer Medicine</i> , 2021, 10, 2153-2163.	1.3	2
57	Myopia, corneal endothelial cell density and morphology in a Japanese population-based cross-sectional study: the JPHC-NEXT Eye Study. <i>Scientific Reports</i> , 2021, 11, 6366.	1.6	7
58	Long-term antihypertensive drug use and risk of cancer: The Japan Public Health Center-based prospective study. <i>Cancer Science</i> , 2021, 112, 1997-2005.	1.7	9
59	Reproductive Factors and Lung Cancer Risk among Never-Smoking Japanese Women with 21 Years of Follow-Up: A Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1185-1192.	1.1	10
60	Effects of <i>Helicobacter pylori</i> eradication on gastric cancer incidence in the Japanese population: a systematic evidence review. <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 1158-1170.	0.6	14
61	Heterogeneity of Associations between Total and Types of Fish Intake and the Incidence of Type 2 Diabetes: Federated Meta-Analysis of 28 Prospective Studies Including 956,122 Participants. <i>Nutrients</i> , 2021, 13, 1223.	1.7	8
62	Weight change during middle age and risk of stroke and coronary heart disease: The Japan Public Health Center-based Prospective Study. <i>Atherosclerosis</i> , 2021, 322, 67-73.	0.4	14
63	Dietary Inflammatory Index Is Associated With Inflammation in Japanese Men. <i>Frontiers in Nutrition</i> , 2021, 8, 604296.	1.6	23
64	Dairy foods, calcium, and risk of breast cancer overall and for subtypes defined by estrogen receptor status: a pooled analysis of 21 cohort studies. <i>American Journal of Clinical Nutrition</i> , 2021, 114, 450-461.	2.2	16
65	Apolipoprotein A2 Isoforms in Relation to the Risk of Myocardial Infarction: A Nested Case-Control Analysis in the JPHC Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021, 28, 483-490.	0.9	3
66	Association of Choroidal Thickness with Intermediate Age-Related Macular Degeneration in a Japanese Population. <i>Ophthalmology Retina</i> , 2021, 5, 528-535.	1.2	9
67	Dietary glycemic index, glycemic load and mortality: Japan Public Health Center-based prospective study. <i>European Journal of Nutrition</i> , 2021, 60, 4607-4620.	1.8	2
68	Serum anti-DIDO1, anti-CPSF2, and anti-FOXJ2 antibodies as predictive risk markers for acute ischemic stroke. <i>BMC Medicine</i> , 2021, 19, 131.	2.3	13
69	Body Mass Index, Height, Weight Change, and Subsequent Lung Cancer Risk: The Japan Public Health Center-based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1708-1716.	1.1	4
70	Serum anti-AP3D1 antibodies are risk factors for acute ischemic stroke related with atherosclerosis. <i>Scientific Reports</i> , 2021, 11, 13450.	1.6	14
71	Validity of dietary isothiocyanate intake estimates from a food frequency questionnaire using 24-h urinary isothiocyanate excretion as an objective biomarker: the JPHC-NEXT protocol area. <i>European Journal of Clinical Nutrition</i> , 2021, , .	1.3	1
72	Dietary glycemic index, glycemic load, and endometrial cancer risk: The Japan Public Health Center-based Prospective Study. <i>Cancer Science</i> , 2021, 112, 3682-3690.	1.7	5

#	ARTICLE	IF	CITATIONS
73	Relationship between unhealthy sleep status and dry eye symptoms in a Japanese population: The JPHC-NEXT study. <i>Ocular Surface</i> , 2021, 21, 306-312.	2.2	14
74	Relation Between Body Mass Index and Dry Eye Disease: The Japan Public Health Center-based Prospective Study for the Next Generation. <i>Eye and Contact Lens</i> , 2021, 47, 449-455.	0.8	8
75	Non-alcoholic beverages intake and risk of cardiovascular disease among Japanese men and women: the JPHC study. <i>British Journal of Nutrition</i> , 2021, , 1-20.	1.2	0
76	Association of serum levels of antibodies against ALDOA and FH4 with transient ischemic attack and cerebral infarction. <i>BMC Neurology</i> , 2021, 21, 274.	0.8	4
77	Association of sugary drink consumption with all-cause and cause-specific mortality: the Japan Public Health Center-based Prospective Study. <i>Preventive Medicine</i> , 2021, 148, 106561.	1.6	5
78	Prediagnostic circulating inflammation-related biomarkers and gastric cancer: A case-cohort study in Japan. <i>Cytokine</i> , 2021, 144, 155558.	1.4	6
79	Reliability of self-reported questionnaire for epidemiological investigation of <i>Helicobacter pylori</i> eradication in a population-based cohort study. <i>Scientific Reports</i> , 2021, 11, 15605.	1.6	5
80	International strategy in cancer epidemiology: Japan's involvement in global projects and future role. <i>Global Health &amp; Medicine</i> , 2021, 3, 187-195.	0.6	2
81	Association of Sleep Duration With All- and Major-Cause Mortality Among Adults in Japan, China, Singapore, and Korea. <i>JAMA Network Open</i> , 2021, 4, e2122837.	2.8	58
82	Association of dietary intakes of vitamin B12, vitamin B6, folate, and methionine with the risk of esophageal cancer: the Japan Public Health Center-based (JPHC) prospective study. <i>BMC Cancer</i> , 2021, 21, 982.	1.1	8
83	Alcohol consumption, tobacco smoking, and subsequent risk of renal cell carcinoma: The JPHC study. <i>Cancer Science</i> , 2021, 112, 5068-5077.	1.7	7
84	Menstrual and reproductive factors and limitations in activities of daily living: A case-control study within the Japan Public Health Center-based Prospective Study. <i>Journal of Obstetrics and Gynaecology Research</i> , 2021, 47, 3903-3912.	0.6	1
85	Peanut Consumption and Risk of Stroke and Ischemic Heart Disease in Japanese Men and Women: The JPHC Study. <i>Stroke</i> , 2021, 52, 3543-3550.	1.0	5
86	Having hobbies and the risk of cardiovascular disease incidence: A Japan public health center-based study. <i>Atherosclerosis</i> , 2021, 335, 1-7.	0.4	1
87	Fermented and nonfermented soy foods and the risk of breast cancer in a Japanese population-based cohort study. <i>Cancer Medicine</i> , 2021, 10, 757-771.	1.3	14
88	Sugary drink consumption and risk of kidney and bladder cancer in Japanese adults. <i>Scientific Reports</i> , 2021, 11, 21701.	1.6	8
89	Association between coffee consumption and risk of prostate cancer in Japanese men: a population-based cohort study in Japan. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, , cebp.0484.2021.	1.1	3
90	Meat consumption and gastric cancer risk: The Japan Public Health Center-based Prospective Study. <i>American Journal of Clinical Nutrition</i> , 2021, , .	2.2	6

#	ARTICLE	IF	CITATIONS
91	Low <i>MICA</i> gene expression confers an increased risk of Graves' disease: a Mendelian randomization study. <i>Thyroid</i> , 2021, , .	2.4	0
92	Burden of cancer attributable to consumption of alcohol in Japan in 2015. <i>GHM Open</i> , 2021, 1, 51-55.	0.1	5
93	Burden of cancer attributable to exogenous hormone use in Japan in 2015. <i>GHM Open</i> , 2021, 1, 97-101.	0.1	2
94	Public access to summary statistics for genome-wide association studies of body mass index, weight, and height among healthy Japanese individuals: the Japanese Consortium of Genetic Epidemiology studies. <i>Journal of Epidemiology</i> , 2021, , .	1.1	0
95	Midlife intake of the isoflavone genistein and soy, and the risk of late-life cognitive impairment: the JPHC Saku Mental Health Study. <i>Journal of Epidemiology</i> , 2021, , .	1.1	2
96	Burden of cancer attributable to excess bodyweight and physical inactivity in Japan in 2015. <i>GHM Open</i> , 2021, 1, 56-62.	0.1	3
97	COT-6 Body mass index and height in relation to brain tumor risk in a Japanese population. <i>Neuro-Oncology Advances</i> , 2021, 3, vi29-vi29.	0.4	0
98	The Japan Public Health Center-based Prospective Study for the Next Generation (JPHC-NEXT): Study Design and Participants. <i>Journal of Epidemiology</i> , 2020, 30, 46-54.	1.1	30
99	Association Between Okinawan Vegetables Consumption and Risk of Type 2 Diabetes in Japanese Communities: The JPHC Study. <i>Journal of Epidemiology</i> , 2020, 30, 227-235.	1.1	3
100	Association of Vegetable, Fruit, and Okinawan Vegetable Consumption With Incident Stroke and Coronary Heart Disease. <i>Journal of Epidemiology</i> , 2020, 30, 37-45.	1.1	11
101	Diabetes and cancer risk: A Mendelian randomization study. <i>International Journal of Cancer</i> , 2020, 146, 712-719.	2.3	52
102	Study Design and Baseline Profiles of Participants in the Uonuma CKD Cohort Study in Niigata, Japan. <i>Journal of Epidemiology</i> , 2020, 30, 170-176.	1.1	11
103	Association of dietary diversity with total mortality and major causes of mortality in the Japanese population: JPHC study. <i>European Journal of Clinical Nutrition</i> , 2020, 74, 54-66.	1.3	29
104	Non-High-Density Lipoprotein Cholesterol and Risk of Stroke Subtypes and Coronary Heart Disease: The Japan Public Health Center-Based Prospective (JPHC) Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 363-374.	0.9	30
105	Validating the dietary inflammatory index using inflammatory biomarkers in a Japanese population: A cross-sectional study of the JPHC-FFQ validation study. <i>Nutrition</i> , 2020, 69, 110569.	1.1	35
106	Family history of cancer and subsequent risk of cancer: A large-scale population-based prospective study in Japan. <i>International Journal of Cancer</i> , 2020, 147, 331-337.	2.3	6
107	Physical inactivity, prolonged sedentary behaviors, and use of visual display terminals as potential risk factors for dry eye disease: JPHC-NEXT study. <i>Ocular Surface</i> , 2020, 18, 56-63.	2.2	42
108	Cross-Sectional Association Between Employment Status and Self-Rated Health Among Middle-Aged Japanese Women: The Influence of Socioeconomic Conditions and Work-Life Conflict. <i>Journal of Epidemiology</i> , 2020, 30, 396-403.	1.1	11



#	ARTICLE	IF	CITATIONS
109	Alcohol Drinking and Bladder Cancer Risk From a Pooled Analysis of Ten Cohort Studies in Japan. <i>Journal of Epidemiology</i> , 2020, 30, 309-313.	1.1	2
110	Quantitative Assessment of the Retina Using OCT and Associations with Cognitive Function. <i>Ophthalmology</i> , 2020, 127, 107-118.	2.5	41
111	Soy food and isoflavones are not associated with changes in serum lipids and glycohemoglobin concentrations among Japanese adults: a cohort study. <i>European Journal of Nutrition</i> , 2020, 59, 2075-2087.	1.8	8
112	Prediagnostic circulating inflammation biomarkers and esophageal squamous cell carcinoma: A case-cohort study in Japan. <i>International Journal of Cancer</i> , 2020, 147, 686-691.	2.3	19
113	Relationship between Meat/Fish Consumption and Biliary Tract Cancer: The Japan Public Health Center-Based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 95-102.	1.1	4
114	Measures of body fatness and height in early and mid-to-late adulthood and prostate cancer: risk and mortality in The Pooling Project of Prospective Studies of Diet and Cancer. <i>Annals of Oncology</i> , 2020, 31, 103-114.	0.6	35
115	Sustained Weight Loss and Risk of Breast Cancer in Women 50 Years and Older: A Pooled Analysis of Prospective Data. <i>Journal of the National Cancer Institute</i> , 2020, 112, 929-937.	3.0	58
116	High-Negative Anti- <i>Helicobacter pylori</i> IgG Antibody Titers and Long-Term Risk of Gastric Cancer: Results from a Large-Scale Population-Based Cohort Study in Japan. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 420-426.	1.1	19
117	Soy and isoflavone consumption and subsequent risk of prostate cancer mortality: the Japan Public Health Center-based Prospective Study. <i>International Journal of Epidemiology</i> , 2020, 49, 1553-1561.	0.9	6
118	Epidemiology of nonmelanoma skin cancer in Japan: Occupational type, lifestyle, and family history of cancer. <i>Cancer Science</i> , 2020, 111, 4257-4265.	1.7	14
119	Intensity-specific validity and reliability of the Japan Public Health Center-based prospective study-physical activity questionnaire. <i>Preventive Medicine Reports</i> , 2020, 20, 101169.	0.8	18
120	Population-specific and trans-ancestry genome-wide analyses identify distinct and shared genetic risk loci for coronary artery disease. <i>Nature Genetics</i> , 2020, 52, 1169-1177.	9.4	206
121	Soy Intake and Colorectal Cancer Risk: Results from a Pooled Analysis of Prospective Cohort Studies Conducted in China and Japan. <i>Journal of Nutrition</i> , 2020, 150, 2442-2450.	1.3	5
122	Dietary Acrylamide Intake and the Risk of Pancreatic Cancer: The Japan Public Health Center-Based Prospective Study. <i>Nutrients</i> , 2020, 12, 3584.	1.7	15
123	Dietary Acrylamide Intake and Risk of Lung Cancer: The Japan Public Health Center Based Prospective Study. <i>Nutrients</i> , 2020, 12, 2417.	1.7	12
124	Dietary Acrylamide Intake and the Risk of Liver Cancer: The Japan Public Health Center-Based Prospective Study. <i>Nutrients</i> , 2020, 12, 2503.	1.7	13
125	Inclusion of a gene-environment interaction between alcohol consumption and the aldehyde dehydrogenase 2 genotype in a risk prediction model for upper aerodigestive tract cancer in Japanese men. <i>Cancer Science</i> , 2020, 111, 3835-3844.	1.7	8
126	Body mass index and height in relation to brain tumor risk in a Japanese population. <i>Annals of Epidemiology</i> , 2020, 51, 1-6.	0.9	1



#	ARTICLE	IF	CITATIONS
127	Metabolic Syndrome, Physical Activity, and Inflammation: A Cross-Sectional Analysis of 110 Circulating Biomarkers in Japanese Adults. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1639-1646.	1.1	6
128	Transethnic Meta-Analysis of Genome-Wide Association Studies Identifies Three New Loci and Characterizes Population-Specific Differences for Coronary Artery Disease. <i>Circulation Genomic and Precision Medicine</i> , 2020, 13, e002670.	1.6	44
129	Estimation of the performance of a risk prediction model for gastric cancer occurrence in Japan: Evidence from a small external population. <i>Cancer Epidemiology</i> , 2020, 67, 101766.	0.8	5
130	Large-scale genome-wide association study in a Japanese population identifies novel susceptibility loci across different diseases. <i>Nature Genetics</i> , 2020, 52, 669-679.	9.4	304
131	Consumption of flavonoid-rich fruits and risk of CHD: a prospective cohort study. <i>British Journal of Nutrition</i> , 2020, 124, 952-959.	1.2	5
132	Soy Food Intake and Pancreatic Cancer Risk: The Japan Public Health Center-based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1214-1221.	1.1	4
133	Relationships of diabetes and hyperglycaemia with intraocular pressure in a Japanese population: the JPHC-NEXT Eye Study. <i>Scientific Reports</i> , 2020, 10, 5355.	1.6	12
134	Genome-wide association meta-analysis identifies GP2 gene risk variants for pancreatic cancer. <i>Nature Communications</i> , 2020, 11, 3175.	5.8	34
135	Occupational sitting time and subsequent risk of cancer: The Japan Public Health Center-based Prospective Study. <i>Cancer Science</i> , 2020, 111, 974-984.	1.7	11
136	Impact of alcohol drinking on cancer risk with consideration of flushing response: The Japan Public Health Center-based Prospective Study Cohort (JPHC study). <i>Preventive Medicine</i> , 2020, 133, 106026.	1.6	3
137	Variations in the estimated intake of acrylamide from food in the Japanese population. <i>Nutrition Journal</i> , 2020, 19, 17.	1.5	14
138	Fat mass and obesity-associated gene polymorphisms, pre-diagnostic plasma adipokine levels and the risk of colorectal cancer: The Japan Public Health Center-based Prospective Study. <i>PLoS ONE</i> , 2020, 15, e0229005.	1.1	11
139	Relationship between nerve fiber layer defect and the presence of epiretinal membrane in a Japanese population: The JPHC-NEXT Eye Study. <i>Scientific Reports</i> , 2020, 10, 779.	1.6	3
140	Association of soy and fermented soy product intake with total and cause specific mortality: prospective cohort study. <i>BMJ, The</i> , 2020, 368, m34.	3.0	45
141	Dietary fiber intake and total and cause-specific mortality: the Japan Public Health Center-based prospective study. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 1027-1035.	2.2	38
142	Identification of a novel uterine leiomyoma GWAS locus in a Japanese population. <i>Scientific Reports</i> , 2020, 10, 1197.	1.6	14
143	Habitual tub bathing and risks of incident coronary heart disease and stroke. <i>Heart</i> , 2020, 106, 732-737.	1.2	18
144	Passive smoking and type 2 diabetes among never-smoking women: The Japan Public Health Center-based Prospective Study. <i>Journal of Diabetes Investigation</i> , 2020, 11, 1352-1358.	1.1	10

#	ARTICLE	IF	CITATIONS
145	Association between meat and saturated fatty acid intake and lung cancer risk: The Japan Public Health Center-based prospective study. <i>International Journal of Cancer</i> , 2020, 147, 3019-3028.	2.3	10
146	Associations between reproductive factors and biliary tract cancers in women from the Biliary Tract Cancers Pooling Project. <i>Journal of Hepatology</i> , 2020, 73, 863-872.	1.8	12
147	Association between meat intake and mortality due to all-cause and major causes of death in a Japanese population. <i>PLoS ONE</i> , 2020, 15, e0244007.	1.1	10
148	Urinary Stones and Risk of Coronary Heart Disease and Stroke: the Japan Public Health Center-Based Prospective Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 1208-1215.	0.9	2
149	Title is missing!. , 2020, 15, e0244007.		0
150	Title is missing!. , 2020, 15, e0244007.		0
151	Title is missing!. , 2020, 15, e0244007.		0
152	Title is missing!. , 2020, 15, e0244007.		0
153	Changes in Smoking Status and Mortality From All Causes and Lung Cancer: A Longitudinal Analysis of a Population-based Study in Japan. <i>Journal of Epidemiology</i> , 2019, 29, 11-17.	1.1	11
154	Smoking, Alcohol Consumption, and Risks for Biliary Tract Cancer and Intrahepatic Bile Duct Cancer. <i>Journal of Epidemiology</i> , 2019, 29, 180-186.	1.1	18
155	Fish intake and risk of mortality due to aortic dissection and aneurysm: A pooled analysis of the Japan cohort consortium. <i>Clinical Nutrition</i> , 2019, 38, 1678-1683.	2.3	10
156	Menstrual and reproductive factors and type 2 diabetes risk: The Japan Public Health Center-based Prospective Study. <i>Journal of Diabetes Investigation</i> , 2019, 10, 147-153.	1.1	15
157	Green tea consumption and mortality in Japanese men and women: a pooled analysis of eight population-based cohort studies in Japan. <i>European Journal of Epidemiology</i> , 2019, 34, 917-926.	2.5	31
158	Reproductive history and risk of cognitive impairment in Japanese women. <i>Maturitas</i> , 2019, 128, 22-28.	1.0	20
159	Coffee, green tea and liver cancer risk: an evaluation based on a systematic review of epidemiologic evidence among the Japanese population. <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 972-984.	0.6	18
160	Revisit of an unanswered question by pooled analysis of eight cohort studies in Japan: Does cigarette smoking and alcohol drinking have interaction for the risk of esophageal cancer?. <i>Cancer Medicine</i> , 2019, 8, 6414-6425.	1.3	22
161	Effect of body-mass index on the risk of gastric cancer: A population-based cohort study in A Japanese population. <i>Cancer Epidemiology</i> , 2019, 63, 101622.	0.8	17
162	Meat subtypes and colorectal cancer risk: A pooled analysis of 6 cohort studies in Japan. <i>Cancer Science</i> , 2019, 110, 3603-3614.	1.7	9

#	ARTICLE	IF	CITATIONS
163	Association of Animal and Plant Protein Intake With All-Cause and Cause-Specific Mortality in a Japanese Cohort. <i>JAMA Internal Medicine</i> , 2019, 179, 1509.	2.6	120
164	Association of BMI, Smoking, and Alcohol with Multiple Myeloma Mortality in Asians: A Pooled Analysis of More than 800,000 Participants in the Asia Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1861-1867.	1.1	11
165	Higher Dietary Non-enzymatic Antioxidant Capacity Is Associated with Decreased Risk of All-Cause and Cardiovascular Disease Mortality in Japanese Adults. <i>Journal of Nutrition</i> , 2019, 149, 1967-1976.	1.3	8
166	Seaweed intake and risk of cardiovascular disease: the Japan Public Health Center-based Prospective (JPHC) Study. <i>American Journal of Clinical Nutrition</i> , 2019, 110, 1449-1455.	2.2	39
167	Diet Quality Affects the Association between Census-Based Neighborhood Deprivation and All-Cause Mortality in Japanese Men and Women: The Japan Public Health Center-Based Prospective Study. <i>Nutrients</i> , 2019, 11, 2194.	1.7	8
168	12 new susceptibility loci for prostate cancer identified by genome-wide association study in Japanese population. <i>Nature Communications</i> , 2019, 10, 4422.	5.8	49
169	Characterizing rare and low-frequency height-associated variants in the Japanese population. <i>Nature Communications</i> , 2019, 10, 4393.	5.8	123
170	Female reproductive factors and risk of external causes of death among women: The Japan Public Health Center-based Prospective Study (JPHC Study). <i>Scientific Reports</i> , 2019, 9, 14329.	1.6	3
171	The association between midlife serum high-density lipoprotein and mild cognitive impairment and dementia after 19 years of follow-up. <i>Translational Psychiatry</i> , 2019, 9, 26.	2.4	50
172	Lack of social support and social trust as potential risk factors for dry eye disease: JPHC-NEXT study. <i>Ocular Surface</i> , 2019, 17, 278-284.	2.2	3
173	Association of estimated dietary acid load with albuminuria in Japanese adults: a cross-sectional study. <i>BMC Nephrology</i> , 2019, 20, 194.	0.8	8
174	Smoking, Alcohol, and Biliary Tract Cancer Risk: A Pooling Project of 26 Prospective Studies. <i>Journal of the National Cancer Institute</i> , 2019, 111, 1263-1278.	3.0	60
175	Circulating sex hormone levels and colorectal cancer risk in Japanese postmenopausal women: The JPHC nested case-control study. <i>International Journal of Cancer</i> , 2019, 145, 1238-1244.	2.3	24
176	Dietary Acrylamide Intake and Risk of Esophageal, Gastric, and Colorectal Cancer: The Japan Public Health Center-based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1461-1468.	1.1	28
177	Anthropometric Risk Factors for Cancers of the Biliary Tract in the Biliary Tract Cancers Pooling Project. <i>Cancer Research</i> , 2019, 79, 3973-3982.	0.4	31
178	Smoking and Pancreatic Cancer Incidence: A Pooled Analysis of 10 Population-Based Cohort Studies in Japan. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1370-1378.	1.1	19
179	Diet quality and depression risk in a Japanese population: the Japan Public Health Center (JPHC)-based Prospective Study. <i>Scientific Reports</i> , 2019, 9, 7150.	1.6	15
180	Association of Diabetes With All-Cause and Cause-Specific Mortality in Asia. <i>JAMA Network Open</i> , 2019, 2, e192696.	2.8	103

#	ARTICLE	IF	CITATIONS
181	Helicobacter pylori infection, atrophic gastritis, and risk of pancreatic cancer: A population-based cohort study in a large Japanese population: the JPHC Study. Scientific Reports, 2019, 9, 6099.	1.6	21
182	Working Hours and Risk of Acute Myocardial Infarction and Stroke Among Middle-Aged Japanese Men—The Japan Public Health Center-Based Prospective Study Cohort II. Circulation Journal, 2019, 83, 1072-1079.	0.7	28
183	Validity and Reproducibility of a Self-Administered Food Frequency Questionnaire for the Assessment of Sugar Intake in Middle-Aged Japanese Adults. Nutrients, 2019, 11, 554.	1.7	12
184	Genome-wide association meta-analysis and Mendelian randomization analysis confirm the influence of ALDH2 on sleep duration in the Japanese population. Sleep, 2019, 42, .	0.6	16
185	Tobacco Smoking and Mortality in Asia. JAMA Network Open, 2019, 2, e191474.	2.8	102
186	Relationship between dietary non-enzymatic antioxidant capacity and type 2 diabetes risk in the Japan Public Health Center-based Prospective Study. Nutrition, 2019, 66, 62-69.	1.1	8
187	Female reproductive factors and risk of lymphoid neoplasm: The Japan Public Health Center-based Prospective Study. Cancer Science, 2019, 110, 1442-1452.	1.7	5
188	Circulating Inflammation Markers and Risk of Gastric and Esophageal Cancers: A Case-Cohort Study Within the Japan Public Health Center-Based Prospective Study. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 829-832.	1.1	8
189	Coffee consumption and mortality in Japanese men and women: A pooled analysis of eight population-based cohort studies in Japan (Japan Cohort Consortium). Preventive Medicine, 2019, 123, 270-277.	1.6	16
190	Physical activity and subsequent risk of kidney, bladder and upper urinary tract cancer in the Japanese population: the Japan Public Health Centre-based Prospective Study. British Journal of Cancer, 2019, 120, 571-574.	2.9	6
191	Association between educational level and total and cause-specific mortality: a pooled analysis of over 694 000 individuals in the Asia Cohort Consortium. BMJ Open, 2019, 9, e026225.	0.8	11
192	2140 Association of arterial stiffness with left atrial structure and phasic function: a community-based cohort study. European Heart Journal, 2019, 40, .	1.0	0
193	High Myopia and Its Associated Factors in JPHC-NEXT Eye Study: A Cross-Sectional Observational Study. Journal of Clinical Medicine, 2019, 8, 1788.	1.0	9
194	Identification of two novel breast cancer loci through large-scale genome-wide association study in the Japanese population. Scientific Reports, 2019, 9, 17332.	1.6	9
195	Cruciferous vegetable intake and colorectal cancer risk: Japan public health center-based prospective study. European Journal of Cancer Prevention, 2019, 28, 420-427.	0.6	6
196	Plasma C-peptide and glycated albumin and subsequent risk of cancer: From a large prospective case-cohort study in Japan. International Journal of Cancer, 2019, 144, 718-729.	2.3	5
197	Body Mass Index and Risks of Incident Ischemic Stroke Subtypes: The Japan Public Health Center-Based Prospective (JPHC) Study. Journal of Epidemiology, 2019, 29, 325-333.	1.1	23
198	Association between serum liver enzymes and all-cause mortality: The Japan Public Health Center-based Prospective Study. Liver International, 2019, 39, 1566-1576.	1.9	14

#	ARTICLE	IF	CITATIONS
199	Cigarette smoking and cervical cancer risk: an evaluation based on a systematic review and meta-analysis among Japanese women. <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 77-86.	0.6	51
200	A Collaborative Analysis of Individual Participant Data from 19 Prospective Studies Assesses Circulating Vitamin D and Prostate Cancer Risk. <i>Cancer Research</i> , 2019, 79, 274-285.	0.4	25
201	Fruit and vegetable intake and pancreatic cancer risk in a population-based cohort study in Japan. <i>International Journal of Cancer</i> , 2019, 144, 1858-1866.	2.3	11
202	Association of BMI and height with the risk of endometrial cancer, overall and by histological subtype: a population-based prospective cohort study in Japan. <i>European Journal of Cancer Prevention</i> , 2019, 28, 196-202.	0.6	16
203	Cruciferous vegetable intake and mortality in middle-aged adults: A prospective cohort study. <i>Clinical Nutrition</i> , 2019, 38, 631-643.	2.3	18
204	Identification of 28 new susceptibility loci for type 2 diabetes in the Japanese population. <i>Nature Genetics</i> , 2019, 51, 379-386.	9.4	164
205	Food frequency questionnaire reproducibility for middle-aged and elderly Japanese. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2019, 28, 362-370.	0.3	6
206	GWAS identifies two novel colorectal cancer loci at 16q24.1 and 20q13.12. <i>Carcinogenesis</i> , 2018, 39, 652-660.	1.3	52
207	Development of a risk prediction model for lung cancer: The Japan Public Health Center-based Prospective Study. <i>Cancer Science</i> , 2018, 109, 854-862.	1.7	15
208	Dietary magnesium intake and risk of incident coronary heart disease in men: A prospective cohort study. <i>Clinical Nutrition</i> , 2018, 37, 1602-1608.	2.3	35
209	Overall and Central Obesity and Risk of Lung Cancer: A Pooled Analysis. <i>Journal of the National Cancer Institute</i> , 2018, 110, 831-842.	3.0	78
210	Association of leisure-time physical activity with total and cause-specific mortality: a pooled analysis of nearly a half million adults in the Asia Cohort Consortium. <i>International Journal of Epidemiology</i> , 2018, 47, 771-779.	0.9	32
211	Evidence-based cancer prevention recommendations for Japanese. <i>Japanese Journal of Clinical Oncology</i> , 2018, 48, 576-586.	0.6	25
212	Risk of thyroid cancer in relation to height, weight, and body mass index in Japanese individuals: a population-based cohort study. <i>Cancer Medicine</i> , 2018, 7, 2200-2210.	1.3	13
213	Coffee drinking and colorectal cancer and its subsites: A pooled analysis of 8 cohort studies in Japan. <i>International Journal of Cancer</i> , 2018, 143, 307-316.	2.3	23
214	Dietary acrylamide intake and risk of breast cancer: The Japan Public Health Center-based Prospective Study. <i>Cancer Science</i> , 2018, 109, 843-853.	1.7	43
215	Predictive performance of a genetic risk score using 11 susceptibility alleles for the incidence of Type 2 diabetes in a general Japanese population: a nested case-control study. <i>Diabetic Medicine</i> , 2018, 35, 602-611.	1.2	14
216	Dietary consumption of antioxidant vitamins and subsequent lung cancer risk: The Japan Public Health Center-based prospective study. <i>International Journal of Cancer</i> , 2018, 142, 2441-2460.	2.3	28

#	ARTICLE	IF	CITATIONS
217	Validity of self-reported tooth counts and masticatory status study of a Japanese adult population. <i>Journal of Oral Rehabilitation</i> , 2018, 45, 393-398.	1.3	32
218	Plasma 25-hydroxyvitamin D concentration and subsequent risk of total and site specific cancers in Japanese population: large case-cohort study within Japan Public Health Center-based Prospective Study cohort. <i>BMJ: British Medical Journal</i> , 2018, 360, k671.	2.4	61
219	High serum total cholesterol is associated with suicide mortality in Japanese women independently of menopause. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 80-81.	2.2	5
220	Metabolome analysis for pancreatic cancer risk in nested case-control study: Japan Public Health Center-based prospective Study. <i>Cancer Science</i> , 2018, 109, 1672-1681.	1.7	9
221	Dietary patterns and prostate cancer risk in Japanese: the Japan Public Health Center-based Prospective Study (JPHC Study). <i>Cancer Causes and Control</i> , 2018, 29, 589-600.	0.8	23
222	Impact of Alcohol Intake and Drinking Patterns on Mortality From All Causes and Major Causes of Death in a Japanese Population. <i>Journal of Epidemiology</i> , 2018, 28, 140-148.	1.1	39
223	Menstrual and reproductive factors in the risk of thyroid cancer in Japanese women: the Japan Public Health Center-Based Prospective Study. <i>European Journal of Cancer Prevention</i> , 2018, 27, 361-369.	0.6	11
224	Dietary patterns and colorectal cancer risk in middle-aged adults: A large population-based prospective cohort study. <i>Clinical Nutrition</i> , 2018, 37, 1019-1026.	2.3	20
225	Smoking and subsequent risk of acute myeloid leukaemia: A pooled analysis of 9 cohort studies in Japan. <i>Hematological Oncology</i> , 2018, 36, 262-268.	0.8	10
226	Impact of Moderate-Intensity and Vigorous-Intensity Physical Activity on Mortality. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 715-721.	0.2	30
227	Coffee and green tea consumption and subsequent risk of acute myeloid leukemia and myelodysplastic syndromes in Japan. <i>International Journal of Cancer</i> , 2018, 142, 1130-1138.	2.3	14
228	The association between plasma C-peptide concentration and the risk of prostate cancer: a nested case-control study within a Japanese population-based prospective study. <i>European Journal of Cancer Prevention</i> , 2018, 27, 461-467.	0.6	3
229	Coffee Consumption and Lung Cancer Risk: The Japan Public Health Center-Based Prospective Study. <i>Journal of Epidemiology</i> , 2018, 28, 207-213.	1.1	10
230	Genome-wide association study (GWAS) of ovarian cancer in Japanese predicted regulatory variants in 22q13.1. <i>PLoS ONE</i> , 2018, 13, e0209096.	1.1	8
231	Genome-wide association study identifies gastric cancer susceptibility loci at 12q24.11 and 20q11.21. <i>Cancer Science</i> , 2018, 109, 4015-4024.	1.7	39
232	Body-Mass Index and Pancreatic Cancer Incidence: A Pooled Analysis of Nine Population-Based Cohort Studies With More Than 340,000 Japanese Subjects. <i>Journal of Epidemiology</i> , 2018, 28, 245-252.	1.1	30
233	Increased Levels of Branched-Chain Amino Acid Associated With Increased Risk of Pancreatic Cancer in a Prospective Case-Control Study of a Large Cohort. <i>Gastroenterology</i> , 2018, 155, 1474-1482.e1.	0.6	59
234	Validity of a Self-administered Food Frequency Questionnaire for the Estimation of Acrylamide Intake in the Japanese Population: The JPHC FFQ Validation Study. <i>Journal of Epidemiology</i> , 2018, 28, 482-487.	1.1	20



#	ARTICLE	IF	CITATIONS
235	Dietary acrylamide intake and the risk of endometrial or ovarian cancers in Japanese women. <i>Cancer Science</i> , 2018, 109, 3316-3325.	1.7	26
236	Adult height and all-cause and cause-specific mortality in the Japan Public Health Center-based Prospective Study (JPHC). <i>PLoS ONE</i> , 2018, 13, e0197164.	1.1	15
237	Comparison of land use regression models for NO <sub>2</sub> based on routine and campaign monitoring data from an urban area of Japan. <i>Science of the Total Environment</i> , 2018, 631-632, 1029-1037.	3.9	18
238	Genome-wide association study identified new susceptible genetic variants in HLA class I region for hepatitis B virus-related hepatocellular carcinoma. <i>Scientific Reports</i> , 2018, 8, 7958.	1.6	38
239	Circulating isoflavone and lignan concentrations and prostate cancer risk: a meta-analysis of individual participant data from seven prospective studies including 2,828 cases and 5,593 controls. <i>International Journal of Cancer</i> , 2018, 143, 2677-2686.	2.3	27
240	Low Free Testosterone and Prostate Cancer Risk: A Collaborative Analysis of 20 Prospective Studies. <i>European Urology</i> , 2018, 74, 585-594.	0.9	75
241	The Validity and Reproducibility of Dietary Non-enzymatic Antioxidant Capacity Estimated by Self-administered Food Frequency Questionnaires. <i>Journal of Epidemiology</i> , 2018, 28, 428-436.	1.1	4
242	Circulating inflammatory markers and colorectal cancer risk: A prospective case-cohort study in Japan. <i>International Journal of Cancer</i> , 2018, 143, 2767-2776.	2.3	26
243	Menstrual and reproductive factors and risk of vertebral fractures in Japanese women: the Japan Public Health Center-based prospective (JPHC) study. <i>Osteoporosis International</i> , 2018, 29, 2791-2801.	1.3	10
244	Plasma tea catechins and risk of cardiovascular disease in middle-aged Japanese subjects: The JPHC study. <i>Atherosclerosis</i> , 2018, 277, 90-97.	0.4	22
245	Female reproductive factors and risk of all-cause and cause-specific mortality among women: The Japan Public Health Center-based Prospective Study (JPHC study). <i>Annals of Epidemiology</i> , 2018, 28, 597-604.e6.	0.9	16
246	Cigarette smoking, alcohol drinking, and oral cavity and pharyngeal cancer in the Japanese: a population-based cohort study in Japan. <i>European Journal of Cancer Prevention</i> , 2018, 27, 171-179.	0.6	19
247	Reproductive factors and gallbladder/bile duct cancer: a population-based cohort study in Japan. <i>European Journal of Cancer Prevention</i> , 2017, 26, 292-300.	0.6	10
248	Risk and preventive factors for prostate cancer in Japan: The Japan Public Health Center-based prospective (JPHC) study. <i>Journal of Epidemiology</i> , 2017, 27, 2-7.	1.1	67
249	Prediagnostic Calcium Intake and Lung Cancer Survival: A Pooled Analysis of 12 Cohort Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 1060-1070.	1.1	9
250	Chocolate consumption and risk of stroke among men and women: A large population-based, prospective cohort study. <i>Atherosclerosis</i> , 2017, 260, 8-12.	0.4	19
251	Association between type 2 diabetes and risk of cancer mortality: a pooled analysis of over 771,000 individuals in the Asia Cohort Consortium. <i>Diabetologia</i> , 2017, 60, 1022-1032.	2.9	132
252	Cruciferous Vegetable Intake Is Inversely Associated with Lung Cancer Risk among Current Nonsmoking Men in the Japan Public Health Center (JPHC) Study. <i>Journal of Nutrition</i> , 2017, 147, 841-849.	1.3	34



#	ARTICLE	IF	CITATIONS
253	Daily Total Physical Activity and Incident Cardiovascular Disease in Japanese Men and Women. <i>Circulation</i> , 2017, 135, 1471-1473.	1.6	15
254	Smoking and subsequent risk of leukemia in Japan: The Japan Public Health Center-based Prospective Study. <i>Journal of Epidemiology</i> , 2017, 27, 305-310.	1.1	12
255	Plasma adiponectin levels, ADIPOQ variants, and incidence of type 2 diabetes: A nested case-control study. <i>Diabetes Research and Clinical Practice</i> , 2017, 127, 254-264.	1.1	16
256	A Pooled Analysis of 15 Prospective Cohort Studies on the Association between Fruit, Vegetable, and Mature Bean Consumption and Risk of Prostate Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 1276-1287.	1.1	27
257	Daily Total Physical Activity and Incident Stroke. <i>Stroke</i> , 2017, 48, 1730-1736.	1.0	55
258	High serum total cholesterol is associated with suicide mortality in Japanese women. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 259-268.	2.2	19
259	Dietary acid load and mortality among Japanese men and women: the Japan Public Health Center-based Prospective Study. <i>American Journal of Clinical Nutrition</i> , 2017, 106, 146-154.	2.2	33
260	Comparison of weighed food record procedures for the reference methods in two validation studies of food frequency questionnaires. <i>Journal of Epidemiology</i> , 2017, 27, 331-337.	1.1	7
261	Dietary fiber intake and risk of breast cancer defined by estrogen and progesterone receptor status: the Japan Public Health Center-based Prospective Study. <i>Cancer Causes and Control</i> , 2017, 28, 569-578.	0.8	18
262	Changes in the Employment Status and Risk of Stroke and Stroke Types. <i>Stroke</i> , 2017, 48, 1176-1182.	1.0	31
263	Validity and reliability of a self-administered food frequency questionnaire for the JPHC study: The assessment of amino acid intake. <i>Journal of Epidemiology</i> , 2017, 27, 242-247.	1.1	5
264	Genetic Predisposition to Ischemic Stroke. <i>Stroke</i> , 2017, 48, 253-258.	1.0	64
265	Body mass index change during adulthood and risk of oesophageal squamous-cell carcinoma in a Japanese population: the Japan Public Health (JPHC)-based prospective study. <i>British Journal of Cancer</i> , 2017, 117, 1715-1722.	2.9	14
266	Dietary fish, n-3 polyunsaturated fatty acid consumption, and depression risk in Japan: a population-based prospective cohort study. <i>Translational Psychiatry</i> , 2017, 7, e1242-e1242.	2.4	62
267	Perceived stress level and risk of cancer incidence in a Japanese population: the Japan Public Health Center (JPHC)-based Prospective Study. <i>Scientific Reports</i> , 2017, 7, 12964.	1.6	34
268	Association of high-density lipoprotein cholesterol concentration with different types of stroke and coronary heart disease: The Japan Public Health Center-based prospective (JPHC) study. <i>Atherosclerosis</i> , 2017, 265, 147-154.	0.4	43
269	Genome-wide association study identifies 112 new loci for body mass index in the Japanese population. <i>Nature Genetics</i> , 2017, 49, 1458-1467.	9.4	380
270	Alcohol consumption and bladder cancer risk with or without the flushing response: The Japan Public Health Center-based Prospective Study. <i>International Journal of Cancer</i> , 2017, 141, 2480-2488.	2.3	14

#	ARTICLE	IF	CITATIONS
271	Smoking and alcohol and subsequent risk of myelodysplastic syndromes in Japan: the Japan Public Health Centre-based Prospective Study. <i>British Journal of Haematology</i> , 2017, 178, 747-755.	1.2	13
272	Inclusion of a Genetic Risk Score into a Validated Risk Prediction Model for Colorectal Cancer in Japanese Men Improves Performance. <i>Cancer Prevention Research</i> , 2017, 10, 535-541.	0.7	21
273	Online version of the self-administered food frequency questionnaire for the Japan Public Health Center-based Prospective Study for the Next Generation (JPHC-NEXT) protocol: Relative validity, usability, and comparison with a printed questionnaire. <i>Journal of Epidemiology</i> , 2017, 27, 435-446.	1.1	12
274	Fermented Soy Product Intake Is Inversely Associated with the Development of High Blood Pressure: The Japan Public Health Center-Based Prospective Study. <i>Journal of Nutrition</i> , 2017, 147, 1749-1756.	1.3	51
275	Coffee and Green Tea Consumption and Subsequent Risk of Malignant Lymphoma and Multiple Myeloma in Japan: The Japan Public Health Center-based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 1352-1356.	1.1	5
276	Changing trends in the prevalence of <i>H. pylori</i> infection in Japan (1908-2003): a systematic review and meta-regression analysis of 170,752 individuals. <i>Scientific Reports</i> , 2017, 7, 15491.	1.6	69
277	Dietary intake of antioxidant vitamins and risk of stroke: the Japan Public Health Center-based Prospective Study. <i>European Journal of Clinical Nutrition</i> , 2017, 71, 1179-1185.	1.3	27
278	The relationship between vegetable/fruit consumption and gallbladder/bile duct cancer: A population-based cohort study in Japan. <i>International Journal of Cancer</i> , 2017, 140, 1009-1019.	2.3	21
279	Plasma 25-hydroxy vitamin D and subsequent prostate cancer risk in a nested Case-Control study in Japan: The JPHC study. <i>European Journal of Clinical Nutrition</i> , 2017, 71, 132-136.	1.3	14
280	The association between adult attained height and sitting height with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , 2017, 12, e0173117.	1.1	21
281	Changes in the living arrangement and risk of stroke in Japan; does it matter who lives in the household? Who among the family matters?. <i>PLoS ONE</i> , 2017, 12, e0173860.	1.1	3
282	Circulating sex hormones in relation to anthropometric, sociodemographic and behavioural factors in an international dataset of 12,300 men. <i>PLoS ONE</i> , 2017, 12, e0187741.	1.1	34
283	Work-family conflict and self-rated health among Japanese workers: How household income modifies associations. <i>PLoS ONE</i> , 2017, 12, e0169903.	1.1	22
284	Dietary patterns and all-cause, cancer, and cardiovascular disease mortality in Japanese men and women: The Japan public health center-based prospective study. <i>PLoS ONE</i> , 2017, 12, e0174848.	1.1	96
285	Vitamin D Receptor Gene Polymorphism and the Risk of Colorectal Cancer: A Nested Case-Control Study. <i>PLoS ONE</i> , 2016, 11, e0164648.	1.1	21
286	Prediction of the 10-year probability of gastric cancer occurrence in the Japanese population: the JPHC study cohort. <i>International Journal of Cancer</i> , 2016, 138, 320-331.	2.3	78
287	<i>CYP1A1</i> , <i>GSTM1</i> and <i>GSTT1</i> genetic polymorphisms and gastric cancer risk among Japanese: A nested case-control study within a large-scale population-based prospective study. <i>International Journal of Cancer</i> , 2016, 139, 759-768.	2.3	20
288	Trends in the proportions of stroke subtypes and coronary heart disease in the Japanese men and women from 1995 to 2009. <i>Atherosclerosis</i> , 2016, 248, 219-223.	0.4	16

#	ARTICLE	IF	CITATIONS
289	Coffee drinking and colorectal cancer risk: an evaluation based on a systematic review and meta-analysis among the Japanese population. Japanese Journal of Clinical Oncology, 2016, 46, 781-787.	0.6	22
290	Coping strategies and cancer incidence and mortality: The Japan Public Health Center-based prospective study. Cancer Epidemiology, 2016, 40, 126-133.	0.8	18
291	High Dietary Acid Load Score Is Associated with Increased Risk of Type 2 Diabetes in Japanese Men: The Japan Public Health Center-based Prospective Study. Journal of Nutrition, 2016, 146, 1076-1083.	1.3	52
292	Association between mortality and incidence rates of coronary heart disease and stroke: The Japan Public Health Center-based prospective (JPHC) study. International Journal of Cardiology, 2016, 222, 281-286.	0.8	47
293	High hemoglobin A1c levels within the non-diabetic range are associated with the risk of all cancers. International Journal of Cancer, 2016, 138, 1741-1753.	2.3	39
294	Association between green tea/coffee consumption and biliary tract cancer: A population-based cohort study in Japan. Cancer Science, 2016, 107, 76-83.	1.7	31
295	Coffee and green tea consumption in relation to brain tumor risk in a Japanese population. International Journal of Cancer, 2016, 139, 2714-2721.	2.3	22
296	Validity of Short and Long Self-Administered Food Frequency Questionnaires in Ranking Dietary Intake in Middle-Aged and Elderly Japanese in the Japan Public Health Center-Based Prospective Study for the Next Generation (JPHC-NEXT) Protocol Area. Journal of Epidemiology, 2016, 26, 420-432.	1.1	180
297	Smoking is a risk factor for development of adult T-cell leukemia/lymphoma in Japanese human T-cell leukemia virus type-1 carriers. Cancer Causes and Control, 2016, 27, 1059-1066.	0.8	7
298	Alcohol consumption, genetic variants in the alcohol- and folate metabolic pathways and colorectal cancer risk: the JPHC Study. Scientific Reports, 2016, 6, 36607.	1.6	14
299	Quality of diet and mortality among Japanese men and women: Japan Public Health Center based prospective study. BMJ, The, 2016, 352, i1209.	3.0	135
300	Dietary pattern and breast cancer risk in Japanese women: the Japan Public Health Center-based Prospective Study (JPHC Study). British Journal of Nutrition, 2016, 115, 1769-1779.	1.2	34
301	History of diabetes and risk of suicide and accidental death in Japan: The Japan Public Health Centre-based Prospective Study, 1990-2012. Diabetes and Metabolism, 2016, 42, 184-191.	1.4	11
302	Marital Transition and Risk of Stroke. Stroke, 2016, 47, 991-998.	1.0	20
303	Cigarette smoking and bladder cancer risk: an evaluation based on a systematic review of epidemiologic evidence in the Japanese population. Japanese Journal of Clinical Oncology, 2016, 46, 273-283.	0.6	31
304	Glycemic index and glycemic load and risk of colorectal cancer: a population-based cohort study (JPHC Study). Cancer Causes and Control, 2016, 27, 583-593.	0.8	12
305	Hepatitis B and C Virus Infection and Risk of Pancreatic Cancer: A Population-Based Cohort Study (JPHC) Tj ETQq1	1.0.784314 1.1	rgBT /Cv 32
306	Association of Breakfast Intake With Incident Stroke and Coronary Heart Disease. Stroke, 2016, 47, 477-481.	1.0	69

#	ARTICLE	IF	CITATIONS
307	Coping strategies and risk of cardiovascular disease incidence and mortality: the Japan Public Health Center-based prospective Study. <i>European Heart Journal</i> , 2016, 37, 890-899.	1.0	45
308	Fish, <i>n</i> polyunsaturated fatty acids and <i>n</i> polyunsaturated fatty acids intake and breast cancer risk: The <sc>Japan <sc>Public <sc>Health <sc>Center-based prospective study. <i>International Journal of Cancer</i> , 2015, 137, 2915-2926.	2.3	48
309	Low-Carbohydrate Diet and Type 2 Diabetes Risk in Japanese Men and Women: The Japan Public Health Center-Based Prospective Study. <i>PLoS ONE</i> , 2015, 10, e0118377.	1.1	61
310	The association between complete and partial non-response to psychosocial questions and suicide: the JPHC Study. <i>European Journal of Public Health</i> , 2015, 25, 424-430.	0.1	14
311	Diagnosed diabetes and premature death among middle-aged Japanese: results from a large-scale population-based cohort study in Japan (JPHC study). <i>BMJ Open</i> , 2015, 5, e007736-e007736.	0.8	28
312	Fish, nâ€“3 PUFA consumption, and pancreatic cancer risk in Japanese: a large, population-based, prospective cohort study. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1490-1497.	2.2	39
313	Trends in cancer prognosis in a population-based cohort survey: Can recent advances in cancer therapy affect the prognosis?. <i>Cancer Epidemiology</i> , 2015, 39, 97-103.	0.8	8
314	Plasma Isoflavones and Risk of Primary Liver Cancer in Japanese Women and Men with Hepatitis Virus Infection: A Nested Caseâ€“Control Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 532-537.	1.1	17
315	Hepatitis B and C virus infection and risk of lymphoid malignancies: A population-based cohort study (JPHC Study). <i>Cancer Epidemiology</i> , 2015, 39, 562-566.	0.8	33
316	Association of coffee intake with total and cause-specific mortality in a Japanese population: the Japan Public Health Centerâ€“based Prospective Study. <i>American Journal of Clinical Nutrition</i> , 2015, 101, 1029-1037.	2.2	58
317	Association of green tea consumption with mortality due to all causes and major causes of death in a Japanese population: the Japan Public Health Center-based Prospective Study (JPHC Study). <i>Annals of Epidemiology</i> , 2015, 25, 512-518.e3.	0.9	66
318	The association of active and secondhand smoking with oral health in adults: Japan public health center-based study. <i>Tobacco Induced Diseases</i> , 2015, 13, 19.	0.3	19
319	Genetic polymorphisms of ADH1B, ADH1C and ALDH2, alcohol consumption, and the risk of gastric cancer: the Japan Public Health Center-based prospective study. <i>Carcinogenesis</i> , 2015, 36, 223-231.	1.3	69
320	Fiber intake and risk of subsequent prostate cancer in Japanese men. <i>American Journal of Clinical Nutrition</i> , 2015, 101, 118-125.	2.2	24
321	Neighborhood contextual factors for smoking among middle-aged Japanese: A multilevel analysis. <i>Health and Place</i> , 2015, 31, 17-23.	1.5	15
322	Occupational sitting time and risk of all-cause mortality among Japanese workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015, 41, 519-528.	1.7	22
323	Neighborhood Deprivation and Risk of Cancer Incidence, Mortality and Survival: Results from a Population-Based Cohort Study in Japan. <i>PLoS ONE</i> , 2014, 9, e106729.	1.1	19
324	Cholesterol and egg intakes and the risk of type 2 diabetes: The Japan Public Health Center-based Prospective Study. <i>British Journal of Nutrition</i> , 2014, 112, 1636-1643.	1.2	34

#	ARTICLE	IF	CITATIONS
325	Rice, bread, noodle and cereal intake and colorectal cancer in Japanese men and women: the Japan Public Health Center-based prospective Study (JPHC Study). <i>British Journal of Cancer</i> , 2014, 110, 1316-1321.	2.9	9
326	Burden of Total and Cause-Specific Mortality Related to Tobacco Smoking among Adults Aged ≥45 Years in Asia: A Pooled Analysis of 21 Cohorts. <i>PLoS Medicine</i> , 2014, 11, e1001631.	3.9	98
327	Association of vegetable and fruit intake with gastric cancer risk among Japanese: a pooled analysis of four cohort studies. <i>Annals of Oncology</i> , 2014, 25, 1228-1233.	0.6	47
328	Socioeconomic Status Inconsistency and Risk of Stroke Among Japanese Middle-Aged Women. <i>Stroke</i> , 2014, 45, 2592-2598.	1.0	22
329	Alcohol and smoking and subsequent risk of prostate cancer in Japanese men: The Japan Public Health Center-based prospective study. <i>International Journal of Cancer</i> , 2014, 134, 971-978.	2.3	52
330	Soy Intake and Breast Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiologic Evidence Among the Japanese Population. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 282-295.	0.6	79
331	The JPHC Study: Design and Some Findings on the Typical Japanese Diet. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 777-782.	0.6	313
332	Meat Consumption and Colorectal Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiologic Evidence Among the Japanese Population. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 641-650.	0.6	60
333	Rice consumption is not associated with risk of cardiovascular disease morbidity or mortality in Japanese men and women: a large population-based, prospective cohort study. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 199-207.	2.2	40
334	Coping behaviors and suicide in the middle-aged and older Japanese general population: the Japan Public Health Center-based Prospective Study. <i>Annals of Epidemiology</i> , 2014, 24, 199-205.	0.9	20
335	Associations of All-Cause Mortality with Census-Based Neighbourhood Deprivation and Population Density in Japan: A Multilevel Survival Analysis. <i>PLoS ONE</i> , 2014, 9, e97802.	1.1	65
336	Dietary arsenic intake and subsequent risk of cancer: the Japan Public Health Center-based (JPHC) Prospective Study. <i>Cancer Causes and Control</i> , 2013, 24, 1403-1415.	0.8	39
337	Attributable causes of cancer in Japan in 2005—systematic assessment to estimate current burden of cancer attributable to known preventable risk factors in Japan. <i>Annals of Oncology</i> , 2012, 23, 1362-1369.	0.6	152
338	Long-term Dietary Cadmium Intake and Cancer Incidence. <i>Epidemiology</i> , 2012, 23, 368-376.	1.2	58
339	Isoflavone intake and risk of gastric cancer: a population-based prospective cohort study in Japan. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 147-154.	2.2	36
340	Cigarette Smoking and Esophageal Cancer Risk: An Evaluation Based on a Systematic Review of Epidemiologic Evidence Among the Japanese Population. <i>Japanese Journal of Clinical Oncology</i> , 2012, 42, 63-73.	0.6	53
341	Consumption of n-3 Fatty Acids and Fish Reduces Risk of Hepatocellular Carcinoma. <i>Gastroenterology</i> , 2012, 142, 1468-1475.	0.6	164
342	P1-348 Leisure-time physical activity and breast cancer risk defined by oestrogen and progesterone receptor status: the Japan public health center-based prospective study. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A163-A163.	2.0	0

#	ARTICLE	IF	CITATIONS
343	Validity of a Self-Administered Food Frequency Questionnaire for Middle-Aged Urban Cancer Screenees: Comparison With 4-Day Weighed Dietary Records. <i>Journal of Epidemiology</i> , 2011, 21, 447-458.	1.1	46
344	Body weight at age 20 years, subsequent weight change and breast cancer risk defined by estrogen and progesterone receptor statusâ€”the Japan public health centerâ€”based prospective study. <i>International Journal of Cancer</i> , 2011, 129, 1214-1224.	2.3	63
345	10-Year risk of colorectal cancer: Development and validation of a prediction model in middle-aged Japanese men. <i>Cancer Epidemiology</i> , 2010, 34, 534-541.	0.8	56
346	Alcohol consumptionâ€”associated breast cancer incidence and potential effect modifiers: the Japan Public Health Centerâ€”based Prospective Study. <i>International Journal of Cancer</i> , 2010, 127, 685-695.	2.3	40
347	Plasma testosterone and sex hormoneâ€”binding globulin concentrations and the risk of prostate cancer among Japanese men: A nested caseâ€”control study. <i>Cancer Science</i> , 2010, 101, 2652-2657.	1.7	31
348	Association of Alcohol Intake with the Risk of Malignant Lymphoma and Plasma Cell Myeloma in Japanese: A Population-Based Cohort Study (Japan Public Health Centerâ€”based Prospective Study). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 429-434.	1.1	25
349	Association of Anthropometric Characteristics with the Risk of Malignant Lymphoma and Plasma Cell Myeloma in a Japanese Population: A Population-Based Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1623-1631.	1.1	20
350	Consumption of sodium and salted foods in relation to cancer and cardiovascular disease: the Japan Public Health Centerâ€”based Prospective Study. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 456-464.	2.2	100
351	Isoflavone intake and risk of lung cancer: a prospective cohort study in Japan. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 722-728.	2.2	77
352	Plasma Organochlorines and Subsequent Risk of Prostate Cancer in Japanese Men: A Nested Caseâ€”Control Study. <i>Environmental Health Perspectives</i> , 2010, 118, 659-665.	2.8	39
353	Body Mass Index and Subsequent Risk of Kidney Cancer: A Prospective Cohort Study in Japan. <i>Annals of Epidemiology</i> , 2010, 20, 466-472.	0.9	28
354	Green tea consumption and gastric cancer in Japanese: a pooled analysis of six cohort studies. <i>Gut</i> , 2009, 58, 1323-1332.	6.1	76