

# Eric Beckman

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7161198/publications.pdf>

Version: 2024-02-01

95  
papers

7,069  
citations

81839

39  
h-index

58549

82  
g-index

97  
all docs

97  
docs citations

97  
times ranked

5377  
citing authors

#	ARTICLE	IF	CITATIONS
1	Green processing using ionic liquids and CO <sub>2</sub> . <i>Nature</i> , 1999, 399, 28-29.	13.7	1,848
2	Generation of microcellular polymeric foams using supercritical carbon dioxide. I: Effect of pressure and temperature on nucleation. <i>Polymer Engineering and Science</i> , 1994, 34, 1137-1147.	1.5	482
3	Non-fluorous polymers with very high solubility in supercritical CO <sub>2</sub> down to low pressures. <i>Nature</i> , 2000, 405, 165-168.	13.7	425
4	Generation of microcellular polymeric foams using supercritical carbon dioxide. II: Cell growth and skin formation. <i>Polymer Engineering and Science</i> , 1994, 34, 1148-1156.	1.5	229
5	The Gelation of CO <sub>2</sub> : A Sustainable Route to the Creation of Microcellular Materials. <i>Science</i> , 1999, 286, 1540-1543.	6.0	204
6	Enzyme Activity in Supercritical Fluids. <i>Critical Reviews in Biotechnology</i> , 1995, 15, 41-71.	5.1	187
7	A challenge for green chemistry: designing molecules that readily dissolve in carbon dioxide. <i>Chemical Communications</i> , 2004, , 1885.	2.2	145
8	Making Polymers from Carbon Dioxide. <i>Science</i> , 1999, 283, 946-947.	6.0	128
9	Design and Synthesis of Low Cost, Sustainable CO <sub>2</sub> -philic. <i>Industrial &amp; Engineering Chemistry Research</i> , 2000, 39, 4678-4683.	1.8	128
10	One-Step Biocatalytic Synthesis of Linear Polyesters with Pendant Hydroxyl Groups. <i>Journal of the American Chemical Society</i> , 1998, 120, 9475-9480.	6.6	123
11	Nucleation and growth in microcellular materials: Supercritical CO <sub>2</sub> as foaming agent. <i>AIChE Journal</i> , 1995, 41, 357-367.	1.8	114
12	Enhancement of the Viscosity of Carbon Dioxide Using Styrene/Fluoroacrylate Copolymers. <i>Macromolecules</i> , 2000, 33, 5437-5442.	2.2	113
13	Toward the Development of "CO <sub>2</sub> -philic" Hydrocarbons. 1. Use of Side-Chain Functionalization to Lower the Miscibility Pressure of Polydimethylsiloxanes in CO <sub>2</sub> . <i>Journal of Physical Chemistry B</i> , 1999, 103, 6441-6444.	1.2	110
14	Effect of Grafted Lewis Base Groups on the Phase Behavior of Model Poly(dimethyl siloxanes) in CO <sub>2</sub> . <i>Industrial &amp; Engineering Chemistry Research</i> , 2003, 42, 6415-6424.	1.8	99
15	Peracetylated Sugar Derivatives Show High Solubility in Liquid and Supercritical Carbon Dioxide. <i>Organic Letters</i> , 2002, 4, 2333-2335.	2.4	95
16	Phase Behavior of Oxygen-Containing Polymers in CO <sub>2</sub> . <i>Macromolecules</i> , 2007, 40, 1332-1341.	2.2	95
17	Photocrosslinkable Hydrogel Synthesis via Rapid Photopolymerization of Novel PEG-Based Polymers in the Absence of Photoinitiators. <i>Journal of the American Chemical Society</i> , 1996, 118, 6235-6240.	6.6	93
18	Radical Reactions with Alkyl and Fluoroalkyl (Fluorous) Tin Hydride Reagents in Supercritical CO <sub>2</sub> . <i>Journal of the American Chemical Society</i> , 1997, 119, 7406-7407.	6.6	90

#	ARTICLE	IF	CITATIONS
19	Oxygenated Hydrocarbon Ionic Surfactants Exhibit CO <sub>2</sub> Solubility. <i>Journal of the American Chemical Society</i> , 2005, 127, 11754-11762.	6.6	85
20	Biocatalytic Solvent-Free Polymerization To Produce High Molecular Weight Polyesters. <i>Biotechnology Progress</i> , 1997, 13, 318-325.	1.3	81
21	Poly(ethylene glycol)-block-poly(N-vinylformamide) Copolymers Synthesized by the RAFT Methodology. <i>Macromolecules</i> , 2003, 36, 2563-2567.	2.2	81
22	Design, Synthesis, and Evaluation of Novel, Highly CO <sub>2</sub> -Soluble Chelating Agents for Removal of Metals. <i>Industrial &amp; Engineering Chemistry Research</i> , 1996, 35, 3644-3652.	1.8	80
23	Generation of hydrogen peroxide directly from H <sub>2</sub> and O <sub>2</sub> using CO <sub>2</sub> as the solvent. <i>Green Chemistry</i> , 2001, 3, 80-86.	4.6	77
24	Control of Subtilisin Substrate Specificity by Solvent Engineering in Organic Solvents and Supercritical Fluoroform. <i>Journal of the American Chemical Society</i> , 1996, 118, 12891-12901.	6.6	76
25	H <sub>2</sub> O <sub>2</sub> in CO <sub>2</sub> /H <sub>2</sub> O Biphasic Systems: Green Synthesis and Epoxidation Reactions. <i>Industrial &amp; Engineering Chemistry Research</i> , 2002, 41, 4466-4474.	1.8	73
26	Protein extraction and activity in reverse micelles of a nonionic detergent. <i>Biotechnology and Bioengineering</i> , 1992, 39, 806-814.	1.7	71
27	One-pot green synthesis of propylene oxide using in situ generated hydrogen peroxide in carbon dioxide. <i>Green Chemistry</i> , 2008, 10, 934.	4.6	69
28	Design and Evaluation of Nonfluorous CO <sub>2</sub> -Soluble Oligomers and Polymers. <i>Journal of Physical Chemistry B</i> , 2009, 113, 14971-14980.	1.2	69
29	The high CO <sub>2</sub> -solubility of per-acetylated $\hat{1}$ , $\hat{2}$ , and $\hat{3}$ -cyclodextrin. <i>Fluid Phase Equilibria</i> , 2003, 211, 211-217.	1.4	66
30	Thermally reversible polymeric sorbents for acid gases: CO <sub>2</sub> , SO <sub>2</sub> , and NO <sub>x</sub> . <i>Journal of Applied Polymer Science</i> , 1994, 53, 857-875.	1.3	65
31	Homopolymerization and Copolymerization of Cyclohexene Oxide with Carbon Dioxide Using Zinc and Aluminum Catalysts. <i>Macromolecules</i> , 1999, 32, 6904-6912.	2.2	64
32	Production of H <sub>2</sub> O <sub>2</sub> in CO <sub>2</sub> and its use in the direct synthesis of propylene oxide This work was presented at the Green Solvents for Catalysis Meeting held in Bruchsal, Germany, 13 <sup>th</sup> -16 <sup>th</sup> October, 2002. <i>Green Chemistry</i> , 2003, 5, 332.	4.6	60
33	Immobilization of glucose oxidase in thin polypyrrole films: Influence of polymerization conditions and film thickness on the activity and stability of the immobilized enzyme. <i>Biotechnology and Bioengineering</i> , 1993, 42, 1037-1045.	1.7	52
34	Semi-Fluorinated Trialkyltin Fluorides and Fluorinated Telechelic Ionomers as Viscosity-Enhancing Agents for Carbon Dioxide. <i>Industrial &amp; Engineering Chemistry Research</i> , 2001, 40, 908-913.	1.8	50
35	Direct synthesis of H <sub>2</sub> O <sub>2</sub> from O <sub>2</sub> and H <sub>2</sub> over precious metal loaded TS-1 in CO <sub>2</sub> . <i>Green Chemistry</i> , 2007, 9, 802.	4.6	47
36	Characterization of Synthetic Polymers Using Matrix-Assisted Laser Desorption/Ionization Time of Flight Mass Spectrometry. <i>Macromolecules</i> , 1996, 29, 2213-2221.	2.2	46

#	ARTICLE	IF	CITATIONS
37	Creating molecular barriers to acute platelet deposition on damaged arteries with reactive polyethylene glycol. , 1998, 41, 251-256.		46
38	Photoimmobilization of organophosphorus hydrolase within a PEG-based hydrogel. , 1999, 65, 579-588.		46
39	Design of highly CO <sub>2</sub> -soluble chelating agents for carbon dioxide extraction of heavy metals. Journal of Materials Research, 1995, 10, 530-537.	1.2	44
40	Design of Highly CO <sub>2</sub> -Soluble Chelating Agents. 2. Effect of Chelate Structure and Process Parameters on Extraction Efficiency. Industrial & Engineering Chemistry Research, 1997, 36, 2368-2374.	1.8	42
41	Influence of tert-amine groups on the solubility of polymers in CO <sub>2</sub> . Polymer, 2009, 50, 2436-2444.	1.8	42
42	Anthraquinone Siloxanes as Thickening Agents for Supercritical CO <sub>2</sub> . Energy & Fuels, 2016, 30, 5990-5998.	2.5	42
43	Biocatalytic polyester synthesis: Analysis of the evolution of molecular weight and end group functionality. , 1997, 55, 227-239.		40
44	Enzymatic synthesis of carbonate monomers and polycarbonates. , 1999, 62, 259-266.		35
45	Oxidation Reactions in CO <sub>2</sub> : Academic Exercise or Future Green Processes?. Environmental Science & Technology, 2003, 37, 5289-5296.	4.6	35
46	Carbon dioxide-in-oil emulsions stabilized with silicone-alkyl surfactants for waterless hydraulic fracturing. Journal of Colloid and Interface Science, 2018, 526, 253-267.	5.0	35
47	Ambient carboxylation on a supported reversible CO <sub>2</sub> carrier: ketone to $\beta$ -keto ester. Green Chemistry, 2011, 13, 376.	4.6	34
48	Peer Reviewed: Using CO <sub>2</sub> to Produce Chemical Products Sustainably. Environmental Science & Technology, 2002, 36, 347A-353A.	4.6	33
49	Remediation of Metal-Bearing Aqueous Waste Streams via Direct Carbonation. Energy & Fuels, 2001, 15, 256-262.	2.5	32
50	Putting carbon dioxide to work. Nature, 2016, 531, 180-181.	13.7	30
51	Small Molecule Cyclic Amide and Urea Based Thickeners for Organic and sc-CO <sub>2</sub> /Organic Solutions. Energy & Fuels, 2016, 30, 5601-5610.	2.5	29
52	Enzyme-catalyzed polycondensation reactions for the synthesis of aromatic polycarbonates and polyesters. , 1999, 65, 485-489.		28
53	Effect of Incubation of CO <sub>2</sub> and Lewis Acid on the Generation of Toluic Acid from Toluene and CO <sub>2</sub> . Industrial & Engineering Chemistry Research, 2009, 48, 1059-1062.	1.8	28
54	Affinity Extraction into Carbon Dioxide. 1. Extraction of Avidin Using a Biotin-Functional Fluoroether Surfactant. Industrial & Engineering Chemistry Research, 1997, 36, 5366-5370.	1.8	25

#	ARTICLE	IF	CITATIONS
55	Assessment of solubility and viscosity of ultra-high molecular weight polymeric thickeners in ethane, propane and butane for miscible EOR. Journal of Petroleum Science and Engineering, 2016, 145, 266-278.	2.1	25
56	The solubility of low molecular weight Poly(Dimethyl siloxane) in dense CO <sub>2</sub> and its use as a CO <sub>2</sub> -philic segment. Journal of Supercritical Fluids, 2017, 119, 17-25.	1.6	25
57	Affinity Extraction into CO <sub>2</sub> . 2. Extraction of Heavy Metals into CO <sub>2</sub> from Low-pH Aqueous Solutions. Industrial & Engineering Chemistry Research, 1998, 37, 4768-4773.	1.8	23
58	Effect of System Conditions for Biodiesel Production via Transesterification Using Carbon Dioxide-Methanol Mixtures in the Presence of a Heterogeneous Catalyst. ACS Sustainable Chemistry and Engineering, 2014, 2, 387-395.	3.2	23
59	Toward a Green and Sustainable Chemistry Education Road Map. Journal of Chemical Education, 2020, 97, 2104-2113.	1.1	23
60	Production of Hydrogen Peroxide in Liquid CO <sub>2</sub> . 3. Oxidation of CO <sub>2</sub> -Philic Anthrahydroquinones. Industrial & Engineering Chemistry Research, 2000, 39, 2843-2848.	1.8	22
61	Photoswitchable PEG-CA hydrogels and factors that affect their photosensitivity. Journal of Polymer Science Part A, 2000, 38, 1466-1476.	2.5	21
62	Thickening CO <sub>2</sub> with Direct Thickeners, CO <sub>2</sub> -in-Oil Emulsions, or Nanoparticle Dispersions: Literature Review and Experimental Validation. Energy & Fuels, 2021, 35, 8510-8540.	2.5	20
63	Solubility of several analogues of triphenylphosphine in carbon dioxide. Green Chemistry, 2005, 7, 590.	4.6	19
64	Patents and literature. Applied Biochemistry and Biotechnology, 1991, 31, 197-211.	1.4	18
65	Phase Behavior of Carbon Dioxide + 1,2-Epoxy cyclohexane Mixtures. Journal of Chemical & Engineering Data, 1997, 42, 664-667.	1.0	18
66	Fluoroacrylate-aromatic acrylate copolymers for viscosity enhancement of carbon dioxide. Journal of Supercritical Fluids, 2019, 146, 38-46.	1.6	18
67	Modelling phase behavior of biodiesel related systems with CO <sub>2</sub> using a polar version of PC-SAFT. Fluid Phase Equilibria, 2019, 485, 32-43.	1.4	17
68	Molecular redesign of expanded polystyrene to allow use of carbon dioxide as a foaming agent. I. Reversible binding of CO <sub>2</sub> . Journal of Applied Polymer Science, 1993, 50, 835-844.	1.3	16
69	Use of a batch-stirred reactor to rationally tailor biocatalytic polytransesterification. , 2000, 67, 424-434.		16
70	Production of Hydrogen Peroxide in Liquid CO <sub>2</sub> . 1. Design, Synthesis, and Phase Behavior of CO <sub>2</sub> -Miscible Anthraquinones. Industrial & Engineering Chemistry Research, 1999, 38, 2824-2832.	1.8	15
71	Small associative molecule thickeners for ethane, propane and butane. Journal of Supercritical Fluids, 2016, 114, 9-17.	1.6	15
72	An experimental feasibility study on the use of CO <sub>2</sub> -soluble polyfluoroacrylates for CO <sub>2</sub> mobility and conformance control applications. Journal of Petroleum Science and Engineering, 2020, 184, 106556.	2.1	15

#	ARTICLE	IF	CITATIONS
73	Determination of Mark-Houwink parameters for poly(N-vinylformamide). Journal of Polymer Science Part A, 1997, 35, 2533-2534.	2.5	14
74	Development of Small Molecule CO <sub>2</sub> Thickeners for EOR and Fracturing. , 2014, , .		14
75	Cellulose triacetate oligomers exhibit high solubility in dense CO <sub>2</sub> . Green Chemistry, 2008, 10, 756.	4.6	13
76	Design of Ligands for the Extraction of PtCl <sub>6</sub> <sup>2-</sup> into Liquid CO <sub>2</sub> . Industrial & Engineering Chemistry Research, 2001, 40, 2897-2903.	1.8	11
77	Separation of Thermoplastics by Density Using Near-Critical and Supercritical Carbon Dioxide and Sulfur Hexafluoride. ACS Symposium Series, 1992, , 172-185.	0.5	9
78	Rapid biocatalytic polytransesterification: Reaction kinetics in an exothermic reaction. , 1998, 59, 428-437.		9
79	Synthesis and Properties of some É-Caprolactone-Based Di- and Triblock Polymers by Anionic Polymerization. Macromolecular Materials and Engineering, 2001, 286, 497-505.	1.7	8
80	Tuning catalyst solubility in CO <sub>2</sub> by changing molar volume. Green Chemistry Letters and Reviews, 2010, 3, 319-328.	2.1	8
81	Developing a Functional Poly(dimethylsiloxane)-Based Microbial Nanoculture System Using Dimethylallylamine. ACS Applied Materials & Interfaces, 2020, 12, 50581-50591.	4.0	8
82	Solubilization and Activity of Proteins in Compressible-Fluid Based Microemulsions. Nature Biotechnology, 1992, 10, 1584-1588.	9.4	6
83	Synthesis and characterization of alkylated N-vinylformamide monomers and their polymers. Journal of Polymer Science Part A, 2004, 42, 4994-5004.	2.5	5
84	Enzyme Activity Using a Perfluoropolyether-Modified NAD(H) in Fluorous Solvents and Carbon Dioxide. ACS Symposium Series, 2002, , 64-81.	0.5	4
85	Highly CO <sub>2</sub> -Soluble Chelating Agents for Supercritical Extraction and Recovery of Heavy Metals. Materials Research Society Symposia Proceedings, 1994, 344, 211.	0.1	3
86	Fluoroacrylate Polymers as CO <sub>2</sub> -soluble Conformance Control Agents. , 2018, , .		3
87	Predicting Initial Reactant Miscibility for CO <sub>2</sub> -Enhanced Transesterification of Triglycerides with Methanol Using a Polar Version of PC-SAFT. Industrial & Engineering Chemistry Research, 2019, 58, 22598-22608.	1.8	3
88	Generation of Microcellular Biodegradable Polymers Using Supercritical Carbon Dioxide. ACS Symposium Series, 1999, , 181-193.	0.5	2
89	Design of a well-defined poly(dimethylsiloxane)-based microbial nanoculture system. Materials Today Communications, 2021, 27, 102185.	0.9	2
90	Use of a batch-stirred reactor to rationally tailor biocatalytic polytransesterification. Biotechnology and Bioengineering, 2000, 67, 424.	1.7	1

#	ARTICLE	IF	CITATIONS
91	Combined Reaction-Separation Processes in CO <sub>2</sub> . ACS Symposium Series, 2000, , 78-95.	0.5	0
92	Inverse Emulsion Polymerization in Carbon Dioxide. , 2006, , 139-156.		0
93	Using Ions to Control Transport in Two-Dimensional Materials for Ion-Controlled Electronics. , 2018, , .		0
94	Sugar Acetate-based Low Molecular Weight Organogelators. Chemistry Letters, 2020, 49, 1026-1029.	0.7	0
95	Work in Progress: A Vision for the First "Product Innovation Sequence" for Chemical Engineers. , 0, , .		0