

Jing Gao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7161802/publications.pdf>

Version: 2024-02-01

78
papers

1,300
citations

394421

19
h-index

377865

34
g-index

78
all docs

78
docs citations

78
times ranked

694
citing authors

#	ARTICLE	IF	CITATIONS
1	Rational design of a multifunctional molecular dye for dual-modal NIR-II/photoacoustic imaging and photothermal therapy. <i>Chemical Science</i> , 2019, 10, 8348-8353.	7.4	137
2	456-nm deep-blue laser generation by intracavity frequency doubling of Nd:GdVO ₄ under 879-nm diode pumping. <i>Laser Physics</i> , 2009, 19, 111-114.	1.2	106
3	Pulsed 456 nm deep-blue light generation by acoustooptical Q-switching and intracavity frequency doubling of Nd:GdVO ₄ . <i>Laser Physics Letters</i> , 2008, 5, 577-581.	1.4	84
4	120-W continuous-wave diode-end-pumped Nd:GdVO ₄ laser with high brightness operating at 912-nm. <i>Optics Express</i> , 2009, 17, 3574.	3.4	69
5	Room temperature efficient continuous wave and Q-switched Ho:YAG laser double-pass pumped by a diode-pumped Tm:YLF laser. <i>Laser Physics Letters</i> , 2008, 5, 800-803.	1.4	56
6	Diode-end-pumped acousto-optically Q-switched 914 nm laser and the pulsed blue light generation by intracavity frequency doubling. <i>Laser Physics Letters</i> , 2008, 5, 433-436.	1.4	54
7	Switchable Nanochannel Biosensor for H ₂ S Detection Based on an Azide Reduction Reaction Controlled BSA Aggregation. <i>Analytical Chemistry</i> , 2019, 91, 6149-6154.	6.5	45
8	Long distance, distributed gas sensing based on micro-nano fiber evanescent wave quartz-enhanced photoacoustic spectroscopy. <i>Applied Physics Letters</i> , 2017, 111, .	3.3	44
9	Laser operation of LD end-pumped grown-together Nd:YVO ₄ /YVO ₄ composite crystal. <i>Laser Physics Letters</i> , 2008, 5, 429-432.	1.4	39
10	Discrimination of Human and Nonhuman Blood by Raman Spectroscopy and Partial Least Squares Discriminant Analysis. <i>Analytical Letters</i> , 2017, 50, 379-388.	1.8	34
11	Quasi-three-level Nd:GdVO ₄ laser under diode pumping directly into the emitting level. <i>Laser Physics Letters</i> , 2008, 5, 797-799.	1.4	33
12	Diode-laser-pumped high efficiency continuous-wave operation at 912 nm laser in Nd:GdVO ₄ crystal. <i>Laser Physics Letters</i> , 2009, 6, 34-37.	1.4	32
13	Efficient generation of 914 nm laser with high beam quality in Nd:YVO ₄ crystal pumped by σ -polarized 808 nm diode-laser. <i>Laser Physics Letters</i> , 2008, 5, 655-658.	1.4	29
14	Upconversion spectra of Nd:GdVO ₄ crystal under CW 808 nm diode-laser pumping. <i>Laser Physics Letters</i> , 2009, 6, 125-128.	1.4	28
15	All-solid-state continuous-wave yellow laser at 561 nm under in-band pumping. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2013, 30, 95.	2.1	26
16	8.9-W continuous-wave, diode-end-pumped all-solid-state Nd:YVO ₄ laser operating at 914 nm. <i>Laser Physics</i> , 2009, 19, 389-391.	1.2	25
17	Blood species identification based on deep learning analysis of Raman spectra. <i>Biomedical Optics Express</i> , 2019, 10, 6129.	2.9	24
18	Improved performance of acoustooptically Q-switched Nd:GdVO ₄ laser by using the planoconvex cavity. <i>Laser Physics</i> , 2008, 18, 1505-1507.	1.2	22

#	ARTICLE	IF	CITATIONS
19	Quasi-three-level Nd:YVO ₄ laser operation at 914 nm under 879 nm diode laser pumping. <i>Laser Physics</i> , 2010, 20, 1590-1593.	1.2	22
20	Active Q-switching operation of slab Ho:SYSO laser wing-pumped by fiber coupled laser diodes. <i>Optics Express</i> , 2019, 27, 11455.	3.4	20
21	Vitamin D levels correlate with lymphocyte subsets in elderly patients with age-related diseases. <i>Scientific Reports</i> , 2018, 8, 7708.	3.3	19
22	Comparison on performance of acousto-optically Q-switched Nd:GdVO ₄ and Nd:YVO ₄ lasers at high repetition rates under direct diode pumping of the emitting level. <i>Optics Express</i> , 2009, 17, 9468.	3.4	18
23	Continuous-wave and passively Q-switched 1.06 μ m ceramic Nd:YAG laser. <i>Optics and Laser Technology</i> , 2016, 81, 46-49.	4.6	17
24	Continuous-wave yellow-green laser at 0.56 μ m based on frequency doubling of a diode-end-pumped ceramic Nd:YAG laser. <i>Applied Optics</i> , 2015, 54, 5817.	2.1	16
25	The application of bioactive pyrazolopyrimidine unit for the construction of fluorescent biomarkers. <i>Dyes and Pigments</i> , 2020, 173, 107878.	3.7	16
26	Laser operation at high repetition rate of 100 kHz in Nd:GdVO ₄ under 879 nm diode-laser pumping. <i>Applied Physics B: Lasers and Optics</i> , 2008, 92, 199-202.	2.2	15
27	Diode-pumped short pulse passively Q-switched 912 nm Nd:GdVO ₄ /Cr:YAG laser at high repetition rate operation. <i>Laser Physics</i> , 2010, 20, 1275-1278.	1.2	15
28	Discrimination of blood species using Raman spectroscopy combined with a recurrent neural network. <i>OSA Continuum</i> , 2021, 4, 672.	1.8	15
29	Fluorescent hydrogen sulfide probes based on azonia-cyanine dyes and their imaging applications in organelles. <i>Analytica Chimica Acta</i> , 2019, 1068, 60-69.	5.4	14
30	Error analysis of the spectral shift for partial least squares models in Raman spectroscopy. <i>Optics Express</i> , 2018, 26, 8016.	3.4	13
31	Dual-model analysis for improving the discrimination performance of human and nonhuman blood based on Raman spectroscopy. <i>Biomedical Optics Express</i> , 2018, 9, 3512.	2.9	13
32	Efficient continuous-wave 1112 nm Nd:YAG laser operation under direct diode pumping at 885 nm. <i>Laser Physics Letters</i> , 2013, 10, 015802.	1.4	12
33	Continuous-wave and passively Q-switched Nd:GYTO ₄ laser. <i>Laser Physics Letters</i> , 2017, 14, 095802.	1.4	12
34	Continuous-wave yellow laser generation at 578 nm by intracavity sum-frequency mixing of thin disk Yb:YAG laser and Nd:YAG laser. <i>Optics and Laser Technology</i> , 2017, 92, 32-35.	4.6	11
35	Continuous-wave and pulsed 1,066-nm Nd:Gd _{0.69} Y _{0.3} TaO ₄ laser directly pumped by a 879-nm laser diode. <i>Optics Express</i> , 2018, 26, 15705.	3.4	11
36	Improvement in the laser performances of an A-O Q-switched Nd:GdVO ₄ laser by direct-diode pumping into the emitting level. <i>Laser Physics</i> , 2008, 18, 831-834.	1.2	10

#	ARTICLE	IF	CITATIONS
37	Highly efficient continuous-wave composite Nd:YAG laser at 1,112Ånm under diode pumping directly into the emitting level. Applied Physics B: Lasers and Optics, 2013, 111, 407-413.	2.2	10
38	High-power continuous-wave yellow-green laser at 558nm under in-band pumping. Optics Communications, 2014, 319, 110-112.	2.1	10
39	Discrimination of human and nonhuman blood using Raman spectroscopy with self-reference algorithm. Journal of Biomedical Optics, 2017, 22, 1.	2.6	10
40	Improvement of diode-end-pumped 912 nm Nd:GdVO4 laser performance based on microchannel heat sink. Journal of Russian Laser Research, 2009, 30, 327-337.	0.6	9
41	Fourier based partial least squares algorithm: new insight into influence of spectral shift in frequency domain. Optics Express, 2019, 27, 2926.	3.4	9
42	The influence of energy transfer upconversion on thermal loading in end-pumped Nd:GdVO4 laser. Laser Physics, 2009, 19, 1969-1973.	1.2	8
43	Effects of energy-transfer up-conversion and excited-state absorption in quasi-three-level Nd:GdVO4 lasers. Journal of Russian Laser Research, 2009, 30, 376-383.	0.6	7
44	High-power, continuous-wave optical parametric oscillator based on MgO:SPPLT crystal. Microwave and Optical Technology Letters, 2021, 63, 2068-2073.	1.4	7
45	High Power Continuous-Wave and Acousto-Optic Q-Switched Nd:GdVO 4 Laser Operated at 912 nm. Chinese Physics Letters, 2008, 25, 119-121.	3.3	6
46	Investigation on 13 ¼m laser performance with Nd:Gd069Y03TaO4 and Nd:Gd068Y03NbO4 mixed crystals. Optics Express, 2018, 26, 15785.	3.4	6
47	High-repetition-rate passively Q-switched Nd:GdTaO4 1066nm laser under 879nm pumping. Infrared Physics and Technology, 2019, 102, 103025.	2.9	6
48	926nm laser operation in Nd:GdNbO4 crystal based on 4F3/2-4I9/2 transition. Optics and Laser Technology, 2018, 101, 515-519.	4.6	5
49	Harmonic mode locking underneath the Q-switched envelope in passively Q-switched mode-locked Nd:GdTaO4 1066Ånm laser. Infrared Physics and Technology, 2020, 111, 103553.	2.9	5
50	The identification of blood species using the correlation coefficient of sub-spectra based on Raman spectroscopy. Optik, 2020, 200, 163312.	2.9	4
51	4F3/2-4I9/2 and 4F3/2-4I13/2 laser operations with a Nd:GdTaO4 crystal. Optics and Laser Technology, 2020, 131, 106444.	4.6	4
52	Study of the thermal effect in Nd:GdVO4 912 nm CW laser. Journal of Russian Laser Research, 2013, 34, 114-119.	0.6	3
53	Generation of a 578-nm Yellow Laser by the Use of Sum-Frequency Mixing in a Branched Cavity. IEEE Photonics Journal, 2016, 8, 1-7.	2.0	3
54	LD pumped passively Q-switched ceramic Nd:YAG 946Ånm laser with a high peak power output. Optical and Quantum Electronics, 2016, 48, 1.	3.3	3

#	ARTICLE	IF	CITATIONS
55	LD pumped 1347nm laser with a novel Nd:GdNbO ₄ crystal. Infrared Physics and Technology, 2018, 94, 32-37.	2.9	3
56	Synthesis and optical properties of bispyrazolopyridine derivatives. Dyes and Pigments, 2020, 181, 108569.	3.7	3
57	High Dynamic Range Structured Illumination Microscope Based on Multiple Exposures. Frontiers in Physics, 2021, 9, .	2.1	3
58	Determination of blood species using echelle Raman spectrometer and surface enhanced Raman spectroscopy. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2022, 281, 121640.	3.9	3
59	Quasi-three-level neodymium vanadate laser operation under polarized diode pumping: theoretical and experimental investigation. Laser Physics, 2012, 22, 1279-1285.	1.2	2
60	Research on the optical system of neonatal jaundice phototherapy apparatus based on fly-eye lens. , 2013, , .		2
61	Modeling and optimization of actively Q-switched Nd-doped quasi-three-level laser. Optics Communications, 2013, 305, 276-281.	2.1	2
62	Spectral Range Optimization to Enhance the Effectiveness of Phototherapy for Neonatal Hyperbilirubinemia. Journal of Applied Spectroscopy, 2017, 84, 92-102.	0.7	2
63	Comparison on performances of continuous-wave and acousto-optically Q-switched Nd:GdYTaO ₄ lasers under 808nm and 879nm pumping. Infrared Physics and Technology, 2020, 110, 103449.	2.9	2
64	High-efficiency Nd:LuVO ₄ quasi-three-level 916nm laser under polarized pumping. Applied Optics, 2013, 52, 4020.	1.8	1
65	High-power, high-repetition-rate actively Q-switched 916nm laser and the frequency doubled pulsed 458nm blue laser. Optics and Laser Technology, 2014, 58, 161-165.	4.6	1
66	Diode-pumped passively Q-switched 916nm laser with a Cr ⁴⁺ :YAG saturable absorber. Optics Communications, 2014, 313, 401-405.	2.1	1
67	Modeling and optimization of actively Q-switched Nd:GdVO ₄ 912 nm laser. Optik, 2015, 126, 1282-1286.	2.9	1
68	Diode pumped Dy:YAG yellow laser. , 2017, , .		1
69	Novel CW and actively Q-switched 1066 nm Nd:GdYNbO ₄ laser under direct pumping. Optik, 2019, 181, 398-403.	2.9	1
70	The single-wavelength 561nm laser based on reflective volume Bragg grating. Microwave and Optical Technology Letters, 2023, 65, 1255-1260.	1.4	1
71	Improvement of the Performance of an Acousto-Optical Q-Switched Nd:YAG 946nm Laser Using a Convex Plane Cavity. Journal of Russian Laser Research, 2013, 34, 586-592.	0.6	0
72	All-Solid-State Efficient CW Yellow Laser under Direct Diode-Pumping. , 2014, , .		0

#	ARTICLE	IF	CITATIONS
73	Quasi-three-level Nd:GdYNbO ₄ 927-nm laser under 879-nm laser diode pumping. Laser Physics, 2018, 28, 085803.	1.2	0
74	LD pumped quasi-three-level 928-nm laser with Nd:Gd _{0.69} Y _{0.3} TaO ₄ mixed crystal. Optics and Laser Technology, 2019, 111, 222-226.	4.6	0
75	All-Solid-State Continuous-wave Yellow-Green Ceramic Laser at 0.56 μm. , 2015, , .		0
76	LD pumped Nd:GdNbO ₄ crystal laser operating at 926 nm. , 2018, , .		0
77	Tunable short-wave near-infrared continuous wave source based on a 532-nm pumped singly resonant optical parametric idler oscillator. , 2022, 1, 547.		0
78	High peak power, high repetition rate electro-optically Q-switched Nd:GdTaO ₄ 1066-nm laser. Infrared Physics and Technology, 2022, 125, 104266.	2.9	0