

Myung-Ha Yoon

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7162982/publications.pdf>

Version: 2024-02-01

56
papers

550
citations

623734

14
h-index

713466

21
g-index

57
all docs

57
docs citations

57
times ranked

713
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Antinociception of Intrathecal Adenosine Receptor Subtype Agonists in Rat Formalin Test. <i>Anesthesia and Analgesia</i> , 2005, 101, 1417-1421. | 2.2 | 45 |
| 2 | Spinal Gabapentin and Antinociception: Mechanisms of Action. <i>Journal of Korean Medical Science</i> , 2003, 18, 255. | 2.5 | 44 |
| 3 | Analgesic Effects of Intrathecal Curcumin in the Rat Formalin Test. <i>Korean Journal of Pain</i> , 2012, 25, 1-6. | 2.2 | 38 |
| 4 | Roles of Adenosine Receptor Subtypes in the Antinociceptive Effect of Intrathecal Adenosine in a Rat Formalin Test. <i>Pharmacology</i> , 2006, 78, 21-26. | 2.2 | 33 |
| 5 | Characteristic of Interactions Between Intrathecal Gabapentin and Either Clonidine or Neostigmine in the Formalin Test. <i>Anesthesia and Analgesia</i> , 2004, 98, 1374-1379. | 2.2 | 24 |
| 6 | Antinociceptive Interactions between Intrathecal Gabapentin and MK801 or NBQX in Rat Formalin Test. <i>Journal of Korean Medical Science</i> , 2005, 20, 307. | 2.5 | 20 |
| 7 | Evaluation for the interaction between intrathecal melatonin and clonidine or neostigmine on formalin-induced nociception. <i>Life Sciences</i> , 2008, 83, 845-850. | 4.3 | 18 |
| 8 | Additive Antinociception between Intrathecal Sildenafil and Morphine in the Rat Formalin Test. <i>Journal of Korean Medical Science</i> , 2008, 23, 1033. | 2.5 | 17 |
| 9 | Antiallodynic effect of tianeptine via modulation of the 5-HT7 receptor of GABAergic interneurons in the spinal cord of neuropathic rats. <i>Neuroscience Letters</i> , 2015, 598, 91-95. | 2.1 | 17 |
| 10 | Antinociceptive effects and synergistic interaction with morphine of intrathecal metabotropic glutamate receptor 2/3 antagonist in the formalin test of rats. <i>Neuroscience Letters</i> , 2006, 394, 222-226. | 2.1 | 16 |
| 11 | Antinociceptive effect of intrathecal sec-O-glucosylhamaudol on the formalin-induced pain in rats. <i>Korean Journal of Pain</i> , 2017, 30, 98-103. | 2.2 | 16 |
| 12 | Lack of the nitric oxide-cyclic GMP-potassium channel pathway for the antinociceptive effect of intrathecal zaprinast in a rat formalin test. <i>Neuroscience Letters</i> , 2005, 390, 114-117. | 2.1 | 15 |
| 13 | Roles of opioid receptor subtypes on the antinociceptive effect of intrathecal sildenafil in the formalin test of rats. <i>Neuroscience Letters</i> , 2008, 441, 125-128. | 2.1 | 15 |
| 14 | A New Rat Model of Cisplatin-induced Neuropathic Pain. <i>Korean Journal of Pain</i> , 2015, 28, 236-243. | 2.2 | 15 |
| 15 | Evaluation of Interaction between Intrathecal Adenosine and MK801 or NBQX in a Rat Formalin Pain Model. <i>Pharmacology</i> , 2005, 75, 157-164. | 2.2 | 13 |
| 16 | Hemodynamic Effects of Gabapentin in Rats. <i>Journal of Korean Medical Science</i> , 2003, 18, 478. | 2.5 | 12 |
| 17 | Isobolographic Analysis of Drug Combinations With Intrathecal BRL52537 (μ -Opioid Agonist), Pregabalin (Calcium Channel Modulator), AF 353 (P2X3 Receptor Antagonist), and A804598 (P2X7 Receptor) Tj ETQq1 1 0.7843 14 rgBTz/Overlock | 2.2 | 12 |
| 18 | Synergistic Interaction Between Intrathecal Ginsenosides and Morphine on Formalin-Induced Nociception in Rats. <i>Journal of Pain</i> , 2011, 12, 774-781. | 1.4 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Spinal 5-HT _{1A} , not the 5-HT _{1B} or 5-HT ₃ receptors, mediates descending serotonergic inhibition for late-phase mechanical allodynia of carrageenan-induced peripheral inflammation. <i>Neuroscience Letters</i> , 2015, 600, 91-97. | 2.1 | 11 |
| 20 | Antiallodynic effect through spinal endothelin-B receptor antagonism in rat models of complex regional pain syndrome. <i>Neuroscience Letters</i> , 2015, 584, 45-49. | 2.1 | 11 |
| 21 | The antiallodynic effect of intrathecal tianeptine is exerted by increased serotonin and norepinephrine in the spinal dorsal horn. <i>Neuroscience Letters</i> , 2014, 583, 103-107. | 2.1 | 10 |
| 22 | Urinary trypsin inhibitor attenuates the development of neuropathic pain following spinal nerve ligation. <i>Neuroscience Letters</i> , 2015, 590, 150-155. | 2.1 | 10 |
| 23 | Nefopam downregulates autophagy and c-Jun N-terminal kinase activity in the regulation of neuropathic pain development following spinal nerve ligation. <i>BMC Anesthesiology</i> , 2018, 18, 97. | 1.8 | 10 |
| 24 | Antiallodynic effect of intrathecal epigallocatechin-3-gallate due to suppression of reactive oxygen species. <i>Korean Journal of Anesthesiology</i> , 2014, 67, 123. | 2.5 | 9 |
| 25 | Effect of sec-O-glucosylhamaudol on mechanical allodynia in a rat model of postoperative pain. <i>Korean Journal of Pain</i> , 2019, 32, 87-96. | 2.2 | 9 |
| 26 | Analysis of Interactions between Serotonin and Gabapentin or Adenosine in the Spinal Cord of Rats. <i>Pharmacology</i> , 2005, 74, 15-22. | 2.2 | 8 |
| 27 | Analgesic Effect of Intrathecal Ginsenosides in a Murine Bone Cancer Pain. <i>Korean Journal of Pain</i> , 2010, 23, 230-235. | 2.2 | 7 |
| 28 | Antinociceptive effects of nefopam modulating serotonergic, adrenergic, and glutamatergic neurotransmission in the spinal cord. <i>Neuroscience Letters</i> , 2020, 731, 135057. | 2.1 | 7 |
| 29 | Synergistic Effects Between Intrathecal Clonidine and Neostigmine in the Formalin Test. <i>Journal of Korean Medical Science</i> , 2001, 16, 498. | 2.5 | 6 |
| 30 | Antinociceptive effect of intrathecal P7C3 via GABA in a rat model of inflammatory pain. <i>European Journal of Pharmacology</i> , 2021, 899, 174029. | 3.5 | 6 |
| 31 | A Nationwide Retrospective Study of Opioid Management Patterns in 2,468 Patients with Spinal Pain in Korea. <i>Asian Spine Journal</i> , 2016, 10, 1122. | 2.0 | 6 |
| 32 | Synergistic antinociception of intrathecal sildenafil with clonidine in the rat formalin test. <i>Pharmacology Biochemistry and Behavior</i> , 2009, 92, 583-588. | 2.9 | 5 |
| 33 | Discovery of Novel Biased Opioid Receptor Ligands through Structure-Based Pharmacophore Virtual Screening and Experiment. <i>ChemMedChem</i> , 2019, 14, 1783-1794. | 3.2 | 5 |
| 34 | Differential expression of spinal γ -aminobutyric acid and opioid receptors modulates the analgesic effects of intrathecal curcumin on postoperative/inflammatory pain in rats. <i>Anesthesia and Pain Medicine</i> , 2018, 13, 82-92. | 1.4 | 5 |
| 35 | Antinociceptive role of neurotensin receptor 1 in rats with chemotherapy-induced peripheral neuropathy. <i>Korean Journal of Pain</i> , 2020, 33, 318-325. | 2.2 | 5 |
| 36 | Lack of Reciprocity between Opioid and 5-HT ₃ Receptors for Antinociception in Rat Spinal Cord. <i>Pharmacology</i> , 2006, 77, 195-202. | 2.2 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Effects of tianeptine on the development and maintenance of mechanical allodynia in a rat model of neuropathic pain. <i>Neuroscience Letters</i> , 2016, 633, 82-86. | 2.1 | 4 |
| 38 | Antiallodynic Effect of Intrathecal Korean Red Ginseng in Cisplatin-Induced Neuropathic Pain Rats. <i>Pharmacology</i> , 2020, 105, 173-180. | 2.2 | 4 |
| 39 | Antinociceptive Effects of Intrathecal 5-Hydroxytryptamine and Its Subtype Agonists in the Formalin Test. <i>Daehan Macwi'gwa Haghoeji</i> , 2002, 42, 542. | 0.2 | 4 |
| 40 | Interaction between Intrathecal Gabapentin and Adenosine in the Formalin Test of Rats. <i>Journal of Korean Medical Science</i> , 2004, 19, 581. | 2.5 | 3 |
| 41 | The efficacy of sevoflurane inhalation alone or its combination with intravenous remifentanyl against withdrawal movements on rocuronium injection in children. <i>Korean Journal of Anesthesiology</i> , 2014, 67, 373. | 2.5 | 3 |
| 42 | Effect of Zaprinast, a Phosphodiesterase Inhibitor, on Formalin-induced Nociception and Hemodynamics in the Rat Spinal Cord. <i>Daehan Macwi'gwa Haghoeji</i> , 2005, 48, 651. | 0.2 | 3 |
| 43 | Clinical Use of Steroid. <i>The Korean Journal of Pain</i> , 2004, 17, S45. | 0.1 | 2 |
| 44 | Prostaglandin D ₂ contributes to cisplatin-induced neuropathic pain in rats <i>via</i> DP2 receptor in the spinal cord. <i>Korean Journal of Pain</i> , 2021, 34, 27-34. | 2.2 | 2 |
| 45 | Systemically administered neurotensin receptor agonist produces antinociception through activation of spinally projecting serotonergic neurons in the rostral ventromedial medulla. <i>Korean Journal of Pain</i> , 2021, 34, 58-65. | 2.2 | 2 |
| 46 | Evaluation of the Role of 5-Hydroxytryptamine Receptor Subtypes in the Regulation of Nociceptive Transmission in the Rat Spinal Cord. <i>Daehan Macwi'gwa Haghoeji</i> , 2004, 47, 856. | 0.2 | 2 |
| 47 | Effect-site concentration of remifentanyl for blunting hemodynamic response to double lumen endobronchial intubation during target controlled infusion-total intravenous anesthesia using propofol with remifentanyl. <i>Korean Journal of Anesthesiology</i> , 2009, 57, 8. | 2.5 | 2 |
| 48 | Hypertrophic Scar with Chronic Pain after Acute Herpes Zoster -A case report-. <i>The Korean Journal of Pain</i> , 2005, 18, 229. | 0.1 | 1 |
| 49 | The Role of Opioid Receptor on the Analgesic Action of Intrathecal Sildenafil in Rats. <i>The Korean Journal of Pain</i> , 2007, 20, 21. | 0.1 | 1 |
| 50 | Effects of Desflurane and Isoflurane on Arterial Oxygenation and Intrapulmonary Shunt in One Lung Anesthesia. <i>Daehan Macwi'gwa Haghoeji</i> , 2000, 38, 623. | 0.2 | 1 |
| 51 | Pharmacological interactions between intrathecal pregabalin plus tianeptine or clopidogrel in a rat model of neuropathic pain. <i>Korean Journal of Pain</i> , 2022, 35, 59-65. | 2.2 | 1 |
| 52 | Effect of Intrathecal Epigallocatechin-3-gallate on Formalin-induced Pain Rat Model. <i>Chonnam Medical Journal</i> , 2008, 44, 104. | 0.1 | 0 |
| 53 | Effects of Intracoronary Epinephrine on Coronary Blood Flow, Oxidative Metabolism and Mechanical Function in Normal and Stunned Myocardium in Dogs. <i>Daehan Macwi'gwa Haghoeji</i> , 2000, 39, 568. | 0.2 | 0 |
| 54 | Effect of Spinal Adrenergic and Cholinergic Antagonists for Antinociception of Intrathecal Gabapentin. <i>Daehan Macwi'gwa Haghoeji</i> , 2002, 42, 677. | 0.2 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Antinociceptive Effects of Intrathecal Adenosine Receptors Subtype Agonists in the Formalin Test. The Korean Journal of Pain, 2004, 17, 99. | 0.1 | 0 |
| 56 | Study for the Antinociceptive Effect and Toxicity of Chronic Intrathecal Infusion of Cannabinoids in Rats. The Korean Journal of Pain, 2005, 18, 133. | 0.1 | 0 |