List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7163408/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Extremely potent triterpenoid inducers of the phase 2 response: Correlations of protection against oxidant and inflammatory stress. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 4584-4589.	7.1	506
2	Chemoprevention of cancer. Carcinogenesis, 2000, 21, 525-530.	2.8	421
3	Chemoprevention: an essential approach to controlling cancer. Nature Reviews Cancer, 2002, 2, 537-543.	28.4	340
4	An Inducible Pathway for Degradation of FLIP Protein Sensitizes Tumor Cells to TRAIL-induced Apoptosis. Journal of Biological Chemistry, 2002, 277, 22320-22329.	3.4	278
5	The Synthetic Triterpenoids, CDDO and CDDO-Imidazolide, Are Potent Inducers of Heme Oxygenase-1 and Nrf2/ARE Signaling. Cancer Research, 2005, 65, 4789-4798.	0.9	264
6	Cancer-preventive activities of tocopherols and tocotrienols. Carcinogenesis, 2010, 31, 533-542.	2.8	225
7	Synthetic Oleanane and Ursane Triterpenoids with Modified Rings A and C:  A Series of Highly Active Inhibitors of Nitric Oxide Production in Mouse Macrophages. Journal of Medicinal Chemistry, 2000, 43, 4233-4246.	6.4	217
8	Design and synthesis of 2-cyano-3,12-dioxoolean-1,9-dien-28-oic acid, a novel and highly active inhibitor of nitric oxide production in mouse macrophages. Bioorganic and Medicinal Chemistry Letters, 1998, 8, 2711-2714.	2.2	185
9	Novel triterpenoid CDDO-Me is a potent inducer of apoptosis and differentiation in acute myelogenous leukemia. Blood, 2002, 99, 326-335.	1.4	162
10	Rotenoids mediate potent cancer chemopreventive activity through transcriptional regulation of ornithine decarboxylase. Nature Medicine, 1995, 1, 260-266.	30.7	137
11	A novel dicyanotriterpenoid, 2-cyano-3,12-dioxooleana-1,9(11)-dien-28-onitrile, active at picomolar concentrations for inhibition of nitric oxide production. Bioorganic and Medicinal Chemistry Letters, 2002, 12, 1027-1030.	2.2	134
12	Pterostilbene, an Active Constituent of Blueberries, Suppresses Aberrant Crypt Foci Formation in the Azoxymethane-Induced Colon Carcinogenesis Model in Rats. Clinical Cancer Research, 2007, 13, 350-355.	7.0	133
13	Chemical and Bioactive Constituents from Zanthoxylum simulans. Journal of Natural Products, 1994, 57, 1206-1211.	3.0	132
14	Synthetic Triterpenoids Cooperate with Tumor Necrosis Factor–Related Apoptosis-Inducing Ligand to Induce Apoptosis of Breast Cancer Cells. Cancer Research, 2005, 65, 4799-4808.	0.9	129
15	The Pak4 Protein Kinase Plays a Key Role in Cell Survival and Tumorigenesis in Athymic Mice. Molecular Cancer Research, 2008, 6, 1215-1224.	3.4	123
16	The bortezomib/proteasome inhibitor PS-341 and triterpenoid CDDO-Im induce synergistic anti–multiple myeloma (MM) activity and overcome bortezomib resistance. Blood, 2004, 103, 3158-3166.	1.4	122
17	Anti-inflammatory Action of Pterostilbene Is Mediated through the p38 Mitogen-Activated Protein Kinase Pathway in Colon Cancer Cells. Cancer Prevention Research, 2009, 2, 650-657.	1.5	121
18	The novel synthetic triterpenoid, CDDO-imidazolide, inhibits inflammatory response and tumor growth in vivo. Clinical Cancer Research, 2003, 9, 2798-806.	7.0	120

#	Article	IF	CITATIONS
19	Dietary intake of pterostilbene, a constituent of blueberries, inhibits the Â-catenin/p65 downstream signaling pathway and colon carcinogenesis in rats. Carcinogenesis, 2010, 31, 1272-1278.	2.8	116
20	Novel Synthetic Oleanane and Ursane Triterpenoids with Various Enone Functionalities in Ring A as Inhibitors of Nitric Oxide Production in Mouse Macrophagesâ€. Journal of Medicinal Chemistry, 2000, 43, 1866-1877.	6.4	113
21	γâ€Tocopherolâ€enriched mixed tocopherol diet inhibits prostate carcinogenesis in TRAMP mice. International Journal of Cancer, 2009, 124, 1693-1699.	5.1	111
22	Mixed Tocopherols Prevent Mammary Tumorigenesis by Inhibiting Estrogen Action and Activating PPAR-Î ³ . Clinical Cancer Research, 2009, 15, 4242-4249.	7.0	105
23	Potential therapeutic implications of IL-6/IL-6R/gp130-targeting agents in breast cancer. Oncotarget, 2016, 7, 15460-15473.	1.8	103
24	Epigenetic Reactivation of Nrf2 in Murine Prostate Cancer TRAMP C1 Cells by Natural Phytochemicals Z-Ligustilide and Radix <i>Angelica Sinensis</i> via Promoter CpG Demethylation. Chemical Research in Toxicology, 2013, 26, 477-485.	3.3	94
25	Does Vitamin E Prevent or Promote Cancer?. Cancer Prevention Research, 2012, 5, 701-705.	1.5	92
26	Modulation of arachidonic acid metabolism and nitric oxide synthesis by garcinol and its derivatives. Carcinogenesis, 2006, 27, 278-286.	2.8	90
27	Vitamin E and cancer prevention: Studies with different forms of tocopherols and tocotrienols. Molecular Carcinogenesis, 2020, 59, 365-389.	2.7	90
28	Biological/Chemopreventive Activity of Stilbenes and their Effect on Colon Cancer. Planta Medica, 2008, 74, 1635-1643.	1.3	89
29	New enone derivatives of oleanolic acid and ursolic acid as inhibitors of nitric oxide production in mouse macrophages. Bioorganic and Medicinal Chemistry Letters, 1997, 7, 1623-1628.	2.2	82
30	A Novel Gemini Vitamin D Analog Represses the Expression of a Stem Cell Marker CD44 in Breast Cancer. Molecular Pharmacology, 2011, 79, 360-367.	2.3	81
31	Vitamin D Inhibits the Formation of Prostatic Intraepithelial Neoplasia in Nkx3.1; Pten Mutant Mice. Clinical Cancer Research, 2006, 12, 5895-5901.	7.0	80
32	Tocopherols in cancer: An update. Molecular Nutrition and Food Research, 2016, 60, 1354-1363.	3.3	80
33	Synthetic triterpenoids enhance transforming growth factor beta/Smad signaling. Cancer Research, 2003, 63, 1371-6.	0.9	77
34	The Novel Triterpenoid 2-Cyano-3,12-dioxooleana-1,9-dien-28-oic acid (CDDO) Potently Enhances Apoptosis Induced by Tumor Necrosis Factor in Human Leukemia Cells. Journal of Biological Chemistry, 2002, 277, 16448-16455.	3.4	76
35	Chemopreventive Activity of Vitamin E in Breast Cancer: A Focus on Î ³ - and δ-Tocopherol. Nutrients, 2011, 3, 962-986.	4.1	71
36	Novel synthetic oleanane triterpenoids: A series of highly active inhibitors of nitric oxide production in mouse macrophages. Bioorganic and Medicinal Chemistry Letters, 1999, 9, 3429-3434.	2.2	69

#	Article	IF	CITATIONS
37	A γ-tocopherol-Rich Mixture of Tocopherols MaintainsNrf2Expression in Prostate Tumors of TRAMP Mice via Epigenetic Inhibition of CpG Methylation,. Journal of Nutrition, 2012, 142, 818-823.	2.9	69
38	Gene expression profiling changes induced by a novel Gemini Vitamin D derivative during the progression of breast cancer. Biochemical Pharmacology, 2006, 72, 332-343.	4.4	66
39	The Selective Estrogen Receptor Modulator Arzoxifene and the Rexinoid LG100268 Cooperate to Promote Transforming Growth Factor β-Dependent Apoptosis in Breast Cancer. Cancer Research, 2004, 64, 3566-3571.	0.9	64
40	Specific Chemopreventive Agents Trigger Proteasomal Degradation of G1 Cyclins: Implications for Combination Therapy. Clinical Cancer Research, 2004, 10, 2570-2577.	7.0	63
41	Combination of Atorvastatin with Sulindac or Naproxen Profoundly Inhibits Colonic Adenocarcinomas by Suppressing the p65/β-Catenin/Cyclin D1 Signaling Pathway in Rats. Cancer Prevention Research, 2011, 4, 1895-1902.	1.5	63
42	The Combination of the Rexinoid, LG100268, and a Selective Estrogen Receptor Modulator, Either Arzoxifene or Acolbifene, Synergizes in the Prevention and Treatment of Mammary Tumors in an Estrogen Receptor–Negative Model of Breast Cancer. Clinical Cancer Research, 2006, 12, 5902-5909.	7.0	62
43	Vitamin D compounds inhibit cancer stem-like cells and induce differentiation in triple negative breast cancer. Journal of Steroid Biochemistry and Molecular Biology, 2017, 173, 122-129.	2.5	62
44	Novel semisynthetic analogues of betulinic acid with diverse cytoprotective, antiproliferative, and proapoptotic activities. Molecular Cancer Therapeutics, 2007, 6, 2113-2119.	4.1	55
45	Dietary tocopherols inhibit cell proliferation, regulate expression of ERα, PPARγ, and Nrf2, and decrease serum inflammatory markers during the development of mammary hyperplasia. Molecular Carcinogenesis, 2013, 52, 514-525.	2.7	54
46	Vitamin D compounds reduce mammosphere formation and decrease expression of putative stem cell markers in breast cancer. Journal of Steroid Biochemistry and Molecular Biology, 2015, 148, 148-155.	2.5	54
47	Targeting CD44-STAT3 Signaling by Gemini Vitamin D Analog Leads to Inhibition of Invasion in Basal-Like Breast Cancer. PLoS ONE, 2013, 8, e54020.	2.5	54
48	Prevention and treatment of experimental breast cancer with the combination of a new selective estrogen receptor modulator, arzoxifene, and a new rexinoid, LG 100268. Clinical Cancer Research, 2002, 8, 3270-5.	7.0	54
49	A lignan and four terpenoids from Brucea javanica that induce differentiation with cultured HL-60 promyelocytic leukemia cells. Phytochemistry, 1996, 43, 409-412.	2.9	53
50	Role of dietary bioactive natural products in estrogen receptor-positive breast cancer. Seminars in Cancer Biology, 2016, 40-41, 170-191.	9.6	51
51	Gemini Vitamin D Analogues Inhibit Estrogen Receptor–Positive and Estrogen Receptor–Negative Mammary Tumorigenesis without Hypercalcemic Toxicity. Cancer Prevention Research, 2008, 1, 476-484.	1.5	48
52	In vitro and in vivo studies on stilbene analogs as potential treatment agents for colon cancer. European Journal of Medicinal Chemistry, 2010, 45, 3702-3708.	5.5	48
53	Targeting cancer stem cells in solid tumors by vitamin D. Journal of Steroid Biochemistry and Molecular Biology, 2015, 148, 79-85.	2.5	48
54	Design, synthesis, and anti-inflammatory activity both in vitro and in vivo of new betulinic acid analogues having an enone functionality in ring A. Bioorganic and Medicinal Chemistry Letters, 2006, 16, 6306-6309.	2.2	45

#	Article	IF	CITATIONS
55	ldentification of a novel synthetic triterpenoid, methyl-2-cyano-3,12-dioxooleana-1,9-dien-28-oate, that potently induces caspase-mediated apoptosis in human lung cancer cells. Molecular Cancer Therapeutics, 2002, 1, 177-84.	4.1	45
56	Dietary Administration of Î′- and γ-Tocopherol Inhibits Tumorigenesis in the Animal Model of Estrogen Receptor–Positive, but not HER-2 Breast Cancer. Cancer Prevention Research, 2012, 5, 1310-1320.	1.5	43
57	The synthetic triterpenoid CDDO-imidazolide induces monocytic differentiation by activating the Smad and ERK signaling pathways in HL60 leukemia cells. Molecular Cancer Therapeutics, 2006, 5, 1452-1458.	4.1	41
58	HES1-mediated inhibition of Notch1 signaling by a Gemini vitamin D analog leads to decreased CD44+/CD24â^'/low tumor-initiating subpopulation in basal-like breast cancer. Journal of Steroid Biochemistry and Molecular Biology, 2015, 148, 111-121.	2.5	41
59	Tocopherols inhibit oxidative and nitrosative stress in estrogen-induced early mammary hyperplasia in ACI rats. Molecular Carcinogenesis, 2015, 54, 916-925.	2.7	39
60	Platforms and networks in triterpenoid pharmacology. Drug Development Research, 2007, 68, 174-182.	2.9	38
61	δ- and γ-tocopherols inhibit phIP/DSS-induced colon carcinogenesis by protection against early cellular and DNA damages. Molecular Carcinogenesis, 2017, 56, 172-183.	2.7	38
62	Gemini vitamin D analog suppresses ErbB2-positive mammary tumor growth via inhibition of ErbB2/AKT/ERK signaling. Journal of Steroid Biochemistry and Molecular Biology, 2010, 121, 408-412.	2.5	36
63	Differential Expression of Key Signaling Proteins in MCF10 Cell Lines, a Human Breast Cancer Progression Model. Molecular and Cellular Pharmacology, 2012, 4, 31-40.	1.7	36
64	Peroxisome Proliferator-Activated Receptor-Î ³ -Independent Repression of Collagenase Gene Expression by 2-Cyano-3,12-dioxooleana-1,9-dien-28-oic Acid and Prostaglandin 15-Deoxy-I"(12,14) J2: A Role for Smad Signaling. Molecular Pharmacology, 2004, 65, 309-318.	2.3	34
65	Novel A-ring cleaved analogs of oleanolic and ursolic acids which affect growth regulation in NRP.152 prostate cells. Bioorganic and Medicinal Chemistry Letters, 1997, 7, 1769-1772.	2.2	32
66	Calcitriol Derivatives with Two Different Side Chains at C-20. V. Potent Inhibitors of Mammary Carcinogenesis and Inducers of Leukemia Differentiation. Journal of Medicinal Chemistry, 2009, 52, 5505-5519.	6.4	32
67	Dietary tocopherols inhibit PhIP-induced prostate carcinogenesis in CYP1A-humanized mice. Cancer Letters, 2016, 371, 71-78.	7.2	32
68	Design and Synthesis of Tricyclic Compounds with Enone Functionalities in Rings A and C:Â A Novel Class of Highly Active Inhibitors of Nitric Oxide Production in Mouse Macrophages. Journal of Medicinal Chemistry, 2002, 45, 4801-4805.	6.4	31
69	Efficient synthesis of (â^')- and (+)-tricyclic compounds with enone functionalities in rings A and C. A novel class of orally active anti-inflammatory and cancer chemopreventive agents. Organic and Biomolecular Chemistry, 2003, 1, 4384-4391.	2.8	31
70	Mixed Tocopherols Inhibit N-methyl-N-Nitrosourea-Induced Mammary Tumor Growth in Rats. Nutrition and Cancer, 2007, 59, 76-81.	2.0	30
71	Structure–function study of gemini derivatives with two different side chains at C-20, Gemini-0072 and Gemini-0097. MedChemComm, 2011, 2, 424.	3.4	30
72	Dietary γ-Tocopherol–Rich Mixture Inhibits Estrogen-Induced Mammary Tumorigenesis by Modulating Estrogen Metabolism, Antioxidant Response, and PPARγ. Cancer Prevention Research, 2015, 8, 807-816.	1.5	30

#	Article	IF	CITATIONS
73	Breast cancer stem cells: AÂreview of their characteristics and the agents that affect them. Molecular Carcinogenesis, 2021, 60, 73-100.	2.7	28
74	Synthesis and biological evaluation of retinoid-chalcones as inhibitors of colon cancer cell growth. Bioorganic and Medicinal Chemistry Letters, 2010, 20, 7385-7387.	2.2	27
75	Inhibitory Effects of γ- and Î^Tocopherols on Estrogen-Stimulated Breast Cancer <i>In Vitro</i> and <i>In Vivo</i> . Cancer Prevention Research, 2017, 10, 188-197.	1.5	26
76	A Synthetic Triterpenoid CDDO-Im Inhibits Tumorsphere Formation by Regulating Stem Cell Signaling Pathways in Triple-Negative Breast Cancer. PLoS ONE, 2014, 9, e107616.	2.5	24
77	Targeting HER2 Positive Breast Cancer with Chemopreventive Agents. Current Pharmacology Reports, 2015, 1, 324-335.	3.0	22
78	Calcitriol derivatives with two different side chains at C-20. Journal of Steroid Biochemistry and Molecular Biology, 2007, 103, 277-281.	2.5	21
79	Diastereotopic and Deuterium Effects in Gemini. Journal of Medicinal Chemistry, 2013, 56, 3878-3888.	6.4	21
80	Oral Administration of a Gemini Vitamin D Analog, a Synthetic Triterpenoid and the Combination Prevents Mammary Tumorigenesis Driven by ErbB2 Overexpression. Cancer Prevention Research, 2013, 6, 959-970.	1.5	20
81	A Novel Vitamin D Derivative Activates Bone Morphogenetic Protein Signaling in MCF10 Breast Epithelial Cells. Molecular Pharmacology, 2006, 69, 1840-1848.	2.3	19
82	Regulation of Hedgehog Signaling in Cancer by Natural and Dietary Compounds. Molecular Nutrition and Food Research, 2018, 62, 1700621.	3.3	18
83	Tocopherols inhibit estrogen-induced cancer stemness and OCT4 signaling in breast cancer. Carcinogenesis, 2018, 39, 1045-1055.	2.8	17
84	Inhibition of the Transition of Ductal Carcinoma <i>In Situ</i> to Invasive Ductal Carcinoma by a Gemini Vitamin D Analog. Cancer Prevention Research, 2014, 7, 617-626.	1.5	13
85	Analysis of the Transcriptome: Regulation of Cancer Stemness in Breast Ductal Carcinoma <i>In Situ</i> by Vitamin D Compounds. Cancer Prevention Research, 2020, 13, 673-686.	1.5	12
86	Differential Gene Regulation and Tumor-Inhibitory Activities of Alpha-, Delta-, and Gamma-Tocopherols in Estrogen-Mediated Mammary Carcinogenesis. Cancer Prevention Research, 2017, 10, 694-703.	1.5	12
87	Histone Demethylase KDM7A Contributes to the Development of Hepatic Steatosis by Targeting Diacylglycerol Acyltransferase 2. International Journal of Molecular Sciences, 2021, 22, 11085.	4.1	12
88	Strawberry Fields Forever?. Cancer Prevention Research, 2012, 5, 30-33.	1.5	11
89	Activation of Bone Morphogenetic Protein Signaling by a Gemini Vitamin D3 Analogue Is Mediated by Ras/Protein Kinase Cα. Cancer Research, 2007, 67, 11840-11847.	0.9	9
90	Structural analysis and biological activities of BXL0124, a gemini analog of vitamin D. Journal of Steroid Biochemistry and Molecular Biology, 2017, 173, 69-74.	2.5	8

#	Article	IF	CITATIONS
91	Understanding the Mechanistic Link between Bisphenol A and Cancer Stem Cells: A Cancer Prevention Perspective. Journal of Cancer Prevention, 2021, 26, 18-24.	2.0	7
92	Carcinogen 7,12-dimethylbenz[a]anthracene-induced mammary tumorigenesis is accelerated in Smad3 heterozygous mice compared to Smad3 wild type mice. Oncotarget, 2016, 7, 64878-64885.	1.8	6
93	Tanshinone 1 prevents high fat diet-induced obesity through activation of brown adipocytes and induction of browning in white adipocytes. Life Sciences, 2022, 298, 120488.	4.3	5
94	Natural Products in the Prevention of Metabolic Diseases: Lessons Learned from the 20th KAST Frontier Scientists Workshop. Nutrients, 2021, 13, 1881.	4.1	4
95	CDDO Increases Translation of CCAAT Enhancer Binding Protein alpha To Induce Granulocytic Differentiation Blood, 2005, 106, 2458-2458.	1.4	1
96	Vitamin D Compounds and Cancer Stem Cells in Cancer Prevention. , 2020, , 143-159.		0
97	Selected Vitamins. , 0, , 385-415.		Ο