P Roberto Bakker

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7164391/publications.pdf

Version: 2024-02-01

686830 676716 24 653 13 22 citations h-index g-index papers 27 27 27 937 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | A Network of Psychopathological, Cognitive, and Motor Symptoms in Schizophrenia Spectrum Disorders. Schizophrenia Bulletin, 2021, 47, 915-926. | 2.3 | 16 |
| 2 | What can psychiatrists learn from SARS and MERS outbreaks?. Lancet Psychiatry, the, 2020, 7, 565-566. | 3.7 | 34 |
| 3 | O6.2. A NETWORK FOR COGNITIVE, MOTOR, AND PSYCHOPATHOLOGICAL ALTERATIONS IN SCHIZOPHRENIA SPECTRUM DISORDERS. Schizophrenia Bulletin, 2020, 46, S13-S14. | 2.3 | О |
| 4 | The genetics of drug-related movement disorders, an umbrella review of meta-analyses. Molecular Psychiatry, 2020, 25, 2237-2250. | 4.1 | 8 |
| 5 | Candidate CSPG4 mutations and induced pluripotent stem cell modeling implicate oligodendrocyte progenitor cell dysfunction in familial schizophrenia. Molecular Psychiatry, 2019, 24, 757-771. | 4.1 | 51 |
| 6 | S4. ASYMMETRIC DRUG-INDUCED PARKINSONISM IS RELATED TO PSYCHOPATHOLOGY. Schizophrenia Bulletin, 2018, 44, S325-S325. | 2.3 | 0 |
| 7 | T106. IMPROVING PSYCHIATRIC DIAGNOSIS BY ADDING MOTOR FUNCTION NEXT TO MENTAL HEALTH FUNCTION: A NETWORK APPROACH. Schizophrenia Bulletin, 2018, 44, S157-S157. | 2.3 | 1 |
| 8 | F191. THE GENETICS OF DRUG-RELATED MOVEMENT DISORDERS AN UMBRELLA REVIEW OF META-ANALYSES. Schizophrenia Bulletin, 2018, 44, S295-S295. | 2.3 | 1 |
| 9 | Weight changes associated with antiepileptic mood stabilizers in the treatment of bipolar disorder. European Journal of Clinical Pharmacology, 2018, 74, 1485-1489. | 0.8 | 39 |
| 10 | Asymmetric Drug-Induced Parkinsonism and Psychopathology: A Prospective Naturalistic Study in Long-Stay Psychiatric Patients. Frontiers in Psychiatry, 2018, 9, 18. | 1.3 | 9 |
| 11 | Blink rate is associated with drug-induced parkinsonism in patients with severe mental illness, but does not meet requirements to serve as a clinical test: the Curacao extrapyramidal syndromes study XIII. Journal of Negative Results in BioMedicine, 2017, 16, 15. | 1.4 | 1 |
| 12 | Effect of Antipsychotic Type and Dose Changes on Tardive Dyskinesia and Parkinsonism Severity in Patients With a Serious Mental Illness. Journal of Clinical Psychiatry, 2017, 78, e279-e285. | 1.1 | 33 |
| 13 | Likelihood of mechanistic roles for dopaminergic, serotonergic and glutamatergic receptors in tardive dyskinesia: A comparison of genetic variants in two independent patient populations. SAGE Open Medicine, 2016, 4, 205031211664367. | 0.7 | 14 |
| 14 | Reliability and validity of an instrument for the assessment of bradykinesia. Psychiatry Research, 2016, 238, 189-195. | 1.7 | 26 |
| 15 | Movement Disorders and Psychosis, a Complex Marriage. Frontiers in Psychiatry, 2015, 5, 190. | 1.3 | 10 |
| 16 | Simvastatin augmentation for recent-onset psychotic disorder: A study protocol. BBA Clinical, 2015, 4, 52-58. | 4.1 | 20 |
| 17 | Poster #T247 SUBTLE MOVEMENT DISORDERS IN INDIVIDUALS AT RISK OF SCHIZOPHRENIA. Schizophrenia Research, 2014, 153, S377. | 1.1 | 1 |
| 18 | Novel directions for psychiatric diagnosis: from psychopathology to motor function to monitoring technology. Epidemiology and Psychiatric Sciences, 2013, 22, 289-295. | 1.8 | 11 |

| # | Article | IF | CITATION |
|----|--|-----|----------|
| 19 | Predicting the incidence of antipsychotic-induced movement disorders in long-stay patients: A prospective study. Epidemiology and Psychiatric Sciences, 2013, 22, 375-379. | 1.8 | 8 |
| 20 | Candidate Gene-Based Association Study of Antipsychotic-Induced Movement Disorders in Long-Stay Psychiatric Patients: A Prospective Study. PLoS ONE, 2012, 7, e36561. | 1.1 | 22 |
| 21 | Antipsychotic-Induced Movement Disorders in Long-Stay Psychiatric Patients and 45 Tag SNPs in 7 Candidate Genes: A Prospective Study. PLoS ONE, 2012, 7, e50970. | 1.1 | 27 |
| 22 | Long-Stay Psychiatric Patients: A Prospective Study Revealing Persistent Antipsychotic-Induced Movement Disorder. PLoS ONE, 2011, 6, e25588. | 1.1 | 44 |
| 23 | Antipsychotic-induced tardive dyskinesia and polymorphic variations in COMT, DRD2, CYP1A2 and MnSOD genes: a meta-analysis of pharmacogenetic interactions. Molecular Psychiatry, 2008, 13, 544-556. | 4.1 | 141 |
| 24 | Antipsychotic-induced tardive dyskinesia and the Ser9Gly polymorphism in the DRD3 gene: A meta analysis. Schizophrenia Research, 2006, 83, 185-192. | 1.1 | 134 |