

# Masataka Yoshino

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/716661/publications.pdf>

Version: 2024-02-01

53  
papers

1,572  
citations

304743

22  
h-index

302126

39  
g-index

53  
all docs

53  
docs citations

53  
times ranked

2322  
citing authors

#	ARTICLE	IF	CITATIONS
1	Prooxidant activity of aminophenol compounds: copper-dependent generation of reactive oxygen species. <i>BioMetals</i> , 2022, 35, 329-334.	4.1	3
2	Generation of reactive oxygen species by hydroxypyridone compound/iron complexes. <i>Redox Report</i> , 2020, 25, 59-63.	4.5	5
3	Zinc inhibition of pyruvate kinase of M-type isozyme. <i>BioMetals</i> , 2017, 30, 335-340.	4.1	7
4	Inhibition by fructose 1,6-bisphosphate of transaldolase from <i>Escherichia coli</i> . <i>FEMS Microbiology Letters</i> , 2016, 363, fnw183.	1.8	5
5	Analysis of the substrate inhibition of complete and partial types. <i>SpringerPlus</i> , 2015, 4, 292.	1.2	47
6	Effect of fructose 1,6-bisphosphate on the iron redox state relating to the generation of reactive oxygen species. <i>BioMetals</i> , 2015, 28, 687-691.	4.1	4
7	Glycogenolysis: Is muscle glycogen phosphorylase differentially activated depending on the conditions of hypoxia and exercise?. <i>Medical Hypotheses</i> , 2014, 83, 513.	1.5	0
8	Copper-dependent inhibition and oxidative inactivation with affinity cleavage of yeast glutathione reductase. <i>BioMetals</i> , 2014, 27, 551-558.	4.1	18
9	Differential effects of polyamine on the cytosolic and mitochondrial NADP <sup>+</sup> -isocitrate dehydrogenases. <i>BioFactors</i> , 2012, 38, 365-371.	5.4	2
10	Mimosine-Induced Apoptosis in C6 Glioma Cells Requires the Release of Mitochondria-Derived Reactive Oxygen Species and p38, JNK Activation. <i>Neurochemical Research</i> , 2012, 37, 417-427.	3.3	14
11	Effect of hydroxy substituent on the prooxidant action of naphthoquinone compounds. <i>Toxicology in Vitro</i> , 2010, 24, 905-909.	2.4	33
12	Iron-Dependent Oxidative Inactivation with Affinity Cleavage of Pyruvate Kinase. <i>Biological Trace Element Research</i> , 2009, 130, 31-38.	3.5	4
13	A graphical method for determining inhibition constants. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2009, 24, 1288-1290.	5.2	42
14	Inhibitory effect of phosphoenolpyruvate on glycolytic enzymes in <i>Escherichia coli</i> . <i>Research in Microbiology</i> , 2007, 158, 159-163.	2.1	37
15	Prooxidant action of rosmarinic acid: Transition metal-dependent generation of reactive oxygen species. <i>Toxicology in Vitro</i> , 2007, 21, 613-617.	2.4	33
16	Maltol/iron-mediated apoptosis in HL60 cells: Participation of reactive oxygen species. <i>Toxicology Letters</i> , 2006, 161, 102-107.	0.8	25
17	Prooxidant action of rhodizonic acid: Transition metal-dependent generation of reactive oxygen species causing the formation of 8-hydroxy-2'-deoxyguanosine formation in DNA. <i>Toxicology in Vitro</i> , 2006, 20, 910-914.	2.4	4
18	Inhibitory action of eugenol compounds on the production of nitric oxide in RAW264.7 macrophages. <i>Biomedical Research</i> , 2006, 27, 69-74.	0.9	50

#	ARTICLE	IF	CITATIONS
19	Generation of Reactive Oxygen Species and Induction of Apoptosis of HL60 Cells by Ingredients of Traditional Herbal Medicine, Sho-saiko-to. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2006, 98, 401-405.	2.5	17
20	Regulatory role of polyamine in the acid phosphatase from potato tubers. <i>Plant Physiology and Biochemistry</i> , 2006, 44, 43-48.	5.8	8
21	Prooxidant action of xanthurenic acid and quinoline compounds: Role of transition metals in the generation of reactive oxygen species and enhanced formation of 8-hydroxy-2'-deoxyguanosine in DNA. <i>BioMetals</i> , 2006, 19, 429-435.	4.1	32
22	Prooxidant Action of Maltol: Role of Transition Metals in the Generation of Reactive Oxygen Species and Enhanced Formation of 8-hydroxy-2'-deoxyguanosine Formation in DNA. <i>BioMetals</i> , 2006, 19, 253-257.	4.1	23
23	Oxidative inactivation of reduced NADP-generating enzymes in <i>E. coli</i> : iron-dependent inactivation with affinity cleavage of NADP-isocitrate dehydrogenase. <i>Archives of Microbiology</i> , 2006, 186, 385-392.	2.2	25
24	Prooxidant Action of Hinokitiol: Hinokitiol-Iron Dependent Generation of Reactive Oxygen Species. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2005, 97, 392-394.	2.5	18
25	Rosmarinic acid inhibits the formation of reactive oxygen and nitrogen species in RAW264.7 macrophages. <i>Free Radical Research</i> , 2005, 39, 995-1003.	3.3	110
26	Antioxidant action of eugenol compounds: role of metal ion in the inhibition of lipid peroxidation. <i>Food and Chemical Toxicology</i> , 2005, 43, 461-466.	3.6	146
27	Aluminum decreases the glutathione regeneration by the inhibition of NADP-isocitrate dehydrogenase in mitochondria. <i>Journal of Cellular Biochemistry</i> , 2004, 93, 1267-1271.	2.6	43
28	Prooxidant activity of curcumin: copper-dependent formation of 8-hydroxy-2'-deoxyguanosine in DNA and induction of apoptotic cell death. <i>Toxicology in Vitro</i> , 2004, 18, 783-789.	2.4	131
29	Polyamine enhances the regeneration of reduced glutathione by the activation of NADP-dependent dehydrogenases in yeast. <i>Biomedical Research</i> , 2004, 25, 69-74.	0.9	1
30	Dipicolinic acid prevents the copper-dependent oxidation of low density lipoprotein. <i>Journal of Nutritional Biochemistry</i> , 2003, 14, 99-103.	4.2	36
31	Induction of Apoptosis of HL60 Cells by Gallic Acid Derivatives. <i>Biomedical Research</i> , 2002, 23, 127-134.	0.9	10
32	Antioxidant Effect of Capsaicinoids on the Metal-catalyzed Lipid Peroxidation. <i>Biomedical Research</i> , 2001, 22, 15-17.	0.9	22
33	Maltol as an Antioxidant: Inhibition of Lipid Peroxidation and Protection of NADP- Isocitrate Dehydrogenase from the Iron-mediated Inactivation. <i>Biomedical Research</i> , 2001, 22, 183-186.	0.9	6
34	Xanthurenic Acid Inhibits Metal Ion-Induced Lipid Peroxidation and Protects NADP-Isocitrate Dehydrogenase from Oxidative Inactivation.. <i>Journal of Nutritional Science and Vitaminology</i> , 2001, 47, 306-310.	0.6	24
35	Aluminum-induced apoptosis in PC12D cells. <i>BioMetals</i> , 2001, 14, 181-185.	4.1	26
36	Antioxidant and Prooxidant Actions of Gallic Acid Derivatives: Effect on Metal-dependent Oxidation of Lipids and Low Density Lipoprotein. <i>Biomedical Research</i> , 2000, 21, 291-296.	0.9	10

#	ARTICLE	IF	CITATIONS
37	Prooxidant action of aluminum ion--stimulation of iron-mediated lipid peroxidation by aluminum. <i>BioMetals</i> , 1999, 12, 237-240.	4.1	44
38	Prooxidant Activity of Flavonoids: Copper-Dependent Strand Breaks and the Formation of 8-Hydroxy-2-Deoxyguanosine in DNA. <i>Molecular Genetics and Metabolism</i> , 1999, 68, 468-472.	1.1	83
39	Dipicolinic Acid as an Antioxidant: Protection of Glutathione Reductase from the Inactivation by Copper. <i>Biomedical Research</i> , 1999, 20, 321-326.	0.9	11
40	Title is missing!. <i>BioMetals</i> , 1998, 11, 63-67.	4.1	7
41	Interaction of Iron with Polyphenolic Compounds: Application to Antioxidant Characterization. <i>Analytical Biochemistry</i> , 1998, 257, 40-44.	2.4	251
42	ANTIOXIDANT EFFECT OF DIPICOLINIC ACID ON THE METAL-CATALYZED LIPID PEROXIDATION AND ENZYME INACTIVATION. <i>Biomedical Research</i> , 1998, 19, 205-208.	0.9	14
43	Inactivation of aconitase in yeast exposed to oxidative stress. <i>IUBMB Life</i> , 1997, 41, 481-486.	3.4	23
44	Protection by histadine against oxidative inactivation of AMP deaminase in yeast. <i>IUBMB Life</i> , 1997, 42, 1063-1069.	3.4	7
45	Role of metal cations in the regulation of NADP-linked isocitrate dehydrogenase from porcine heart. <i>BioMetals</i> , 1997, 10, 169-174.	4.1	12
46	ROLE OF BAICALEIN COMPOUNDS AS ANTIOXIDANT IN THE TRADITIONAL HERBAL MEDICINE. <i>Biomedical Research</i> , 1997, 18, 349-352.	0.9	12
47	Hypoxia-induced decrease in brain serotonin is dependent on the increase in tryptophan. <i>Biomedical Research</i> , 1996, 17, 399-402.	0.9	0
48	Parathyroidectomy-induced decrease in calcium-binding protein (calbinin D <sub>28K</sub> ) in the rat kidney. <i>Biomedical Research</i> , 1996, 17, 495-497.	0.9	0
49	Aluminum: a pH-dependent inhibitor of NADP-isocitrate dehydrogenase from porcine heart. <i>BioMetals</i> , 1992, 5, 217-221.	4.1	10
50	Activation by spermine of citrate synthase from porcine heart. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1991, 1073, 200-202.	2.4	10
51	REVERSAL BY POLYAMINE OF THE ALUMINUM-INDUCED INHIBITION OF HEXOKINASE FROM HUMAN BRAIN. <i>Biomedical Research</i> , 1990, 11, 215-218.	0.9	4
52	Permeabilization of yeast cells: Application to study on the regulation of AMP deaminase activity in situ. <i>Analytical Biochemistry</i> , 1980, 105, 407-413.	2.4	57
53	AMP Nucleosidase from <i>Azotobacter vinelandii</i> . <i>Journal of Biochemistry</i> , 1972, 72, 223-233.	1.7	6