

# Jorma Ilonen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7168223/publications.pdf>

Version: 2024-02-01

80  
papers

3,095  
citations

186265

28  
h-index

182427

51  
g-index

81  
all docs

81  
docs citations

81  
times ranked

3698  
citing authors

#	ARTICLE	IF	CITATIONS
1	The 6-year incidence of diabetes-associated autoantibodies in genetically at-risk children: the TEDDY study. <i>Diabetologia</i> , 2015, 58, 980-987.	6.3	313
2	The heterogeneous pathogenesis of type 1 diabetes mellitus. <i>Nature Reviews Endocrinology</i> , 2019, 15, 635-650.	9.6	249
3	<i>Bacteroides dorei</i> dominates gut microbiome prior to autoimmunity in Finnish children at high risk for type 1 diabetes. <i>Frontiers in Microbiology</i> , 2014, 5, 678.	3.5	241
4	Genetic and Environmental Interactions Modify the Risk of Diabetes-Related Autoimmunity by 6 Years of Age: The TEDDY Study. <i>Diabetes Care</i> , 2017, 40, 1194-1202.	8.6	138
5	Respiratory infections are temporally associated with initiation of type 1 diabetes autoimmunity: the TEDDY study. <i>Diabetologia</i> , 2017, 60, 1931-1940.	6.3	112
6	Role of Type 1 Diabetes-Associated SNPs on Risk of Autoantibody Positivity in the TEDDY Study. <i>Diabetes</i> , 2015, 64, 1818-1829.	0.6	108
7	Genetic susceptibility to type 1 diabetes in childhood—Estimation of HLA class II associated disease risk and class II effect in various phases of islet autoimmunity. <i>Pediatric Diabetes</i> , 2016, 17, 8-16.	2.9	103
8	Coxsackievirus B1 infections are associated with the initiation of insulin-driven autoimmunity that progresses to type 1 diabetes. <i>Diabetologia</i> , 2018, 61, 1193-1202.	6.3	95
9	Association of Gluten Intake During the First 5 Years of Life With Incidence of Celiac Disease Autoimmunity and Celiac Disease Among Children at Increased Risk. <i>JAMA - Journal of the American Medical Association</i> , 2019, 322, 514.	7.4	95
10	Circulating CXCR5+PD-1+ICOS+ Follicular T Helper Cells Are Increased Close to the Diagnosis of Type 1 Diabetes in Children With Multiple Autoantibodies. <i>Diabetes</i> , 2017, 66, 437-447.	0.6	94
11	Predicting Islet Cell Autoimmunity and Type 1 Diabetes: An 8-Year TEDDY Study Progress Report. <i>Diabetes Care</i> , 2019, 42, 1051-1060.	8.6	75
12	Circulating CXCR5 <sup>hi</sup> PD-1 <sup>hi</sup> peripheral T helper cells are associated with progression to type 1 diabetes. <i>Diabetologia</i> , 2019, 62, 1681-1688.	6.3	57
13	Serum 25-Hydroxyvitamin D Concentrations in Children Progressing to Autoimmunity and Clinical Type 1 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 723-729.	3.6	53
14	Fatty acid status in infancy is associated with the risk of type 1 diabetes-associated autoimmunity. <i>Diabetologia</i> , 2017, 60, 1223-1233.	6.3	53
15	Non-HLA gene effects on the disease process of type 1 diabetes: From HLA susceptibility to overt disease. <i>Journal of Autoimmunity</i> , 2015, 61, 45-53.	6.5	50
16	Growth and Risk for Islet Autoimmunity and Progression to Type 1 Diabetes in Early Childhood: The Environmental Determinants of Diabetes in the Young Study. <i>Diabetes</i> , 2016, 65, 1988-1995.	0.6	49
17	Early Infant Diet and Islet Autoimmunity in the TEDDY Study. <i>Diabetes Care</i> , 2018, 41, 522-530.	8.6	48
18	Serum Proteomes Distinguish Children Developing Type 1 Diabetes in a Cohort With HLA-Conferred Susceptibility. <i>Diabetes</i> , 2015, 64, 2265-2278.	0.6	46

#	ARTICLE	IF	CITATIONS
19	Metabolic alterations in immune cells associate with progression to type 1 diabetes. <i>Diabetologia</i> , 2020, 63, 1017-1031.	6.3	42
20	FOXP3+ Regulatory T Cell Compartment Is Altered in Children With Newly Diagnosed Type 1 Diabetes but Not in Autoantibody-Positive at-Risk Children. <i>Frontiers in Immunology</i> , 2019, 10, 19.	4.8	40
21	Residual beta-cell function in diabetes children followed and diagnosed in the TEDDY study compared to community controls. <i>Pediatric Diabetes</i> , 2017, 18, 794-802.	2.9	39
22	Primary islet autoantibody at initial seroconversion and autoantibodies at diagnosis of type 1 diabetes as markers of disease heterogeneity. <i>Pediatric Diabetes</i> , 2018, 19, 284-292.	2.9	39
23	Ketoacidosis at diagnosis of type 1 diabetes: Effect of prospective studies with newborn genetic screening and follow up of risk children. <i>Pediatric Diabetes</i> , 2018, 19, 314-319.	2.9	37
24	The methylome of the gut microbiome: disparate Dam methylation patterns in intestinal <i>Bacteroides</i> <i>dorei</i> . <i>Frontiers in Microbiology</i> , 2014, 5, 361.	3.5	36
25	Dynamics of Islet Autoantibodies During Prospective Follow-Up From Birth to Age 15 Years. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e4638-e4651.	3.6	35
26	Reduced $\beta$ -cell function in early preclinical type 1 diabetes. <i>European Journal of Endocrinology</i> , 2016, 174, 251-259.	3.7	34
27	B-Cell Responses to Human Bocaviruses 1: New Insights from a Childhood Follow-Up Study. <i>PLoS ONE</i> , 2015, 10, e0139096.	2.5	31
28	Infant Feeding in Relation to the Risk of Advanced Islet Autoimmunity and Type 1 Diabetes in Children With Increased Genetic Susceptibility: A Cohort Study. <i>American Journal of Epidemiology</i> , 2018, 187, 34-44.	3.4	30
29	Circulating metabolites in progression to islet autoimmunity and type 1 diabetes. <i>Diabetologia</i> , 2019, 62, 2287-2297.	6.3	30
30	Early exposure to cats, dogs and farm animals and the risk of childhood asthma and allergy. <i>Pediatric Allergy and Immunology</i> , 2020, 31, 265-272.	2.6	30
31	Early suppression of immune response pathways characterizes children with prediabetes in genome-wide gene expression profiling. <i>Journal of Autoimmunity</i> , 2010, 35, 70-76.	6.5	29
32	Characterisation of rapid progressors to type 1 diabetes among children with HLA-conferred disease susceptibility. <i>Diabetologia</i> , 2017, 60, 1284-1293.	6.3	29
33	Distinct Growth Phases in Early Life Associated With the Risk of Type 1 Diabetes: The TEDDY Study. <i>Diabetes Care</i> , 2020, 43, 556-562.	8.6	28
34	An Increase in Serum 25-Hydroxyvitamin D Concentrations Preceded a Plateau in Type 1 Diabetes Incidence in Finnish Children. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E2353-E2356.	3.6	26
35	Joint modeling of longitudinal autoantibody patterns and progression to type 1 diabetes: results from the TEDDY study. <i>Acta Diabetologica</i> , 2017, 54, 1009-1017.	2.5	24
36	The association of the <i>HLA-A*24:02, B*39:01</i> and <i>B*39:06</i> alleles with type 1 diabetes is restricted to specific <i>HLA-DR/DQ</i> haplotypes in Finns. <i>Hla</i> , 2017, 89, 215-224.	0.6	23

#	ARTICLE	IF	CITATIONS
37	Age at Seroconversion, HLA Genotype, and Specificity of Autoantibodies in Progression of Islet Autoimmunity in Childhood. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 4521-4530.	3.6	23
38	Progression from islet autoimmunity to clinical type 1 diabetes is influenced by genetic factors: results from the prospective TEDDY study. <i>Journal of Medical Genetics</i> , 2019, 56, 602-605.	3.2	22
39	Effector T Cell Resistance to Suppression and STAT3 Signaling during the Development of Human Type 1 Diabetes. <i>Journal of Immunology</i> , 2018, 201, 1144-1153.	0.8	21
40	Circulating $\hat{I}^2$ cell-specific CD8+ T cells restricted by high-risk HLA class I molecules show antigen experience in children with and at risk of type 1 diabetes. <i>Clinical and Experimental Immunology</i> , 2020, 199, 263-277.	2.6	20
41	Antibodies to Deamidated Gliadin Peptide in Diagnosis of Celiac Disease in Children. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2015, 60, 626-631.	1.8	19
42	Cord-Blood Lipidome in Progression to Islet Autoimmunity and Type 1 Diabetes. <i>Biomolecules</i> , 2019, 9, 33.	4.0	19
43	Early-life exposure to perfluorinated alkyl substances modulates lipid metabolism in progression to celiac disease. <i>Environmental Research</i> , 2020, 188, 109864.	7.5	19
44	Influenza A virus antibodies show no association with pancreatic islet autoantibodies in children genetically predisposed to type 1 diabetes. <i>Diabetologia</i> , 2015, 58, 2592-2595.	6.3	18
45	Exocrine pancreas function decreases during the progression of the beta-cell damaging process in young prediabetic children. <i>Pediatric Diabetes</i> , 2018, 19, 398-402.	2.9	17
46	Maternal dietary supplement use and development of islet autoimmunity in the offspring: TEDDY study. <i>Pediatric Diabetes</i> , 2019, 20, 86-92.	2.9	17
47	Sex as a determinant of type 1 diabetes at diagnosis. <i>Pediatric Diabetes</i> , 2018, 19, 1221-1228.	2.9	17
48	Type 1 diabetes linked PTPN22 gene polymorphism is associated with the frequency of circulating regulatory T cells. <i>European Journal of Immunology</i> , 2020, 50, 581-588.	2.9	17
49	Transglutaminase antibodies and celiac disease in children with type 1 diabetes and in their family members. <i>Pediatric Diabetes</i> , 2018, 19, 305-313.	2.9	16
50	<sc>HLAâ€DRâ€DQ</sc> haplotypes and specificity of the initial autoantibody in islet specific autoimmunity. <i>Pediatric Diabetes</i> , 2020, 21, 1218-1226.	2.9	16
51	Natural Development of Antibodies against <i>Streptococcus pneumoniae</i> , <i>Haemophilus influenzae</i> , and <i>Moraxella catarrhalis</i> Protein Antigens during the First 13 Years of Life. <i>Vaccine Journal</i> , 2016, 23, 878-883.	3.1	15
52	Serum carotenoid and tocopherol concentrations and risk of asthma in childhood: a nested caseâ€control study. <i>Clinical and Experimental Allergy</i> , 2017, 47, 401-409.	2.9	15
53	HLA and non-HLA genes and familial predisposition to autoimmune diseases in families with a child affected by type 1 diabetes. <i>PLoS ONE</i> , 2017, 12, e0188402.	2.5	15
54	Risk genes and autoantibodies in Egyptian children with type 1 diabetes â€ low frequency of autoantibodies in carriers of the HLAâ€DRB1*04:05â€DQA1*03â€DQB1*02 risk haplotype. <i>Diabetes/Metabolism Research and Reviews</i> , 2015, 31, 287-294.	4.0	13

#	ARTICLE	IF	CITATIONS
55	Vitamin D intake during the first 4 years and onset of asthma by age 5: A nested case-control study. <i>Pediatric Allergy and Immunology</i> , 2017, 28, 641-648.	2.6	13
56	Carotenoid Intake and Serum Concentration in Young Finnish Children and Their Relation with Fruit and Vegetable Consumption. <i>Nutrients</i> , 2018, 10, 1533.	4.1	13
57	Early childhood CMV infection may decelerate the progression to clinical type 1 diabetes. <i>Pediatric Diabetes</i> , 2019, 20, 73-77.	2.9	13
58	Mucosal-associated invariant T cell alterations during the development of human type 1 diabetes. <i>Diabetologia</i> , 2020, 63, 2396-2409.	6.3	13
59	Characterization of Proinsulin T Cell Epitopes Restricted by Type 1 Diabetes-Associated HLA Class II Molecules. <i>Journal of Immunology</i> , 2020, 204, 2349-2359.	0.8	13
60	Enterovirus-associated changes in blood transcriptomic profiles of children with genetic susceptibility to type 1 diabetes. <i>Diabetologia</i> , 2018, 61, 381-388.	6.3	12
61	Serum 25-Hydroxyvitamin D Concentrations at Birth in Children Screened for HLA-DQB1 Conferred Risk for Type 1 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 2277-2285.	3.6	12
62	Association between family history, early growth and the risk of beta cell autoimmunity in children at risk for type 1 diabetes. <i>Diabetologia</i> , 2021, 64, 119-128.	6.3	12
63	Diagnostic Methods for and Clinical Pictures of Polyomavirus Primary Infections in Children, Finland. <i>Emerging Infectious Diseases</i> , 2014, 20, 689-692.	4.3	11
64	Characteristics of Slow Progression to Type 1 Diabetes in Children With Increased HLA-Conferred Disease Risk. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 5585-5594.	3.6	11
65	Maternal antioxidant intake during pregnancy and the development of cows' milk allergy in the offspring. <i>British Journal of Nutrition</i> , 2021, 125, 1386-1393.	2.3	9
66	Associations between deduced first islet specific autoantibody with sex, age at diagnosis and genetic risk factors in young children with type 1 diabetes. <i>Pediatric Diabetes</i> , 2022, 23, 693-702.	2.9	8
67	Human enterovirus and rhinovirus infections are associated with otitis media in a prospective birth cohort study. <i>Journal of Clinical Virology</i> , 2016, 85, 1-6.	3.1	7
68	Class II HLA Genotype Association With First-Phase Insulin Response Is Explained by Islet Autoantibodies. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 2870-2878.	3.6	7
69	No Association Between Ljungan Virus Seropositivity and the Beta-cell Damaging Process in the Finnish Type 1 Diabetes Prediction and Prevention Study Cohort. <i>Pediatric Infectious Disease Journal</i> , 2019, 38, 314-316.	2.0	7
70	Tri-SNP polymorphism in the intron of HLA-DRA1 affects type 1 diabetes susceptibility in the Finnish population. <i>Human Immunology</i> , 2021, 82, 912-916.	2.4	7
71	Novel Gene Associations in Type 1 Diabetes. <i>Current Diabetes Reports</i> , 2010, 10, 338-344.	4.2	6
72	Influence of Type 1 Diabetes Genes on Disease Progression: Similarities and Differences Between Countries. <i>Current Diabetes Reports</i> , 2012, 12, 447-455.	4.2	6

#	ARTICLE	IF	CITATIONS
73	Maternal Nitrate and Nitrite Intakes during Pregnancy and Risk of Islet Autoimmunity and Type 1 Diabetes: The DIPP Cohort Study. <i>Journal of Nutrition</i> , 2020, 150, 2969-2976.	2.9	6
74	Autoantibodies to N-terminally Truncated GAD65(96-585): HLA Associations and Predictive Value for Type 1 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e935-e946.	3.6	6
75	Live attenuated enterovirus vaccine (OPV) is not associated with islet autoimmunity in children with genetic susceptibility to type 1 diabetes: prospective cohort study. <i>Diabetologia</i> , 2018, 61, 203-209.	6.3	5
76	Enhancing and neutralizing anti-coxsackievirus activities in serum samples from patients prior to development of type 1 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2020, 36, e3305.	4.0	5
77	Maternal Vitamin C and Iron Intake during Pregnancy and the Risk of Islet Autoimmunity and Type 1 Diabetes in Children: A Birth Cohort Study. <i>Nutrients</i> , 2021, 13, 928.	4.1	5
78	Heterogeneity in the presentation of clinical type 1 diabetes defined by the level of risk conferred by human leukocyte antigen class II genotypes. <i>Pediatric Diabetes</i> , 2022, 23, 219-227.	2.9	5
79	A novel processing-based classification and conventional food grouping to estimate milk product consumption in Finnish children. <i>International Dairy Journal</i> , 2018, 86, 96-102.	3.0	3
80	Heterogeneity in diabetes-associated autoantibodies and susceptibility to Type 1 diabetes: lessons for disease prevention. <i>Expert Review of Endocrinology and Metabolism</i> , 2015, 10, 25-34.	2.4	0