

# Juerg Beringer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7169157/publications.pdf>

Version: 2024-02-01

712  
papers

55,389  
citations

2426

97  
h-index

1980

206  
g-index

740  
all docs

740  
docs citations

740  
times ranked

17537  
citing authors

#	ARTICLE	IF	CITATIONS
1	Search for new phenomena in three- or four-lepton events in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 824, 136832.	1.5	7
2	Emulating the impact of additional proton-proton interactions in the ATLAS simulation by presampling sets of inelastic Monte Carlo events. Computing and Software for Big Science, 2022, 6, 1.	1.3	5
3	Search for heavy particles in the b-tagged dijet mass distribution with additional b-tagged jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS experiment. Physical Review D, 2022, 105, .	1.6	2
4	Performance of the ATLAS Level-1 topological trigger in Run 2. European Physical Journal C, 2022, 82, 1.	1.4	6
5	Measurement of the c-jet mistagging efficiency in $t\bar{t}$ events using pp collision data at $\sqrt{s}=13$ TeV collected with the ATLAS detector. European Physical Journal C, 2022, .	1.4	14
6	Search for Higgs boson decays into a pair of pseudoscalar particles in the final state with the ATLAS detector in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 2022, 1.	1.6	17
7	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
8	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	1.4	8
9	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with $139 \text{ fb}^{-1}$ of pp collision data at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	10
10	AtFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	1.3	23
11	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W \rightarrow \mu \nu$ events in Run 2 data. European Physical Journal C, 2022, 82, 1.	1.4	4
12	The ATLAS inner detector trigger performance in pp collisions at $\sqrt{s}=13$ TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	1.4	5
13	Search for associated production of a Z boson with an invisibly decaying Higgs boson or dark matter candidates at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 830, 137106.	1.5	8
14	Measurement of the nuclear modification factor for muons from charm and bottom hadrons in Pb+Pb collisions at 5.02 TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 829, 137077.	1.5	9
15	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, .	1.4	7
16	A search for an unexpected asymmetry in the production of $e^+e^-$ and $e^+e^+$ pairs in proton-proton collisions recorded by the ATLAS detector at $\sqrt{s}=13$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 830, 137106.	1.5	1
17	Measurement of the energy asymmetry in $t\bar{t}$ production at $\sqrt{s}=13$ TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	1.4	2
18	Search for resonant pair production of Higgs bosons in the final state using $b\bar{b}$ pairs in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 830, 137106.	1.6	10

#	ARTICLE	IF	CITATIONS
19	Constraints on Higgs boson production with large transverse momentum using $\hat{\sigma}(\text{pp} \rightarrow \text{H} + \text{b} + \text{b})$ decays in the ATLAS detector. <i>Physical Review D</i> , 2022, 105, .	1.6	5
20	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and $13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2022, 82, 1.	1.4	12
21	Search for single production of a vectorlike $T$ quark decaying into a Higgs boson and top quark with fully hadronic final states using the ATLAS Measurements of azimuthal anisotropies of jet production in $\text{Pb-Pb}$ collisions at $\sqrt{s_{NN}} = 2.76$ and $5.02 \text{ TeV}$ with the ATLAS detector. <i>Physical Review C</i> , 2022, 105, .	1.6	10
22	Search for long-lived charginos based on a disappearing-track signature using $136 \text{ fb}^{-1}$ of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2022, 82, .	1.1	6
23	Two-particle Bose-Einstein correlations in $\text{pp}$ collisions at $\sqrt{s} = 13 \text{ TeV}$ measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2022, 82, .	1.4	3
24	Measurement of hadronic event shapes in high- $p_T$ multijet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	1.6	4
25	A search for the dimuon decay of the Standard Model Higgs boson with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021, 812, 135980.	1.5	61
26	Medium-Induced Modification of $Z$ -Tagged Charged Particle Yields in $\text{Pb-Pb}$ Collisions at $5.02 \text{ TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2021, 126, 072301.	2.9	7
27	Search for squarks and gluinos in final states with jets and missing transverse momentum using $139 \text{ fb}^{-1}$ of $\sqrt{s} = 13 \text{ TeV}$ pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	1.6	37
28	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. <i>European Physical Journal C</i> , 2021, 81, 1.	1.4	12
29	Measurements of WH and ZH production in the $\text{H} \rightarrow \text{b}\bar{\text{b}}$ decay channel in pp collisions at $\sqrt{s} = 13, 8, 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	1.4	38
30	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	1.6	18
31	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13, 8, 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	1.4	17
32	Measurement of light-by-light scattering and search for axion-like particles with $2.2 \text{ nb}^{-1}$ of Pb+Pb data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	1.6	19
33	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	1.6	6
34	Search for Higgs boson production in association with a Dark Higgs Boson Decaying into $W^{\pm}W^{\pm}$ or $ZZ$ in Fully Hadronic Final States. <i>Physical Review Letters</i> , 2021, 126, 072301.	2.9	6
35	Longitudinal Flow Decorrelations in $\text{Pb-Pb}$ Collisions at $\sqrt{s_{NN}} = 2.76$ and $5.02 \text{ TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2021, 126, 122301.	2.9	17
36			

#	ARTICLE	IF	CITATIONS
37	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
38	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	22
39	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	18
40	Measurement of the CP-violating phase $\phi_s$ in $B_s \rightarrow J/\psi \phi$ decays in ATLAS at 13 TeV. European Physical Journal C, 2021, 81, .	1.4	13
41	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. European Physical Journal C, 2021, 81, 1.	1.4	15
42	Search for heavy resonances decaying into a pair of Z bosons in the $e^+e^- \rightarrow e^+e^- Z Z$ and $e^+e^- \rightarrow e^+e^- u \bar{u}$ final states using 139 fb <sup>-1</sup> of proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	40
43	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	18
44	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $e^+e^- \rightarrow e^+e^- Z H$ and $e^+e^- \rightarrow e^+e^- W W$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	26
45	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	23
46	Search for new phenomena in events with an energetic jet and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Physical Review D, 2021, 103, .	1.6	64
47	Measurements of $W+W+1$ jet production cross-sections in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	8
48	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	46
49	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 1.	1.4	14
50	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\tau$ -lepton in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	27
51	Search for charged-lepton-flavour violation in Z-boson decays with the ATLAS detector. Nature Physics, 2021, 17, 819-825.	6.5	8
52	Search for Displaced Leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS Detector. Physical Review Letters, 2021, 127, 051802.	2.9	17
53	Test of the universality of $\tau$ , and $\tau/4$ lepton couplings in W-boson decays with the ATLAS detector. Nature Physics, 2021, 17, 813-818.	6.5	15
54	Two-particle azimuthal correlations in photonuclear ultraperipheral $Pb-Pb$ collisions at 5.02 TeV with ATLAS. Physical Review C, 2021, 104, .		

#	ARTICLE	IF	CITATIONS
55	Search for supersymmetry in events with four or more charged leptons in 139 fb <sup>-1</sup> of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
56	Determination of the parton distribution functions of the proton from ATLAS measurements of differential W <sup>±</sup> and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
57	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	8
58	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	5
59	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 1.	1.4	82
60	Performance of the ATLAS RPC detector and Level-1 muon barrel trigger at $\sqrt{s} = 13$ TeV. Journal of Instrumentation, 2021, 16, P07029.	0.5	6
61	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	13
62	The ATLAS Fast Tracker system. Journal of Instrumentation, 2021, 16, P07006.	0.5	5
63	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8, \sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	3
64	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	64
65	Measurements of sensor radiation damage in the ATLAS inner detector using leakage currents. Journal of Instrumentation, 2021, 16, P08025.	0.5	3
66	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	12
67	Measurement of the top-quark pair production in $\sqrt{s} = 13$ TeV collision events at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 1.	1.6	4
68	Exclusive dimuon production in ultraperipheral collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review C, 2021, 104, .	1.1	11
69	Search for New Phenomena in Final States with Two Leptons and One or No b-Tagged Jets at $\sqrt{s} = 13$ TeV Using the ATLAS Detector. Physical Review Letters, 2021, 127, 141801.	2.9	14
70	Search for dark matter produced in association with a single top quark in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	9
71	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
72	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	1.4	5

#	ARTICLE	IF	CITATIONS
73	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
74	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. European Physical Journal C, 2021, 81, 1.	1.4	7
75	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
76	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
77	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
78	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
79	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	28
80	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	1.4	7
81	Search for Lepton-Flavor Violation in $Z$ -Boson Decays with $\sqrt{s} = 13$ TeV pp collisions with the ATLAS Detector. Physical Review Letters, 2021, 125, 131801.	2.9	8
82	Search for charginos and neutralinos in final states with two boosted hadronically decaying bosons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Physical Review D, 2021, 104, 112001.	1.6	25
83	Search for new phenomena in $\tau$ -lepton final states with tau leptons, b-jets, and missing transverse momentum with the ATLAS detector. Physical Review D, 2021, 104, 112001.	1.6	14
84	Measurement of b-quark fragmentation properties in jets using the decay $B \rightarrow J/\psi K^* \mu^+ \mu^-$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	3
85	Combined measurements of Higgs boson production and decay using up to $80 \times 80$ GeV of proton-proton collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.6	24
86	Dijet Resonance Search with Weak Supervision Using $\sqrt{s} = 13$ TeV pp Collision Data. Physical Review Letters, 2020, 125, 131801.	2.9	67
87	Measurements of inclusive and differential cross-sections of combined $\gamma\gamma$ and $tW$ production in the $e^+e^-$ channel at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	3
88	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	1.6	17
89	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	24
90	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $4\ell$ decay channel at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 1.	1.4	32

#	ARTICLE	IF	CITATIONS
91	Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s}_{NN} = 5.02$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	28
92	Performance of the ATLAS muon triggers in Run 2. Journal of Instrumentation, 2020, 15, P09015-P09015.	0.5	62
93	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	34
94	Measurement of differential cross sections for single diffractive dissociation in $\sqrt{s} = 8$ TeV pp collisions using the ATLAS ALFA spectrometer. Journal of High Energy Physics, 2020, 2020, 1.	1.6	8
95	Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	3
96	Properties of Higgs Boson Interactions with Top Quarks in the $t\bar{t}H$ and $t\bar{t}H\bar{H}$ channels. Journal of High Energy Physics, 2020, 2020, 1.	2.9	40
97	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	11
98	Search for the $HH \rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	17
99	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	12
100	Measurement of the transverse momentum distribution of dilepton pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	28
101	Search for Heavy Higgs Bosons Decaying into Two Tau Leptons with the ATLAS Detector Using $p\bar{p}$ Collisions at $\sqrt{s} = 13$ TeV. Physical Review Letters, 2020, 125, 051801.	2.9	97
102	Review of Particle Physics. Progress of Theoretical and Experimental Physics, 2020, 2020, .	1.8	3,177
103	Measurement of the azimuthal anisotropy of charged-particle production in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review C, 2020, 101, .	1.1	29
104	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	4
105	Measurements of top-quark pair spin correlations in the $e^+e^-$ channel at $\sqrt{s} = 13$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	22
106	Performance of the upgraded PreProcessor of the ATLAS Level-1 Calorimeter Trigger. Journal of Instrumentation, 2020, 15, P11016-P11016.	0.5	4
107	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 13$ TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. Journal of High Energy Physics, 2020, 2020, 1.	1.6	12
108	Search for Higgs Boson Decays into a Z Boson and a Light Hadronically Decaying Resonance Using 13 TeV pp Collision Data from the ATLAS Detector. Physical Review Letters, 2020, 125, 221802.	2.9	20

#	ARTICLE	IF	CITATIONS
109	Higgs boson production cross-section measurements and their EFT interpretation in the $4\ell$ decay channel at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	41
110	Search for heavy neutral Higgs bosons produced in association with $b$ -quarks and decaying into $b$ -quarks at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	22
111	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s}=13\text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	36
112	ATLAS data quality operations and performance for 2015–2018 data-taking. Journal of Instrumentation, 2020, 15, P04003-P04003.	0.5	68
113	Measurement of the Lund Jet Plane Using Charged Particles in $13\text{ TeV}$ Proton-Proton Collisions with the ATLAS Detector. Physical Review Letters, 2020, 124, 222002.	2.9	28
114	Measurement of Azimuthal Anisotropy of Muons from Charm and Bottom Hadrons in $pp$ Collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2020, 124, 082301.	2.9	17
115	Measurement of the $\text{Star}(J/\psi)$ production cross-section and lepton differential distributions in $\mu\mu$ dilepton events from $pp$ collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, .	1.4	26
116	Search for squarks and gluinos in final states with same-sign leptons and jets using $139\text{ fb}^{-1}$ of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	19
117	Search for dijet resonances in events with an isolated charged lepton using $\sqrt{s}=13\text{ TeV}$ proton-proton collision data collected by the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	7
118	Search for Magnetic Monopoles and Stable High-Electric-Charge Objects in $13\text{ TeV}$ Proton-Proton Collisions with the ATLAS Detector. Physical Review Letters, 2020, 124, 031802.	2.9	25
119	Measurement of the $Z(\hat{a}^+, \hat{a}^-, \hat{a}^0)$ production cross-section in $pp$ collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	9
120	Measurement of long-range two-particle azimuthal correlations in $Z$ -boson tagged $pp$ collisions at $\sqrt{s}=8\text{ TeV}$ and $13\text{ TeV}$ . European Physical Journal C, 2020, 80, 1.	1.4	5
121	Transverse momentum and process dependent azimuthal anisotropies in $\sqrt{s}=8\text{ TeV}$ $p+Pb$ collisions with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	12
122	Measurement of $J/\psi$ production in association with a $W\hat{A}\pm$ boson with $pp$ data at $8\text{ TeV}$ . Journal of High Energy Physics, 2020, 2020, 1.	1.6	10
123	Search for new resonances in mass distributions of jet pairs using $139\text{ fb}^{-1}$ of $pp$ collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	68
124	Search for $\text{toverline{t}}$ resonances in fully hadronic final states in $pp$ collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	14
125	Reconstruction and identification of boosted $d\bar{l}$ systems in a search for Higgs boson pairs using $13\text{ TeV}$ proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.	1.6	8
126	Evidence for electroweak production of two jets in association with a $Z$ pair in $pp$ collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physi	1.5	9



#	ARTICLE	IF	CITATIONS
127	Search for resonances decaying into a weak vector boson and a Higgs boson in the fully hadronic final state produced in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector. Physical Review Letters, 2020, 125, 251802.	1.6	14
128	Search for Heavy Resonances Decaying into a Photon and a Hadronically Decaying Higgs Boson in $pp$ Collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector. Physical Review Letters, 2020, 125, 251802.	2.9	6
129	Observation and Measurement of Forward Proton Scattering in Association with Lepton Pairs Produced via the Photon Fusion Mechanism at ATLAS. Physical Review Letters, 2020, 125, 261801.	2.9	22
130	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	1.4	93
131	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV $pp$ collisions using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	124
132	Search for top squarks in events with a Higgs or Z boson using $139 \text{ fb}^{-1}$ of $pp$ collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	4
133	Evidence for $t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	30
134	Search for heavy diboson resonances in semileptonic final states in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	29
135	Search for light long-lived neutral particles produced in $pp$ collisions at $\sqrt{s} = 13$ TeV and decaying into collimated leptons or light hadrons with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	21
136	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	36
137	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	1.4	12
138	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	15
139	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13$ TeV $pp$ collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	49
140	Comparison of Fragmentation Functions for Jets Dominated by Light Quarks and Gluons from $pp$ collisions in ATLAS. Physical Review Letters, 2019, 123, 042001.	2.9	23
141	Search for long-lived neutral particles in $pp$ collisions at $\sqrt{s} = 13$ TeV that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	1.4	28
142	Search for heavy particles decaying into a top-quark pair in the fully hadronic final state in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review Letters, 2019, 123, 052001.	1.6	22
143	Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	21
144	Observation of Light-by-Light Scattering in Ultraperipheral $Pb-Pb$ Collisions with the ATLAS Detector. Physical Review Letters, 2019, 123, 052001.	2.9	75

#	ARTICLE	IF	CITATIONS
145	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	8
146	Measurement of $W^{\pm}Z$ production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	41
147	Combination of Searches for Invisible Higgs Boson Decays with the ATLAS Experiment. Physical Review Letters, 2019, 122, 231801	2.9	133
148	Measurement of the $W^{\pm}Z$ production cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.6	28
149	Searches for third-generation scalar leptoquarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	30
150	Search for scalar resonances decaying into $t\bar{t}$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	15
151	Search for diboson resonances in hadronic final states in $\sqrt{s} = 13$ TeV pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	20
152	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment at the LHC. European Physical Journal C, 2019, 79, .	1.4	4
153	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, .	1.4	21
154	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24
155	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	2.9	53
156	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
157	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 1.	1.4	77
158	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	3
159	Searches for scalar leptoquarks and differential cross-section measurements in dilepton-dijet events in proton-proton collisions at a centre-of-mass energy of $\sqrt{s} = 13$ TeV with the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	1.4	22
160	Correlated long-range mixed-harmonic fluctuations measured in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 444-471.	1.5	25
161	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.5	38
162	Search for invisible Higgs boson decays in vector boson fusion at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 793, 499-519.	1.6	33

#	ARTICLE	IF	CITATIONS
163	Search for single production of vector-like quarks decaying into $Wb$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
164	Combinations of single-top-quark production cross-section measurements and $ f_{LVtb} $ determinations at $\sqrt{s} = 7$ and 8 TeV with the ATLAS and CMS experiments. Journal of High Energy Physics, 2019, 2019, 1.	1.6	9
165	Search for top-quark decays $t \rightarrow Hq$ with $36 \text{ fb}^{-1}$ of pp collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	19
166	Measurement of $VH$ , $\sigma(\text{H} \rightarrow \text{b}\overline{\text{b}})$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
167	Measurements of inclusive and differential fiducial cross-sections of $t\overline{t}$ production with additional heavy-flavour jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	18
168	Measurement of the four-lepton invariant mass spectrum in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	12
169	Cross-section measurements of the Higgs boson decaying into a pair of $\mu\mu$ leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2019, 99, .	1.6	63
170	Measurements of W and Z boson production in pp collisions at $\sqrt{s} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	17
171	Performance of top-quark and $W$ -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	1.4	42
172	Measurements of inclusive and differential fiducial cross-sections of $\text{t}\gamma$ production in leptonic final states at $\sqrt{s} = 13$ TeV in ATLAS. European Physical Journal C, 2019, 79, 1.	1.4	14
173	Search for the Production of a Long-Lived Neutral Particle Decaying within the ATLAS Hadronic Calorimeter in Association with a $Z$ Boson from pp Collisions at $\sqrt{s} = 13$ TeV. Physical Review Letters, 2019, 2, 9 122, 151801.		12
174	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	0.5	37
175	Search for four-top-quark production in the single-lepton and opposite-sign dilepton final states in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2019, 99, .	1.6	13
176	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	1.4	61
177	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	39
178	In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	28
179	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	1.4	46
180	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6

#	ARTICLE	IF	CITATIONS
181	Measurement of the top quark mass in the $t \rightarrow t \tilde{A}^*$ . European Physical Journal C, 2019, 79, 1.	1.4	47
182	Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	55
183	cross-sections in the $H \rightarrow \tau^+ \tau^- W \tilde{Z} \tilde{A}^*$ decay channel in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 508-529.	1.5	46
184	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	1.4	25
185	Measurement of the top-quark mass in $t \rightarrow t + 1$ -jet events collected with the ATLAS detector in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
186	Measurement of fiducial and differential $W^+W^-$ production cross-sections at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24
187	Measurement of ZZ production in the $\tau^+ \tau^- \tau^+ \tau^-$ final state with the ATLAS detector in pp collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
188	Measurement of $W^{\pm}Z$ -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s}=2.76$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	8
189	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	9
190	Electron and photon performance measurements with the ATLAS detector using the 2015-2017 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P12006-P12006.	0.5	124
191	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	50
192	Measurement of $W^{\pm}Z$ boson production in Pb+Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	17
193	ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2019, 79, 1.	1.4	130
194	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	36
195	Search for electroweak diboson production in association with a high-mass dijet system in semileptonic final states in $p\bar{p}$ collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2019, 100.	1.1	11
196	Measurements of top-quark pair differential and double-differential cross-sections in the $t\bar{t} + jets$ channel with pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.6	15
197	Measurements of top-quark pair differential and double-differential cross-sections in the $t\bar{t} + jets$ channel with pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	34
198	Search for bottom-quark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14



#	ARTICLE	IF	CITATIONS
217	A search for pair-produced resonances in four-jet final states at $\sqrt{s}=13$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	1.4	66
218	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in $36 \text{ fb}^{-1}$ of $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
219	Search for heavy resonances decaying into WW in the $e^+e^- \rightarrow \mu^+\mu^- \gamma$ final state in pp collisions at $\sqrt{s}=13$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	1.4	108
220	Direct top-quark decay width measurement in the $t \rightarrow \tau^+ \nu_\tau$ lepton+jets channel at $\sqrt{s}=8$ TeV with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	1.4	17
221	Search for W W/Z resonance production in $q\bar{q}$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
222	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\mu$ decay channel at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	46
223	Search for long-lived, massive particles in events with displaced vertices and missing transverse momentum in $pp \rightarrow \tau^+\tau^- + \text{MET}$ collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2018, 97, 074011.	1.6	18
224	Measurement of the production cross-section of a single top quark in association with a Z boson in proton-proton collisions at 13 TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 780, 557-577.	1.5	19
225	Measurement of the cross section for isolated-photon plus jet production in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 35-76.	1.5	13
226	Measurement of the production cross section of three isolated photons in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 35-76.	1.5	8
227	Search for a Z boson in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 776, 318-337.	1.5	54
228	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow a a \rightarrow 4b$ channel in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	28
229	Measurement of the $Z \rightarrow \mu^+\mu^- \gamma$ production cross section in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	1.6	10
230	Search for resonant WZ production in the fully leptonic final state in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review Letters, 2018, 121, 211801.	1.6	18
231	Angular analysis of $B^0 \rightarrow \tau^+ \tau^- K^+ K^-$ decays in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	76
232	Combination of the Searches for Pair-Produced Vectorlike Partners of the Third-Generation Quarks at $\sqrt{s}=13$ TeV with the ATLAS Detector. Physical Review Letters, 2018, 121, 211801.	2.9	145
233	Search for Resonant and Nonresonant Higgs Boson Pair Production in the $pp \rightarrow H H \rightarrow 4\mu$ Channel at $\sqrt{s}=13$ TeV with the ATLAS Detector. Physical Review Letters, 2018, 121, 191801.	2.9	41
234	Search for Resonant and Nonresonant Higgs Boson Pair Production in the $pp \rightarrow H H \rightarrow 4\mu$ Channel at $\sqrt{s}=13$ TeV with the ATLAS Detector. Physical Review Letters, 2018, 121, 191801.	2.9	70

#	ARTICLE	IF	CITATIONS
235	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
236	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	9
237	Search for Higgs boson pair production in the $\gamma\gamma$ final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	1.6	38
238	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	30
239	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{NN}} = 5.02$ TeV Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	1.4	51
240	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 903.	1.4	181
241	Search for chargino-neutralino production using recursive jigsaw reconstruction in final states with two or three charged leptons in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2018, 98.	1.6	41
242	Comparison between simulated and observed LHC beam backgrounds in the ATLAS experiment at $\sqrt{s}=4$ TeV. Journal of Instrumentation, 2018, 13, P12006-P12006.	0.5	2
243	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	56
244	Measurements of Higgs boson properties in the diphoton decay channel with $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector. Physical Review D, 2018, 98.	1.6	115
245	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	37
246	Search for heavy resonances decaying to a photon and a hadronically decaying $Z$ boson in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 114-133.	1.6	13
247	Search for pair production of heavy vector-like quarks decaying into high- $p_T$ $W$ bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	22
248	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb $^{-1}$ of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	48
249	Combined measurement of differential and total cross sections in the $H \rightarrow \tau^+\tau^-$ and the $H \rightarrow \tau^+\tau^- Z \rightarrow \tau^+\tau^- 4\mu$ decay channels at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 114-133.	1.6	42
250	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	67
251	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	15
252	Observation of $H \rightarrow \tau^+\tau^-$ decays and $VH$ production with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 114-133.	1.5	138

#	ARTICLE	IF	CITATIONS
253	Combination of searches for heavy resonances decaying into bosonic and leptonic final states using <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mrow><mml:mn>36</mml:mn></mml:mrow></mml:math> of proton-proton collision data at <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:msqrt><mml:mi>s</mml:mi></mml:msqrt></mml:math> = 13 TeV with the ATLAS experiment. <i>Physical Review D</i> , 2018, 98.	1.6	59
254	Constraints on off-shell Higgs boson production and the Higgs boson total width in ZZ $\hat{a}^{\pm}$ and ZZ $\hat{a}^{\pm}$ final states with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 786, 223-244.	1.5	43
255	Search for charged Higgs bosons decaying via H $\hat{a}^{\pm}$ $\hat{l}^{\pm}$ in the $\hat{l}^{\pm}$ +jets and $\hat{l}^{\pm}$ +lepton final states with 36 fb $\hat{a}^{-1}$ of pp collision data recorded at $\sqrt{s}$ = 13 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	59
256	Prompt and non-prompt $J/\psi$ and $\psi(2S)$ suppression at high transverse momentum in 5.02 TeV Pb+Pb collisions with the ATLAS experiment. <i>European Physical Journal C</i> , 2018, 78, 762.	1.4	61
257	Search for interference between Singly and Doubly Resonant Top-Quark Production in <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mi>p</mml:mi></mml:math> Collisions at <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:msqrt><mml:mi>s</mml:mi></mml:msqrt></mml:math> = 13 TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2018, 121, 152002.	2.9	16
258	Search for photonic signatures of gauge-mediated supersymmetry in 13 TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2018, 97, .	1.6	20
259	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s}$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	31
260	Measurement of the Higgs boson mass in the H $\hat{a}^{\pm}$ ZZ $\hat{a}^{\pm}$ and H $\hat{a}^{\pm}$ $\hat{l}^{\pm}$ channels with <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll"><mml:msqrt><mml:mrow></mml:mrow></mml:msqrt></mml:math> = 13 TeV pp collisions using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 784, 345-366.	1.6	16
261	Search for exclusive Higgs and Z boson decays to $\hat{l}^{\pm}$ and $\hat{l}^{\pm}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	16
262	Measurements of b-jet tagging efficiency with the ATLAS detector using $t$ events at $\sqrt{s}$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	40
263	Search for flavour-changing neutral current top-quark decays $t \hat{a}^{\pm} qZ$ in proton-proton collisions at $\sqrt{s}$ = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	17
264	Search for Higgs bosons produced via vector-boson fusion and decaying into bottom quark pairs in <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:msqrt><mml:mi>s</mml:mi></mml:msqrt></mml:math> = 13 TeV collisions with the ATLAS detector. <i>Physical Review Letters</i> , 2018, 121, 152002.	1.6	26
265	Search for Higgs bosons produced via vector-boson fusion and decaying into bottom quark pairs in <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mi>p</mml:mi></mml:math> Collisions at <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:msqrt><mml:mi>s</mml:mi></mml:msqrt></mml:math> = 13 TeV with the ATLAS detector. <i>Physical Review Letters</i> , 2018, 121, 152002.	2.9	41
266	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s}$ = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 565.	1.4	79
267	Search for Higgs bosons produced via vector-boson fusion and decaying into bottom quark pairs in <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mrow><mml:mi>p</mml:mi></mml:mrow></mml:math> collisions at <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:msqrt><mml:mrow></mml:mrow></mml:msqrt></mml:math> = 13 TeV with the ATLAS detector. <i>Physical Review Letters</i> , 2018, 121, 152002.	1.6	9
268	Measurement of jet fragmentation in Pb+Pb and <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mrow><mml:mi>p</mml:mi></mml:mrow></mml:math> collisions at <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:msqrt><mml:msub><mml:mi>s</mml:mi></mml:msub></mml:math> = 13 TeV with the ATLAS detector. <i>Physical Review C</i> , 2018, 98, .	1.1	24
269	Search for Higgs bosons produced via vector-boson fusion and decaying into bottom quark pairs in <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mi>p</mml:mi></mml:math> Collisions at <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:msqrt><mml:mi>s</mml:mi></mml:msqrt></mml:math> = 13 TeV with the ATLAS detector. <i>Physical Review Letters</i> , 2018, 121, 152002.	2.9	33
270	Search for anomalous Higgs boson production and decay in <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mi>Z</mml:mi></mml:math> cross-section measurements and search for anomal. <i>Physical Review D</i> , 2018, 97, .	1.6	26



#	ARTICLE	IF	CITATIONS
271	Search for electroweak production of supersymmetric states in scenarios with compressed mass spectra at $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. Physical Review D, 2018, 97, .	1.6	64
272	Search for the Decay of the Higgs Boson to Charm Quarks with the ATLAS Experiment. Physical Review Letters, 2018, 120, 211802.	2.9	53
273	Search for $B\bar{A}L R$ -parity-violating top squarks in $\sqrt{s}=13$ TeV pp collisions with the ATLAS experiment. Physical Review D, 2018, 97, .	1.6	12
274	Search for the standard model Higgs boson produced in association with top quarks and decaying into a $b\bar{b}$ pair in $\sqrt{s}=13$ TeV pp collisions at the ATLAS detector. Physical Review Letters, 2018, 120, 202007.	1.6	49
275	Search for a Structure in the $B\bar{B}0$ Invariant Mass Spectrum with the ATLAS Experiment. Physical Review Letters, 2018, 120, 202007.	1.6	19
276	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	136
277	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
278	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	1.4	60
279	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 199.	1.4	132
280	Measurement of $\sigma_{\text{pol}}$ , polarisation in $Z/\gamma \rightarrow \text{au au}$ . European Physical Journal C, 2018, 78, 163.	1.4	7
281	Searches for heavy ZZ and ZW resonances in the $\hat{a}, \hat{a}, \hat{q}\bar{q}$ and $\hat{1}/2\hat{1}/2q\bar{q}$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
282	Review of Particle Physics. Physical Review D, 2018, 98, .	1.6	5,390
283	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	33
284	Search for $W\bar{a}t\bar{a}tb$ decays in the hadronic final state using pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 327-348.	1.5	20
285	Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, .	1.5	169
286	Measurements of $t\bar{t}$ differential cross-sections of highly boosted top quarks decaying to all-hadronic final states in $\sqrt{s}=13$ TeV pp collisions at the ATLAS detector. Physical Review Letters, 2018, 120, 202007.	1.6	22
287	Measurement of differential cross sections and $W^+/W^0$ cross-section ratios for W boson production in association with jets at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
288	Combination of inclusive and differential $t\bar{t}$ charge asymmetry measurements using ATLAS and CMS data at $\sqrt{s}=7$ and 8 TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	7

#	ARTICLE	IF	CITATIONS
289	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in $36 \text{ fb}^{-1}$ of $(\sqrt{s}=13)$ TeV pp collisions with the ATLAS detector. , 2018, 2018, 1.		1
290	Measurement of the W-boson mass in pp collisions at $(\sqrt{s}=7, \text{hbox \{TeV\}})$ with the ATLAS detector. , 2018, 78, 1.		1
291	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $(\sqrt{s}=13, \text{ext \{TeV\}})$ . , 2018, 78, 1.		1
292	Measurement of the $\sigma(\text{pp} \rightarrow \text{Z} \text{ t} \bar{\text{t}})$ and $\sigma(\text{pp} \rightarrow \text{W} \text{ t} \bar{\text{t}})$ production cross sections in multilepton final states using $3.2 \text{ fb}^{-1}$ of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	1.4	41
293	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	1.4	29
294	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $s = 13 \sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	29
295	Search for heavy resonances decaying to a Z boson and a photon in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 764, 11-20.		
296	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	1.4	11
297	Measurement of the W boson polarisation in $\text{pp} \rightarrow \text{W} \text{ t} \bar{\text{t}}$ events from pp collisions at $\sqrt{s} = 8 \text{ TeV}$ in the lepton+jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	1.4	37
298	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.	1.4	87
299	Measurements of top-quark pair differential cross-sections in the $\text{pp} \rightarrow \text{e} \bar{\nu}_e$ channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	1.4	27
300	Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	1.4	61
301	Measurement of the prompt $J/\psi$ pair production cross-section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	1.4	81
302	Search for triboson $W^+ W^- W^0$ production in pp collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	1.4	25
303	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	1.4	325
304	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at $8 \text{ TeV}$ using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	1.4	56
305	Measurements of electroweak $W_{jj}$ production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	1.4	26
306	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	1.4	145

#	ARTICLE	IF	CITATIONS
307	Measurement of multi-particle azimuthal correlations in pp, p $\bar{A}$ + $\bar{A}$ Pb and low-multiplicity Pb $\bar{A}$ + $\bar{A}$ Pb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	1.4	86
308	Search for the Dimuon Decay of the Higgs Boson in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. Physical Review Letters, 2017, 119, 051802.	2.9	36
309	Search for Dark Matter Produced in Association with a Higgs Boson Decaying to $b\bar{b}$ . Physical Review Letters, 2017, 119, 181804.	2.9	49
310	Search for Heavy Higgs Bosons A/H Decaying to a Top Quark Pair in pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS Detector. Physical Review Letters, 2017, 119, 191803.	2.9	74
311	Measurement of inclusive and differential cross sections in the H $\rightarrow$ ZZ $\rightarrow$ 4 $\mu$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
312	Measurement of the cross-section for electroweak production of dijets in association with a Z boson in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 775, 206-228.	1.6	15
313	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$ . European Physical Journal C, 2017, 77, 804.	1.4	28
314	Measurement of the $\gamma\gamma$ production cross section in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	9
315	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	9
316	Search for heavy resonances decaying to a W or Z boson and a Higgs boson in the $b\bar{b}$ channel. Physical Review Letters, 2017, 119, 181804.	1.5	24
317	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	1.4	75
318	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	1.4	12
319	Measurement of the ZZ production cross section in proton-proton collisions at $\sqrt{s}=8$ TeV using the ZZ $\rightarrow$ $\mu\mu$ and ZZ $\rightarrow$ $\mu\tau$ decay channels with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.4	12
320	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
321	Measurements of $\Upsilon(2S)$ and $X(3872)$ production in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	33
322	Measurements of top-quark pair to Z-boson cross-section ratios at $\sqrt{s}=13, 8, 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	13
323	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	1.4	79
324	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	1.4	489

#	ARTICLE	IF	CITATIONS
325	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	1.4	71
326	Measurements of the production cross section of a $Z$ boson in association with jets in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 361.	1.4	47
327	Precision measurement and interpretation of inclusive $W^+W^+$ , $W^+W^-$ . European Physical Journal C, 2017, 77, 367.	1.4	145
328	Search for dark matter at $\sqrt{s} = 13$ TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	1.4	80
329	Measurement of charged-particle distributions sensitive to the underlying event in $\sqrt{s} = 13$ TeV proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
330	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	1.4	50
331	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
332	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 765.	1.4	19
333	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
334	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
335	Jet energy scale measurements and their systematic uncertainties in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2017, 96, 114004.	1.6	157
336	Measurement of the inclusive jet cross-sections in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
337	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	38
338	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	1.6	12
339	Searches for the $Z\gamma\gamma$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	30
340	Studies of $Z\gamma\gamma$ production in association with a high-mass dijet system in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
341	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
342	Search for top quark decays $t \rightarrow qH$ , with $H \rightarrow Z\gamma\gamma$ , in $\sqrt{s} = 13$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	18

#	ARTICLE	IF	CITATIONS
343	Measurements of top quark spin observables in $t\bar{t}$ events using dilepton final states in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	20
344	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
345	Top-quark mass measurement in the all-hadronic $t\bar{t}$ decay channel at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
346	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	28
347	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	45
348	Search for supersymmetry in final states with two same-sign or three leptons and jets using $36\text{ fb}^{-1}$ of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
349	Study of ordered hadron chains with the ATLAS detector. Physical Review D, 2017, 96, .	1.6	2
350	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	36
351	Study of the material of the ATLAS inner detector for Run 2 of the LHC. Journal of Instrumentation, 2017, 12, P12009-P12009.	0.5	29
352	Measurement of the $k_t$ splitting scales in $Z\ell^+\ell^-$ events in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	3
353	Analysis of the $Wtb$ vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
354	Evidence for the $H\ell^+\ell^-b\bar{b}$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	64
355	Search for new high-mass phenomena in the dilepton final state using $36\text{ fb}^{-1}$ of proton-proton collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	168
356	Search for squarks and gluinos in events with an isolated lepton, jets, and missing transverse momentum at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2017, 96, .	1.6	23
357	Performance of the ATLAS Transition Radiation Tracker in Run 1 of the LHC: tracker properties. Journal of Instrumentation, 2017, 12, P05002-P05002.	0.5	10
358	A measurement of material in the ATLAS tracker using secondary hadronic interactions in 7 TeV pp collisions. Journal of Instrumentation, 2016, 11, P11020-P11020.	0.5	10
359	Study of hard double-parton scattering in four-jet events in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	30
360	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	10

#	ARTICLE	IF	CITATIONS
361	Measurement of event-shape observables in $Z \rightarrow \ell^+ \ell^- \gamma$ events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 375.	1.4	15
362	Charged-particle distributions in pp interactions at $\sqrt{s} = 8 \text{ TeV}$ measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.	1.4	30
363	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	1.4	61
364	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	1.4	37
365	Search for minimal supersymmetric standard model Higgs Bosons $H/A$ and for a $Z'$ boson in the $\text{Au Au}$ , final state produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	1.4	51
366	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	1.4	73
367	Measurement of the $b\bar{b}$ dijet cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	1.4	12
368	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	1.4	21
369	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	1.4	23
370	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	1.4	24
371	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2016, 76, 292.	1.4	453
372	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	1.4	48
373	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	1.4	31
374	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2016, 94, .	1.6	137
375	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	44
376	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	71
377	Search for flavour-changing neutral current top-quark decays to $qZ$ in pp collision data collected with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2016, 76, 12.	1.4	39
378	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2016, 76, 87.	1.4	39

#	ARTICLE	IF	CITATIONS
379	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	1.4	10
380	Search for charged Higgs bosons in the $H \rightarrow \tau^+ \tau^- t\bar{b}$ decay channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	43
381	Measurement of $W\Delta\pm$ and Z-boson production cross sections in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 761, 372-392.		
382	Search for high-mass new phenomena in the dilepton final state using proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 761, 372-392.		
383	Study of the rare decays of $B^0 \rightarrow s\gamma B^0$ and $B^0 \rightarrow \mu^+\mu^- B^0$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	1.4	46
384	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 517.	1.4	24
385	Search for resonances in diphoton events at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	70
386	Search for top squarks in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Physical Review D, 2016, 94, .	1.6	43
387	Search for single production of vector-like quarks decaying into $Wb$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	1.4	43
388	Measurement of the top quark mass in the $t\bar{t}$ channel from $B \rightarrow B^0$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.5	52
389	Measurement of the relative width difference of the $B^0 \rightarrow B^0$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	8
390	Search for Higgs and Z-boson Decays to $\tau^+\tau^-$ with the ATLAS Detector. Physical Review Letters, 2016, 117, 111802.	2.9	13
391	Measurement of the differential cross-section of highly boosted top quarks as a function of their transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions using the ATLAS detector. Physical Review D, 2016, 93, .	1.6	34
392	Measurement of the Z-boson Production Cross Section in $pp$ Collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector.	2.9	31
393	Measurement of the top quark mass in the $t\bar{t}$ channel from $B \rightarrow B^0$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	2.9	228
394	Measurement of the Z-boson production cross-section using $e^+e^-$ events with b-tagged jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector.	1.5	57
395	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	1.4	50
396	Performance of pile-up mitigation techniques for jets in $pp$ collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2016, 76, 581.	1.4	298

#	ARTICLE	IF	CITATIONS
397	Measurement of the Inelastic Proton-Proton Cross Section at $\sqrt{s} = 13$ TeV with the ATLAS Detector at the LHC. Physical Review Letters, 2016, 117, 182002.	2.9	185
398	Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at $\sqrt{s} = 7$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	473
399	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	1.4	51
400	Measurement of jet activity in top quark events using the $e^+e^-$ final state with two b-tagged jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	4
401	Measurement of the transverse momentum and $\phi_{\ell\bar{\ell}}$ distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	1.4	154
402	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^+e^-$ with the ATLAS detector at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
403	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	20
404	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $\sqrt{s} = 8$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
405	Identification of high transverse momentum top quarks in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
406	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	1.2	2
407	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.	0.5	11
408	Measurement of top quark pair differential cross sections in the dilepton channel in pp collisions at $\sqrt{s} = 7$ and 8 TeV with ATLAS. Physical Review D, 2016, 94, .	1.6	22
409	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 683.	1.4	115
410	Search for pair production of gluinos decaying via stop and sbottom in events with b-jets and large missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	30
411	Measurement of the differential cross-sections of prompt and non-prompt production of $J/\psi$ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	1.4	63
412	Luminosity determination in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	1.4	279
413	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	1.4	11
414	Addendum to "Measurement of the $t\bar{t}$ production cross-section using $e^+e^-$ events with b-tagged jets in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector". European Physical Journal C, 2016, 76, 1.	1.4	19



#	ARTICLE	IF	CITATIONS
415	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	33
416	Searches for heavy diboson resonances in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	25
417	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $\sqrt{s} = 8$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
418	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	21
419	Measurement of the CP-violating phase $\arg(\lambda)$ and the $B_s^0$ meson decay width difference with $B_s^0$ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
420	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	1.4	73
421	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	38
422	A search for prompt lepton-jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	31
423	Search for new phenomena with photon+jet events in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
424	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-proton collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 199.	1.4	60
425	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
426	Search for the production of single vector-like and excited quarks in the $Wt$ final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
427	Search for strong gravity in multijet final states produced in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
428	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum with ATLAS using $\sqrt{s} = 13$ TeV proton-proton collisions. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 357, 334-335.	1.5	21
429	Combination of searches for WW, WZ, and ZZ resonances in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 755, 285-305.	1.5	21
430	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 154.	1.4	62
431	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	1.4	95
432	Probing lepton flavour violation via neutrinoless $\tau \rightarrow 3\mu$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	1.4	19

#	ARTICLE	IF	CITATIONS
433	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	1.4	9
434	Search for supersymmetry at $\sqrt{s}=13$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	1.4	72
435	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	49
436	Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	1.6	13
437	Searches for scalar leptoquarks in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 5.	1.4	109
438	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s}=7$ and 8 TeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	1.4	274
439	Measurements of fiducial cross-sections for $t\bar{t}\hat{\nu}$ production with one or two additional b-jets in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 11.	1.4	54
440	Study of the $B_c^+ \rightarrow J/\psi D_s^+ B_c^+ \hat{\nu} J/\psi D_s^+$ and $B_c^+ \rightarrow J/\psi D_s^+ B_c^+ \hat{\nu} J/\psi D_s^+$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.	1.4	40
441	Search for an additional, heavy Higgs boson in the $H \hat{\nu} Z Z$ decay channel at $\sqrt{s}=8$ TeV in pp collision data with the ATLAS detector. European Physical Journal C, 2016, 76, 45.	1.4	197
442	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	1.4	43
443	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $(\sqrt{s}=8, \text{TeV})$ with the ATLAS detector. , 2016, 76, 1.		1
444	Observation and measurement of Higgs boson decays to $W^+W^-$ at $\sqrt{s}=8$ TeV with the ATLAS detector. Physical Review D, 2015, 92, 1110.	1.6	110
445	Measurement of the Higgs boson production cross sections combining the ATLAS and CMS results. European Physical Journal C, 2016, 76, 1.	2.9	48
446	Search for New Phenomena in Dijet Angular Distributions in Proton-Proton Collisions at $\sqrt{s}=8$ TeV with the ATLAS Detector. Physical Review Letters, 2015, 114, 221802.	2.9	27
447	Search for a Heavy Neutral Particle Decaying to $W^+W^-$ at $\sqrt{s}=8$ TeV with the ATLAS Detector. Physical Review Letters, 2015, 114, 221801.	2.9	27
448	Search for a Heavy Neutral Particle Decaying to $W^+W^-$ at $\sqrt{s}=8$ TeV with the ATLAS Detector. Physical Review Letters, 2015, 114, 221801.	2.9	20
449	Search for Dark Matter in Events With Missing Transverse Momentum and a Higgs Boson Decaying to Two Photons in $pp$ Collisions at $\sqrt{s}=8$ TeV with the ATLAS Detector. Physical Review Letters, 2015, 115, 131801.	2.9	30
450	Search for Dark Matter in Events With Missing Transverse Momentum and a Higgs Boson Decaying to Two Photons in $pp$ Collisions at $\sqrt{s}=8$ TeV with the ATLAS Detector. Physical Review Letters, 2015, 115, 131801.	2.9	49

#	ARTICLE	IF	CITATIONS
451	Determination of the Ratio of $b$ -Quark Fragmentation Fractions Physical Review Letters, 2015, 115, 262001.	2.9	23
452	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	4
453	A search for high-mass resonances decaying to $\bar{l}, +l, \bar{\nu}$ in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	23
454	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	1.6	55
455	Search for lepton-flavour-violating $H \rightarrow \bar{l}l$ , decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	52
456	Measurement of four-jet differential cross sections in $\sqrt{s}=8$ TeV proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	1.6	11
457	A search for $t\bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	66
458	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	28
459	Measurement of charged-particle spectra in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	1.6	67
460	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33
461	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	108
462	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.	1.6	78
463	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $\sqrt{s}=7$ TeV in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	40
464	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	84
465	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	71
466	Search for new phenomena in events with three or more charged leptons in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	20
467	Summary of the searches for squarks and gluinos using $\sqrt{s}=8$ TeV pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
468	Determination of the top-quark pole mass using $t\bar{t} + 1$ -jet events collected with the ATLAS experiment in 7 TeV pp collisions. Journal of High Energy Physics, 2015, 2015, 1.	1.6	25

#	ARTICLE	IF	CITATIONS
469	Measurement of the $t\bar{t} \rightarrow W^+W^-$ and $t\bar{t} \rightarrow Z\gamma$ production cross sections in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	22
470	Search for flavour-changing neutral current top quark decays $t \rightarrow c\gamma$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	1.6	19
471	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	36
472	Combined Measurement of the Higgs Boson Mass in Collisions at $\sqrt{s} = 7$ and $8$ TeV with the ATLAS and CMS Experiments. Physical Review Letters, 2015, 114, 191803.	2.9	1,062
473	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	42
474	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	116
475	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	17
476	Search for $W \rightarrow tb$ decays in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 165.	1.4	35
477	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2015, 75, 158.	1.4	17
478	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.	1.4	67
479	Study of (W/Z)H production and Higgs boson couplings using $H \rightarrow WW$ decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	22
480	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	1.4	27
481	Measurement of the production and lepton charge asymmetry of W bosons in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.4	41
482	Search for Higgs and $W$ boson decays to $Z\gamma$ in pp collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.		

#	ARTICLE	IF	CITATIONS
487	Measurement of Spin Correlation in Top-Antitop Quark Events and Search for Top Squark Pair Production in $pp$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Physical Review Letters, 2015, 114, 142001.	2.9	64
488	Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 17.	1.4	268
489	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 79.	1.4	30
490	Search for resonant diboson production in the $pp$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	1.4	74
491	Measurements of the $W$ production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82.	1.4	92
492	Search for dark matter in events with heavy quarks and missing transverse momentum in $pp$ collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	1.4	77
493	Measurement of the $t\bar{t}$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	30
494	Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	27
495	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33
496	Search for the $b\bar{b}\gamma$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	89
497	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s} = 7$ TeV using 4.5 fb <sup>-1</sup> of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	35
498	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $\sqrt{s} = 8$ TeV $pp$ collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
499	Search for charged Higgs bosons decaying via $H \rightarrow \tau^+ \bar{\nu}_\tau$ , $H \rightarrow \tau^+ \bar{\nu}_\tau$ in fully hadronic final states using $pp$ collision data at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	69
500	Search for production of $WW/WZ$ resonances decaying to a lepton, neutrino and jets in $pp$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	1.4	79
501	Performance of the ATLAS muon trigger in $pp$ collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 120.	1.4	62
502	Search for invisible decays of the Higgs boson produced in association with a hadronically decaying vector boson in $pp$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 337.	1.4	39
503	Search for Higgs boson pair production in the $b\bar{b}b\bar{b}$ final state from $pp$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	1.4	90
504	Determination of spin and parity of the Higgs boson in the $WW \rightarrow e\mu u\bar{u}$ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	1.4	21

#	ARTICLE	IF	CITATIONS
505	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s}=8-8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	1.4	238
506	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $\ell\ell/\ell\ell u/\ell\ell u + b\bar{b}$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	1.4	60
507	Measurement of three-jet production cross-sections in $pp$ collisions at $\sqrt{s}=7-7$ TeV centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.	1.4	23
508	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	1.4	95
509	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s}=8-8$ TeV. European Physical Journal C, 2015, 75, 303.	1.4	70
510	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	1.4	174
511	Observation and measurements of the production of prompt and non-prompt $J/\psi$ mesons in association with a Z boson in pp collisions at $\sqrt{s}=8-8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	1.4	64
512	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $\sqrt{s}=8-8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	1.4	123
513	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s}=8-8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	1.4	56
514	Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s}=8-8$ TeV using the ATLAS detector. European Physical Journal C, 2015, 75, 362.	1.4	36
515	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s}=0.9$ and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	1.4	42
516	Measurement of the top quark mass in the $t \rightarrow \ell\text{jet} + \bar{t}$ and $t \rightarrow \ell\text{dilepton} + \bar{t}$ dilepton channels using $\sqrt{s}=7-7$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330.	1.4	52
517	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	1.4	138
518	Measurement of the inclusive jet cross-section in proton-proton collisions at $(\sqrt{s}=7)$ TeV using 4.5 fb <sup>-1</sup> of data with the ATLAS detector. , 2015, 2015, 1.		3
519	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. , 2015, 75, 1.		1
520	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $(\sqrt{s}=8-8)$ TeV with the ATLAS detector. , 2015, 75, 1.		2
521	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. , 2015, 75, 1.		3
522	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. , 2015, 75, 1.		3

#	ARTICLE	IF	CITATIONS
523	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	82
524	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 3130.	1.4	213
525	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in pp collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	1.4	40
526	A measurement of the ratio of the production cross sections for $W$ and $Z$ bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	1.4	23
527	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $\sqrt{s}=8$ TeV with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
528	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in $20\text{ fb}^{-1}$ of $\sqrt{s}=8$ TeV proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	12
529	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $\sqrt{s}=8$ TeV proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	1.6	128
530	Measurement of the $t\bar{t}$ production cross-section using $e^+e^-$ events with $b$ -tagged jets in pp collisions at $\sqrt{s}=7$ and $8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	1.4	143
531	Search for $WZ$ resonances in the fully leptonic channel using pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 738, 254-253.	1.5	58
532	Fiducial and differential cross sections of Higgs boson production measured in the four-lepton decay channel in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 738, 254-253.	1.5	58
533	Search for new resonances in $W^+Z$ and $Z^0$ final states in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 738, 254-253.	1.5	58
534	Search for Quantum Black Hole Production in High-Invariant-Mass $W^+Z$ and $Z^0$ Final States Using Lepton+Jet Final States Using the ATLAS Detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 738, 254-253.	2.9	35
535	Evidence for Electroweak Production of $W^+Z$ Collisions at $\sqrt{s}=8$ TeV with the ATLAS Detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 738, 254-253.	2.9	51
536	Search for $W^+Z$ resonances in $W^+Z$ and $Z^0$ final states in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 738, 254-253.	2.9	123
537	Search for Scalar Diphoton Resonances in the Mass Range 654e-600 GeV with the ATLAS Detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 738, 254-253.	1.6	71
538	Search for Invisible Decays of a Higgs Boson Produced in Association with a $W^+Z$ Boson in ATLAS. Physical Review Letters, 2014, 113, 171801.	2.9	168
539	Measurement of the Higgs boson mass from the $W^+Z$ Boson in ATLAS. Physical Review Letters, 2014, 112, .	2.9	130
540	Search for invisible decays of a Higgs boson produced in association with a $W^+Z$ boson in ATLAS. Physical Review Letters, 2014, 113, 171801.	1.6	176

#	ARTICLE	IF	CITATIONS
541	Search for Dark Matter in Events with a Hadronically Decaying $W$ Boson and Missing Transverse Momentum in $pp$ Collisions at $\sqrt{s} = 8$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2014, 112, 041802.	2.9	129
542	Observation of an Excited $B_c$ Meson in $pp$ Collisions at $\sqrt{s} = 8$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2014, 113, 212004.	2.9	132
543	Measurement of event-plane correlations in lead-lead collisions with the ATLAS detector. <i>Physical Review C</i> , 2014, 90, .	1.1	134
544	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s} = 8$ TeV $pp$ collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	66
545	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton collisions at $\sqrt{s} = 7$ TeV in 2010. <i>European Physical Journal C</i> , 2014, 74, 3034.	1.4	58
546	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. <i>European Physical Journal C</i> , 2014, 74, 1.	1.4	172
547	Search for contact interactions and large extra dimensions in the dilepton channel using proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3134.	1.4	48
548	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3157.	1.4	68
549	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in $pp$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3195.	1.4	46
550	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	41
551	Measurement of the production cross-section of $\tilde{\chi}^0(2S) \rightarrow J/\psi(\psi) + \tilde{\chi}^{\pm}$ in $pp$ collisions at $\sqrt{s} = 7$ TeV at ATLAS. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	21
552	Measurement of the $Z/\tilde{\chi}^0$ boson transverse momentum distribution in $pp$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	131
553	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $\sqrt{s} = 8$ TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	38
554	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	45
555	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	47
556	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in $pp$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	35
557	Search for Higgs boson decays to a photon and a Z boson in $pp$ collisions at $\sqrt{s} = 8$ and 7 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High Energy Physics</i> , 2014, 732, 8-27.	1.6	47
558	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	42



#	ARTICLE	IF	CITATIONS
559	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	40
560	The differential production cross section of the $\phi(1020)$ meson in $\sqrt{s} = 7$ TeV pp collisions measured with the ATLAS detector. European Physical Journal C, 2014, 74, 2895.	1.4	13
561	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 2941.	1.4	204
562	Measurement of the underlying event in jet events from 7 TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1.	1.4	23
563	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 2982.	1.4	22
564	Light-quark and gluon jet discrimination in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3023.	1.4	77
565	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	22
566	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	88
567	Measurement of the production cross section of prompt $J/\psi$ mesons in association with a $W^{\pm}$ boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	35
568	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	36
569	Measurement of the production of a W boson in association with a charm quark in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	59
570	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	145
571	Search for supersymmetry at $\sqrt{s} = 8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
572	Measurement of the low-mass Drell-Yan differential cross section at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	25
573	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	59
574	Measurement of $\chi_{c1}$ and $\chi_{c2}$ production with $\sqrt{s} = 7$ TeV pp collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	32
575	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	10
576	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45

#	ARTICLE	IF	CITATIONS
577	Search for direct top squark pair production in events with a $Z$ boson, $b$ -jets and missing transverse momentum in $\sqrt{s}=8$ TeV $pp$ collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	1.4	55
578	Search for new phenomena in photon + jet events collected in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 728, 562-578.	1.6	73
579	Measurement of the $t\bar{t}$ production cross-section using (em) events with (b)-tagged jets in (pp) collisions at ( $\sqrt{s}=7$ ) and 8 TeV with the ATLAS detector. , 2014, 74, 1.		2
580	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	73
581	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	53
582	Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	32
583	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	137
584	Measurement of ZZ production in pp collisions at $\sqrt{s}=7$ TeV and limits on anomalous ZZZ and ZZ $\tilde{\chi}^0$ couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	61
585	Search for charged Higgs bosons through the violation of lepton universality in $t\bar{t}$ events using pp collision data at $\sqrt{s}=7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	1.6	19
586	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	52
587	Measurement of $k_T$ splitting scales in $W\ell^+\ell^-$ events at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.	1.4	19
588	Search for a light charged Higgs boson in the decay channel $H^{\pm} \rightarrow c\bar{s}$ in $t\bar{t}$ events using pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2013, 73, 2465.	1.4	119
589	Search for new phenomena in photon + jet events collected in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 728, 562-578.		
590	Measurement of the high-mass Drellian differential cross-section in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 725, 223-242.		
591	Evidence for the spin-0 nature of the Higgs boson using ATLAS data. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 726, 120-144.	1.5	307
592	Measurements of Higgs boson production and couplings in diboson final states with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 726, 88-119.	1.5	295
593	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	102
594	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s}=8$ TeV proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	1.6	71

#	ARTICLE	IF	CITATIONS
595	Measurement of the differential cross-section of B + meson production in pp collisions at $\sqrt{s}=7$ TeV at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.	1.6	31
596	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	52
597	Improved luminosity determination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.	1.4	362
598	Measurement of the inclusive jet cross-section in pp collisions at $\sqrt{s}=2.76 \text{ TeV}$ and comparison to the inclusive jet cross-section at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2013, 73, 2509.	1.4	105
599	Multi-channel search for squarks and gluinos in $\sqrt{s}=7 \text{ TeV}$ pp collisions with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2362.	1.4	34

600

#	ARTICLE	IF	CITATIONS
613	Jet energy resolution in proton-proton collisions at $\sqrt{s}=7\text{ TeV}$ recorded in 2010 with the ATLAS detector. European Physical Journal C, 2013, 73, 2306.	1.4	209
614	Measurement of the $\text{Star}\{t\}$ production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328.	1.4	45
615	Measurement of Top Quark Polarization in Top-Antitop Events from Proton-Proton Collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2013, 111, 232002.	2.9	57
616	Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2013, 15, 043009.	1.2	15
617	Search for top quarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $\sqrt{s}=7\text{ TeV}$ data. Physical Review D, 2013, 87, 112005.	1.6	112
618	Measurement of upsilon production in $7\text{ TeV}$ proton-proton collisions at ATLAS. Physical Review D, 2013, 87, 112005.	1.6	78
619	Measurement of the cross section for top-quark pair production in $pp$ collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. Physical Review D, 2012, 86, 112005.	1.6	60
620	Measurement of the azimuthal anisotropy for charged particle production in lead-lead collisions with the ATLAS detector. Physical Review C, 2012, 86, 014901.	1.1	365
621	Search for Production of Resonant States in the Photon-Jet Mass Distribution Using $pp$ Collisions at $\sqrt{s}=7\text{ TeV}$ Collected by the ATLAS Detector. Physical Review Letters, 2012, 108, 211802.	2.9	12
622	Measurement of the cross section for top-quark pair production in $pp$ collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector using final states with two high- $p_T$ leptons. Journal of High Energy Physics, 2012, 2012, 1.	1.6	45
623	Jet mass and substructure of inclusive jets in $\sqrt{s}=7\text{ TeV}$ $pp$ collisions with the ATLAS experiment. Journal of High Energy Physics, 2012, 2012, 1.	1.6	88
624	Measurement of inclusive two-particle angular correlations in $pp$ collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	12
625	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in $4.7\text{ fb}^{-1}$ of $\sqrt{s}=7\text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2012, 2012, 1.	1.6	53
626	A search for $\overline{t}t$ resonances in lepton+jets events with highly boosted top quarks collected in $pp$ collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	40
627	Search for the Standard Model Higgs boson in the $H\rightarrow b\bar{b}, c\bar{c}, \tau\tau$ decay mode in $\sqrt{s}=7\text{ TeV}$ $pp$ collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	1.6	43
628	A search for flavour changing neutral currents in top-quark decays in $pp$ collision data collected with the ATLAS detector at $\sqrt{s}=7\text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	1.6	34
629	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s}=7\text{ TeV}$ with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	1.6	15
630	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	54

#	ARTICLE	IF	CITATIONS
631	Search for high-mass resonances decaying to dilepton final states in $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	54
632	Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	17
633	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s}=7$ TeV pp collisions at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	48
634	Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1. <a href="http://www.w3.org/1998/Math/MathML">http://www.w3.org/1998/Math/MathML</a>	1.6	13
635	Measurement of the inclusive $WZ$ cross sections in the $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector. Evidence for the associated production of a $W$ boson and a top quark in ATLAS at $\sqrt{s}=7$ TeV. <a href="http://www.w3.org/1998/Math/MathML">http://www.w3.org/1998/Math/MathML</a>	1.6	58
636	Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 716, 142-159.	1.5	6,386
637	Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 716, 1-29.	1.5	6,386
638	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. European Physical Journal C, 2012, 72, 1.	1.4	248
639	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $\sqrt{s}=7$ TeV. European Physical Journal C, 2012, 72, 1.	1.4	100
640	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\sqrt{s}=7$ TeV. European Physical Journal C, 2012, 72, 1.	1.4	13
641	Measurement of $\tau$ production with a veto on additional central jet activity in pp collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. European Physical Journal C, 2012, 72, 2043.	1.4	109
642	A search for $\tau$ resonances with the ATLAS detector in $2.05 \text{ fb}^{-1}$ of proton-proton collisions at $\sqrt{s}=7$ TeV. European Physical Journal C, 2012, 72, 2083.	1.4	25
643	Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	37
644	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	16
645	Measurement of $W \hat{\pm} Z$ production in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	59
646	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	25
647	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s}=7$ TeV. European Physical Journal C, 2012, 72, 1.	1.4	22
648	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	13

#	ARTICLE	IF	CITATIONS
649	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s}=7 \text{ TeV}$ proton-proton collisions. European Physical Journal C, 2012, 72, 1.	1.4	31
650	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2012, 72, 1.	1.4	36

651

#	ARTICLE	IF	CITATIONS
667	Search for lepton flavour violation in the $e\bar{\nu}_\mu$ continuum with the ATLAS detector in $\sqrt{s} = 7\text{--}m_{\text{TeV}}$ pp collisions at the LHC. European Physical Journal C, 2012, 72, 2040.	1.4	13
668	Measurement of the top quark mass with the template method in the $t\bar{t} \rightarrow \text{lepton} + \text{jets}$ channel using ATLAS data. European Physical Journal C, 2012, 72, 2046.	1.4	51
669	Search for heavy neutrinos and right-handed W bosons in events with two leptons and jets in pp collisions at $\sqrt{s} = 7\text{--}m_{\text{TeV}}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 2056.	1.4	101
670	Measurement of $\tilde{\tau}$ , polarization in $W\tilde{\tau} \rightarrow \tau, \tilde{\nu}_\tau$ decays with the ATLAS detector in pp collisions at $\sqrt{s} = 7\text{--}m_{\text{TeV}}$ . European Physical Journal C, 2012, 72, 2062.	1.4	21
671	Measurement of the inclusive isolated prompt photon cross section in $\sqrt{s} = 7\text{--}m_{\text{TeV}}$ pp collisions at the ATLAS detector. European Physical Journal C, 2011, 71, 1.	2.9	24
672	Measurement of the inclusive isolated prompt photon cross section in $\sqrt{s} = 7\text{--}m_{\text{TeV}}$ pp collisions at the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.6	121
673	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at $\sqrt{s} = 7\text{--}m_{\text{TeV}}$ . European Physical Journal C, 2011, 71, 1.	0.9	163
674	Measurement of inclusive jet and dijet cross sections in $\sqrt{s} = 7\text{--}m_{\text{TeV}}$ proton-proton collisions at the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	114
675	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at $\sqrt{s} = 7\text{--}m_{\text{TeV}}$ . European Physical Journal C, 2011, 71, 1.	1.4	146
676	Studies of the performance of the ATLAS detector using cosmic-ray muons. European Physical Journal C, 2011, 71, 1.	1.4	17
677	Luminosity determination in pp collisions at $\sqrt{s} = 7\text{--}m_{\text{TeV}}$ using the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	1.4	179
678	Measurements of underlying-event properties using neutral and charged particles in pp collisions at $\sqrt{s} = 900\text{--}7\text{--}m_{\text{TeV}}$ GeV and $\sqrt{s} = 7\text{--}m_{\text{TeV}}$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	1.4	31
679	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $\sqrt{s} = 7\text{--}m_{\text{TeV}}$ proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	18
680	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\sqrt{s} = 7\text{--}m_{\text{TeV}}$ proton-proton collisions with the ATLAS experiment. European Physical Journal C, 2011, 71, 1.	1.4	41
681	Limits on the production of the standard model Higgs boson in pp collisions at $\sqrt{s} = 7\text{--}m_{\text{TeV}}$ TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	40
682	Search for diphoton events with large missing transverse energy with $36\text{--}1$ of 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	15
683	Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. European Physical Journal C, 2011, 71, 1.	1.4	60
684	Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	56

#	ARTICLE	IF	CITATIONS
685	Search for a heavy neutral particle decaying into an electron and a muon using 1 fb <sup>-1</sup> of ATLAS data. European Physical Journal C, 2011, 71, 1.	1.4	14
686	Search for massive colored scalars in four-jet final states in $\sqrt{s}=7$ TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	39
687	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	73
688	Measurement of $W\bar{\nu}_\tau$ and $Z\bar{\nu}_\tau$ production in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	11
689	Inclusive search for same-sign dilepton signatures in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	33
690	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 7$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	65
691	The ATLAS Inner Detector commissioning and calibration. European Physical Journal C, 2010, 70, 787-821.	1.4	95
692	The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.	1.4	1,187
693	Performance of the ATLAS detector using first collision data. Journal of High Energy Physics, 2010, 2010, 1.	1.6	18
694	Measurement of the $W\bar{\nu}_\tau$ , $W\bar{\nu}_\tau$ and $Z\bar{\nu}_\tau$ production cross sections in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2010, 2010, 1.	1.6	64
695	Charged-particle multiplicities in pp interactions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Nuclear, Elementary Particle and High-Energy Physics, 2010, 688, 21-42.	1.6	115
696	ATLAS Status and First Results. Nuclear Physics, Section B, Proceedings Supplements, 2010, 209, 21-26.	0.5	0
697	Direct Measurement of the $W$ Production Charge Asymmetry in $pp$ Collisions at $\sqrt{s} = 7$ TeV with the ATLAS Detector. Physical Review D, 2009, 79, 112001.	2.9	91
698	Search for new particles decaying into dijets in proton-antiproton collisions at $\sqrt{s} = 1.96$ TeV with the ATLAS detector. Physical Review D, 2009, 79, 112001.	1.6	171
699	Measurement of $W$ -boson production in association with jets in $pp$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2010, 2010, 1.	1.6	76
700	ATLAS pixel detector electronics and sensors. Journal of Instrumentation, 2008, 3, P07007-P07007.	0.5	494
701	The ATLAS Experiment at the CERN Large Hadron Collider. Journal of Instrumentation, 2008, 3, S08003-S08003.	0.5	1,752
702	Charged pion production in fixed-target Pb + Pb collisions at 158 GeV/nucleon. New Journal of Physics, 1999, 1, 23-23.	1.2	9



#	ARTICLE	IF	CITATIONS
703	Centrality dependence of $\bar{\Lambda}^{\pm}$ , $K^{\pm}$ , baryon and antibaryon production in Pb + Pb collisions at 158 A GeV. Journal of Physics G: Nuclear and Particle Physics, 1999, 25, 217-224.	1.4	12
704	Radiation hardness and lifetime studies of LEDs and VCSELs for the optical readout of the ATLAS SCT. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1999, 435, 375-392.	0.7	17
705	Impact parameter dependence of $\bar{\Lambda}^{\pm}$ , $K^{\pm}$ , p, , d and production in Pb+Pb collisions at 158 A GeV. Nuclear Physics A, 1999, 661, 370-373.	0.6	3
706	Impact parameter dependence of $K^{\pm}$ , p, pbar, d and dbar production in fixed-target Pb + Pb collisions at 158 GeV/nucleon. New Journal of Physics, 1999, 1, 22-22.	1.2	9
707	Baryon and antibaryon production in lead-lead collisions at. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 417, 202-210.	1.5	35
708	Antinuclei production in Pb + Pb collisions at 158 A GeV/c. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 376, 245-250.	1.5	27
709	A life time test of neutron irradiated light emitting diodes. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1996, 373, 320-324.	0.7	5
710	Strangelet Search in Pb-Pb Interactions at 158 GeV/cper Nucleon. Physical Review Letters, 1996, 76, 3907-3910.	2.9	51
711	Strangelet search and particle production studies in Pb+Pb collisions at 158 AGeV/c at CERN SPS. Acta Physica Hungarica A Heavy Ion Physics, 1996, 4, 429-434.	0.4	5
712	First look at NA52 data on Pb-Pb interactions at 158 A GeV/c. AIP Conference Proceedings, 1995, , .	0.3	3