

Warren D Taylor, Mhsc

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7169213/publications.pdf>

Version: 2024-02-01

97
papers

5,820
citations

87888

38
h-index

79698

73
g-index

99
all docs

99
docs citations

99
times ranked

7579
citing authors

#	ARTICLE	IF	CITATIONS
1	Harmonization of cortical thickness measurements across scanners and sites. <i>NeuroImage</i> , 2018, 167, 104-120.	4.2	790
2	The vascular depression hypothesis: mechanisms linking vascular disease with depression. <i>Molecular Psychiatry</i> , 2013, 18, 963-974.	7.9	671
3	Support for the Vascular Depression Hypothesis in Late-Life Depression. <i>Archives of General Psychiatry</i> , 2010, 67, 277.	12.3	272
4	Depression in the Elderly. <i>New England Journal of Medicine</i> , 2014, 371, 1228-1236.	27.0	267
5	White Matter Hyperintensity Progression and Late-Life Depression Outcomes. <i>Archives of General Psychiatry</i> , 2003, 60, 1090.	12.3	212
6	Late-Life Depression and Microstructural Abnormalities in Dorsolateral Prefrontal Cortex White Matter. <i>American Journal of Psychiatry</i> , 2004, 161, 1293-1296.	7.2	211
7	Diffusion tensor imaging: background, potential, and utility in psychiatric research. <i>Biological Psychiatry</i> , 2004, 55, 201-207.	1.3	184
8	Influence of Serotonin Transporter Promoter Region Polymorphisms on Hippocampal Volumes in Late-Life Depression. <i>Archives of General Psychiatry</i> , 2005, 62, 537.	12.3	170
9	Vascular depression consensus report – a critical update. <i>BMC Medicine</i> , 2016, 14, 161.	5.5	167
10	Evidence of white matter tract disruption in MRI hyperintensities. <i>Biological Psychiatry</i> , 2001, 50, 179-183.	1.3	122
11	Serial MR Imaging of Volumes of Hyperintense White Matter Lesions in Elderly Patients: Correlation with Vascular Risk Factors. <i>American Journal of Roentgenology</i> , 2003, 181, 571-576.	2.2	118
12	Greater MRI lesion volumes in elderly depressed subjects than in control subjects. <i>Psychiatry Research - Neuroimaging</i> , 2005, 139, 1-7.	1.8	106
13	Hippocampus Atrophy and the Longitudinal Course of Late-life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 1504-1512.	1.2	104
14	Orbitofrontal cortex volume in late life depression: influence of hyperintense lesions and genetic polymorphisms. <i>Psychological Medicine</i> , 2007, 37, 1763-1773.	4.5	102
15	Localization of age-associated white matter hyperintensities in late-life depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2003, 27, 539-544.	4.8	99
16	Reduction of dorsolateral prefrontal cortex gray matter in late-life depression. <i>Psychiatry Research - Neuroimaging</i> , 2011, 193, 1-6.	1.8	95
17	A Systematic Review of Antidepressant Placebo-Controlled Trials for Geriatric Depression: Limitations of Current Data and Directions for the Future. <i>Neuropsychopharmacology</i> , 2004, 29, 2285-2299.	5.4	87
18	Allelic Differences in the Brain-Derived Neurotrophic Factor Val66Met Polymorphism in Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2007, 15, 850-857.	1.2	85

#	ARTICLE	IF	CITATIONS
19	Longitudinal Cognitive Outcomes of Clinical Phenotypes of Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 1123-1134.	1.2	77
20	Treatment Course With Antidepressant Therapy in Late-Life Depression. <i>American Journal of Psychiatry</i> , 2012, 169, 1185-1193.	7.2	76
21	Structural integrity of the uncinate fasciculus in geriatric depression: Relationship with age of onset. <i>Neuropsychiatric Disease and Treatment</i> , 2007, 3, 669-74.	2.2	71
22	APOE related hippocampal shape alteration in geriatric depression. <i>NeuroImage</i> , 2009, 44, 620-626.	4.2	67
23	Medical comorbidity in late-life depression. <i>International Journal of Geriatric Psychiatry</i> , 2004, 19, 935-943.	2.7	61
24	Widespread white matter but focal gray matter alterations in depressed individuals with thoughts of death. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015, 62, 22-28.	4.8	60
25	Brain network functional connectivity and cognitive performance in major depressive disorder. <i>Journal of Psychiatric Research</i> , 2019, 110, 51-56.	3.1	59
26	The COMT Val158Met polymorphism and temporal lobe morphometry in healthy adults. <i>Psychiatry Research - Neuroimaging</i> , 2007, 155, 173-177.	1.8	58
27	The Brain-Derived Neurotrophic Factor VAL66MET Polymorphism and Cerebral White Matter Hyperintensities in Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2008, 16, 263-271.	1.2	58
28	Coordinated Messenger RNA/MicroRNA Changes in Fibroblasts of Patients with Major Depression. <i>Biological Psychiatry</i> , 2015, 77, 256-265.	1.3	57
29	Widespread Effects of Hyperintense Lesions on Cerebral White Matter Structure. <i>American Journal of Roentgenology</i> , 2007, 188, 1695-1704.	2.2	56
30	Amygdala Volume in Late-Life Depression: Relationship with Age of Onset. <i>American Journal of Geriatric Psychiatry</i> , 2011, 19, 771-776.	1.2	56
31	Biological Aging and the Future of Geriatric Psychiatry. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017, 72, 343-352.	3.6	53
32	Psychiatric Disease in the Twenty-First Century: The Case for Subcortical Ischemic Depression. <i>Biological Psychiatry</i> , 2006, 60, 1299-1303.	1.3	52
33	One-Year Change in Anterior Cingulate Cortex White Matter Microstructure: Relationship With Late-Life Depression Outcomes. <i>American Journal of Geriatric Psychiatry</i> , 2011, 19, 43-52.	1.2	52
34	Cognitive Improvement Following Treatment in Late-Life Depression: Relationship to Vascular Risk and Age of Onset. <i>American Journal of Geriatric Psychiatry</i> , 2012, 20, 682-690.	1.2	52
35	Fiber tract-specific white matter lesion severity Findings in late-life depression and by <i>AGTR1</i> A1166C genotype. <i>Human Brain Mapping</i> , 2013, 34, 295-303.	3.6	46
36	Negative life stress and longitudinal hippocampal volume changes in older adults with and without depression. <i>Journal of Psychiatric Research</i> , 2013, 47, 829-834.	3.1	46

#	ARTICLE	IF	CITATIONS
37	Estrogen enhances hippocampal gray-matter volume in young and older postmenopausal women: a prospective dose-response study. <i>Neurobiology of Aging</i> , 2017, 56, 1-6.	3.1	43
38	PreQual: An automated pipeline for integrated preprocessing and quality assurance of diffusion weighted MRI images. <i>Magnetic Resonance in Medicine</i> , 2021, 86, 456-470.	3.0	43
39	Epidemiology of MRI-defined vascular depression: A longitudinal, community-based study in Korean elders. <i>Journal of Affective Disorders</i> , 2015, 180, 200-206.	4.1	41
40	Predictors of recurrence in remitted late-life depression. <i>Depression and Anxiety</i> , 2018, 35, 658-667.	4.1	41
41	Accelerated brain aging predicts impaired cognitive performance and greater disability in geriatric but not midlife adult depression. <i>Translational Psychiatry</i> , 2020, 10, 317.	4.8	37
42	Mental Health Treatment for Front-Line Clinicians During and After the Coronavirus Disease 2019 (COVID-19) Pandemic: A Plea to the Medical Community. <i>Annals of Internal Medicine</i> , 2020, 173, 574-575.	3.9	35
43	Stressful life events, perceived stress, and 12-month course of geriatric depression: Direct effects and moderation by the 5-HTTLPR and COMT Val158Met polymorphisms. <i>Stress</i> , 2012, 15, 425-434.	1.8	33
44	AGTR1 gene variation: Association with depression and frontotemporal morphology. <i>Psychiatry Research - Neuroimaging</i> , 2012, 202, 104-109.	1.8	31
45	Nicotine and networks: Potential for enhancement of mood and cognition in late-life depression. <i>Neuroscience and Biobehavioral Reviews</i> , 2018, 84, 289-298.	6.1	30
46	Intrinsic Functional Network Connectivity Is Associated With Clinical Symptoms and Cognition in Late-Life Depression. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 160-170.	1.5	30
47	Cognitive performance in antidepressant-free recurrent major depressive disorder. <i>Depression and Anxiety</i> , 2018, 35, 694-699.	4.1	29
48	Influences of dopaminergic system dysfunction on late-life depression. <i>Molecular Psychiatry</i> , 2022, 27, 180-191.	7.9	28
49	Disruption of Neural Homeostasis as a Model of Relapse and Recurrence in Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2019, 27, 1316-1330.	1.2	27
50	Cingulum bundle white matter lesions influence antidepressant response in late-life depression: A pilot study. <i>Journal of Affective Disorders</i> , 2014, 162, 8-11.	4.1	26
51	Attention bias in older women with remitted depression is associated with enhanced amygdala activity and functional connectivity. <i>Journal of Affective Disorders</i> , 2017, 210, 49-56.	4.1	26
52	Anterior-posterior gradient differences in lobar and cingulate cortex cerebral blood flow in late-life depression. <i>Journal of Psychiatric Research</i> , 2018, 97, 1-7.	3.1	23
53	Association of Gene Variants of the Renin-Angiotensin System With Accelerated Hippocampal Volume Loss and Cognitive Decline in Old Age. <i>American Journal of Psychiatry</i> , 2014, 171, 1214-1221.	7.2	21
54	Angiotensin Converting Enzyme Inhibitors and Alzheimer Disease in the Presence of the Apolipoprotein E4 Allele. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 177-185.	1.2	20

#	ARTICLE	IF	CITATIONS
55	Social support in older individuals: The role of the BDNF Val66Met polymorphism. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 1205-1212.	1.7	19
56	Labeling lateral prefrontal sulci using spherical data augmentation and context-aware training. <i>NeuroImage</i> , 2021, 229, 117758.	4.2	19
57	Disability but not social support predicts cognitive deterioration in late-life depression. <i>International Psychogeriatrics</i> , 2015, 27, 707-714.	1.0	17
58	Effects of acute tryptophan depletion on raphé functional connectivity in depression. <i>Psychiatry Research - Neuroimaging</i> , 2015, 234, 164-171.	1.8	17
59	Greater Depression Severity Associated With Less Improvement in Depression-Associated Cognitive Deficits in Older Subjects. <i>American Journal of Geriatric Psychiatry</i> , 2002, 10, 632-635.	1.2	15
60	Is there a Definition of Remission in Late-Life Depression that Predicts Later Relapse?. <i>Neuropsychopharmacology</i> , 2004, 29, 2272-2277.	5.4	15
61	Cognition as a therapeutic target in late-life depression: Potential for nicotinic therapeutics. <i>Biochemical Pharmacology</i> , 2013, 86, 1133-1144.	4.4	15
62	APOE ϵ 4 associated with preserved executive function performance and maintenance of temporal and cingulate brain volumes in younger adults. <i>Brain Imaging and Behavior</i> , 2017, 11, 194-204.	2.1	15
63	Frontocingulate cerebral blood flow and cerebrovascular reactivity associated with antidepressant response in late-life depression. <i>Journal of Affective Disorders</i> , 2017, 215, 103-110.	4.1	15
64	Effects of stressful life events on cerebral white matter hyperintensity progression. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, e10-e17.	2.7	15
65	Should antidepressant medication be used in the elderly?. <i>Expert Review of Neurotherapeutics</i> , 2015, 15, 961-963.	2.8	14
66	Medial temporal lobe volumes in late-life depression: effects of age and vascular risk factors. <i>Brain Imaging and Behavior</i> , 2020, 14, 19-29.	2.1	14
67	Depression Plays a Moderating Role in the Cognitive Decline Associated With Changes of Brain White Matter Hyperintensities. <i>Journal of Clinical Psychiatry</i> , 2018, 79, .	2.2	14
68	Perspectives on the Management of Vascular Depression. <i>American Journal of Psychiatry</i> , 2018, 175, 1169-1175.	7.2	13
69	Transdermal Nicotine for the Treatment of Mood and Cognitive Symptoms in Nonsmokers With Late-Life Depression. <i>Journal of Clinical Psychiatry</i> , 2018, 79, .	2.2	12
70	Nicotinic treatment of post-chemotherapy subjective cognitive impairment: a pilot study. <i>Journal of Cancer Survivorship</i> , 2019, 13, 673-686.	2.9	11
71	Preliminary Evidence That Cortical Amyloid Burden Predicts Poor Response to Antidepressant Medication Treatment in Cognitively Intact Individuals With Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2021, 29, 448-457.	1.2	11
72	Persistent Intrinsic Functional Network Connectivity Alterations in Middle-Aged and Older Women With Remitted Depression. <i>Frontiers in Psychiatry</i> , 2020, 11, 62.	2.6	9

#	ARTICLE	IF	CITATIONS
73	Discovering novel disease comorbidities using electronic medical records. PLoS ONE, 2019, 14, e0225495.	2.5	8
74	Structural MRI-Based Measures of Accelerated Brain Aging do not Moderate the Acute Antidepressant Response in Late-Life Depression. American Journal of Geriatric Psychiatry, 2022, 30, 1015-1025.	1.2	7
75	Psychiatry's Obligation to Treat and Mitigate the Rising Burden of Age-Related Mental Disorders. JAMA Psychiatry, 2020, 77, 5.	11.0	6
76	Estradiol administration differentially affects the response to experimental psychosocial stress in post-menopausal women with or without a history of major depression. Journal of Affective Disorders, 2020, 261, 204-210.	4.1	6
77	Apathy as a Within-Person Mediator of Depressive Symptoms and Cognition in Parkinson's Disease: Longitudinal Mediation Analyses. American Journal of Geriatric Psychiatry, 2022, 30, 664-674.	1.2	6
78	Greater depression severity associated with less improvement in depression-associated cognitive deficits in older subjects. American Journal of Geriatric Psychiatry, 2002, 10, 632-5.	1.2	6
79	Lack of a Role for Alzheimer's Disease Pathology in Late-Life Depression, or Just No Relationship With Amyloid?. American Journal of Psychiatry, 2017, 174, 197-198.	7.2	5
80	Subjective cognition and mood in persistent chemotherapy-related cognitive impairment. Journal of Cancer Survivorship, 2021, , 1.	2.9	5
81	Differential effects of estradiol on neural and emotional stress response in postmenopausal women with remitted Major Depressive Disorder. Journal of Affective Disorders, 2021, 293, 355-362.	4.1	5
82	Evaluating the consistency of scales used in adult attention deficit hyperactivity disorder assessment of college-aged adults. Journal of American College Health, 2018, 66, 98-105.	1.5	4
83	Cognitive phenotypes in late-life depression. International Psychogeriatrics, 2023, 35, 193-205.	1.0	4
84	Poststroke Depression and Apathy: Why Should We Care?. American Journal of Geriatric Psychiatry, 2020, 28, 1210-1212.	1.2	3
85	Applying A Biopsychosocial Framework to Achieve Durable Behavior Change in Kidney Disease. Seminars in Nephrology, 2021, 41, 487-504.	1.6	3
86	Computerized Cognitive Remediation for Geriatric Depression: Dawn of a New Treatment Modality?. American Journal of Geriatric Psychiatry, 2016, 24, 821-822.	1.2	2
87	Double-wavelet transform for multi-subject resting state functional magnetic resonance imaging data. Statistics in Medicine, 2021, 40, 6762.	1.6	2
88	A bayesian approach to examining default mode network functional connectivity and cognitive performance in major depressive disorder. Psychiatry Research - Neuroimaging, 2020, 301, 111102.	1.8	1
89	Establishing surface correspondence for post-surgical cortical thickness changes in temporal lobe epilepsy. , 2021, 11596, .		1
90	Validation of group-wise registration for surface-based functional MRI analysis. , 2021, 11596, .		1

#	ARTICLE	IF	CITATIONS
91	EEG as a Functional Marker of Nicotine Activity: Evidence From a Pilot Study of Adults With Late-Life Depression. <i>Frontiers in Psychiatry</i> , 2021, 12, 721874.	2.6	1
92	Moderators of Remission in Patients With Late-Life Depression. <i>JAMA Psychiatry</i> , 2016, 73, 319.	11.0	0
93	[P4â€“190]: SELECTIVE ESTROGEN EFFECTS ON CHOLINERGICâ€“RELATED COGNITIVE PERFORMANCE AND FMRI IN POSTMENOPAUSAL WOMEN WITH AND WITHOUT SUBJECTIVE COGNITIVE DECLINE. <i>Alzheimer's and Dementia</i> , 2017, 13, P1337.	0.8	0
94	P3â€“351: COGNITIVE COMPLAINTS IN POSTMENOPAUSAL WOMEN ARE ASSOCIATED WITH REDUCED HIPPOCAMPAL GRAY MATTER VOLUME. <i>Alzheimer's and Dementia</i> , 2018, 14, P1219.	0.8	0
95	Brain network functional connectivity changes following psychosocial stress in subjective cognitive decline. <i>Alzheimer's and Dementia</i> , 2020, 16, e043185.	0.8	0
96	Delirium, depression, and long-term cognition. <i>International Psychogeriatrics</i> , 2021, , 1-6.	1.0	0
97	Management of late-life depression: focus on comorbid conditions. <i>Psychopharmacology Bulletin</i> , 2002, 36, 113-30.	0.0	0