Lori M Neal

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/71752/publications.pdf

Version: 2024-02-01

			687363	996975	
	15	530	13	15	
	papers	citations	h-index	g-index	
Ξ.					
	16	16	16	684	
	10	10	10	007	
	all docs	docs citations	times ranked	citing authors	
	16 all docs	16 docs citations	16 times ranked	684 citing authors	

#	Article	IF	Citations
1	CD4 ⁺ T Cells Orchestrate Lethal Immune Pathology despite Fungal Clearance during <i>Cryptococcus neoformans</i> Meningoencephalitis. MBio, 2017, 8, .	4.1	78
2	A Monoclonal Immunoglobulin G Antibody Directed against an Immunodominant Linear Epitope on the Ricin A Chain Confers Systemic and Mucosal Immunity to Ricin. Infection and Immunity, 2010, 78, 552-561.	2.2	77
3	Folding domains within the ricin toxin A subunit as targets of protective antibodies. Vaccine, 2010, 28, 7035-7046.	3.8	73
4	Identification of small-molecule inhibitors of ricin and shiga toxin using a cell-based high-throughput screen. Toxicon, 2010, 56, 313-323.	1.6	52
5	Scavenger Receptor MARCO Orchestrates Early Defenses and Contributes to Fungal Containment during Cryptococcal Infection. Journal of Immunology, 2017, 198, 3548-3557.	0.8	39
6	Toxoplasma gondii Profilin Promotes Recruitment of Ly6Chi CCR2+ Inflammatory Monocytes That Can Confer Resistance to Bacterial Infection. PLoS Pathogens, 2014, 10, e1004203.	4.7	37
7	Local GM-CSF–Dependent Differentiation and Activation of Pulmonary Dendritic Cells and Macrophages Protect against Progressive Cryptococcal Lung Infection in Mice. Journal of Immunology, 2016, 196, 1810-1821.	0.8	32
8	Chemokine receptor CXCR3 is required for lethal brain pathology but not pathogen clearance during cryptococcal meningoencephalitis. Science Advances, 2020, 6, eaba2502.	10.3	27
9	Disruption of Early Tumor Necrosis Factor Alpha Signaling Prevents Classical Activation of Dendritic Cells in Lung-Associated Lymph Nodes and Development of Protective Immunity against Cryptococcal Infection. MBio, 2016, 7, .	4.1	24
10	T Cell–Restricted Notch Signaling Contributes to Pulmonary Th1 and Th2 Immunity during <i>Cryptococcus neoformans</i> Infection. Journal of Immunology, 2017, 199, 643-655.	0.8	19
11	Vaccine-induced intestinal immunity to ricin toxin in the absence of secretory IgA. Vaccine, 2011, 29, 681-689.	3.8	17
12	Epigenetic stabilization of DC and DC precursor classical activation by TNFα contributes to protective T cell polarization. Science Advances, 2019, 5, eaaw9051.	10.3	17
13	Exploitation of Scavenger Receptor, Macrophage Receptor with Collagenous Structure, by Cryptococcus neoformans Promotes Alternative Activation of Pulmonary Lymph Node CD11b+ Conventional Dendritic Cells and Non-Protective Th2 Bias. Frontiers in Immunology, 2017, 8, 1231.	4.8	16
14	Involvement of a Toxoplasma gondii Chromatin Remodeling Complex Ortholog in Developmental Regulation. PLoS ONE, 2011, 6, e19570.	2.5	12
15	Fusidic acid is an effective treatment against Toxoplasma gondii and Listeria monocytogenes in vitro, but not in mice. Parasitology Research, 2013, 112, 3859-3863.	1.6	10