Melanie Davies

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7175321/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Management of Hyperglycemia in Type 2 Diabetes, 2018. A Consensus Report by the American Diabetes Association (ADA) and the European Association for the Study of Diabetes (EASD). Diabetes Care, 2018, 41, 2669-2701.	8.6	2,190
2	Type 2 diabetes. Lancet, The, 2017, 389, 2239-2251.	13.7	1,691
3	Once-Weekly Semaglutide in Adults with Overweight or Obesity. New England Journal of Medicine, 2021, 384, 989-1002.	27.0	1,374
4	Sedentary time in adults and the association with diabetes, cardiovascular disease and death: systematic review and meta-analysis. Diabetologia, 2012, 55, 2895-2905.	6.3	1,371
5	The prevalence of coâ€morbid depression in adults with TypeÂ2 diabetes: a systematic review and metaâ€analysis. Diabetic Medicine, 2006, 23, 1165-1173.	2.3	1,002
6	Management of hyperglycaemia in type 2 diabetes, 2018. A consensus report by the American Diabetes Association (ADA) and the European Association for the Study of Diabetes (EASD). Diabetologia, 2018, 61, 2461-2498.	6.3	1,002
7	ESHRE Guideline: management of women with premature ovarian insufficiency. Human Reproduction, 2016, 31, 926-937.	0.9	916
8	2019 Update to: Management of Hyperglycemia in Type 2 Diabetes, 2018. A Consensus Report by the American Diabetes Association (ADA) and the European Association for the Study of Diabetes (EASD). Diabetes Care, 2020, 43, 487-493.	8.6	846
9	Efficacy of Liraglutide for Weight Loss Among Patients With Type 2 Diabetes. JAMA - Journal of the American Medical Association, 2015, 314, 687.	7.4	707
10	Tirzepatide versus Semaglutide Once Weekly in Patients with Type 2 Diabetes. New England Journal of Medicine, 2021, 385, 503-515.	27.0	668
11	Addition of Biphasic, Prandial, or Basal Insulin to Oral Therapy in Type 2 Diabetes. New England Journal of Medicine, 2007, 357, 1716-1730.	27.0	651
12	Effectiveness of the diabetes education and self management for ongoing and newly diagnosed (DESMOND) programme for people with newly diagnosed type 2 diabetes: cluster randomised controlled trial. BMJ: British Medical Journal, 2008, 336, 491-495.	2.3	617
13	Three-Year Efficacy of Complex Insulin Regimens in Type 2 Diabetes. New England Journal of Medicine, 2009, 361, 1736-1747.	27.0	608
14	A 26-Week, Randomized, Parallel, Treat-to-Target Trial Comparing Insulin Detemir With NPH Insulin as Add-On Therapy to Oral Glucose-Lowering Drugs in Insulin-Nail^ve People With Type 2 Diabetes. Diabetes Care, 2006, 29, 1269-1274.	8.6	605
15	Effect of Valsartan on the Incidence of Diabetes and Cardiovascular Events. New England Journal of Medicine, 2010, 362, 1477-1490.	27.0	588
16	Fruit and vegetable intake and incidence of type 2 diabetes mellitus: systematic review and meta-analysis. BMJ: British Medical Journal, 2010, 341, c4229-c4229.	2.3	584
17	Liraglutide versus sitagliptin for patients with type 2 diabetes who did not have adequate glycaemic control with metformin: a 26-week, randomised, parallel-group, open-label trial. Lancet, The, 2010, 375, 1447-1456.	13.7	534
18	Clinical Inertia in People With Type 2 Diabetes. Diabetes Care, 2013, 36, 3411-3417.	8.6	508

#	Article	IF	CITATIONS
19	Progression to type 2 diabetes in women with a known history of gestational diabetes: systematic review and meta-analysis. BMJ, The, 2020, 369, m1361.	6.0	485
20	Diabetes Prevention in the Real World: Effectiveness of Pragmatic Lifestyle Interventions for the Prevention of Type 2 Diabetes and of the Impact of Adherence to Guideline Recommendations. Diabetes Care, 2014, 37, 922-933.	8.6	448
21	Effect of Nateglinide on the Incidence of Diabetes and Cardiovascular Events. New England Journal of Medicine, 2010, 362, 1463-1476.	27.0	430
22	Semaglutide 2·4 mg once a week in adults with overweight or obesity, and type 2 diabetes (STEP 2): a randomised, double-blind, double-dummy, placebo-controlled, phase 3 trial. Lancet, The, 2021, 397, 971-984.	13.7	429
23	A randomised, 52-week, treat-to-target trial comparing insulin detemir with insulin glargine when administered as add-on to glucose-lowering drugs in insulin-naive people with type 2 diabetes. Diabetologia, 2008, 51, 408-416.	6.3	424
24	Effect of Continued Weekly Subcutaneous Semaglutide vs Placebo on Weight Loss Maintenance in Adults With Overweight or Obesity. JAMA - Journal of the American Medical Association, 2021, 325, 1414.	7.4	413
25	Effect of early intensive multifactorial therapy on 5-year cardiovascular outcomes in individuals with type 2 diabetes detected by screening (ADDITION-Europe): a cluster-randomised trial. Lancet, The, 2011, 378, 156-167.	13.7	406
26	Impact of COVID-19 on routine care for chronic diseases: A global survey of views from healthcare professionals. Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2020, 14, 965-967.	3.6	390
27	Association of Sedentary Behaviour with Metabolic Syndrome: A Meta-Analysis. PLoS ONE, 2012, 7, e34916.	2.5	388
28	The effects of highâ€intensity interval training on glucose regulation and insulin resistance: a metaâ€analysis. Obesity Reviews, 2015, 16, 942-961.	6.5	387
29	Effect of Subcutaneous Semaglutide vs Placebo as an Adjunct to Intensive Behavioral Therapy on Body Weight in Adults With Overweight or Obesity. JAMA - Journal of the American Medical Association, 2021, 325, 1403.	7.4	387
30	2019 update to: Management of hyperglycaemia in type 2 diabetes, 2018. A consensus report by the American Diabetes Association (ADA) and the European Association for the Study of Diabetes (EASD). Diabetologia, 2020, 63, 221-228.	6.3	368
31	Pathophysiology of type 1 and type 2 diabetes mellitus: a 90-year perspective. Postgraduate Medical Journal, 2016, 92, 63-69.	1.8	360
32	Efficacy and safety of sodiumâ€glucose coâ€transporterâ€2 inhibitors in type 2 diabetes mellitus: systematic review and network metaâ€analysis. Diabetes, Obesity and Metabolism, 2016, 18, 783-794.	4.4	355
33	The Lancet Commission on diabetes: using data to transform diabetes care and patient lives. Lancet, The, 2020, 396, 2019-2082.	13.7	327
34	Effects of Sotagliflozin Added to Insulin in Patients with Type 1 Diabetes. New England Journal of Medicine, 2017, 377, 2337-2348.	27.0	322
35	Prevalence of coâ€morbidities and their association with mortality in patients with <scp>COVID</scp> â€19: A systematic review and metaâ€analysis. Diabetes, Obesity and Metabolism, 2020, 22, 1915-1924.	4.4	320
36	Efficacy and safety of glucagonâ€like peptideâ€1 receptor agonists in type 2 diabetes: <scp>A</scp> systematic review and mixedâ€treatment comparison analysis. Diabetes, Obesity and Metabolism, 2017, 19, 524-536.	4.4	305

#	Article	IF	CITATIONS
37	Considerations when using the activPAL monitor in field-based research with adult populations. Journal of Sport and Health Science, 2017, 6, 162-178.	6.5	303
38	Effect of Oral Semaglutide Compared With Placebo and Subcutaneous Semaglutide on Glycemic Control in Patients With Type 2 Diabetes. JAMA - Journal of the American Medical Association, 2017, 318, 1460.	7.4	301
39	Improvement of Glycemic Control in Subjects With Poorly Controlled Type 2 Diabetes: Comparison of two treatment algorithms using insulin glargine. Diabetes Care, 2005, 28, 1282-1288.	8.6	288
40	The prevalence of diabetesâ€specific emotional distress in people with Type 2 diabetes: a systematic review and metaâ€analysis. Diabetic Medicine, 2017, 34, 1508-1520.	2.3	285
41	Hypoglycemia and Risk of Cardiovascular Disease and All-Cause Mortality in Insulin-Treated People With Type 1 and Type 2 Diabetes: A Cohort Study. Diabetes Care, 2015, 38, 316-322.	8.6	276
42	Effectiveness of a diabetes education and self management programme (DESMOND) for people with newly diagnosed type 2 diabetes mellitus: three year follow-up of a cluster randomised controlled trial in primary care. BMJ, The, 2012, 344, e2333-e2333.	6.0	268
43	Associations of objectively measured sedentary behaviour and physical activity with markers of cardiometabolic health. Diabetologia, 2013, 56, 1012-1020.	6.3	268
44	Diabetic peripheral neuropathy: advances in diagnosis and strategies for screening and early intervention. Lancet Diabetes and Endocrinology,the, 2019, 7, 938-948.	11.4	240
45	Different strategies for screening and prevention of type 2 diabetes in adults: cost effectiveness analysis. BMJ: British Medical Journal, 2008, 336, 1180-1185.	2.3	239
46	Diabetes structured self-management education programmes: a narrative review and current innovations. Lancet Diabetes and Endocrinology,the, 2018, 6, 130-142.	11.4	233
47	Effect of Additional Oral Semaglutide vs Sitagliptin on Glycated Hemoglobin in Adults With Type 2 Diabetes Uncontrolled With Metformin Alone or With Sulfonylurea. JAMA - Journal of the American Medical Association, 2019, 321, 1466.	7.4	233
48	Breaking Up Prolonged Sitting With Standing or Walking Attenuates the Postprandial Metabolic Response in Postmenopausal Women: A Randomized Acute Study. Diabetes Care, 2016, 39, 130-138.	8.6	229
49	Realâ€world factors affecting adherence to insulin therapy in patients with Type 1 or Type 2 diabetes mellitus: a systematic review. Diabetic Medicine, 2013, 30, 512-524.	2.3	228
50	Safety and efficacy of sitagliptin in patients with type 2 diabetes and chronic renal insufficiency. Diabetes, Obesity and Metabolism, 2008, 10, 545-555.	4.4	222
51	One year of liraglutide treatment offers sustained and more effective glycaemic control and weight reduction compared with sitagliptin, both in combination with metformin, in patients with type 2 diabetes: a randomised, parallel-group, open-label trial. International Journal of Clinical Practice, 2011 65, 397-407	1.7	221
52	Early Detection and Treatment of Type 2 Diabetes Reduce Cardiovascular Morbidity and Mortality: A Simulation of the Results of the Anglo-Danish-Dutch Study of Intensive Treatment in People With Screen-Detected Diabetes in Primary Care (ADDITION-Europe). Diabetes Care, 2015, 38, 1449-1455.	8.6	214
53	Clinical inertia with regard to intensifying therapy in people with type 2 diabetes treated with basal insulin. Diabetes, Obesity and Metabolism, 2016, 18, 401-409.	4.4	207
54	Efficacy and safety of sitagliptin when added to ongoing metformin therapy in patients with type 2 diabetes*. Diabetes, Obesity and Metabolism, 2008, 10, 959-969.	4.4	205

#	Article	IF	CITATIONS
55	Benefits of LixiLan, a Titratable Fixed-Ratio Combination of Insulin Glargine Plus Lixisenatide, Versus Insulin Glargine and Lixisenatide Monocomponents in Type 2 Diabetes Inadequately Controlled on Oral Agents: The LixiLan-O Randomized Trial. Diabetes Care, 2016, 39, 2026-2035.	8.6	197
56	Diabetes Attitudes Wishes and Needs 2 (DAWN2): A multinational, multi-stakeholder study of psychosocial issues in diabetes and person-centred diabetes care. Diabetes Research and Clinical Practice, 2013, 99, 174-184.	2.8	195
57	Progression rates from HbA1c 6.0–6.4% and other prediabetes definitions to type 2 diabetes: a meta-analysis. Diabetologia, 2013, 56, 1489-1493.	6.3	191
58	Association between change in daily ambulatory activity and cardiovascular events in people with impaired glucose tolerance (NAVIGATOR trial): a cohort analysis. Lancet, The, 2014, 383, 1059-1066.	13.7	186
59	Type 2 diabetes and cardiovascular disease in South Asians. Primary Care Diabetes, 2011, 5, 45-56.	1.8	177
60	Reasons why patients referred to diabetes education programmes choose not to attend: a systematic review. Diabetic Medicine, 2017, 34, 14-26.	2.3	174
61	Effectiveness of a Pragmatic Education Program Designed to Promote Walking Activity in Individuals With Impaired Glucose Tolerance. Diabetes Care, 2009, 32, 1404-1410.	8.6	169
62	Delivering the diabetes education and self management for ongoing and newly diagnosed (DESMOND) programme for people with newly diagnosed type 2 diabetes: cost effectiveness analysis. BMJ: British Medical Journal, 2010, 341, c4093-c4093.	2.3	168
63	Association of walking pace and handgrip strength with all-cause, cardiovascular, and cancer mortality: a UK Biobank observational study. European Heart Journal, 2017, 38, 3232-3240.	2.2	168
64	Association between polypharmacy and falls in older adults: a longitudinal study from England. BMJ Open, 2017, 7, e016358.	1.9	165
65	Prevalence and Incidence of Hypoglycaemia in 532,542 People with Type 2 Diabetes on Oral Therapies and Insulin: A Systematic Review and Meta-Analysis of Population Based Studies. PLoS ONE, 2015, 10, e0126427.	2.5	161
66	Efficacy and Safety of Liraglutide Versus Placebo as Add-on to Glucose-Lowering Therapy in Patients With Type 2 Diabetes and Moderate Renal Impairment (LIRA-RENAL): A Randomized Clinical Trial. Diabetes Care, 2016, 39, 222-230.	8.6	158
67	Diabetes and cardiovascular events in women with polycystic ovary syndrome: a 20â€year retrospective cohort study. Clinical Endocrinology, 2013, 78, 926-934.	2.4	156
68	The Leicester Risk Assessment score for detecting undiagnosed Type 2 diabetes and impaired glucose regulation for use in a multiethnic UK setting. Diabetic Medicine, 2010, 27, 887-895.	2.3	151
69	Weight regain and cardiometabolic effects after withdrawal of semaglutide: The <scp>STEP</scp> 1 trial extension. Diabetes, Obesity and Metabolism, 2022, 24, 1553-1564.	4.4	151
70	Physical activity, multimorbidity, and life expectancy: a UK Biobank longitudinal study. BMC Medicine, 2019, 17, 108.	5.5	149
71	Semaglutide 2.4 mg for the Treatment of Obesity: Key Elements of the STEP Trials 1 to 5. Obesity, 2020, 28, 1050-1061.	3.0	148
72	Sedentary Time and Markers of Chronic Low-Grade Inflammation in a High Risk Population. PLoS ONE, 2013, 8, e78350.	2.5	148

#	Article	IF	CITATIONS
73	A 24-Week, Randomized, Treat-to-Target Trial Comparing Initiation of Insulin Glargine Once-Daily With Insulin Detemir Twice-Daily in Patients With Type 2 Diabetes Inadequately Controlled on Oral Glucose-Lowering Drugs. Diabetes Care, 2010, 33, 1176-1178.	8.6	145
74	Association Between Adherence to Pharmacotherapy and Outcomes in Type 2 Diabetes: A Meta-analysis. Diabetes Care, 2017, 40, 1588-1596.	8.6	143
75	Healthy lifestyle and life expectancy in people with multimorbidity in the UK Biobank: A longitudinal cohort study. PLoS Medicine, 2020, 17, e1003332.	8.4	143
76	Exenatide compared with longâ€acting insulin to achieve glycaemic control with minimal weight gain in patients with type 2 diabetes: results of the Helping Evaluate Exenatide in patients with diabetes compared with Longâ€Acting insulin (HEELA) study. Diabetes, Obesity and Metabolism, 2009, 11, 1153-1162.	4.4	141
77	The association between depression and healthâ€related quality of life in people with type 2 diabetes: a systematic literature review. Diabetes/Metabolism Research and Reviews, 2010, 26, 75-89.	4.0	138
78	Effectiveness of the Stand More AT (SMArT) Work intervention: cluster randomised controlled trial. BMJ: British Medical Journal, 2018, 363, k3870.	2.3	137
79	Socio-demographic heterogeneity in the prevalence of COVID-19 during lockdown is associated with ethnicity and household size: Results from an observational cohort study. EClinicalMedicine, 2020, 25, 100466.	7.1	129
80	The Effect of Glucagon-Like Peptide 1 Receptor Agonists on Weight Loss in Type 2 Diabetes: A Systematic Review and Mixed Treatment Comparison Meta-Analysis. PLoS ONE, 2015, 10, e0126769.	2.5	127
81	The role of physical activity in the management of impaired glucose tolerance: a systematic review. Diabetologia, 2007, 50, 1116-1126.	6.3	123
82	Diabetes education and self-management for ongoing and newly diagnosed (DESMOND): Process modelling of pilot study. Patient Education and Counseling, 2006, 64, 369-377.	2.2	122
83	Self-Reported Sitting Time and Markers of Inflammation, Insulin Resistance, and Adiposity. American Journal of Preventive Medicine, 2012, 42, 1-7.	3.0	116
84	Changes in physical activity behaviour and physical function after bariatric surgery: a systematic review and metaâ€analysis. Obesity Reviews, 2016, 17, 250-261.	6.5	116
85	Long terms trends of multimorbidity and association with physical activity in older English population. International Journal of Behavioral Nutrition and Physical Activity, 2016, 13, 8.	4.6	116
86	Accelerometer-assessed Physical Activity in Epidemiology. Medicine and Science in Sports and Exercise, 2018, 50, 257-265.	0.4	115
87	Epicardial Adipose Tissue as a Source of Nuclear Factor-κB and c-Jun N-Terminal Kinase Mediated Inflammation in Patients with Coronary Artery Disease. Journal of Clinical Endocrinology and Metabolism, 2009, 94, 261-267.	3.6	114
88	Beyond Cut Points: Accelerometer Metrics that Capture the Physical Activity Profile. Medicine and Science in Sports and Exercise, 2018, 50, 1323-1332.	0.4	114
89	Comparative efficacy, safety, and cardiovascular outcomes with once-weekly subcutaneous semaglutide in the treatment of type 2 diabetes: Insights from the SUSTAIN 1–7 trials. Diabetes and Metabolism, 2019, 45, 409-418.	2.9	114
90	Phase III, efficacy and safety study of ertugliflozin monotherapy in people with type 2 diabetes mellitus inadequately controlled with diet and exercise alone. Diabetes, Obesity and Metabolism, 2017, 19, 721-728.	4.4	113

#	Article	IF	CITATIONS
91	Preventing the progression to Type 2 diabetes mellitus in adults at high risk: A systematic review and network meta-analysis of lifestyle, pharmacological and surgical interventions. Diabetes Research and Clinical Practice, 2015, 107, 320-331.	2.8	112
92	Nonpharmacological interventions for the prevention of type 2 diabetes mellitus. Nature Reviews Endocrinology, 2012, 8, 363-373.	9.6	108
93	Efficacy and Safety of Canagliflozin in Patients with Type 2 Diabetes and Stage 3 Nephropathy. American Journal of Nephrology, 2014, 40, 64-74.	3.1	106
94	Patterns of Multimorbidity in Middle-Aged and Older Adults: An Analysis of the UK Biobank Data. Mayo Clinic Proceedings, 2018, 93, 857-866.	3.0	105
95	Placeboâ€controlled, randomized trial of the addition of onceâ€weekly glucagonâ€like peptideâ€1 receptor agonist dulaglutide to titrated daily insulin glargine in patients with type 2 diabetes (<scp>AWARD</scp> â€9). Diabetes, Obesity and Metabolism, 2017, 19, 1024-1031.	4.4	98
96	Raw Accelerometer Data Analysis with GGIR R-package. Medicine and Science in Sports and Exercise, 2016, 48, 1935-1941.	0.4	97
97	Impact of metabolic indices on central artery stiffness: independent association of insulin resistance and glucose with aortic pulse wave velocity. Diabetologia, 2010, 53, 1190-1198.	6.3	96
98	Intensity Thresholds on Raw Acceleration Data: Euclidean Norm Minus One (ENMO) and Mean Amplitude Deviation (MAD) Approaches. PLoS ONE, 2016, 11, e0164045.	2.5	96
99	The effects of supervised exercise training 12–24 months after bariatric surgery on physical function and body composition: a randomised controlled trial. International Journal of Obesity, 2017, 41, 909-916.	3.4	95
100	Association of Type 2 Diabetes With Cancer: A Meta-analysis With Bias Analysis for Unmeasured Confounding in 151 Cohorts Comprising 32 Million People. Diabetes Care, 2020, 43, 2313-2322.	8.6	95
101	Defining Obesity Cut-Off Points for Migrant South Asians. PLoS ONE, 2011, 6, e26464.	2.5	95
102	The incidence of hypoglycaemia in Muslim patients with type 2 diabetes treated with sitagliptin or a sulphonylurea during Ramadan: a randomised trial. International Journal of Clinical Practice, 2011, 65, 1132-1140.	1.7	90
103	The association between neighbourhood greenspace and type 2 diabetes in a large cross-sectional study. BMJ Open, 2014, 4, e006076.	1.9	89
104	Early Weight Loss with Liraglutide 3.0 mg Predicts 1‥ear Weight Loss and is Associated with Improvements in Clinical Markers. Obesity, 2016, 24, 2278-2288.	3.0	88
105	The impact of obesity on severe disease and mortality in people with SARSâ€CoVâ€2: A systematic review and metaâ€analysis. Endocrinology, Diabetes and Metabolism, 2021, 4, e00176.	2.4	87
106	Nonlinear association of BMI with all-cause and cardiovascular mortality in type 2 diabetes mellitus: a systematic review and meta-analysis of 414,587 participants in prospective studies. Diabetologia, 2017, 60, 240-248.	6.3	86
107	The Effectiveness of Screening for Diabetes and Cardiovascular Disease Risk Factors in a Community Pharmacy Setting. PLoS ONE, 2014, 9, e91157.	2.5	83
108	A community based primary prevention programme for type 2 diabetes integrating identification and lifestyle intervention for prevention: the Let's Prevent Diabetes cluster randomised controlled trial. Preventive Medicine, 2016, 84, 48-56.	3.4	83

#	Article	IF	CITATIONS
109	Do sulphonylureas still have a place in clinical practice?. Lancet Diabetes and Endocrinology,the, 2018, 6, 821-832.	11.4	83
110	The impact of diet and lifestyle management strategies for obstructive sleep apnoea in adults: a systematic review and meta-analysis of randomised controlled trials. Sleep and Breathing, 2013, 17, 925-935.	1.7	81
111	Associations of mutually exclusive categories of physical activity and sedentary time with markers of cardiometabolic health in English adults: a cross-sectional analysis of the Health Survey for England. BMC Public Health, 2015, 16, 25.	2.9	81
112	Aspects of Multicomponent Integrated Care Promote Sustained Improvement in Surrogate Clinical Outcomes: A Systematic Review and Meta-analysis. Diabetes Care, 2018, 41, 1312-1320.	8.6	81
113	How can structured selfâ€management patient education improve outcomes in people with type 2 diabetes?. Diabetes, Obesity and Metabolism, 2010, 12, 12-19.	4.4	80
114	Accuracy of Posture Allocation Algorithms for Thigh- and Waist-Worn Accelerometers. Medicine and Science in Sports and Exercise, 2016, 48, 1085-1090.	0.4	80
115	Clinical inertia in management of T2DM. Primary Care Diabetes, 2010, 4, 203-207.	1.8	79
116	Clinical inertia—Time to reappraise the terminology?. Primary Care Diabetes, 2017, 11, 105-106.	1.8	79
117	Structured lifestyle education for people with schizophrenia, schizoaffective disorder and first-episode psychosis (STEPWISE): randomised controlled trial. British Journal of Psychiatry, 2019, 214, 63-73.	2.8	77
118	Stand More AT Work (SMArT Work): using the behaviour change wheel to develop an intervention to reduce sitting time in the workplace. BMC Public Health, 2018, 18, 319.	2.9	76
119	Acknowledging and allocating responsibility for clinical inertia in the management of Type 2 diabetes in primary care: a qualitative study. Diabetic Medicine, 2015, 32, 407-413.	2.3	74
120	Rationale and design of the ADDITION-Leicester study, a systematic screening programme and Randomised Controlled Trial of multi-factorial cardiovascular risk intervention in people with Type 2 Diabetes Mellitus detected by screening. Trials, 2010, 11, 16.	1.6	71
121	Liraglutide and cardiovascular outcomes in adults with overweight or obesity: <scp>A</scp> <i>post hoc</i> analysis from <scp>SCALE</scp> randomized controlled trials. Diabetes, Obesity and Metabolism, 2018, 20, 734-739.	4.4	71
122	Guidelines for managing diabetes in Ramadan. Diabetic Medicine, 2016, 33, 1315-1329.	2.3	70
123	Benefits and Harms of Once-Weekly Glucagon-like Peptide-1 Receptor Agonist Treatments. Annals of Internal Medicine, 2016, 164, 102.	3.9	70
124	Acute effects of exercise on appetite, ad libitum energy intake and appetite-regulatory hormones in lean and overweight/obese men and women. International Journal of Obesity, 2017, 41, 1737-1744.	3.4	70
125	Insulin Degludec/Insulin Aspart Administered Once Daily at Any Meal, With Insulin Aspart at Other Meals Versus a Standard Basal-Bolus Regimen in Patients With Type 1 Diabetes. Diabetes Care, 2012, 35, 2174-2181.	8.6	69
126	Once-Weekly Exenatide Versus Once- or Twice-Daily Insulin Detemir: Randomized, open-label, clinical trial of efficacy and safety in patients with type 2 diabetes treated with metformin alone or in combination with sulfonylureas. Diabetes Care, 2013, 36, 1368-1376.	8.6	69

#	Article	IF	CITATIONS
127	Obesity and risk of COVID-19: analysis of UK biobank. Primary Care Diabetes, 2020, 14, 566-567.	1.8	69
128	Detection of impaired glucose regulation and/or type 2 diabetes mellitus, using primary care electronic data, in a multiethnic UK community setting. Diabetologia, 2012, 55, 959-966.	6.3	68
129	Cardiorespiratory fitness and risk of type 2 diabetes mellitus: A 23-year cohort study and a meta-analysis of prospective studies. Atherosclerosis, 2015, 243, 131-137.	0.8	68
130	Prevention of Type 2 diabetes mellitus. A review of the evidence and its application in a UK setting. Diabetic Medicine, 2004, 21, 403-414.	2.3	67
131	Sedentary behaviour as a new behavioural target in the prevention and treatment of type 2 diabetes. Diabetes/Metabolism Research and Reviews, 2016, 32, 213-220.	4.0	67
132	Walking Away from Type 2 diabetes: a cluster randomized controlled trial. Diabetic Medicine, 2017, 34, 698-707.	2.3	66
133	Recommendations for management of diabetes during Ramadan: update 2020, applying the principles of the ADA/EASD consensus. BMJ Open Diabetes Research and Care, 2020, 8, e001248.	2.8	65
134	Promoting inclusion in clinical trials—a rapid review of the literature and recommendations for action. Trials, 2021, 22, 880.	1.6	65
135	Associations Between Sedentary Behaviors and Cognitive Function: Cross-Sectional and Prospective Findings From the UK Biobank. American Journal of Epidemiology, 2018, 187, 441-454.	3.4	64
136	A Review of the Effects of Glucagon-Like Peptide-1 Receptor Agonists and Sodium-Glucose Cotransporter 2 Inhibitors on Lean Body Mass in Humans. Endocrinology and Metabolism, 2019, 34, 247.	3.0	64
137	Causality between nonâ€alcoholic fatty liver disease and risk of cardiovascular disease and type 2 diabetes: A metaâ€analysis with bias analysis. Liver International, 2019, 39, 557-567.	3.9	62
138	Levels of physical activity and relationship with markers of diabetes and cardiovascular disease risk in 5474 white European and South Asian adults screened for type 2 diabetes. Preventive Medicine, 2010, 51, 290-294.	3.4	61
139	Liraglutide - overview of the preclinical and clinical data and its role in the treatment of type 2 diabetes. Diabetes, Obesity and Metabolism, 2011, 13, 207-220.	4.4	61
140	Initiation of insulin glargine therapy in type 2 diabetes subjects suboptimally controlled on oral antidiabetic agents: results from the AT.LANTUS trial*. Diabetes, Obesity and Metabolism, 2008, 10, 387-399.	4.4	60
141	Association of anthropometric obesity measures with chronic kidney disease risk in a non-diabetic patient population. Nephrology Dialysis Transplantation, 2012, 27, 1860-1866.	0.7	60
142	A comparison of cost per case detected of screening strategies for Type 2 diabetes and impaired glucose regulation: Modelling study. Diabetes Research and Clinical Practice, 2012, 97, 505-513.	2.8	60
143	Trends in hospital admissions for hypoglycaemia in England: a retrospective, observational study. Lancet Diabetes and Endocrinology,the, 2016, 4, 677-685.	11.4	60
144	Efficacy and Safety of Switching From the DPP-4 Inhibitor Sitagliptin to the Human GLP-1 Analog Liraglutide After 52 Weeks in Metformin-Treated Patients With Type 2 Diabetes. Diabetes Care, 2012, 35, 1986-1993.	8.6	58

#	Article	IF	CITATIONS
145	Insulin degludec: overview of a novel ultra longâ€acting basal insulin. Diabetes, Obesity and Metabolism, 2013, 15, 301-309.	4.4	58
146	Subclinical diastolic dysfunction in young adults with Type 2 diabetes mellitus: a multiparametric contrast-enhanced cardiovascular magnetic resonance pilot study assessing potential mechanisms. European Heart Journal Cardiovascular Imaging, 2014, 15, 1263-1269.	1.2	58
147	Relationship of cardiometabolic parameters in non-smokers, current smokers, and quitters in diabetes: a systematic review and meta-analysis. Cardiovascular Diabetology, 2016, 15, 158.	6.8	58
148	Objectively measured sedentary time and associations with insulin sensitivity: Importance of reallocating sedentary time to physical activity. Preventive Medicine, 2015, 76, 79-83.	3.4	57
149	Diabetes in people with intellectual disabilities: A systematic review of the literature. Research in Developmental Disabilities, 2015, 47, 352-374.	2.2	57
150	Do Web-Based Interventions Improve Well-Being in Type 2 Diabetes? A Systematic Review and Meta-Analysis. Journal of Medical Internet Research, 2016, 18, e270.	4.3	57
151	Type 2 diabetes in younger adults: the emerging UK epidemic. Postgraduate Medical Journal, 2010, 86, 711-718.	1.8	56
152	Effect of Early Multifactorial Therapy Compared With Routine Care on Microvascular Outcomes at 5 Years in People With Screen-Detected Diabetes: A Randomized Controlled Trial. Diabetes Care, 2014, 37, 2015-2023.	8.6	56
153	A Randomised Controlled Trial to Reduce Sedentary Time in Young Adults at Risk of Type 2 Diabetes Mellitus: Project STAND (Sedentary Time ANd Diabetes). PLoS ONE, 2015, 10, e0143398.	2.5	56
154	A systematic review and meta-analysis to compare the prevalence of depression between people with and without Type 1 and Type 2 diabetes. Primary Care Diabetes, 2022, 16, 1-10.	1.8	56
155	The potential impact and optimal cut-points of using glycated haemoglobin, HbA1c, to detect people with impaired glucose regulation in a UK multi-ethnic cohort. Diabetes Research and Clinical Practice, 2010, 90, 100-108.	2.8	55
156	Screening for diabetes using an oral glucose tolerance test within a western multi-ethnic population identifies modifiable cardiovascular risk: the ADDITION-Leicester study. Diabetologia, 2011, 54, 2237-2246.	6.3	55
157	Sedentary Sphere. Medicine and Science in Sports and Exercise, 2016, 48, 748-754.	0.4	55
158	Incorporating and interpreting regulatory guidance on estimands in diabetes clinical trials: The PIONEER 1 randomized clinical trial as an example. Diabetes, Obesity and Metabolism, 2019, 21, 2203-2210.	4.4	55
159	The potential impact of using glycated haemoglobin as the preferred diagnostic tool for detecting Type 2 diabetes mellitus. Diabetic Medicine, 2010, 27, 762-769.	2.3	54
160	Current management of diabetes mellitus and future directions in care. Postgraduate Medical Journal, 2015, 91, 612-621.	1.8	54
161	Screening for Type 2 diabetes. Lessons from the ADDITIONâ€Europe study. Diabetic Medicine, 2011, 28, 1416-1424.	2.3	53
162	Uses and Limitations of the Restricted Mean Survival Time: Illustrative Examples From Cardiovascular Outcomes and Mortality Trials in Type 2 Diabetes. Annals of Internal Medicine, 2020, 172, 541.	3.9	53

#	Article	IF	CITATIONS
	â€ ⁻ Educator talk' and patient change: some insights from the DESMOND (Diabetes Education and Self) Tj ETO	Qq110	.784314 rgBT
163	25, 1117-1120.	2.3	52
164	A randomized controlled trial comparing the <scp>GLP</scp> â€1 receptor agonist liraglutide to a sulphonylurea as add on to metformin in patients with established type 2 diabetes during Ramadan: the Treat 4 Ramadan Trial. Diabetes, Obesity and Metabolism, 2014, 16, 527-536.	4.4	52
165	Impact of Type 1 Diabetes Technology on Family Members/Significant Others of People With Diabetes. Journal of Diabetes Science and Technology, 2016, 10, 824-830.	2.2	52
166	Effects of Low-Energy Diet or Exercise on Cardiovascular Function in Working-Age Adults With Type 2 Diabetes: A Prospective, Randomized, Open-Label, Blinded End Point Trial. Diabetes Care, 2020, 43, 1300-1310.	8.6	52
167	Skin autofluorescence, a non-invasive marker of advanced glycation end products: clinical relevance and limitations. Postgraduate Medical Journal, 2017, 93, 289-294.	1.8	51
168	Metabolic Effects of Breaking Prolonged Sitting With Standing or Light Walking in Older South Asians and White Europeans: A Randomized Acute Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 139-146.	3.6	51
169	Efficacy and safety over 26Âweeks of an oral treatment strategy including sitagliptin compared with an injectable treatment strategy with liraglutide in patients with type 2 diabetes mellitus inadequately controlled on metformin: a randomised clinical trial. Diabetologia, 2013, 56, 1503-1511.	6.3	50
170	Liraglutide improves treatment satisfaction in people with Type 2 diabetes compared with sitagliptin, each as an add on to metformin. Diabetic Medicine, 2011, 28, 333-337.	2.3	49
171	Patientâ€reported outcomes in trials of incretinâ€based therapies in patients with type 2 diabetes mellitus. Diabetes, Obesity and Metabolism, 2012, 14, 882-892.	4.4	49
172	A <scp>M</scp> editerranean diet improves <scp>H</scp> b <scp>A</scp> 1c but not fasting blood glucose compared to alternative dietary strategies: a network metaâ€analysis. Journal of Human Nutrition and Dietetics, 2014, 27, 280-297.	2.5	49
173	Walking away from type 2 diabetes: trial protocol of a cluster randomised controlled trial evaluating a structured education programme in those at high risk of developing type 2 diabetes. BMC Family Practice, 2012, 13, 46.	2.9	48
174	Association of Sitting Time and Physical Activity With CKD: A Cross-sectional Study in Family Practices. American Journal of Kidney Diseases, 2012, 60, 583-590.	1.9	48
175	Association Between Lifestyle Factors and the Incidence of Multimorbidity in an Older English Population. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2017, 72, glw146.	3.6	48
176	Clinical inertia in the management of type 2 diabetes mellitus: a focused literature review. British Journal of Diabetes and Vascular Disease, 2015, 15, 65.	0.6	48
177	Efficacy and safety of insulin degludec given as part of basal–bolus treatment with mealtime insulin aspart in type 1 diabetes: a 26â€week randomized, open″abel, treatâ€ŧoâ€ŧarget nonâ€inferiority trial. Diabete Obesity and Metabolism, 2014, 16, 922-930.	25,4.4	47
178	Older people with Type 2 diabetes, including those with chronic kidney disease or dementia, are commonly overtreated with sulfonylurea or insulin therapies. Diabetic Medicine, 2017, 34, 1219-1227.	2.3	47
179	Barriers and Facilitators to Healthy Lifestyle Changes in Minority Ethnic Populations in the UK: a Narrative Review. Journal of Racial and Ethnic Health Disparities, 2017, 4, 1107-1119.	3.2	47
180	Effectiveness of the â€~Girls Active' school-based physical activity programme: A cluster randomised controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 40.	4.6	47

#	Article	IF	CITATIONS
181	Extracorporeal membrane oxygenation for the treatment of massive pulmonary embolism. Annals of Thoracic Surgery, 1995, 60, 1801-1803.	1.3	46
182	Influences on the uptake of diabetes screening: a qualitative study in primary care. British Journal of General Practice, 2012, 62, e204-e211.	1.4	46
183	Cost–utility analysis of liraglutide compared with sulphonylurea or sitagliptin, all as addâ€on to metformin monotherapy in Type 2 diabetes mellitus. Diabetic Medicine, 2012, 29, 313-320.	2.3	46
184	Fruit and vegetable intake and the association with glucose parameters: a cross-sectional analysis of the Let's Prevent Diabetes Study. European Journal of Clinical Nutrition, 2013, 67, 12-17.	2.9	46
185	Associations of Physical Behaviours and Behavioural Reallocations with Markers of Metabolic Health: A Compositional Data Analysis. International Journal of Environmental Research and Public Health, 2018, 15, 2280.	2.6	46
186	Efficacy and tolerability of sodiumâ€glucose coâ€transporterâ€2 inhibitors and glucagonâ€like peptideâ€1 receptor agonists: A systematic review and network metaâ€analysis. Diabetes, Obesity and Metabolism, 2020, 22, 1035-1046.	4.4	46
187	Managing the gastrointestinal side effects of CLP-1 receptor agonists in obesity: recommendations for clinical practice. Postgraduate Medicine, 2022, 134, 14-19.	2.0	46
188	Diabetes-specific quality of life but not health status is independently associated with glycaemic control among patients with type 2 diabetes: A cross-sectional analysis of the ADDITION-Europe trial cohort. Diabetes Research and Clinical Practice, 2014, 104, 281-287.	2.8	45
189	Application of normalisation process theory in understanding implementation processes in primary care settings in the UK: a systematic review. BMC Family Practice, 2020, 21, 52.	2.9	45
190	Virtual Consultations and the Role of Technology During the COVID-19 Pandemic for People With Type 2 Diabetes: The UK Perspective. Journal of Medical Internet Research, 2020, 22, e21609.	4.3	45
191	What is the clinical effectiveness and cost-effectiveness of using drugs in treating obese patients in primary care? A systematic review Health Technology Assessment, 2012, 16, iii-xiv, 1-195.	2.8	45
192	Rationale, design and baseline data from the Pre-diabetes Risk Education and Physical Activity Recommendation and Encouragement (PREPARE) programme study: A randomized controlled trial. Patient Education and Counseling, 2008, 73, 264-271.	2.2	44
193	The Pre-diabetes Risk Education and Physical Activity Recommendation and Encouragement (PREPARE) programme study: are improvements in glucose regulation sustained at 2 years?. Diabetic Medicine, 2011, 28, 1268-1271.	2.3	44
194	Obesity, walking pace and risk of severe COVID-19 and mortality: analysis of UK Biobank. International Journal of Obesity, 2021, 45, 1155-1159.	3.4	43
195	Reduced Weight Gain with Insulin Detemir Compared to NPH Insulin Is Not Explained by a Reduction in Hypoglycemia. Diabetes Technology and Therapeutics, 2008, 10, 273-277.	4.4	42
196	Comparison of illness representations dimensions and illness representation clusters in predicting outcomes in the first year following diagnosis of type 2 diabetes: Results from the DESMOND trial. Psychology and Health, 2011, 26, 321-335.	2.2	42
197	Lixisenatide plus basal insulin in patients with type 2 diabetes mellitus: a meta-analysis. Journal of Diabetes and Its Complications, 2014, 28, 880-886.	2.3	42
198	Basal insulin peglispro versus insulin glargine in insulinâ€naÃ⁻ve type 2 diabetes: <scp>IMAGINE</scp> 2 randomized trial. Diabetes, Obesity and Metabolism, 2016, 18, 1055-1064.	4.4	42

#	Article	IF	CITATIONS
199	Comparative Relevance of Physical Fitness and Adiposity on Life Expectancy. Mayo Clinic Proceedings, 2019, 94, 985-994.	3.0	42
200	Multifactorial intervention in individuals with type 2 diabetes and microalbuminuria: The Microalbuminuria Education and Medication Optimisation (MEMO) study. Diabetes Research and Clinical Practice, 2011, 93, 328-336.	2.8	41
201	Risk assessment tools for detecting those with pre-diabetes: A systematic review. Diabetes Research and Clinical Practice, 2014, 105, 1-13.	2.8	41
202	Is the number of fast-food outlets in the neighbourhood related to screen-detected type 2 diabetes mellitus and associated risk factors?. Public Health Nutrition, 2015, 18, 1698-1705.	2.2	41
203	Patterns of multimorbidity and risk of severe SARS-CoV-2 infection: an observational study in the U.K BMC Infectious Diseases, 2021, 21, 908.	2.9	41
204	The association between depressive symptoms and insulin resistance, inflammation and adiposity in men and women. PLoS ONE, 2017, 12, e0187448.	2.5	41
205	Sleep duration, obesity and insulin resistance in a multi-ethnic UK population at high risk of diabetes. Diabetes Research and Clinical Practice, 2018, 139, 195-202.	2.8	40
206	Association of hypoglycaemia and risk of cardiac arrhythmia in patients with diabetes mellitus: A systematic review and metaâ€analysis. Diabetes, Obesity and Metabolism, 2018, 20, 2169-2178.	4.4	40
207	Multimorbidity and lifestyle factors among adults with intellectual disabilities: a crossâ€sectional analysis of a UK cohort. Journal of Intellectual Disability Research, 2019, 63, 255-265.	2.0	40
208	Enhancing the value of accelerometer-assessed physical activity: meaningful visual comparisons of data-driven translational accelerometer metrics. Sports Medicine - Open, 2019, 5, 47.	3.1	40
209	Waist circumference measurement: knowledge, attitudes and barriers in patients and practitioners in a multi-ethnic population. Family Practice, 2009, 26, 365-371.	1.9	39
210	Rationale and study design for a randomised controlled trial to reduce sedentary time in adults at risk of type 2 diabetes mellitus: project stand (Sedentary Time ANd diabetes). BMC Public Health, 2011, 11, 908.	2.9	39
211	Severe hypoglycaemia requiring emergency medical assistance by ambulance services in the East Midlands: A retrospective study. Primary Care Diabetes, 2013, 7, 159-165.	1.8	39
212	Selfâ€ŧitration of insulin in the management of people with type 2 diabetes: a practical solution to improve management in primary care. Diabetes, Obesity and Metabolism, 2013, 15, 690-700.	4.4	39
213	Long-term effects of intensive multifactorial therapy in individuals with screen-detected type 2 diabetes in primary care: 10-year follow-up of the ADDITION-Europe cluster-randomised trial. Lancet Diabetes and Endocrinology,the, 2019, 7, 925-937.	11.4	39
214	Activity Intensity, Volume, and Norms: Utility and Interpretation of Accelerometer Metrics. Medicine and Science in Sports and Exercise, 2019, 51, 2410-2422.	0.4	39
215	Body Mass Index and Waist Circumference Cut-Points in Multi-Ethnic Populations from the UK and India: The ADDITION-Leicester, Jaipur Heart Watch and New Delhi Cross-Sectional Studies. PLoS ONE, 2014, 9, e90813.	2.5	39
216	Structured lifestyle education to support weight loss for people with schizophrenia, schizoaffective disorder and first episode psychosis: the STEPWISE RCT. Health Technology Assessment, 2018, 22, 1-160.	2.8	39

#	Article	IF	CITATIONS
217	New insulins and new insulin regimens: a review of their role in improving glycaemic control in patients with diabetes. Postgraduate Medical Journal, 2009, 85, 257-267.	1.8	38
218	Should glycated haemoglobin (HbA1c) be used to detect people with type 2 diabetes mellitus and impaired glucose regulation?. Postgraduate Medical Journal, 2010, 86, 656-662.	1.8	38
219	Stand up for your health: Is it time to rethink the physical activity paradigm?. Diabetes Research and Clinical Practice, 2011, 93, 292-294.	2.8	38
220	A systematic review of interventions targeting primary care or community based professionals on cardio-metabolic risk factor control in people with diabetes. Diabetes Research and Clinical Practice, 2016, 113, 1-13.	2.8	38
221	Deficiencies in postgraduate training for healthcare professionals who provide diabetes education and support: results from the Diabetes Attitudes, Wishes and Needs (<scp>DAWN</scp> 2) study. Diabetic Medicine, 2017, 34, 1074-1083.	2.3	38
222	Long COVID — metabolic risk factors and novel therapeutic management. Nature Reviews Endocrinology, 2021, 17, 379-380.	9.6	38
223	Impact of baseline physical activity and diet behavior on metabolic syndrome in a pharmaceutical trial: Results from NAVIGATOR. Metabolism: Clinical and Experimental, 2014, 63, 554-561.	3.4	37
224	Associations of reallocating sitting time into standing or stepping with glucose, insulin and insulin sensitivity: a cross-sectional analysis of adults at risk of type 2 diabetes. BMJ Open, 2017, 7, e014267.	1.9	37
225	Effects of glucoseâ€lowering and multifactorial interventions on cardiovascular and mortality outcomes: a metaâ€analysis of randomized control trials. Diabetic Medicine, 2016, 33, 280-289.	2.3	36
226	Introduction of biosimilar insulins in Europe. Diabetic Medicine, 2017, 34, 1340-1353.	2.3	36
227	Relation of Aortic Stiffness to Left Ventricular Remodeling in Younger Adults With Type 2 Diabetes. Diabetes, 2018, 67, 1395-1400.	0.6	36
228	Outcome trends in people with heart failure, type 2 diabetes mellitus and chronic kidney disease in the UK over twenty years. EClinicalMedicine, 2021, 32, 100739.	7.1	36
229	Insulin glargine-based therapy improves glycemic control in patients with type 2 diabetes sub-optimally controlled on premixed insulin therapies. Diabetes Research and Clinical Practice, 2008, 79, 368-375.	2.8	35
230	Sedentary Behavior. American Journal of Preventive Medicine, 2011, 40, e33-e34.	3.0	35
231	The treatment of type 2 diabetes in the presence of renal impairment: what we should know about newer therapies. Clinical Pharmacology: Advances and Applications, 2016, 8, 61.	1.2	35
232	What have we learnt from "real world―data, observational studies and metaâ€analyses. Diabetes, Obesity and Metabolism, 2018, 20, 47-58.	4.4	35
233	Implementation of the automated Leicester Practice Risk Score in two diabetes prevention trials provides a high yield of people with abnormal glucose tolerance. Diabetologia, 2012, 55, 3238-3244.	6.3	34
234	Understanding and supporting women with polycystic ovary syndrome: a qualitative study in an ethnically diverse UK sample. Endocrine Connections, 2017, 6, 323-330.	1.9	34

#	Article	IF	CITATIONS
235	A global study of the unmet need for glycemic control and predictor factors among patients with type 2 diabetes mellitus who have achieved optimal fasting plasma glucose control on basal insulin. Diabetes/Metabolism Research and Reviews, 2017, 33, e2858.	4.0	34
236	Obesity, Ethnicity, and Risk of Critical Care, Mechanical Ventilation, and Mortality in Patients Admitted to Hospital with COVIDâ€19: Analysis of the ISARIC CCPâ€UK Cohort. Obesity, 2021, 29, 1223-1230.	3.0	34
237	Gastrointestinal tolerability of onceâ€weekly semaglutide 2.4Âmg in adults with overweight or obesity, and the relationship between gastrointestinal adverse events and weight loss. Diabetes, Obesity and Metabolism, 2022, 24, 94-105.	4.4	34
238	A Text-Messaging and Pedometer Program to Promote Physical Activity in People at High Risk of Type 2 Diabetes: The Development of the PROPELS Follow-On Support Program. JMIR MHealth and UHealth, 2015, 3, e105.	3.7	34
239	Let's prevent diabetes: study protocol for a cluster randomised controlled trial of an educational intervention in a multi-ethnic UK population with screen detected impaired glucose regulation. Cardiovascular Diabetology, 2012, 11, 56.	6.8	33
240	Fitness Moderates Glycemic Responses to Sitting and Light Activity Breaks. Medicine and Science in Sports and Exercise, 2017, 49, 2216-2222.	0.4	33
241	Take Control: A randomized trial evaluating the efficacy and safety of self―versus physicianâ€managed titration of insulin glargine 300 U/mL in patients with uncontrolled type 2 diabetes. Diabetes, Obesity and Metabolism, 2019, 21, 1615-1624.	4.4	33
242	Meta-analysis of the influence of lifestyle changes for preoperative weight loss on surgical outcomes. British Journal of Surgery, 2019, 106, 181-189.	0.3	33
243	Risk of cancer incidence and mortality associated with diabetes: A systematic review with trend analysis of 203 cohorts. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 14-22.	2.6	33
244	Depressive symptoms in the first year from diagnosis of Type 2 diabetes: results from the DESMOND trial. Diabetic Medicine, 2010, 27, 965-967.	2.3	32
245	Clinical characteristics of polycystic ovary syndrome: investigating differences in White and South Asian women. Clinical Endocrinology, 2015, 83, 542-549.	2.4	32
246	A data-driven, meaningful, easy to interpret, standardised accelerometer outcome variable for global surveillance. Journal of Science and Medicine in Sport, 2019, 22, 1132-1138.	1.3	32
247	Wrist-worn accelerometers: recommending ~1.0 m <i>g</i> as the minimum clinically important difference (MCID) in daily average acceleration for inactive adults. British Journal of Sports Medicine, 2021, 55, 814-815.	6.7	32
248	Biomedical, lifestyle and psychosocial characteristics of people newly diagnosed with Type 2 diabetes: baseline data from the DESMOND randomized controlled trial. Diabetic Medicine, 2008, 25, 1454-1461.	2.3	31
249	Insulin U-500 in severe insulin resistance in type 2 diabetes mellitus. Postgraduate Medical Journal, 2009, 85, 219-222.	1.8	31
250	Primary prevention of cardiovascular disease using validated risk scores: A systematic review. Journal of the Royal Society of Medicine, 2012, 105, 348-356.	2.0	31
251	Prevalence of diagnosed depression in South Asian and white European people with type 1 and type 2 diabetes mellitus in a UK secondary care population. Postgraduate Medical Journal, 2009, 85, 238-243.	1.8	30
252	TypeÂ2 diabetes mellitus and obesity in young adults: the extreme phenotype with early cardiovascular dysfunction. Diabetic Medicine, 2014, 31, 794-798.	2.3	30

#	Article	IF	CITATIONS
253	Associations of Sedentary Time with Fat Distribution in a High-Risk Population. Medicine and Science in Sports and Exercise, 2015, 47, 1727-1734.	0.4	30
254	Safety and effectiveness of nonâ€insulin glucoseâ€lowering agents in the treatment of people with type 2 diabetes who observe <scp>R</scp> amadan: a systematic review and metaâ€analysis. Diabetes, Obesity and Metabolism, 2015, 17, 639-648.	4.4	30
255	The association between air pollution and type 2 diabetes in a large cross-sectional study in Leicester: The CHAMPIONS Study. Environment International, 2017, 104, 41-47.	10.0	30
256	Cardiovascular efficacy and safety of sodiumâ€glucose coâ€transporterâ€2 inhibitors and glucagonâ€like peptideâ€1 receptor agonists: a systematic review and network metaâ€analysis. Diabetic Medicine, 2019, 36, 444-452.	2.3	30
257	Association of Timing and Balance of Physical Activity and Rest/Sleep With Risk of COVID-19: A UK Biobank Study. Mayo Clinic Proceedings, 2021, 96, 156-164.	3.0	30
258	The Prevalence of Depression in White-European and South-Asian People with Impaired Glucose Regulation and Screen-Detected Type 2 Diabetes Mellitus. PLoS ONE, 2009, 4, e7755.	2.5	29
259	The Association of the Triglyceride-to-HDL Cholesterol Ratio with Insulin Resistance in White European and South Asian Men and Women. PLoS ONE, 2012, 7, e50931.	2.5	29
260	Intensive multifactorial intervention improves modelled coronary heart disease risk in screenâ€detected Type 2 diabetes mellitus: a cluster randomized controlled trial. Diabetic Medicine, 2012, 29, 531-540.	2.3	29
261	Comparison of insulin degludec with insulin detemir in type 1 diabetes: a 1â€year treatâ€ŧoâ€ŧarget trial. Diabetes, Obesity and Metabolism, 2016, 18, 96-99.	4.4	29
262	Longâ€term mortality after acute myocardial infarction among individuals with and without diabetes: A systematic review and metaâ€analysis of studies in the postâ€reperfusion era. Diabetes, Obesity and Metabolism, 2017, 19, 364-374.	4.4	29
263	Walking pace improves all-cause and cardiovascular mortality risk prediction: A UK Biobank prognostic study. European Journal of Preventive Cardiology, 2020, 27, 1036-1044.	1.8	29
264	A population-based cohort study of obesity, ethnicity and COVID-19 mortality in 12.6 million adults in England. Nature Communications, 2022, 13, 624.	12.8	29
265	Association of smoking and cardiometabolic parameters with albuminuria in people with type 2 diabetes mellitus: a systematic review and meta-analysis. Acta Diabetologica, 2019, 56, 839-850.	2.5	28
266	Physical behaviors and chronotype in people with type 2 diabetes. BMJ Open Diabetes Research and Care, 2020, 8, e001375.	2.8	28
267	Metformin in non-diabetic hyperglycaemia: the GLINT feasibility RCT. Health Technology Assessment, 2018, 22, 1-64.	2.8	28
268	Characteristics, complications and management of a large multiethnic cohort of younger adults with type 2 diabetes. Primary Care Diabetes, 2011, 5, 245-250.	1.8	27
269	Insulin initiation and management in people with Type 2 diabetes in an ethnically diverse population: the healthcare provider perspective. Diabetic Medicine, 2012, 29, 1311-1316.	2.3	27
270	Kaleidoscope model of diabetes care: time for a rethink?. Diabetic Medicine, 2014, 31, 522-530.	2.3	27

#	Article	IF	CITATIONS
271	A cluster randomised controlled trial to investigate the effectiveness and cost effectiveness of the â€~Girls Active' intervention: a study protocol. BMC Public Health, 2015, 15, 526.	2.9	27
272	Body mass index and the risk of <scp>COVID</scp> â€19 across ethnic groups: Analysis of <scp>UK</scp> Biobank. Diabetes, Obesity and Metabolism, 2020, 22, 1953-1954.	4.4	27
273	Providing a Basis for Harmonization of Accelerometer-Assessed Physical Activity Outcomes Across Epidemiological Datasets. Journal for the Measurement of Physical Behaviour, 2019, 2, 131-142.	0.8	27
274	The response of circulating levels of the interleukin-6/interleukin-6 receptor complex to exercise in young men. Cytokine, 2009, 47, 98-102.	3.2	26
275	Prevalence of diabetes and impaired glucose metabolism in younger â€~at risk' <scp>UK</scp> adults: insights from the <scp>STAND</scp> programme of research. Diabetic Medicine, 2013, 30, 671-675.	2.3	26
276	Joint Prevalence of Diabetes, Impaired Glucose Regulation, Cardiovascular Disease Risk and Chronic Kidney Disease in South Asians and White Europeans. PLoS ONE, 2013, 8, e55580.	2.5	26
277	Global burden of hypoglycaemia-related mortality in 109 countries, from 2000 to 2014: an analysis of death certificates. Diabetologia, 2018, 61, 1592-1602.	6.3	26
278	Clinical inertia versus overtreatment in glycaemic management. Lancet Diabetes and Endocrinology,the, 2018, 6, 266-268.	11.4	26
279	Association of Cardiometabolic Multimorbidity and Depression With Cardiovascular Events in Early-Onset Adult Type 2 Diabetes: A Multiethnic Study in the U.S Diabetes Care, 2021, 44, 231-239.	8.6	26
280	COVID-19 vaccination uptake amongst ethnic minority communities in England: a linked study exploring the drivers of differential vaccination rates. Journal of Public Health, 2023, 45, e65-e74.	1.8	26
281	The National Institute of Health Research (NIHR) Collaboration for Leadership in Applied Health Research and Care (CLAHRC) for Leicestershire, Northamptonshire and Rutland (LNR): a programme protocol. Implementation Science, 2009, 4, 72.	6.9	25
282	Glycaemic goals in patients with type 2 diabetes: current status, challenges and recent advances. Diabetes, Obesity and Metabolism, 2010, 12, 474-484.	4.4	25
283	Providing NHS staff with height-adjustable workstations and behaviour change strategies to reduce workplace sitting time: protocol for the Stand More AT (SMArT) Work cluster randomised controlled trial. BMC Public Health, 2015, 15, 1219.	2.9	25
284	Differences in levels of physical activity between White and South Asian populations within a healthcare setting: impact of measurement type in a cross-sectional study. BMJ Open, 2015, 5, e006181.	1.9	25
285	Cost Effectiveness of IDegLira vs. Alternative Basal Insulin Intensification Therapies in Patients with Type 2 Diabetes Mellitus Uncontrolled on Basal Insulin in a UK Setting. Pharmacoeconomics, 2016, 34, 953-966.	3.3	25
286	A three arm cluster randomised controlled trial to test the effectiveness and cost-effectiveness of the SMART Work & Life intervention for reducing daily sitting time in office workers: study protocol. BMC Public Health, 2018, 18, 1120.	2.9	25
287	Mortality risk comparing walking pace to handgrip strength and a healthy lifestyle: A UK Biobank study. European Journal of Preventive Cardiology, 2021, 28, 704-712.	1.8	25
288	Increasing patient activation through diabetes self-management education: Outcomes of DESMOND in regional Western Australia. Patient Education and Counseling, 2020, 103, 848-853.	2.2	25

#	Article	IF	CITATIONS
289	Cardiovascular Determinants of Aerobic Exercise Capacity in Adults With Type 2 Diabetes. Diabetes Care, 2020, 43, 2248-2256.	8.6	25
290	Prevention of Microvascular Complications of Diabetes. Endocrinology and Metabolism Clinics of North America, 2021, 50, 431-455.	3.2	25
291	Prevalence and characteristics in coding, classification and diagnosis of diabetes in primary care. Postgraduate Medical Journal, 2014, 90, 13-17.	1.8	24
292	The cost-effectiveness of testing strategies for type 2 diabetes: a modelling study. Health Technology Assessment, 2015, 19, 1-80.	2.8	24
293	Improving diabetes care for people with intellectual disabilities: a qualitative study exploring the perceptions and experiences of professionals in diabetes and intellectual disability services. Journal of Intellectual Disability Research, 2017, 61, 435-449.	2.0	24
294	Breaking up sedentary time with seated upper body activity can regulate metabolic health in obese highâ€risk adults: A randomized crossover trial. Diabetes, Obesity and Metabolism, 2017, 19, 1732-1739.	4.4	24
295	Effectiveness of psychoeducational interventions for the treatment of diabetes-specific emotional distress and glycaemic control in people with type 2 diabetes: A systematic review and meta-analysis. Primary Care Diabetes, 2019, 13, 556-567.	1.8	24
296	Differences in objectively measured physical activity and sedentary behaviour between white Europeans and south Asians recruited from primary care: cross-sectional analysis of the PROPELS trial. BMC Public Health, 2019, 19, 95.	2.9	24
297	Using Intervention Mapping to Develop a Digital Self-Management Program for People With Type 2 Diabetes: Tutorial on MyDESMOND. Journal of Medical Internet Research, 2020, 22, e17316.	4.3	24
298	Preventing type 2 diabetes: can we make the evidence work?. Postgraduate Medical Journal, 2009, 85, 475-480.	1.8	23
299	Development of a lifestyle intervention using the MRC framework for diabetes prevention in people with impaired glucose regulation. Journal of Public Health, 2016, 38, 493-501.	1.8	23
300	Incident Type 2 diabetes and the effect of early regression to normoglycaemia in a population with impaired glucose regulation. Diabetic Medicine, 2017, 34, 396-404.	2.3	23
301	Online patient education interventions in type 2 diabetes or cardiovascular disease: A systematic review of systematic reviews. Primary Care Diabetes, 2019, 13, 16-27.	1.8	23
302	The right place for Sulphonylureas today: Part of â€~Review the Series: Implications of recent CVOTs in Type 2 diabetes mellitus'. Diabetes Research and Clinical Practice, 2019, 157, 107836.	2.8	23
303	Leisureâ€time physical activity and life expectancy in people with cardiometabolic multimorbidity and depression. Journal of Internal Medicine, 2020, 287, 87-99.	6.0	23
304	Comparison of glucoseâ€lowering agents after dual therapy failure in type 2 diabetes: A systematic review and network metaâ€analysis of randomized controlled trials. Diabetes, Obesity and Metabolism, 2018, 20, 985-997.	4.4	23
305	Unanswered questions over NHS health checks. BMJ: British Medical Journal, 2010, 342, c6312-c6312.	2.3	23
306	Screening for the metabolic syndrome using simple anthropometric measurements in south Asian and white Europeans: A population-based screening study. The Leicester Ethnic Atherosclerosis and Diabetes Risk (LEADER) Study. Primary Care Diabetes, 2010, 4, 25-32.	1.8	22

#	Article	IF	CITATIONS
307	PRomotion Of Physical activity through structured Education with differing Levels of ongoing Support for people at high risk of type 2 diabetes (PROPELS): study protocol for a randomized controlled trial. Trials, 2015, 16, 289.	1.6	22
308	New insulins and newer insulin regimens: a review of their role in improving glycaemic control in patients with diabetes. Postgraduate Medical Journal, 2016, 92, 152-164.	1.8	22
309	Cost-effectiveness of a pragmatic structured education intervention for the prevention of type 2 diabetes: economic evaluation of data from the Let's Prevent Diabetes cluster-randomised controlled trial. BMJ Open, 2017, 7, e013592.	1.9	22
310	Impact of baseline glycated haemoglobin, diabetes duration and body mass index on clinical outcomes in the <scp>LixiLanâ€O</scp> trial testing a titratable fixedâ€ratio combination of insulin glargine/lixisenatide (<scp>iGlarLixi</scp>) vs insulin glargine and lixisenatide monocomponents. Diabetes, Obesity and Metabolism, 2017, 19, 1798-1804.	4.4	22
311	Continuous glucose monitoring detected hypoglycaemia in the Treating to Target in Type 2 Diabetes Trial (4-T). Diabetes Research and Clinical Practice, 2017, 131, 161-168.	2.8	22
312	Compliance of Adolescent Girls to Repeated Deployments of Wrist-Worn Accelerometers. Medicine and Science in Sports and Exercise, 2018, 50, 1508-1517.	0.4	22
313	Impact of Depression and Anxiety on Change to Physical Activity Following a Pragmatic Diabetes Prevention Program Within Primary Care: Pooled Analysis From Two Randomized Controlled Trials. Diabetes Care, 2019, 42, 1847-1853.	8.6	22
314	Rationale and design of a cross-sectional study to investigate and describe the chronotype of patients with type 2 diabetes and the effect on glycaemic control: the CODEC study. BMJ Open, 2019, 9, e027773.	1.9	22
315	First-line treatment for type 2 diabetes: is it too early to abandon metformin?. Lancet, The, 2020, 396, 1705-1707.	13.7	22
316	The impact of COVIDâ€19 restrictions on accelerometerâ€assessed physical activity and sleep in individuals with type 2 diabetes. Diabetic Medicine, 2021, 38, e14549.	2.3	22
317	Validity of selfâ€assessed waist circumference in a multiâ€ethnic UK population. Diabetic Medicine, 2012, 29, 404-409.	2.3	21
318	Systematic Review and Meta-Analysis of Response Rates and Diagnostic Yield of Screening for Type 2 Diabetes and Those at High Risk of Diabetes. PLoS ONE, 2015, 10, e0135702.	2.5	21
319	Integrated primary care: is this the solution to the diabetes epidemic?. Diabetic Medicine, 2017, 34, 748-750.	2.3	21
320	Self-knowledge of HbA1c in people with Type 2 Diabetes Mellitus and its association with glycaemic control. Primary Care Diabetes, 2017, 11, 414-420.	1.8	21
321	Engagement, Retention, and Progression to Type 2 Diabetes: A Retrospective Analysis of the Cluster-Randomised "Let's Prevent Diabetes" Trial. PLoS Medicine, 2016, 13, e1002078.	8.4	21
322	Comparison of efficacy between incretin-based therapies for type 2 diabetes mellitus. BMC Medicine, 2012, 10, 152.	5.5	20
323	Does early intensive multifactorial therapy reduce modelled cardiovascular risk in individuals with screenâ€detected diabetes? Results from the ADDITIONâ€Europe cluster randomized trial . Diabetic Medicine, 2014, 31, 647-656.	2.3	20
324	Reallocating sitting time to standing or stepping through isotemporal analysis: associations with markers of chronic low-grade inflammation. Journal of Sports Sciences, 2018, 36, 1586-1593.	2.0	20

#	Article	IF	CITATIONS
325	Evaluation of an 8-Week Vegan Diet on Plasma Trimethylamine-N-Oxide and Postchallenge Glucose in Adults with Dysglycemia or Obesity. Journal of Nutrition, 2021, 151, 1844-1853.	2.9	20
326	Ethnic minorities and COVID-19: examining whether excess risk is mediated through deprivation. European Journal of Public Health, 2021, 31, 630-634.	0.3	20
327	Initiation of insulin glargine in suboptimally controlled patients with type 2 diabetes: sub-analysis of the AT.LANTUS trial comparing treatment outcomes in subjects from primary and secondary care in the UK. Diabetes, Obesity and Metabolism, 2007, 9, 706-713.	4.4	19
328	The effect of increased ambulatory activity on markers of chronic lowâ€grade inflammation: evidence from the PREPARE programme randomized controlled trial. Diabetic Medicine, 2010, 27, 1256-1263.	2.3	19
329	Type 2 diabetes in younger adults: Clinical characteristics, diabetes-related complications and management of risk factors. Primary Care Diabetes, 2011, 5, 57-62.	1.8	19
330	Is admission blood glucose concentration a more powerful predictor of mortality after myocardial infarction than diabetes diagnosis? A retrospective cohort study. BMJ Open, 2012, 2, e001596.	1.9	19
331	The association between body mass index and healthâ€related quality of life: influence of ethnicity on this relationship. Diabetes, Obesity and Metabolism, 2013, 15, 342-348.	4.4	19
332	Costâ€effectiveness of intensive multifactorial treatment compared with routine care for individuals with screenâ€detected Type 2 diabetes: analysis of the ADDITION ―UK clusterâ€randomized controlled trial. Diabetic Medicine, 2015, 32, 907-919.	2.3	19
333	Process evaluation of the school-based Girls Active programme. BMC Public Health, 2019, 19, 1187.	2.9	19
334	A Randomized Controlled, Treat-to-Target Study Evaluating the Efficacy and Safety of Insulin Glargine 300 U/mL (Gla-300) Administered Using Either Device-Supported or Routine Titration in People With Type 2 Diabetes. Journal of Diabetes Science and Technology, 2019, 13, 881-889.	2.2	19
335	Incidence and severity of hypoglycaemia in type 2 diabetes by treatment regimen: A UK multisite 12â€month prospective observational study. Diabetes, Obesity and Metabolism, 2019, 21, 1585-1595.	4.4	19
336	A Cost and Cost-Benefit Analysis of the Stand More AT Work (SMArT Work) Intervention. International Journal of Environmental Research and Public Health, 2020, 17, 1214.	2.6	19
337	Empagliflozin treatment effects across categories of baseline <scp>HbA1c</scp> , body weight and blood pressure as an addâ€on to metformin in patients with type 2 diabetes. Diabetes, Obesity and Metabolism, 2021, 23, 425-433.	4.4	19
338	Association of working shifts, inside and outside of healthcare, with severe COVIDâ^'19: an observational study. BMC Public Health, 2021, 21, 773.	2.9	19
339	Obesity, chronic disease, age, and in-hospital mortality in patients with covid-19: analysis of ISARIC clinical characterisation protocol UK cohort. BMC Infectious Diseases, 2021, 21, 717.	2.9	19
340	Feature selection for unsupervised machine learning of accelerometer data physical activity clusters – A systematic review. Gait and Posture, 2021, 90, 120-128.	1.4	19
341	Effect of early intensive multifactorial therapy compared with routine care on self-reported health status, general well-being, diabetes-specific quality of life and treatment satisfaction in screen-detected type 2 diabetes mellitus patients (ADDITION-Europe): a cluster-randomised trial. Diabetologia. 2013. 56, 2367-2377.	6.3	18
342	Effect of physical activity measurement type on the association between walking activity and glucose regulation in a high-risk population recruited from primary care. International Journal of Epidemiology, 2013, 42, 533-540.	1.9	18

#	Article	IF	CITATIONS
343	Cardiovascular and mortality events in type 2 diabetes cardiovascular outcomes trials: a systematic review with trend analysis. Acta Diabetologica, 2019, 56, 331-339.	2.5	18
344	activPAL and ActiGraph Assessed Sedentary Behavior and Cardiometabolic Health Markers. Medicine and Science in Sports and Exercise, 2020, 52, 391-397.	0.4	18
345	Association Between Accelerometer-Assessed Physical Activity and Severity of COVID-19 in UK Biobank. Mayo Clinic Proceedings Innovations, Quality & Outcomes, 2021, 5, 997-1007.	2.4	18
346	Type 2 Diabetes and Impaired Physical Function: A Growing Problem. International Journal of Diabetology, 2022, 3, 30-45.	2.0	18
347	The impact of a programme to improve quality of care for people with type 2 diabetes on hard to reach groups: The GEDAPS study. Primary Care Diabetes, 2015, 9, 211-218.	1.8	17
348	Sedentary Time and MRIâ€Derived Measures of Adiposity in Active Versus Inactive Individuals. Obesity, 2018, 26, 29-36.	3.0	17
349	Reducing sitting at work: process evaluation of the SMArT Work (Stand More At Work) intervention. Trials, 2020, 21, 403.	1.6	17
350	COVID-19 cumulative mortality rates for frontline healthcare staff in England. British Journal of General Practice, 2020, 70, 327.2-328.	1.4	17
351	FilterK: A new outlier detection method for k-means clustering of physical activity. Journal of Biomedical Informatics, 2020, 104, 103397.	4.3	17
352	Use of incretin-based medications: what do current international recommendations suggest with respect to GLP-1 receptor agonists and DPP-4 inhibitors?. Metabolism: Clinical and Experimental, 2020, 107, 154242.	3.4	17
353	Use of MyDesmond digital education programme to support selfâ€management in people with type 2 diabetes during the COVIDâ€19 pandemic. Diabetic Medicine, 2021, 38, e14469.	2.3	17
354	Deviceâ€measured physical activity and its association with physical function in adults with type 2 diabetes mellitus. Diabetic Medicine, 2021, 38, e14393.	2.3	17
355	Device-assessed total and prolonged sitting time: associations with anxiety, depression, and health-related quality of life in adults. Journal of Affective Disorders, 2021, 287, 107-114.	4.1	17
356	Clustering of comorbidities. Future Healthcare Journal, 2021, 8, e224-e229.	1.4	17
357	Diagnosing type 2 diabetes and identifying high-risk individuals using the new glycated haemoglobin (HbA1c) criteria. British Journal of General Practice, 2013, 63, e165-e167.	1.4	17
358	Investigation of a UK biobank cohort reveals causal associations of self-reported walking pace with telomere length. Communications Biology, 2022, 5, 381.	4.4	17
359	A randomized controlled trial examining combinations of repaglinide, metformin and NPH insulin. Diabetic Medicine, 2007, 24, 714-719.	2.3	16
360	Insulin management in overweight or obese type 2 diabetes patients: the role of insulin glargine. Diabetes, Obesity and Metabolism, 2008, 10, 42-49.	4.4	16

#	Article	IF	CITATIONS
361	Searching for the right outcome? A systematic review and metaâ€analysis of controlled trials using carotid intimaâ€media thickness or pulse wave velocity to infer antiatherogenic properties of thiazolidinediones. Diabetes, Obesity and Metabolism, 2010, 12, 124-132.	4.4	16
362	Screening for type 2 diabetes in a multiethnic setting using known risk factors to identify those at high risk: a cross-sectional study. Vascular Health and Risk Management, 2010, 6, 837.	2.3	16
363	Psychometric validation of the Self-Care Inventory-Revised (SCI-R) in UK adults with type 2 diabetes using data from the AT.LANTUS Follow-on study. Health and Quality of Life Outcomes, 2013, 11, 24.	2.4	16
364	Diabetes self-management education: acceptability of using trained lay educators. Postgraduate Medical Journal, 2014, 90, 638-642.	1.8	16
365	The efficacy and safety of canagliflozin across racial groups in patients with type 2 diabetes mellitus. Current Medical Research and Opinion, 2015, 31, 1693-1702.	1.9	16
366	A study protocol for a pilot randomised trial of a structured education programme for the self-management of Type 2 diabetes for adults with intellectual disabilities. Trials, 2015, 16, 148.	1.6	16
367	Selfâ€monitoring of blood glucose versus selfâ€monitoring of urine glucose in adults with newly diagnosed Type 2 diabetes receiving structured education: a cluster randomized controlled trial. Diabetic Medicine, 2015, 32, 414-422.	2.3	16
368	Associations Between Anthropometric Measurements and Cardiometabolic Risk Factors in White European and South Asian Adults in the United Kingdom. Mayo Clinic Proceedings, 2017, 92, 925-933.	3.0	16
369	Differential left ventricular and left atrial remodelling in heart failure with preserved ejection fraction patients with and without diabetes. Therapeutic Advances in Endocrinology and Metabolism, 2019, 10, 204201881986159.	3.2	16
370	Zinc-alpha2-glycoprotein, dysglycaemia and insulin resistance: a systematic review and meta-analysis. Reviews in Endocrine and Metabolic Disorders, 2020, 21, 569-575.	5.7	16
371	The present and future scope of realâ€world evidence research in diabetes: What questions can and cannot be answered and what might be possible in the future?. Diabetes, Obesity and Metabolism, 2020, 22, 21-34.	4.4	16
372	Glucose Control, Sulfonylureas, and Insulin Treatment in Elderly People With Type 2 Diabetes and Risk of Severe Hypoglycemia and Death: An Observational Study. Diabetes Care, 2021, 44, 915-924.	8.6	16
373	The importance of physical activity in management of type 2 diabetes and COVID-19. Therapeutic Advances in Endocrinology and Metabolism, 2021, 12, 204201882110546.	3.2	16
374	COVID-19 vaccine uptake and hesitancy opinions from frontline health care and social care workers: Survey data from 37 countries. Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2022, 16, 102361.	3.6	16
375	Insulin glargine and its place in the treatment of Types 1 and 2 diabetes mellitus. Expert Opinion on Pharmacotherapy, 2006, 7, 1357-1371.	1.8	15
376	Does early intensive multifactorial treatment reduce total cardiovascular burden in individuals with screenâ€detected diabetes? Findings from the ADDITIONâ€Europe clusterâ€randomized trial. Diabetic Medicine, 2012, 29, e409-16.	2.3	15
377	Concerns and perceptions about necessity in relation to insulin therapy in an ethnically diverse <scp>UK</scp> population with Type 2 diabetes: a qualitative study focusing mainly on people of South Asian origin. Diabetic Medicine, 2015, 32, 635-644.	2.3	15
378	Evaluating the impact of an enhanced primary care diabetes service on diabetes outcomes: A before–after study. Primary Care Diabetes, 2017, 11, 171-177.	1.8	15

#	Article	IF	CITATIONS
379	Exploring why young people with Type 1 diabetes decline structured education with a view to overcoming barriers. Diabetic Medicine, 2017, 34, 1092-1099.	2.3	15
380	Type 2 diabetes and glucose intolerance in a population with intellectual disabilities: the STOP diabetes crossâ€sectional screening study. Journal of Intellectual Disability Research, 2017, 61, 668-681.	2.0	15
381	Structured education programme for women with polycystic ovary syndrome: a randomised controlled trial. Endocrine Connections, 2018, 7, 26-35.	1.9	15
382	Prevalence and progression of diabetic nephropathy in South Asian, white European and African Caribbean people with type 2 diabetes: A systematic review and metaâ€analysis. Diabetes, Obesity and Metabolism, 2019, 21, 658-673.	4.4	15
383	Efficacy of low―and veryâ€lowâ€energy diets in people with type 2 diabetes mellitus: A systematic review and metaâ€analysis of interventional studies. Diabetes, Obesity and Metabolism, 2019, 21, 1695-1705.	4.4	15
384	Multimorbidity and SARS-CoV-2 infection in UK Biobank. Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2020, 14, 775-776.	3.6	15
385	Severe hypoglycaemia and absolute risk of cause-specific mortality in individuals with type 2 diabetes: a UK primary care observational study. Diabetologia, 2020, 63, 2129-2139.	6.3	15
386	Adults with early-onset type 2 diabetes (aged 18–39Âyears) are severely underrepresented in diabetes clinical research trials. Diabetologia, 2020, 63, 1516-1520.	6.3	15
387	The development and validation of the Portuguese risk score for detecting type 2 diabetes and impaired fasting glucose. Primary Care Diabetes, 2013, 7, 11-18.	1.8	14
388	Diabetes Prevention in the Real World: Effectiveness of Pragmatic Lifestyle Interventions for the Prevention of Type 2 Diabetes and of the Impact of Adherence to Guideline Recommendations: A Systematic Review and Meta-analysis. Diabetes Care 2014;37:922–933. Diabetes Care, 2014, 37, 1775-1776.	8.6	14
389	The effect of antiobesity drugs on waist circumference: a mixed treatment comparison. Diabetes, Obesity and Metabolism, 2014, 16, 237-247.	4.4	14
390	Rationale and design of the randomised controlled trial to assess the impact of liraglutide on cardiac function and structure in young adults with type 2 diabetes (the LYDIA study). Cardiovascular Diabetology, 2016, 15, 102.	6.8	14
391	Risk factors and outcome differences in hypoglycaemiaâ€related hospital admissions: <scp>A</scp> caseâ€control study in <scp>E</scp> ngland. Diabetes, Obesity and Metabolism, 2017, 19, 1371-1378.	4.4	14
392	Associations of Physical Activity Intensities with Markers of Insulin Sensitivity. Medicine and Science in Sports and Exercise, 2017, 49, 2451-2458.	0.4	14
393	Glycaemic benefit of iGlarLixi in insulinâ€naive type 2 diabetes patients with high HbA1c or those with inadequate glycaemic control on two oral antihyperglycaemic drugs in the LixiLanâ€O randomized trial. Diabetes, Obesity and Metabolism, 2019, 21, 1967-1972.	4.4	14
394	Where Does Metformin Stand in Modern Day Management of Type 2 Diabetes?. Pharmaceuticals, 2020, 13, 427.	3.8	14
395	Promoting physical activity in a multi-ethnic population at high risk of diabetes: the 48-month PROPELS randomised controlled trial. BMC Medicine, 2021, 19, 130.	5.5	14
396	A school-based intervention (â€~Girls Active') to increase physical activity levels among 11- to 14-year-old girls: cluster RCT. Public Health Research, 2019, 7, 1-162.	1.3	14

#	Article	IF	CITATIONS
397	Association between household size and COVID-19: A UK Biobank observational study. Journal of the Royal Society of Medicine, 2022, 115, 138-144.	2.0	14
398	Is having a family history of type 2 diabetes or cardiovascular disease a predictive factor for metabolic syndrome?. Primary Care Diabetes, 2009, 3, 49-56.	1.8	13
399	Effect of insulin glargine on glycaemic control and weight in obese and nonâ€obese people with type 2 diabetes: data from the AT.LANTUS trial. Diabetes, Obesity and Metabolism, 2010, 12, 683-688.	4.4	13
400	Association of cardiac and non-cardiac chronic disease comorbidity on glycaemic control in a multi-ethnic population with type 1 and type 2 diabetes. Postgraduate Medical Journal, 2011, 87, 763-768.	1.8	13
401	Dietary Recommendations for the Prevention of Type 2 diabetes: What Are They Based on?. Journal of Nutrition and Metabolism, 2012, 2012, 1-6.	1.8	13
402	An Investigation into the Relationship Between Sleep-Disordered Breathing, the Metabolic Syndrome, Cardiovascular Risk Profiles, and Inflammation Between South Asians and Caucasians Residing in the United Kingdom. Metabolic Syndrome and Related Disorders, 2012, 10, 152-158.	1.3	13
403	Clinical characteristics of people experiencing biochemical hypoglycaemia during an oral glucose tolerance test: Cross-sectional analyses from a UK multi-ethnic population. Diabetes Research and Clinical Practice, 2014, 104, 427-434.	2.8	13
404	Physical activity as a determinant of fasting and 2â€h postâ€challenge glucose: a prospective cohort analysis of the <scp>NAVIGATOR</scp> trial. Diabetic Medicine, 2015, 32, 1090-1096.	2.3	13
405	Realâ€world evaluation of the DESMOND type 2 diabetes education and selfâ€management programme. Practical Diabetes, 2018, 35, 19.	0.3	13
406	Is the lower risk of venous thromboembolism with statins related to low-density-lipoprotein reduction? A network meta-analysis and meta-regression of randomised controlled trials. Atherosclerosis, 2018, 271, 223-231.	0.8	13
407	Improved treatment satisfaction in patients with type 2 diabetes treated with onceâ€weekly semaglutide in the SUSTAIN trials. Diabetes, Obesity and Metabolism, 2019, 21, 2315-2326.	4.4	13
408	Rationale, design and study protocol of the randomised controlled trial: Diabetes Interventional Assessment of Slimming or Training tO Lessen Inconspicuous Cardiovascular Dysfunction (the) Tj ETQq0 0 0 rgBT	/ D9 erlock	10 Tf 50 29
409	Achieving Glycaemic Control with Concentrated Insulin in Patients with Type 2 Diabetes. Drugs, 2019, 79, 173-186.	10.9	13
410	Predictors of the Acute Postprandial Response to Breaking Up Prolonged Sitting. Medicine and Science in Sports and Exercise, 2020, 52, 1385-1393.	0.4	13
411	Comparative effectiveness of gliclazide modified release versus sitagliptin as secondâ€line treatment after metformin monotherapy in patients with uncontrolled type 2 diabetes. Diabetes, Obesity and Metabolism, 2020, 22, 2417-2426.	4.4	13
412	Prospectively Reallocating Sedentary Time: Associations with Cardiometabolic Health. Medicine and Science in Sports and Exercise, 2020, 52, 844-850.	0.4	13
413	A randomized, openâ€label, active comparator trial assessing the effects of 26 weeks of liraglutide or sitagliptin on cardiovascular function in young obese adults with type 2 diabetes. Diabetes, Obesity and Metabolism, 2020, 22, 1187-1196.	4.4	13
414	Therapeutic efficacy and safety of initial triple combination of metformin, sitagliptin, and lobeglitazone in drug-naÃ ⁻ ve patients with type 2 diabetes: initial triple study. BMJ Open Diabetes Research and Care, 2020, 8, e000807.	2.8	13

#	Article	IF	CITATIONS
415	Self-Compassion, Metabolic Control and Health Status in Individuals with Type 2 Diabetes: A UK Observational Study. Experimental and Clinical Endocrinology and Diabetes, 2021, 129, 413-419.	1.2	13
416	Change in Sedentary Time, Physical Activity, Bodyweight, and HbA1c in High-Risk Adults. Medicine and Science in Sports and Exercise, 2017, 49, 1120-1125.	0.4	13
417	Mapping "Region―in Canadian Medical Historv: The Case of British Columbia. Canadian Bulletin of Medical History = Bulletin Canadien D'histoire De La Médecine, 2000, 17, 73-92.	0.1	13
418	Equivalency of Sleep Estimates: Comparison of Three Research-Grade Accelerometers. Journal for the Measurement of Physical Behaviour, 2020, 3, 294-303.	0.8	13
419	Structured diabetes selfâ€management education and glycaemic control in low―and middleâ€income countries: A systematic review. Diabetic Medicine, 2022, 39, e14812.	2.3	13
420	Post-prandial hyperglycaemia and prevention of cardiovascular disease. Diabetic Medicine, 2005, 22, 6-9.	2.3	12
421	Evaluation of the Healthy LifeCheck programme: a vascular risk assessment service for community pharmacies in Leicester city, UK. Journal of Public Health, 2013, 35, 440-446.	1.8	12
422	Adverse Responses and Physical Activity. Medicine and Science in Sports and Exercise, 2014, 46, 1617-1623.	0.4	12
423	Results from the UK cohort of SOLVE: Providing insights into the timing of insulin initiation in people with poorly controlled type 2 diabetes in routine clinical practice. Primary Care Diabetes, 2014, 8, 57-63.	1.8	12
424	STEPWISE – STructured lifestyle Education for People WIth SchizophrEnia: a study protocol for a randomised controlled trial. Trials, 2016, 17, 475.	1.6	12
425	Physical Activity after Cardiac EventS (PACES) – a group education programme with subsequent text-message support designed to increase physical activity in individuals with diagnosed coronary heart disease: study protocol for a randomised controlled trial. Trials, 2018, 19, 537.	1.6	12
426	Effects of intensive interventions compared to standard care in people with type 2 diabetes and microalbuminuria on risk factors control and cardiovascular outcomes: A systematic review and meta-analysis of randomised controlled trials. Diabetes Research and Clinical Practice, 2018, 146, 76-84.	2.8	12
427	Real-world outcomes of treatment with insulin glargine 300 U/mL versus standard-of-care in people with uncontrolled type 2 diabetes mellitus. Current Medical Research and Opinion, 2020, 36, 571-581.	1.9	12
428	A randomised trial of the effect and cost-effectiveness of early intensive multifactorial therapy on 5-year cardiovascular outcomes in individuals with screen-detected type 2 diabetes: the Anglo–Danish–Dutch Study of Intensive Treatment in People with Screen-Detected Diabetes in Primary Care (ADDITION-Furone) study. Health Technology Assessment, 2016, 20, 1-86	2.8	12
429	A community-based primary prevention programme for type 2 diabetes mellitus integrating identification and lifestyle intervention for prevention: a cluster randomised controlled trial. Programme Grants for Applied Research, 2017, 5, 1-290.	1.0	12
430	Attitudes of older adults and their carers towards deâ€prescribing: A systematic review. Diabetic Medicine, 2022, 39, e14801.	2.3	12
431	The prevalence of depressive symptoms in a white European and South Asian population with impaired glucose regulation and screenâ€detected Type 2 diabetes mellitus: a comparison of two screening tools. Diabetic Medicine, 2010, 27, 896-905.	2.3	11
432	Obesity and chronic disease in younger people: an unfolding crisis. British Journal of General Practice, 2012, 62, 4-5.	1.4	11

#	Article	IF	CITATIONS
433	Prescribing in pregnancy for women with diabetes: use of potential teratogenic drugs and contraception. Diabetic Medicine, 2013, 30, 457-463.	2.3	11
434	Change in cardiovascular risk factors following early diagnosis of type 2 diabetes: a cohort analysis of a cluster-randomised trial. British Journal of General Practice, 2014, 64, e208-e216.	1.4	11
435	Using an interactive DVD about type 2 diabetes and insulin therapy in a UK South Asian community and in patient education and healthcare provider training. Patient Education and Counseling, 2015, 98, 1123-1130.	2.2	11
436	Development and validation of a cost–utility model for TypeÂ1 diabetes mellitus. Diabetic Medicine, 2015, 32, 1023-1035.	2.3	11
437	A community faith centre based screening and educational intervention to reduce the risk of type 2 diabetes: A feasibility study. Diabetes Research and Clinical Practice, 2016, 120, 73-80.	2.8	11
438	Associations of objectively measured moderate-to-vigorous-intensity physical activity and sedentary time with all-cause mortality in a population of adults at high risk of type 2 diabetes mellitus. Preventive Medicine Reports, 2017, 5, 285-288.	1.8	11
439	Development of a multi-component lifestyle intervention for preventing type 2 diabetes and cardiovascular risk factors in adults with intellectual disabilities. Journal of Public Health, 2018, 40, e141-e150.	1.8	11
440	Baby Steps – a structured group education programme with accompanying mobile web application designed to promote physical activity in women with a history of gestational diabetes: study protocol for a randomised controlled trial. Trials, 2018, 19, 682.	1.6	11
441	Accurate diagnosis of diabetes mellitus and new paradigms of classification. Nature Reviews Endocrinology, 2018, 14, 386-387.	9.6	11
442	Relevance of physical function in the association of red and processed meat intake with all–cause, cardiovascular, and cancer mortality. Nutrition, Metabolism and Cardiovascular Diseases, 2019, 29, 1308-1315.	2.6	11
443	Prediction of Diabetic Foot Ulceration: The Value of Using Microclimate Sensor Arrays. Journal of Diabetes Science and Technology, 2020, 14, 55-64.	2.2	11
444	Influence of sociodemographic characteristics on the preferred format of health education delivery in individuals with type 2 diabetes mellitus and or cardiovascular disease: a questionnaire study. Diabetic Medicine, 2020, 37, 982-990.	2.3	11
445	Screening for glucose intolerance and development of a lifestyle education programme for prevention of type 2 diabetes in a population with intellectual disabilities: the STOP Diabetes research project. Programme Grants for Applied Research, 2017, 5, 1-316.	1.0	11
446	Total one-stage repair of aortopulmonary window and interrupted aortic arch in a neonate. Pediatric Cardiology, 1996, 17, 122-124.	1.3	10
447	Evaluation of admissions and management of diabetic ketoacidosis in a large teaching hospital. Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide, 2004, 21, 149-153.	0.2	10
448	The Reversal Intervention for Metabolic Syndrome (TRIMS) study: rationale, design, and baseline data. Trials, 2011, 12, 107.	1.6	10
449	Does self monitoring of blood glucose as opposed to urinalysis provide additional benefit in patients newly diagnosed with type 2 diabetes receiving structured education? The DESMOND SMBG randomised controlled trial protocol. BMC Family Practice, 2012, 13, 18.	2.9	10
450	Effect of the PPARG2 Pro12Ala Polymorphism on Associations of Physical Activity and Sedentary Time with Markers of Insulin Sensitivity in Those with an Elevated Risk of Type 2 Diabetes. PLoS ONE, 2015, 10, e0124062.	2.5	10

#	Article	IF	CITATIONS
451	Survival in South Asian and White European patients after acute myocardial infarction. Heart, 2015, 101, 630-636.	2.9	10
452	Explaining engagement in self-monitoring among participants of the DESMOND Self-monitoring Trial: a qualitative interview study. Family Practice, 2015, 32, 596-602.	1.9	10
453	Inverse association between fasting plasma glucose and risk of ventricular arrhythmias. Diabetologia, 2015, 58, 1797-1802.	6.3	10
454	Optimizing management of glycaemia. Best Practice and Research in Clinical Endocrinology and Metabolism, 2016, 30, 397-411.	4.7	10
455	Assessing the effectiveness of a goal-setting session as part of a structured group self-management education programme for people with type 2 diabetes. Patient Education and Counseling, 2018, 101, 2125-2133.	2.2	10
456	Metabolic Effects of an SGLT2 Inhibitor (Dapagliflozin) During a Period of Acute Insulin Withdrawal and Development of Ketoacidosis in People With Type 1 Diabetes. Diabetes Care, 2020, 43, 2128-2136.	8.6	10
457	Cardiovascular events and mortality in people with type 2 diabetes and multimorbidity: A realâ€world study of patients followed for up to 19 years. Diabetes, Obesity and Metabolism, 2021, 23, 218-227.	4.4	10
458	Effects of liraglutide versus sitagliptin on circulating cardiovascular biomarkers, including circulating progenitor cells, in individuals with type 2 diabetes and obesity: Analyses from the <scp>LYDIA</scp> trial. Diabetes, Obesity and Metabolism, 2021, 23, 1409-1414.	4.4	10
459	Microvascular Disease and Risk of Cardiovascular Events and Death From Intensive Treatment in Type 2 Diabetes. Mayo Clinic Proceedings, 2021, 96, 1458-1469.	3.0	10
460	Use of the socio-ecological model to explore factors that influence the implementation of a diabetes structured education programme (EXTEND project) inLilongwe, Malawi and Maputo, Mozambique: a qualitative study. BMC Public Health, 2021, 21, 1355.	2.9	10
461	Individual, healthcare professional and systemâ€level barriers and facilitators to initiation and adherence to injectable therapies for type 2 diabetes: A systematic review and metaâ€ethnography. Diabetic Medicine, 2022, 39, e14678.	2.3	10
462	Framework to aid analysis and interpretation of ongoing COVID-19 research. Wellcome Open Research, 0, 5, 208.	1.8	10
463	Use of SGLT2 inhibitors during Ramadan: a survey of physicians' views and practical guidance. British Journal of Diabetes, 2016, 16, 20.	0.2	10
464	Investigating Endothelial Activation and Oxidative Stress in relation to Glycaemic Control in a Multiethnic Population. Experimental Diabetes Research, 2012, 2012, 1-8.	3.8	9
465	Systematic review of the development, implementation and availability of smartâ€phone applications for assessing TypeÂ2 diabetes risk. Diabetic Medicine, 2013, 30, 758-760.	2.3	9
466	Emerging epidemic and challenges of Type 2 diabetes in young adults. Diabetes Management, 2015, 5, 473-483.	0.5	9
467	Association between direct measurement of active serum calcium and risk of type 2 diabetes mellitus: A prospective study. Nutrition, Metabolism and Cardiovascular Diseases, 2015, 25, 562-568.	2.6	9
468	Reducing sedentary time in adults at risk of type 2 diabetes: process evaluation of the STAND (Sedentary Time ANd Diabetes) RCT. BMC Public Health, 2017, 17, 80.	2.9	9

#	Article	IF	CITATIONS
469	Associations of moderate-to-vigorous-intensity physical activity and body mass index with glycated haemoglobin within the general population: a cross-sectional analysis of the 2008 Health Survey for England. BMJ Open, 2017, 7, e014456.	1.9	9
470	Number needed to treat in cardiovascular outcome trials of glucagonâ€like peptideâ€1 receptor agonists: A systematic review with temporal analysis. Diabetes, Obesity and Metabolism, 2020, 22, 1670-1677.	4.4	9
471	In-shoe pressure thresholds for people with diabetes and neuropathy at risk of ulceration: A systematic review. Journal of Diabetes and Its Complications, 2021, 35, 107815.	2.3	9
472	Managing weight and glycaemic targets in people with type 2 diabetes—How far have we come?. Endocrinology, Diabetes and Metabolism, 2022, 5, e00330.	2.4	9
473	Generic and diabetesâ€specific wellâ€being in the AT.LANTUS Followâ€on study: further psychometric validation of the Wâ€BQ28 indicates its utility in research and clinical practice in Type 2 diabetes in the UK. Diabetic Medicine, 2012, 29, e345-53.	2.3	8
474	A cluster randomized controlled trial of the effectiveness and cost-effectiveness of Intermediate Care Clinics for Diabetes (ICCD): study protocol for a randomized controlled trial. Trials, 2012, 13, 164.	1.6	8
475	Medication burden in the first 5â€years following diagnosis of type 2 diabetes: findings from the <i>ADDITION-UK</i> trial cohort. BMJ Open Diabetes Research and Care, 2015, 3, e000075.	2.8	8
476	Nonexercise Equations to Estimate Fitness in White European and South Asian Men. Medicine and Science in Sports and Exercise, 2016, 48, 854-859.	0.4	8
477	Assessment of response rates and yields for Two opportunistic Tools for Early detection of Non-diabetic hyperglycaemia and Diabetes (ATTEND). A randomised controlled trial and cost-effectiveness analysis. Diabetes Research and Clinical Practice, 2016, 118, 12-20.	2.8	8
478	External national validation of the Leicester Selfâ€Assessment score for Type 2 diabetes using data from the English Longitudinal Study of Ageing. Diabetic Medicine, 2017, 34, 1575-1583.	2.3	8
479	Towards a Portable Model to Discriminate Activity Clusters from Accelerometer Data. Sensors, 2019, 19, 4504.	3.8	8
480	Qualitative evaluation of A Safer Ramadan, a structured education programme that addresses the safer observance of Ramadan for Muslims with Type 2 diabetes. Diabetes Research and Clinical Practice, 2020, 160, 107979.	2.8	8
481	Comparing 24 h physical activity profiles: Office workers, women with a history of gestational diabetes and people with chronic disease condition(s). Journal of Sports Sciences, 2021, 39, 219-226.	2.0	8
482	Modelling the Reallocation of Time Spent Sitting into Physical Activity: Isotemporal Substitution vs. Compositional Isotemporal Substitution. International Journal of Environmental Research and Public Health, 2021, 18, 6210.	2.6	8
483	Moderate increases in daily step count are associated with reduced IL6 and CRP in women with PCOS. Endocrine Connections, 2018, 7, 1442-1447.	1.9	8
484	Diagnostic performance of using one- or two-HbA1c cut-point strategies to detect undiagnosed type 2 diabetes and impaired glucose regulation within a multi-ethnic population. Diabetes and Vascular Disease Research, 2013, 10, 84-92.	2.0	7
485	Prospective relationships between body weight and physical activity: an observational analysis from the NAVIGATOR study. BMJ Open, 2015, 5, e007901.	1.9	7
486	Moderate to vigorous physical activity, not sedentary time, is associated with total and regional adiposity in a sample of UK adults at risk of type 2 diabetes. Physiological Measurement, 2016, 37, 1862-1871.	2.1	7

#	Article	IF	CITATIONS
487	New drug treatments versus structured education programmes for type 2 diabetes: comparing cost-effectiveness. Lancet Diabetes and Endocrinology,the, 2016, 4, 557-559.	11.4	7
488	A fitting problem: Standardising shoe fit standards to reduce related diabetic foot ulcers. Diabetes Research and Clinical Practice, 2019, 154, 66-74.	2.8	7
489	Postpartum monitoring of women with a history of gestational diabetes — A cross-sectional study of an inner-city population. Primary Care Diabetes, 2019, 13, 376-379.	1.8	7
490	Physical activity and lipidomics in a population at high risk of type 2 diabetes mellitus. Journal of Sports Sciences, 2020, 38, 1150-1160.	2.0	7
491	Benefits of sodium glucose cotransporter 2 inhibitors across the spectrum of cardiovascular diseases. Heart, 2022, 108, 16-21.	2.9	7
492	Ethnic, social and multimorbidity disparities in therapeutic inertia: A <scp>UK</scp> primary care observational study in patients newly diagnosed with type 2 diabetes. Diabetes, Obesity and Metabolism, 2021, 23, 2437-2445.	4.4	7
493	Behavioural interventions to promote physical activity in a multiethnic population at high risk of diabetes: PROPELS three-arm RCT. Health Technology Assessment, 2021, 25, 1-190.	2.8	7
494	Estimates of years of life lost depended on the method used: tutorial and comparative investigation. Journal of Clinical Epidemiology, 2022, 150, 42-50.	5.0	7
495	When to biopsy a foot ulcer? Seven cases of malignant melanoma presenting as foot ulcers. Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide, 2008, 25, 5-8.	0.2	6
496	The role of physical activity in the management of type 2 diabetes mellitus. Postgraduate Medical Journal, 2009, 85, 129-133.	1.8	6
497	Contrasting cardiovascular risk profiles and prescribed cardio-protective therapies in newly-diagnosed type 2 diabetes identified through screening and standard practice. Diabetes Research and Clinical Practice, 2011, 91, 280-285.	2.8	6
498	Liraglutide for type 2 diabetes mellitus. Expert Opinion on Biological Therapy, 2011, 11, 951-959.	3.1	6
499	Treatment evaluation of liraglutide in type 2 diabetes. Expert Opinion on Biological Therapy, 2012, 12, 1551-1556.	3.1	6
500	Diabetes prevention: NICE opportunity for implementing programmes in the realâ€world setting. Diabetic Medicine, 2013, 30, 1-2.	2.3	6
501	Adipocytokine Associations with Insulin Resistance in British South Asians. Journal of Diabetes Research, 2013, 2013, 1-7.	2.3	6
502	A retrospective evaluation of the NHS Health Check Programme in a multi-ethnic population. Journal of Public Health, 2016, 38, 534-542.	1.8	6
503	Effect of weight reductions on estimated kidney function: Post-hoc analysis of two randomized trials. Journal of Diabetes and Its Complications, 2017, 31, 1164-1168.	2.3	6
504	Type 2 diabetes – Authors' reply. Lancet, The, 2018, 391, 1262.	13.7	6

#	Article	IF	CITATIONS
505	Movement through Active Personalised engagement (MAP) — a self-management programme designed to promote physical activity in people with multimorbidity: study protocol for a randomised controlled trial. Trials, 2018, 19, 576.	1.6	6
506	A multinational observational study assessing insulin use: Understanding the determinants associated with progression of therapy. Diabetes, Obesity and Metabolism, 2019, 21, 1101-1110.	4.4	6
507	Glycaemic management of type 2 diabetes. Medicine, 2019, 47, 32-39.	0.4	6
508	Emerging glucose-lowering therapies: a guide for cardiologists. Heart, 2020, 106, 18-23.	2.9	6
509	Effectiveness of the Ready to Reduce Risk (3R) complex intervention for the primary prevention of cardiovascular disease: a pragmatic randomised controlled trial. BMC Medicine, 2020, 18, 198.	5.5	6
510	Improvements in Glycemic Control After Acute Moderate-Intensity Continuous or High-Intensity Interval Exercise Are Greater in South Asians Than White Europeans With Nondiabetic Hyperglycemia: A Randomized Crossover Study. Diabetes Care, 2021, 44, 201-209.	8.6	6
511	Chronotype and wellâ€being in adults with established type 2 diabetes: A crossâ€sectional study. Diabetic Medicine, 2022, 39, e14690.	2.3	6
512	Management of hyperglycaemia in type 2 diabetes: the 2018 consensus report by ADA/EASD Insights from one of the authors. British Journal of Diabetes, 2018, 18, 137-140.	0.2	6
513	A Review of Exenatide: Optimizing Glycemic Control and Associated Cardiovascular Risk Factors in Type 2 Diabetes. Diabetes Therapy, 2012, 3, 1-16.	2.5	5
514	External validation of two diabetes risk scores in a young UK South Asian population. Diabetes Research and Clinical Practice, 2014, 104, 451-458.	2.8	5
515	Micro-costing and a cost-consequence analysis of the â€~Girls Active' programme: A cluster randomised controlled trial. PLoS ONE, 2019, 14, e0221276.	2.5	5
516	The Microalbuminuria Education Medication and Optimisation (MEMO) study: 4 years followâ€up of multifactorial intervention in highâ€risk individuals with type 2 diabetes. Diabetic Medicine, 2020, 37, 286-297.	2.3	5
517	Maturational timing, physical self-perceptions and physical activity in UK adolescent females: investigation of a mediated effects model. Annals of Human Biology, 2020, 47, 384-390.	1.0	5
518	COVID-19, ethnicity and cardiometabolic disease self-management in UK primary care. Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2020, 14, 2241-2243.	3.6	5
519	Effects of canagliflozin on initiation of insulin and other antihyperglycaemic agents in the <scp>CANVAS</scp> Program. Diabetes, Obesity and Metabolism, 2020, 22, 2199-2203.	4.4	5
520	Cardiovascular outcome trials of glucose-lowering therapies. Expert Review of Pharmacoeconomics and Outcomes Research, 2020, 20, 237-249.	1.4	5
521	Rates and estimated cost of primary care consultations in people diagnosed with type 2 diabetes and comorbidities: A retrospective analysis of 8.9 million consultations. Diabetes, Obesity and Metabolism, 2021, 23, 1301-1310.	4.4	5
522	Concurrent screen use and crossâ€sectional association with lifestyle behaviours and psychosocial health in adolescent females. Acta Paediatrica, International Journal of Paediatrics, 2021, 110, 2164-2170.	1.5	5

#	Article	IF	CITATIONS
523	Effectiveness and cost of integrating a pragmatic pathway for prescribing liraglutide 3.0 mg in obesity services (STRIVE study): study protocol of an open-label, real-world, randomised, controlled trial. BMJ Open, 2020, 10, e034137.	1.9	5
524	Glucagon like peptide-1 receptor agonist (GLP-1RA) therapy in management of type 2 diabetes: choosing the right agent for individualised care. British Journal of Diabetes, 2016, 16, 128.	0.2	5
525	Perceptions of healthcare professionals and people with type 2 diabetes on emotional support: a qualitative study. BJGP Open, 2020, 4, bjgpopen20X101018.	1.8	5
526	The effects of empagliflozin, dietary energy restriction, or both on appetiteâ€regulatory gut peptides in individuals with type 2 diabetes and overweight or obesity: The <scp>SEESAW</scp> randomized, doubleâ€blind, placeboâ€controlled trial. Diabetes, Obesity and Metabolism, 2022, 24, 1509-1521.	4.4	5
527	The association between anxiety and measures of glycaemia in a populationâ€based diabetes screening programme. Diabetic Medicine, 2011, 28, 785-788.	2.3	4
528	Association between undiagnosed hypertension and microalbuminuria in South Asians without known diabetes. Journal of Human Hypertension, 2015, 29, 185-189.	2.2	4
529	Predicting hospital stay, mortality and readmission in people admitted for hypoglycaemia: prognostic models derivation and validation. Diabetologia, 2017, 60, 1007-1015.	6.3	4
530	Reaction time, cardiorespiratory fitness and mortality in UK Biobank: An observational study. Intelligence, 2018, 66, 79-83.	3.0	4
531	Pharmaceutical Interventions for Diabetes Prevention in Patients at Risk. American Journal of Cardiovascular Drugs, 2018, 18, 13-24.	2.2	4
532	Efficacy and safety of sodium-glucose cotransporter 2 inhibitors (SGLT-2is) and glucagon-like peptide-1 receptor agonists (GLP-1RAs) in patients with type 2 diabetes: a systematic review and network meta-analysis study protocol. BMJ Open, 2018, 8, e023206.	1.9	4
533	Body mass index and mortality in people with and without diabetes: A UK Biobank study. Nutrition, Metabolism and Cardiovascular Diseases, 2018, 28, 1208-1216.	2.6	4
534	Evaluation and refinement of the PRESTARt tool for identifying 12–14 year olds at high lifetime risk of developing type 2 diabetes compared to a clinicians assessment of risk: a cross-sectional study. BMC Endocrine Disorders, 2019, 19, 79.	2.2	4
535	Association of depression and anxiety with clinical, sociodemographic, lifestyle and environmental factors in South Asian and white European individuals at high risk of diabetes. Diabetic Medicine, 2019, 36, 1158-1167.	2.3	4
536	Should sodiumâ€glucose coâ€ŧransporterâ€2 inhibitors be considered as firstâ€line oral therapy for people with type 2 diabetes?. Diabetes, Obesity and Metabolism, 2019, 21, 207-209.	4.4	4
537	Draft FDA guidance for assessing the safety of glucose lowering therapies: a missed opportunity?. Lancet Diabetes and Endocrinology,the, 2020, 8, 810-811.	11.4	4
538	Physical Activity after Cardiac EventS (PACES): a group education programme with subsequent text message support designed to increase physical activity in individuals with diagnosed coronary heart disease: a randomised controlled trial. Open Heart, 2021, 8, e001351.	2.3	4
539	Improved diabetesâ€related distress and selfâ€efficacy outcomes in a selfâ€management digital programme for people with type 2 diabetes, myDESMOND. Diabetic Medicine, 2021, 38, e14551.	2.3	4
540	Cardiovascular effects of sodiumâ€glucose coâ€ŧransporterâ€2 inhibitors and glucagonâ€like peptideâ€1 receptor agonists: The <i>P</i> value and beyond. Diabetes, Obesity and Metabolism, 2021, 23, 1685-1691.	4.4	4

#	Article	IF	CITATIONS
541	Promoting physical activity with self-management support for those with multimorbidity: a randomised controlled trial. British Journal of General Practice, 2021, 71, e921-e930.	1.4	4
542	Normative wrist-worn accelerometer values for self-paced walking and running: a walk in the park. Journal of Sports Sciences, 2021, , 1-8.	2.0	4
543	An update on exenatide, a novel therapeutic option for patients with type 2 diabetes. Drugs of Today, 2011, 47, 839.	1.1	4
544	The Ready to Reduce Risk (3R) Study for a Group Educational Intervention With Telephone and Text Messaging Support to Improve Medication Adherence for the Primary Prevention of Cardiovascular Disease: Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2018, 7, e11289.	1.0	4
545	The development of a self-management intervention for stroke survivors – My Life After Stroke (MLAS). Disability and Rehabilitation, 2023, 45, 226-234.	1.8	4
546	Admission Blood Glucose Level and Its Association With Cardiovascular and Renal Complications in Patients Hospitalized With COVID-19. Diabetes Care, 2022, 45, 1132-1140.	8.6	4
547	Relative protein intake and associations with markers of physical function in those with type 2 diabetes. Diabetic Medicine, 2022, 39, e14851.	2.3	4
548	Fibroâ€inflammatory recovery and type 2 diabetes remission following a low calorie diet but not exercise training: A secondary analysis of the <scp>DIASTOLIC</scp> randomised controlled trial. Diabetic Medicine, 2022, 39, e14884.	2.3	4
549	The prevention of type 2 diabetes mellitus. Clinical Medicine, 2003, 3, 470-474.	1.9	3
550	South Asian individuals at high risk of type 2 diabetes have lower plasma vitamin C levels than white Europeans. Journal of Nutritional Science, 2013, 2, e21.	1.9	3
551	Comment on Nolan et al. Insulin Resistance as a Physiological Defense Against Metabolic Stress: Implications for the Management of Subsets of Type 2 Diabetes. Diabetes 2015;64:673–686. Diabetes, 2015, 64, e35-e36.	0.6	3
552	Developing a Conceptually Equivalent Type 2 Diabetes Risk Score for Indian Gujaratis in the UK. Journal of Diabetes Research, 2016, 2016, 1-9.	2.3	3
553	Handbook of Insulin Therapies. , 2016, , .		3
554	Physical activity and Type 1 diabetes: an underused therapy. Diabetic Medicine, 2017, 34, 1498-1499.	2.3	3
555	Elevated Levels of Alpha Cells Emanating from the Pancreatic Ducts of a Patient with a Low BMI and Chronic Pancreatitis. Cell Transplantation, 2018, 27, 902-906.	2.5	3
556	Cardiovascular, cancer and mortality events after bariatric surgery in people with and without preâ€existing diabetes: A nationwide study. Journal of Diabetes, 2019, 11, 265-272.	1.8	3
557	Health impacts of seated arm ergometry training in patients with a diabetic foot ulcer: protocol for a randomised controlled trial. BMJ Open, 2020, 10, e039062.	1.9	3
558	Pragmatic management of lowâ€energy diets in people with type 2 diabetes in primary care: a decision aid for clinicians. Diabetic Medicine, 2020, 37, 747-751.	2.3	3

#	Article	IF	CITATIONS
559	A cost comparison of an enhanced primary care diabetes service and standard care. Primary Care Diabetes, 2021, 15, 601-606.	1.8	3
560	Effect of exercise on sleep and bi-directional associations with accelerometer-assessed physical activity in men with obesity. Applied Physiology, Nutrition and Metabolism, 2021, 46, 597-605.	1.9	3
561	EXTending availability of self-management structured EducatioN programmes for people with type 2 Diabetes in low-to-middle income countries (EXTEND)—a feasibility study in Mozambique and Malawi. BMJ Open, 2021, 11, e047425.	1.9	3
562	Energy intake and weight during the <scp>COVID</scp> â€19 lockdown were not altered in a sample of older adults with type 2 diabetes in <scp>England</scp> . Diabetes, Obesity and Metabolism, 2022, 24, 546-549.	4.4	3
563	Consultation rates in people with type 2 diabetes with and without vascular complications: a retrospective analysis of 141,328 adults in England. Cardiovascular Diabetology, 2022, 21, 8.	6.8	3
564	The feasibility of a self-management programme (My Life After Stroke; MLAS) for stroke survivors. Disability and Rehabilitation, 2023, 45, 235-243.	1.8	3
565	Age at diagnosis of type 2 diabetes and cardiovascular risk factor profile: A pooled analysis. World Journal of Diabetes, 2022, 13, 260-271.	3.5	3
566	Nonâ€inferiority and clinical superiority of glucagonâ€like peptideâ€1 receptor agonists and sodiumâ€glucose coâ€transporterâ€2 inhibitors: Systematic analysis of cardiorenal outcome trials in type 2 diabetes. Diabetes, Obesity and Metabolism, 2022, 24, 1598-1606.	4.4	3
567	Understanding Biosimilar Insulins - Development, Manufacturing, and Clinical Trials. Journal of Diabetes Science and Technology, 2023, 17, 1649-1661.	2.2	3
568	Glycaemic management of type 2 diabetes. Medicine, 2010, 38, 618-625.	0.4	2
569	The NICE Diabetes in Adults Quality Standards. British Journal of Diabetes and Vascular Disease, 2011, 11, 225-227.	0.6	2
570	DAWN2 study findings: psychosocial support and structured education need to be more widespread. Practical Diabetes, 2013, 30, 239-240.	0.3	2
571	Identifying people with type 2 diabetes and those at risk: Lessons from the Measure Your Waist (MY-WAIST) mixed-methods study in UK primary care. Primary Care Diabetes, 2013, 7, 261-267.	1.8	2
572	Identifying effective pathways in a successful continuous quality improvement programme: the <scp>GEDAPS</scp> study. Journal of Evaluation in Clinical Practice, 2014, 20, 1137-1143.	1.8	2
573	Existing Insulin Therapies. , 2016, , 15-53.		2
574	Type 2 diabetes: lifetime risk of advancing from prediabetes. Lancet Diabetes and Endocrinology,the, 2016, 4, 5-6.	11.4	2
575	Cardiovascular risk factors and incident albuminuria in screenâ€detected type 2 diabetes. Diabetes/Metabolism Research and Reviews, 2017, 33, e2877.	4.0	2
576	Pharmacological control of blood sugar. Anaesthesia and Intensive Care Medicine, 2017, 18, 532-534.	0.2	2

#	Article	IF	CITATIONS
577	Let's Prevent Diabetes: from idea to implementation. Practical Diabetes, 2017, 34, 55-57.	0.3	2
578	Artificial neural networks in diabetes health care professional education: Effective Diabetes Education Now (EDEN). Practical Diabetes, 2017, 34, 268.	0.3	2
579	The impact of neighbourhood walkability on the effectiveness of a structured education programme to increase objectively measured walking. Journal of Public Health, 2018, 40, 82-89.	1.8	2
580	Screening for Diabetes and Prediabetes. Endocrinology, 2018, , 369-400.	0.1	2
581	Physical activity and structured exercise in patients with type 2 diabetes mellitus and heart failure. Practical Diabetes, 2018, 35, 131.	0.3	2
582	Prediction of type 2 diabetes risk in people with non-diabetic hyperglycaemia: model derivation and validation using UK primary care data. BMJ Open, 2020, 10, e037937.	1.9	2
583	Effects of an Electronic Software "Prompt―With Health Care Professional Training on Cardiovascular and Renal Complications in a Multiethnic Population With Type 2 Diabetes and Microalbuminuria (the GP-Prompt Study): Results of a Pragmatic Cluster-Randomized Trial. Diabetes Care, 2020, 43, 1893-1901	8.6	2
584	Effectiveness of the Transformation model, a model of care that integrates diabetes services across primary, secondary and community care: A retrospective study. Diabetic Medicine, 2021, 38, e14504.	2.3	2
585	The impact of lifestyle intervention on left atrial function in type 2 diabetes: results from the DIASTOLIC study. International Journal of Cardiovascular Imaging, 2022, 38, 2013-2023.	1.5	2
586	Screening for type 2 diabetes after a diagnosis of gestational diabetes by ethnicity: A retrospective cohort study. Primary Care Diabetes, 2022, 16, 445-451.	1.8	2
587	The Effects of Omega-3 Supplementation on Depression in Adults with Cardiometabolic Disease: A Systematic Review of Randomised Control Trials. Nutrients, 2022, 14, 1827.	4.1	2
588	The development of a diabetes prevention programme for a South Asian population: translating evidence and theory into practice. , 2009, , 233-249.		1
589	All-cause mortality in relation to glycated haemoglobin in individuals with newly diagnosed type 2 diabetes: a retrospective cohort study. British Journal of Diabetes and Vascular Disease, 2013, 13, 22-30.	0.6	1
590	Response to Comment on Khunti et al. Clinical Inertia in People With Type 2 Diabetes: A Retrospective Cohort Study of More Than 80,000 People. Diabetes Care 2013;36:3411–3417. Diabetes Care, 2014, 37, e114-e114.	8.6	1
591	Glycaemic management of type 2 diabetes. Medicine, 2014, 42, 711-717.	0.4	1
592	Serum Potassium and Glucose Regulation in the ADDITION-Leicester Screening Study. Journal of Diabetes Research, 2015, 2015, 1-4.	2.3	1
593	Screening for Diabetes and Prediabetes. Endocrinology, 2018, , 1-33.	0.1	1
594	Rationale and methods for the Exercise for Type 1 Diabetes Education program: a pilot randomized controlled trial of an education program to support adults with type 1 diabetes mellitus (T1DM) to undertake exercise. BMJ Open Diabetes Research and Care, 2019, 7, e000693.	2.8	1

#	Article	IF	CITATIONS
595	Toe gaps and their assessment in footwear for people with diabetes: a narrative review. Journal of Foot and Ankle Research, 2020, 13, 70.	1.9	1
596	Patientâ€reported outcomes after 10â€year followâ€up of intensive, multifactorial treatment in individuals with screenâ€detected type 2 diabetes: the ADDITIONâ€Europe trial. Diabetic Medicine, 2020, 37, 1509-1518.	2.3	1
597	Weight Loss Maintenance With Once-Weekly Semaglutide 2.4 MG in Adults With Overweight or Obesity Reaching Maintenance Dose (STEP 4). Journal of the Endocrine Society, 2021, 5, A63-A64.	0.2	1
598	Efficacy of iGlarLixi in adults with type 2 diabetes inadequately controlled (glycated haemoglobin) Tj ETQq0 0 0 i trial. Diabetes, Obesity and Metabolism, 2022, 24, 34-41.	gBT /Over 4.4	lock 10 Tf 50 1
599	The General Practitioner Prompt Study to Reduce Cardiovascular and Renal Complications in Patients With Type 2 Diabetes and Renal Complications: Protocol and Baseline Characteristics for a Cluster Randomized Controlled Trial. JMIR Research Protocols, 2018, 7, e152.	1.0	1
600	From the United Kingdom to Australia—Adapting a Web-Based Self-management Education Program to Support the Management of Type 2 Diabetes: Tutorial. Journal of Medical Internet Research, 2022, 24, e26339.	4.3	1
601	Insulin Levels following Islet- Cell Autotransplantation. Clinical Science, 1997, 93, 14P-14P.	0.0	0
602	Diabetic emergencies in acute/critical care. Foundation Years, 2008, 4, 230-233.	0.0	0
603	Pharmacological control of blood sugar. Anaesthesia and Intensive Care Medicine, 2011, 12, 473-475.	0.2	Ο
604	Diabetes myths and legends: the Iliad and the Odyssey. Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide, 2011, 28, 37.	0.2	0
605	Exenatide: role in management of Type 2 diabetes and associated cardiovascular risk factors. Clinical Practice (London, England), 2012, 9, 23-38.	0.1	0
606	Biomarker Research in Glucose Disorders: Current Concepts and Clinical Applications. Journal of Diabetes Research, 2013, 2013, 1-2.	2.3	0
607	Authors' response. British Journal of General Practice, 2013, 63, 236.1-236.	1.4	0
608	Pharmacological control of blood sugar. Anaesthesia and Intensive Care Medicine, 2014, 15, 470-472.	0.2	0
609	Practical Aspects of Insulin Therapy. , 2016, , 169-209.		0
610	Insulin initiation for type 2 diabetes mellitus in primary care. Nature Reviews Endocrinology, 2017, 13, 317-318.	9.6	0
611	Effect of insulin glargine on recreational physical activity and TV viewing: Analysis of the randomised ORIGIN trial. Diabetes Research and Clinical Practice, 2017, 132, 137-143.	2.8	0
612	Comment on: " <scp>S</scp> trengths and <scp>L</scp> imitations of <scp>H</scp> ealthcare <scp>D</scp> atabases in the <scp>E</scp> valuation of <scp>H</scp> ypoglycaemia― Diabetes, Obesity and Metabolism, 2017, 19, 1495-1496.	4.4	0

0

#	Article	IF	CITATIONS
613	Sedentary Behaviour, Diabetes, and the Metabolic Syndrome. Springer Series on Epidemiology and Public Health, 2018, , 193-214.	0.5	0
614	Technology and chronic disease management – Authors' reply. Lancet Diabetes and Endocrinology,the, 2018, 6, 91-92.	11.4	0
615	Reply to Mantovani: "Causality between nonâ€alcoholic fatty liver disease and risk of cardiovascular disease and type 2 diabetes― Liver International, 2019, 39, 780-781.	3.9	Ο
616	Dysglycaemia and South Asian ethnicity: a proteomic discovery and confirmation analysis highlights differences in ZAG. Journal of Proteins and Proteomics, 2020, 11, 259-268.	1.5	0
617	Response to Comment on Herring et al. Metabolic Effects of an SGLT2 Inhibitor (Dapagliflozin) During a Period of Acute Insulin Withdrawal and Development of Ketoacidosis in People With Type 1 Diabetes. Diabetes Care 2020;43:2128–2136. Diabetes Care, 2021, 44, e61-e61.	8.6	0
618	Efficacy and Safety of Once-Weekly Subcutaneous Semaglutide 2.4 MG in Adults With Overweight or Obesity (STEP 1). Journal of the Endocrine Society, 2021, 5, A10-A10.	0.2	0
619	P–384 First trimester pregnancy outcomes after confirmed SARS-CoV–2 infection in the community; a nationwide prospective longitudinal study of 10,000 pregnant women from the COVID–19 pandemic. Human Reproduction, 2021, 36, .	0.9	Ο
620	P–712 Ovulation induction in type 1 anovulation: a comparative study using gonadotrophins and the GnRH pump. Human Reproduction, 2021, 36, .	0.9	0
621	Using observational data to prioritise COVID-19 vaccination strategies: opportunity or necessity?. Public Health, 2021, 197, e20.	2.9	0
622	2 Efficacy and Safety of Once-Weekly Subcutaneous Semaglutide 2.4 mg in Adults With Overweight or Obesity (STEP 1). Adipositas - Ursachen Folgeerkrankungen Therapie, 2021, 15, .	0.2	0
623	3 Efficacy and Safety of Semaglutide 2.4 mg Once-Weekly in Adults With Overweight or Obesity and Type 2 Diabetes (STEP 2). Adipositas - Ursachen Folgeerkrankungen Therapie, 2021, 15, .	0.2	0
624	Managing vascular risk factors among obese quitters with diabetes: how intensive lifestyle intervention and novel pharmacotherapy can work in concert?. British Journal of Diabetes, 2017, 17, 19.	0.2	0
625	OUP accepted manuscript. Journal of Public Health, 2022, , .	1.8	0
626	A new method for rapid, percutaneous, sheathless insertion of the intra-aortic balloon. The British Journal of Clinical Practice, 1996, 50, 226-7.	0.2	0
627	Ethnic differences in the relationship between step cadence and physical function in older adults. Journal of Sports Sciences, 2022, 40, 1183-1190.	2.0	0
628	Cardiovascular and renal outcomes of initial combination therapy with glucoseâ€lowering agents versus a stepwise approach in newly diagnosed or treatmentâ€naÃ⁻ve type 2 diabetes: A systematic review and metaâ€analysis. Diabetes, Obesity and Metabolism, 2022, 24, 1469-1482.	4.4	0
629	Title is missing!. , 2020, 17, e1003332.		0

#	Article	IF	CITATIONS
631	Title is missing!. , 2020, 17, e1003332.		0
632	Title is missing!. , 2020, 17, e1003332.		0
633	Title is missing!. , 2020, 17, e1003332.		0
634	Title is missing!. , 2020, 17, e1003332.		0
635	Title is missing!. , 2020, 17, e1003332.		0
636	Title is missing!. , 2020, 17, e1003332.		0
637	Total One-Stage Repair of Aortopulmonary Window and Interrupted Aortic Arch in a Neonate. Pediatric Cardiology, 1996, 17, 122-124.	1.3	0