

Saibal Kar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7184233/publications.pdf>

Version: 2024-02-01

9
papers

334
citations

1307594

7
h-index

1720034

7
g-index

9
all docs

9
docs citations

9
times ranked

314
citing authors

#	ARTICLE	IF	CITATIONS
1	Primary Outcome Evaluation of a Next-Generation Left Atrial Appendage Closure Device. <i>Circulation</i> , 2021, 143, 1754-1762.	1.6	208
2	Relationship Between Residual Mitral Regurgitation and Clinical and Quality-of-Life Outcomes After Transcatheter and Medical Treatments in Heart Failure. <i>Circulation</i> , 2021, 144, 426-437.	1.6	68
3	Mitral annular calcification is not associated with decreased procedural success, durability of repair, or left ventricular remodelling in percutaneous edge-to-edge repair of mitral regurgitation. <i>EuroIntervention</i> , 2016, 12, 1176-1184.	3.2	21
4	Periprocedural Pericardial Effusion Complicating Transcatheter Left Atrial Appendage Occlusion: A Report From the NCDR LAAO Registry. <i>Circulation: Cardiovascular Interventions</i> , 2022, 15, .	3.9	14
5	First experience of the usage of a <sc>GORE</sc> <sc>CARDIOFORM</sc> <sc>S</sc>eptal <sc>O</sc>ccluder device for treatment of a significant residual commissural mitral regurgitation jet following a <sc>M</sc>itra <sc>C</sc>lip procedure. <i>Catheterization and Cardiovascular Interventions</i> , 2018, 92, 607-610.	1.7	8
6	Long-term transesophageal echocardiography after patent foramen ovale closure by BioSTAR and Amplatzer patent foramen ovale occluders. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 95, 349-354.	1.7	8
7	Cleft mitral leaflets and severe mitral regurgitation: Testing the limits of percutaneous mitral valve repair. <i>Catheterization and Cardiovascular Interventions</i> , 2019, 93, 1161-1164.	1.7	7
8	Letter by Natale et al Regarding Article, "Amplatzer Amulet Left Atrial Appendage Occluder Versus Watchman Device for Stroke Prophylaxis (Amulet IDE): A Randomized, Controlled Trial" <i>Circulation</i> , 2022, 145, e847-e848.	1.6	0
9	Letter by Price et al Regarding the Article, "Amplatzer Amulet Left Atrial Appendage Occluder Versus Watchman Device for Stroke Prophylaxis (Amulet IDE): A Randomized, Controlled Trial" <i>Circulation</i> , 2022, 145, e849.	1.6	0