
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/71848/publications.pdf Version: 2024-02-01



Δρονινία Τάρρον

#	Article	IF	CITATIONS
1	NAT2 slow acetylation, GSTM1 null genotype, and risk of bladder cancer: results from the Spanish Bladder Cancer Study and meta-analyses. Lancet, The, 2005, 366, 649-659.	13.7	558
2	A multi-stage genome-wide association study of bladder cancer identifies multiple susceptibility loci. Nature Genetics, 2010, 42, 978-984.	21.4	493
3	Cohort Profile: The INMA—INfancia y Medio Ambiente—(Environment and Childhood) Project. International Journal of Epidemiology, 2012, 41, 930-940.	1.9	492
4	Large-scale association analysis identifies new lung cancer susceptibility loci and heterogeneity in genetic susceptibility across histological subtypes. Nature Genetics, 2017, 49, 1126-1132.	21.4	472
5	Bladder Cancer and Exposure to Water Disinfection By-Products through Ingestion, Bathing, Showering, and Swimming in Pools. American Journal of Epidemiology, 2006, 165, 148-156.	3.4	471
6	Urinary concentrations of phthalates and phenols in a population of Spanish pregnant women and children. Environment International, 2011, 37, 858-866.	10.0	340
7	Prospective Study of <i>FGFR3</i> Mutations As a Prognostic Factor in Nonmuscle Invasive Urothelial Bladder Carcinomas. Journal of Clinical Oncology, 2006, 24, 3664-3671.	1.6	300
8	Recurrent inactivation of STAG2 in bladder cancer is not associated with aneuploidy. Nature Genetics, 2013, 45, 1464-1469.	21.4	224
9	PIK3CA Mutations Are an Early Genetic Alteration Associated with FGFR3 Mutations in Superficial Papillary Bladder Tumors. Cancer Research, 2006, 66, 7401-7404.	0.9	213
10	Genomic DNA hypomethylation as a biomarker for bladder cancer susceptibility in the Spanish Bladder Cancer Study: a case–control study. Lancet Oncology, The, 2008, 9, 359-366.	10.7	211
11	Polymorphisms in <i>GSTT1</i> , <i>GSTZ1</i> , and <i>CYP2E1</i> , Disinfection By-products, and Risk of Bladder Cancer in Spain. Environmental Health Perspectives, 2010, 118, 1545-1550.	6.0	194
12	Transport of persistent organic pollutants across the human placenta. Environment International, 2014, 65, 107-115.	10.0	192
13	Air Pollution During Pregnancy and Childhood Cognitive and Psychomotor Development. Epidemiology, 2014, 25, 636-647.	2.7	172
14	Population-based multicase-control study in common tumors in Spain (MCC-Spain): rationale and study design. Gaceta Sanitaria, 2015, 29, 308-315.	1.5	158
15	Leisure-time physical activity and lung cancer: a meta-analysis. Cancer Causes and Control, 2005, 16, 389-397.	1.8	154
16	Analysis of Heritability and Shared Heritability Based on Genome-Wide Association Studies for Thirteen Cancer Types. Journal of the National Cancer Institute, 2015, 107, djv279.	6.3	152
17	Prenatal Exposure to Residential Air Pollution and Infant Mental Development: Modulation by Antioxidants and Detoxification Factors. Environmental Health Perspectives, 2012, 120, 144-149.	6.0	150
18	Smoking and Bladder Cancer in Spain: Effects of Tobacco Type, Timing, Environmental Tobacco Smoke, and Gender. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 1348-1354.	2.5	148

#	Article	IF	CITATIONS
19	Maternal Vitamin D Status in Pregnancy and Risk of Lower Respiratory Tract Infections, Wheezing, and Asthma in Offspring. Epidemiology, 2012, 23, 64-71.	2.7	144
20	Genetic Variation in the Nucleotide Excision Repair Pathway and Bladder Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 536-542.	2.5	139
21	Genome-wide association study identifies multiple loci associated with bladder cancer risk. Human Molecular Genetics, 2014, 23, 1387-1398.	2.9	137
22	PIK3CA MUTATIONS ARE AN EARLY GENETIC ALTERATION ASSOCIATED WITH FGFR3 MUTATIONS IN SUPERFICIAL PAPILLARY BLADDER TUMORS. European Urology Supplements, 2006, 5, 808.	0.1	133
23	Polymorphisms in XPC, XPD, XRCC1, and XRCC3 DNA repair genes and lung cancer risk in a population of Northern Spain. BMC Cancer, 2007, 7, 162.	2.6	129
24	Night shift work, chronotype and prostate cancer risk in the MCCâ€ <scp>S</scp> pain case ontrol study. International Journal of Cancer, 2015, 137, 1147-1157.	5.1	127
25	Evaluating the Association between Artificial Light-at-Night Exposure and Breast and Prostate Cancer Risk in Spain (MCC-Spain Study). Environmental Health Perspectives, 2018, 126, 047011.	6.0	125
26	FGFR3 and Tp53 Mutations in T1G3 Transitional Bladder Carcinomas: Independent Distribution and Lack of Association with Prognosis. Clinical Cancer Research, 2005, 11, 5444-5450.	7.0	122
27	Large-Scale Evaluation of Candidate Genes Identifies Associations between VEGF Polymorphisms and Bladder Cancer Risk. PLoS Genetics, 2007, 3, e29.	3.5	119
28	Food, nutrient and heterocyclic amine intake and the risk of bladder cancer. European Journal of Cancer, 2007, 43, 1731-1740.	2.8	117
29	Circulating 25-Hydroxyvitamin D3 in Pregnancy and Infant Neuropsychological Development. Pediatrics, 2012, 130, e913-e920.	2.1	114
30	Thyroxine Levels During Pregnancy in Healthy Women and Early Child Neurodevelopment. Epidemiology, 2013, 24, 150-157.	2.7	114
31	Genetic variation in the base excision repair pathway and bladder cancer risk. Human Genetics, 2007, 121, 233-242.	3.8	113
32	Mosaic Uniparental Disomies and Aneuploidies as Large Structural Variants of the Human Genome. American Journal of Human Genetics, 2010, 87, 129-138.	6.2	111
33	Early-Life Exposure to Outdoor Air Pollution and Respiratory Health, Ear Infections, and Eczema in Infants from the INMA Study. Environmental Health Perspectives, 2013, 121, 387-392.	6.0	110
34	Adherence to the Western, Prudent and Mediterranean dietary patterns and breast cancer risk: MCC-Spain study. Maturitas, 2017, 103, 8-15.	2.4	110
35	Common Genetic Polymorphisms Modify the Effect of Smoking on Absolute Risk of Bladder Cancer. Cancer Research, 2013, 73, 2211-2220.	0.9	107
36	Lung cancer and socioeconomic status in a pooled analysis of case-control studies. PLoS ONE, 2018, 13, e0192999.	2.5	107

#	Article	IF	CITATIONS
37	Child health and the environment: the INMA Spanish Study. Paediatric and Perinatal Epidemiology, 2006, 20, 403-410.	1.7	106
38	Prenatal Ambient Air Pollution, Placental Mitochondrial DNA Content, and Birth Weight in the INMA (Spain) and ENVIR <i>ON</i> AGE (Belgium) Birth Cohorts. Environmental Health Perspectives, 2016, 124, 659-665.	6.0	105
39	Acetaminophen use in pregnancy and neurodevelopment: attention function and autism spectrum symptoms. International Journal of Epidemiology, 2016, 45, dyw115.	1.9	104
40	Urban green and grey space in relation to respiratory health in children. European Respiratory Journal, 2017, 49, 1502112.	6.7	104
41	Colorectal cancer risk and nitrate exposure through drinking water and diet. International Journal of Cancer, 2016, 139, 334-346.	5.1	101
42	A genome-wide association study of bladder cancer identifies a new susceptibility locus within SLC14A1, a urea transporter gene on chromosome 18q12.3. Human Molecular Genetics, 2011, 20, 4282-4289.	2.9	100
43	Prenatal Exposure to Mercury and Infant Neurodevelopment in a Multicenter Cohort in Spain: Study of Potential Modifiers. American Journal of Epidemiology, 2012, 175, 451-465.	3.4	99
44	Associations of maternal circulating 25â€hydroxyvitamin D3 concentration with pregnancy and birth outcomes. BJOG: an International Journal of Obstetrics and Gynaecology, 2015, 122, 1695-1704.	2.3	98
45	Maternal Consumption of Seafood in Pregnancy and Child Neuropsychological Development: A Longitudinal Study Based on a Population With High Consumption Levels. American Journal of Epidemiology, 2016, 183, 169-182.	3.4	96
46	Residential Exposure to Outdoor Air Pollution during Pregnancy and Anthropometric Measures at Birth in a Multicenter Cohort in Spain. Environmental Health Perspectives, 2011, 119, 1333-1338.	6.0	95
47	Folic Acid Supplements During Pregnancy and Child Psychomotor Development After the First Year of Life. JAMA Pediatrics, 2014, 168, e142611.	6.2	95
48	Mediterranean diet adherence during pregnancy and fetal growth: INMA (Spain) and RHEA (Greece) mother–child cohort studies. British Journal of Nutrition, 2012, 107, 135-145.	2.3	94
49	Maternal Thyroid Dysfunction during Gestation, Preterm Delivery, and Birthweight. The Infancia y Medio Ambiente Cohort, <scp>S</scp> pain. Paediatric and Perinatal Epidemiology, 2015, 29, 113-122.	1.7	93
50	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. Human Molecular Genetics, 2014, 23, 6616-6633.	2.9	90
51	Mediterranean Dietary Pattern is Associated with Low Risk of Aggressive Prostate Cancer: MCC-Spain Study. Journal of Urology, 2018, 199, 430-437.	0.4	89
52	Bladder cancer risk and genetic variation in AKR1C3 and other metabolizing genes. Carcinogenesis, 2008, 29, 1955-1962.	2.8	88
53	Shared heritability and functional enrichment across six solid cancers. Nature Communications, 2019, 10, 431.	12.8	88
54	Evaluation of genetic variation in the double-strand break repair pathway and bladder cancer risk. Carcinogenesis, 2007, 28, 1788-1793.	2.8	87

#	Article	IF	CITATIONS
55	Vitamin D in Pregnancy and Attention Deficit Hyperactivity Disorder-like Symptoms in Childhood. Epidemiology, 2015, 26, 458-465.	2.7	86
56	Risk of Bladder Cancer Associated with Family History of Cancer: Do Low-Penetrance Polymorphisms Account for the Increase in Risk?. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 1595-1600.	2.5	85
57	Genome-wide DNA methylation study in human placenta identifies novel loci associated with maternal smoking during pregnancy. International Journal of Epidemiology, 2016, 45, 1644-1655.	1.9	85
58	Nitrate in drinking water and bladder cancer risk in Spain. Environmental Research, 2015, 137, 299-307.	7.5	81
59	Body Mass Index (BMI), BMI Change, and Overall Survival in Patients With SCLC and NSCLC: A Pooled Analysis of the International Lung Cancer Consortium. Journal of Thoracic Oncology, 2019, 14, 1594-1607.	1.1	81
60	lodine Supplementation During Pregnancy and Infant Neuropsychological Development: INMA Mother and Child Cohort Study. American Journal of Epidemiology, 2013, 177, 944-953.	3.4	80
61	Common genetic variants in the <i>PSCA</i> gene influence gene expression and bladder cancer risk. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 4974-4979.	7.1	79
62	Obesity, metabolic factors and risk of different histological types of lung cancer: A Mendelian randomization study. PLoS ONE, 2017, 12, e0177875.	2.5	79
63	Breast cancer risk and night shift work in a case–control study in a Spanish population. European Journal of Epidemiology, 2016, 31, 867-878.	5.7	76
64	Genetic and Non-genetic Predictors of LINE-1 Methylation in Leukocyte DNA. Environmental Health Perspectives, 2013, 121, 650-656.	6.0	75
65	Association between breastfeeding duration and cognitive development, autistic traits and ADHD symptoms: a multicenter study in Spain. Pediatric Research, 2017, 81, 434-442.	2.3	75
66	Genetic polymorphisms in MMP 2, 9 and 3genes modify lung cancer risk and survival. BMC Cancer, 2012, 12, 121.	2.6	74
67	Causal relationships between body mass index, smoking and lung cancer: Univariable and multivariable Mendelian randomization. International Journal of Cancer, 2021, 148, 1077-1086.	5.1	73
68	Prenatal mercury exposure in a multicenter cohort study in Spain. Environment International, 2011, 37, 597-604.	10.0	72
69	Mapping of the UGT1A locus identifies an uncommon coding variant that affects mRNA expression and protects from bladder cancer. Human Molecular Genetics, 2012, 21, 1918-1930.	2.9	71
70	Exposure–Response Analyses of Asbestos and Lung Cancer Subtypes in a Pooled Analysis of Case–Control Studies. Epidemiology, 2017, 28, 288-299.	2.7	71
71	Mediterranean dietary pattern in pregnant women and offspring risk of overweight and abdominal obesity in early childhood: the INMA birth cohort study. Pediatric Obesity, 2016, 11, 491-499.	2.8	69
72	Air pollution and risk of urinary bladder cancer in a case-control study in Spain. Occupational and Environmental Medicine, 2008, 65, 56-60.	2.8	66

#	Article	IF	CITATIONS
73	Occupation and bladder cancer in a hospital-based case-control study in Spain. Occupational and Environmental Medicine, 2008, 65, 347-353.	2.8	64
74	Total Fluid and Water Consumption and the Joint Effect of Exposure to Disinfection By-Products on Risk of Bladder Cancer. Environmental Health Perspectives, 2007, 115, 1569-1572.	6.0	63
75	Genetic Susceptibility to Distinct Bladder Cancer Subphenotypes. European Urology, 2010, 57, 283-292.	1.9	63
76	Polymorphisms in one-carbon metabolism and trans-sulfuration pathway genes and susceptibility to bladder cancer. International Journal of Cancer, 2007, 120, 2452-2458.	5.1	60
77	Identification of susceptibility pathways for the role of chromosome 15q25.1 in modifying lung cancer risk. Nature Communications, 2018, 9, 3221.	12.8	60
78	Assessment of lifetime exposure to trihalomethanes through different routes. Occupational and Environmental Medicine, 2006, 63, 273-277.	2.8	59
79	Indoor Air Pollution From Gas Cooking and Infant Neurodevelopment. Epidemiology, 2012, 23, 23-32.	2.7	59
80	Effect of maternal high dosages of folic acid supplements on neurocognitive development in children at 4–5 y of age: the prospective birth cohort Infancia y Medio Ambiente (INMA) study. American Journal of Clinical Nutrition, 2017, 106, 878-887.	4.7	59
81	Determinants of self-reported smoking and misclassification during pregnancy, and analysis of optimal cut-off points for urinary cotinine: a cross-sectional study. BMJ Open, 2013, 3, e002034.	1.9	58
82	The p53 Pathway and Outcome among Patients with T1G3 Bladder Tumors. Clinical Cancer Research, 2006, 12, 6029-6036.	7.0	57
83	Reduced risk of pancreatic cancer associated with asthma and nasal allergies. Gut, 2017, 66, 314-322.	12.1	56
84	Prenatal and postnatal exposure to NO2 and child attentional function at 4–5 years of age. Environment International, 2017, 106, 170-177.	10.0	56
85	Welding and Lung Cancer in a Pooled Analysis of Case-Control Studies. American Journal of Epidemiology, 2013, 178, 1513-1525.	3.4	55
86	Exposure to Trihalomethanes through Different Water Uses and Birth Weight, Small for Gestational Age, and Preterm Delivery in Spain. Environmental Health Perspectives, 2011, 119, 1824-1830.	6.0	52
87	Concentrations and correlations of disinfection by-products in municipal drinking water from an exposure assessment perspective. Environmental Research, 2012, 114, 1-11.	7.5	52
88	Prenatal exposure to mixtures of xenoestrogens and repetitive element DNA methylation changes in human placenta. Environment International, 2014, 71, 81-87.	10.0	52
89	Prenatal mercury exposure and birth outcomes. Environmental Research, 2016, 151, 11-20.	7.5	51
90	Prenatal and postnatal exposure to air pollution and emotional and aggressive symptoms in children from 8 European birth cohorts. Environment International, 2019, 131, 104927.	10.0	51

6

#	Article	IF	CITATIONS
91	Association of Exposure to Ambient Air Pollution With Thyroid Function During Pregnancy. JAMA Network Open, 2019, 2, e1912902.	5.9	50
92	Assessing Lung Cancer Absolute Risk Trajectory Based on a Polygenic Risk Model. Cancer Research, 2021, 81, 1607-1615.	0.9	50
93	Maternal occupation during pregnancy, birth weight, and length of gestation: combined analysis of 13 European birth cohorts. Scandinavian Journal of Work, Environment and Health, 2015, 41, 384-396.	3.4	50
94	Polymorphism +17 C/G in Matrix Metalloprotease MMP8 decreases lung cancer risk. BMC Cancer, 2008, 8, 378.	2.6	49
95	Associated Links Among Smoking, Chronic Obstructive Pulmonary Disease, and Small Cell Lung Cancer: A Pooled Analysis in the International Lung Cancer Consortium. EBioMedicine, 2015, 2, 1677-1685.	6.1	49
96	lodine intake from supplements and diet during pregnancy and child cognitive and motor development: the INMA Mother and Child Cohort Study. Journal of Epidemiology and Community Health, 2018, 72, 216-222.	3.7	49
97	Lung cancer risk in iron and steel foundry workers: A nested case control study in Asturias, Spain. American Journal of Industrial Medicine, 2000, 38, 644-650.	2.1	48
98	Hair dye use is not associated with risk for bladder cancer: Evidence from a case-control study in Spain. European Journal of Cancer, 2006, 42, 1448-1454.	2.8	48
99	Adherence to nutritionâ€based cancer prevention guidelines and breast, prostate and colorectal cancer risk in the <scp>MCC</scp> â€ <scp>S</scp> pain case–control study. International Journal of Cancer, 2017, 141, 83-93.	5.1	48
100	Gender-Related Differences in Clinical and Pathological Characteristics and Therapy of Bladder Cancer. European Urology, 2003, 43, 53-62.	1.9	47
101	The TP53 Arg72Pro polymorphism and lung cancer risk in a population of Northern Spain. Lung Cancer, 2008, 61, 309-316.	2.0	47
102	Association of <scp><i>S</i></scp> <i>treptococcus gallolyticus</i> subspecies <i>gallolyticus</i> with colorectal cancer: Serological evidence. International Journal of Cancer, 2016, 138, 1670-1679.	5.1	46
103	Inorganic arsenic exposure and neuropsychological development of children of 4–5 years of age living in Spain. Environmental Research, 2019, 174, 135-142.	7.5	45
104	<i>TGFB1</i> and <i>TGFBR1</i> polymorphic variants in relationship to bladder cancer risk and prognosis. International Journal of Cancer, 2009, 124, 608-613.	5.1	44
105	Prenatal Exposure to Polybrominated Flame Retardants and Fetal Growth in the INMA Cohort (Spain). Environmental Science & Technology, 2015, 49, 10108-10116.	10.0	44
106	Respirable Crystalline Silica Exposure, Smoking, and Lung Cancer Subtype Risks. A Pooled Analysis of Case–Control Studies. American Journal of Respiratory and Critical Care Medicine, 2020, 202, 412-421.	5.6	44
107	Consumption of ultra-processed foods and drinks and colorectal, breast, and prostate cancer. Clinical Nutrition, 2021, 40, 1537-1545.	5.0	44
108	Exposure to ambient air pollution during pregnancy and preterm birth: A Spanish multicenter birth cohort study. Environmental Research, 2016, 147, 50-58.	7.5	43

#	Article	IF	CITATIONS
109	Fine mapping of MHC region in lung cancer highlights independent susceptibility loci by ethnicity. Nature Communications, 2018, 9, 3927.	12.8	43
110	Use of Analgesics and Nonsteroidal Anti-inflammatory Drugs, Genetic Predisposition, and Bladder Cancer Risk in Spain. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 1696-1702.	2.5	42
111	Prenatal exposure to lead in Spain: Cord blood levels and associated factors. Science of the Total Environment, 2011, 409, 2298-2305.	8.0	42
112	Gestational Weight Gain and Exposure of Newborns to Persistent Organic Pollutants. Environmental Health Perspectives, 2014, 122, 873-879.	6.0	42
113	Prenatal Exposure to NO <sub>2</sub> and Ultrasound Measures of Fetal Growth in the Spanish INMA Cohort. Environmental Health Perspectives, 2016, 124, 235-242.	6.0	41
114	Risk Model for Colorectal Cancer in Spanish Population Using Environmental and Genetic Factors: Results from the MCC-Spain study. Scientific Reports, 2017, 7, 43263.	3.3	41
115	Genetic polymorphisms in CYP1A1, GSTM1, GSTP1 and GSTT1metabolic genes and risk of lung cancer in Asturias. BMC Cancer, 2012, 12, 433.	2.6	40
116	Pancreatic Cancer Risk in Relation to Lifetime Smoking Patterns, Tobacco Type, and Dose–Response Relationships. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 1009-1018.	2.5	39
117	Effect Modification of the Association of Cumulative Exposure and Cancer Risk by Intensity of Exposure and Time Since Exposure Cessation: A Flexible Method Applied to Cigarette Smoking and Lung Cancer in the SYNERGY Study. American Journal of Epidemiology, 2014, 179, 290-298.	3.4	38
118	Identification of a novel susceptibility locus at 13q34 and refinement of the 20p12.2 region as a multi-signal locus associated with bladder cancer risk in individuals of European ancestry. Human Molecular Genetics, 2016, 25, 1203-1214.	2.9	38
119	Colorectal Cancer and Long-Term Exposure to Trihalomethanes in Drinking Water: A Multicenter Case–Control Study in Spain and Italy. Environmental Health Perspectives, 2017, 125, 56-65.	6.0	38
120	Urinary pH, cigarette smoking and bladder cancer risk. Carcinogenesis, 2011, 32, 843-847.	2.8	37
121	Residential proximity to green spaces and breast cancer risk: The multicase-control study in Spain (MCC-Spain). International Journal of Hygiene and Environmental Health, 2018, 221, 1097-1106.	4.3	37
122	Dietary Inflammatory Index, Dietary Non-Enzymatic Antioxidant Capacity, and Colorectal and Breast Cancer Risk (MCC-Spain Study). Nutrients, 2019, 11, 1406.	4.1	37
123	Prenatal exposure to mercury and neuropsychological development in young children: the role of fish consumption. International Journal of Epidemiology, 2017, 46, dyw259.	1.9	36
124	Deciphering the complex interplay between pancreatic cancer, diabetes mellitus subtypes and obesity/BMI through causal inference and mediation analyses. Gut, 2021, 70, gutjnl-2019-319990.	12.1	36
125	Large-Scale Pathway-Based Analysis of Bladder Cancer Genome-Wide Association Data from Five Studies of European Background. PLoS ONE, 2012, 7, e29396.	2.5	36
126	Coffee consumption, genetic susceptibility and bladder cancer risk. Cancer Causes and Control, 2009, 20, 121-127.	1.8	35

#	Article	IF	CITATIONS
127	Lung cancer risk and pollution in an industrial region of Northern Spain: a hospital-based case-control study. International Journal of Health Geographics, 2011, 10, 10.	2.5	35
128	Socio-Economic Inequalities in Health, Habits and Self-Care During Pregnancy in Spain. Maternal and Child Health Journal, 2013, 17, 1315-1324.	1.5	35
129	Alcohol and lung cancer risk among never smokers: A pooled analysis from the international lung cancer consortium and the SYNERGY study. International Journal of Cancer, 2017, 140, 1976-1984.	5.1	35
130	Concentrations of urinary arsenic species in relation to rice and seafood consumption among children living in Spain. Environmental Research, 2017, 159, 69-75.	7.5	35
131	Shift work and colorectal cancer risk in the MCC-Spain case–control study. Scandinavian Journal of Work, Environment and Health, 2017, 43, 250-259.	3.4	35
132	Poly (AT) polymorphism in intron 11 of the XPC DNA repair gene enhances the risk of lung cancer. Cancer Epidemiology Biomarkers and Prevention, 2004, 13, 1788-93.	2.5	35
133	Factors associated with second-hand smoke exposure in non-smoking pregnant women in Spain: Self-reported exposure and urinary cotinine levels. Science of the Total Environment, 2014, 470-471, 1189-1196.	8.0	34
134	Modification of Occupational Exposures on Bladder Cancer Risk by Common Genetic Polymorphisms. Journal of the National Cancer Institute, 2015, 107, djv223.	6.3	34
135	Lung cancer risk among bricklayers in a pooled analysis of case–control studies. International Journal of Cancer, 2015, 136, 360-371.	5.1	34
136	Maternal Metabolic Health Parameters During Pregnancy in Relation to Early Childhood BMI Trajectories. Obesity, 2018, 26, 588-596.	3.0	34
137	Diesel Engine Exhaust Exposure, Smoking, and Lung Cancer Subtype Risks. A Pooled Exposure–Response Analysis of 14 Case–Control Studies. American Journal of Respiratory and Critical Care Medicine, 2020, 202, 402-411.	5.6	34
138	Evidence for an intensity-dependent interaction of NAT2 acetylation genotype and cigarette smoking in the Spanish Bladder Cancer Study. International Journal of Epidemiology, 2007, 36, 236-241.	1.9	33
139	Organochlorine Compounds and Ultrasound Measurements of Fetal Growth in the INMA Cohort (Spain). Environmental Health Perspectives, 2016, 124, 157-163.	6.0	33
140	Transcriptomeâ€wide association study reveals candidate causal genes for lung cancer. International Journal of Cancer, 2020, 146, 1862-1878.	5.1	33
141	High adherence to a mediterranean diet at age 4 reduces overweight, obesity and abdominal obesity incidence in children at the age of 8. International Journal of Obesity, 2020, 44, 1906-1917.	3.4	33
142	The Use of Antihypertensive Medication and the Risk of Breast Cancer in a Case-Control Study in a Spanish Population: The MCC-Spain Study. PLoS ONE, 2016, 11, e0159672.	2.5	32
143	Mendelian Randomization and mediation analysis of leukocyte telomere length and risk of lung and head and neck cancers. International Journal of Epidemiology, 2019, 48, 751-766.	1.9	32
144	Lung cancer among coal miners, ore miners and quarrymen: smoking-adjusted risk estimates from the synergy pooled analysis of case–control studies. Scandinavian Journal of Work, Environment and Health, 2015, 41, 467-477.	3.4	32

#	Article	IF	CITATIONS
145	Does increased urination frequency protect against bladder cancer?. International Journal of Cancer, 2008, 123, 1644-1648.	5.1	31
146	The use of household cleaning products during pregnancy and lower respiratory tract infections and wheezing during early life. International Journal of Public Health, 2013, 58, 757-764.	2.3	31
147	Protein-altering germline mutations implicate novel genes related to lung cancer development. Nature Communications, 2020, 11, 2220.	12.8	31
148	Association of diabetes and diabetes treatment with incidence of breast cancer. Acta Diabetologica, 2016, 53, 99-107.	2.5	30
149	Urinary Arsenic Speciation in Children and Pregnant Women from Spain. Exposure and Health, 2017, 9, 105-111.	4.9	30
150	Prenatal air pollution exposure and growth and cardio-metabolic risk in preschoolers. Environment International, 2020, 138, 105619.	10.0	30
151	Nitrate and trace elements in municipal and bottled water in Spain. Gaceta Sanitaria, 2013, 27, 156-160.	1.5	29
152	Pre- and postnatal exposure to tobacco smoke and respiratory outcomes during the first year. Indoor Air, 2015, 25, 4-12.	4.3	29
153	Second-hand smoke exposure in 4-year-old children in Spain: Sources, associated factors and urinary cotinine. Environmental Research, 2016, 145, 116-125.	7.5	29
154	Risk of pancreatic cancer associated with family history of cancer and other medical conditions by accounting for smoking among relatives. International Journal of Epidemiology, 2018, 47, 473-483.	1.9	29
155	Genome-wide interaction study of smoking behavior and non-small cell lung cancer risk in Caucasian population. Carcinogenesis, 2018, 39, 336-346.	2.8	29
156	Male specific association between xenoestrogen levels in placenta and birthweight. Environment International, 2013, 51, 174-181.	10.0	28
157	The association between passive and active tobacco smoke exposure and child weight status among Spanish children. Obesity, 2016, 24, 1767-1777.	3.0	28
158	Social Factors Associated with Non-initiation and Cessation of Predominant Breastfeeding in a Mother–Child Cohort in Spain. Maternal and Child Health Journal, 2018, 22, 725-734.	1.5	28
159	Maternal circulating Vitamin D3 levels during pregnancy and behaviour across childhood. Scientific Reports, 2019, 9, 14792.	3.3	28
160	Prenatal Omega-6:Omega-3 Ratio and Attention Deficit and Hyperactivity Disorder Symptoms. Journal of Pediatrics, 2019, 209, 204-211.e4.	1.8	28
161	Germ-line mutations in epidermal growth factor receptor (EGFR) are rare but may contribute to oncogenesis: A novel germ-line mutation in EGFR detected in a patient with lung adenocarcinoma. BMC Cancer, 2011, 11, 172.	2.6	27
162	Drinking Water Disinfection By-products, Genetic Polymorphisms, and Birth Outcomes in a European Mother–Child Cohort Study. Epidemiology, 2016, 27, 903-911.	2.7	27

#	Article	IF	CITATIONS
163	Genetic modifiers of radon-induced lung cancer risk: a genome-wide interaction study in former uranium miners. International Archives of Occupational and Environmental Health, 2018, 91, 937-950.	2.3	27
164	Lung Cancer Risk in Never-Smokers of European Descent is Associated With Genetic Variation in the 5p15.33 TERT-CLPTM1Ll Region. Journal of Thoracic Oncology, 2019, 14, 1360-1369.	1.1	27
165	Use of non-steroidal anti-inflammatory drugs and risk of breast cancer: The Spanish Multi-Case-control (MCC) study. BMC Cancer, 2016, 16, 660.	2.6	26
166	Dietary and Household Sources of Prenatal Exposure to Polybrominated Diphenyl Ethers (PBDEs) in the INMA Birth Cohort (Spain). Environmental Science & Technology, 2016, 50, 5935-5944.	10.0	25
167	Maternal pre-pregnancy obesity and neuropsychological development in pre-school children: a prospective cohort study. Pediatric Research, 2017, 82, 596-606.	2.3	25
168	Genetic interaction analysis among oncogenesis-related genes revealed novel genes and networks in lung cancer development. Oncotarget, 2019, 10, 1760-1774.	1.8	25
169	Ambient air pollution and incident bladder cancer risk: Updated analysis of the Spanish Bladder Cancer Study. International Journal of Cancer, 2019, 145, 894-900.	5.1	25
170	Diesel exhaust and bladder cancer risk by pathologic stage and grade subtypes. Environment International, 2020, 135, 105346.	10.0	25
171	LINE-1 methylation in granulocyte DNA and trihalomethane exposure is associated with bladder cancer risk. Epigenetics, 2014, 9, 1532-1539.	2.7	24
172	The 19q12 Bladder Cancer GWAS Signal: Association with Cyclin E Function and Aggressive Disease. Cancer Research, 2014, 74, 5808-5818.	0.9	24
173	Occurrence of DBPs in Drinking Water of European Regions for Epidemiology Studies. Journal - American Water Works Association, 2016, 108, E501.	0.3	24
174	Prenatal exposure to mercury and longitudinally assessed fetal growth: Relation and effect modifiers. Environmental Research, 2018, 160, 97-106.	7.5	24
175	Drinking water disinfection by-products during pregnancy and child neuropsychological development in the INMA Spanish cohort study. Environment International, 2018, 110, 113-122.	10.0	24
176	Residential proximity to industrial pollution sources and colorectal cancer risk: A multicase-control study (MCC-Spain). Environment International, 2020, 144, 106055.	10.0	24
177	Prenatal and postnatal exposure to acetaminophen in relation to autism spectrum and attention-deficit and hyperactivity symptoms in childhood: Meta-analysis in six European population-based cohorts. European Journal of Epidemiology, 2021, 36, 993-1004.	5.7	24
178	Cyclooxygenase-2 Expression in Bladder Cancer and Patient Prognosis: Results from a Large Clinical Cohort and Meta-Analysis. PLoS ONE, 2012, 7, e45025.	2.5	24
179	Bladder cancer and seroreactivity to BK, JC and Merkel cell polyomaviruses: The Spanish bladder cancer study. International Journal of Cancer, 2013, 133, 597-603.	5.1	23
180	Epidemiology of non-steroidal anti-inflammatory drugs consumption in Spain. The MCC-Spain study. BMC Public Health, 2018, 18, 1134.	2.9	23

#	Article	IF	CITATIONS
181	Immune-mediated genetic pathways resulting in pulmonary function impairment increase lung cancer susceptibility. Nature Communications, 2020, 11, 27.	12.8	23
182	Socioeconomic status and exposure to outdoor NO <sub>2</sub> and benzene in the Asturias INMA birth cohort, Spain. Journal of Epidemiology and Community Health, 2014, 68, 29-36.	3.7	22
183	Prenatal Exposure to Persistent Organic Pollutants and Anogenital Distance in Children at 18 Months. Hormone Research in Paediatrics, 2018, 90, 116-122.	1.8	22
184	Alcohol consumption and lung cancer risk: A pooled analysis from the International Lung Cancer Consortium and the SYNERGY study. Cancer Epidemiology, 2019, 58, 25-32.	1.9	22
185	The relationship between body-mass index and overall survival in non-small cell lung cancer by sex, smoking status, and race: A pooled analysis of 20,937 International lung Cancer consortium (ILCCO) patients. Lung Cancer, 2021, 152, 58-65.	2.0	22
186	Work in the textile industry in Spain and bladder cancer. Occupational and Environmental Medicine, 2007, 65, 552-559.	2.8	21
187	Outdoor NO2 and benzene exposure in the INMA (Environment and Childhood) Asturias cohort (Spain). Atmospheric Environment, 2011, 45, 5240-5246.	4.1	21
188	Application of Multi-SNP Approaches Bayesian LASSO and AUC-RF to Detect Main Effects of Inflammatory-Gene Variants Associated with Bladder Cancer Risk. PLoS ONE, 2013, 8, e83745.	2.5	21
189	Elevated Platelet Count Appears to Be Causally Associated with Increased Risk of Lung Cancer: A Mendelian Randomization Analysis. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 935-942.	2.5	21
190	Comprehensive functional annotation of susceptibility variants identifies genetic heterogeneity between lung adenocarcinoma and squamous cell carcinoma. Frontiers of Medicine, 2021, 15, 275-291.	3.4	21
191	Socioeconomic status and exposure to disinfection by-products in drinking water in Spain. Environmental Health, 2011, 10, 18.	4.0	20
192	Use of high doses of folic acid supplements in pregnant women in Spain: an INMA cohort study. BMJ Open, 2015, 5, e009202.	1.9	20
193	A systems approach identifies time-dependent associations of multimorbidities with pancreatic cancer risk. Annals of Oncology, 2017, 28, 1618-1624.	1.2	20
194	Helicobacter pylori Antibody Reactivities and Colorectal Cancer Risk in a Case-control Study in Spain. Frontiers in Microbiology, 2017, 8, 888.	3.5	20
195	Ingested Nitrate and Breast Cancer in the Spanish Multicase-Control Study on Cancer (MCC-Spain). Environmental Health Perspectives, 2016, 124, 1042-1049.	6.0	19
196	Urban upbringing and childhood respiratory and allergic conditions: A multi-country holistic study. Environmental Research, 2018, 161, 276-283.	7.5	19
197	Genome-wide association meta-analysis identifies pleiotropic risk loci for aerodigestive squamous cell cancers. PLoS Genetics, 2021, 17, e1009254.	3.5	19
198	Genetic Variation in the TP53 Pathway and Bladder Cancer Risk. A Comprehensive Analysis. PLoS ONE, 2014, 9, e89952.	2.5	18

12

#	Article	IF	CITATIONS
199	Occupational prestige, social mobility and the association with lung cancer in men. BMC Cancer, 2016, 16, 395.	2.6	18
200	Night shift work and chronic lymphocytic leukemia in the MCC‧pain case–control study. International Journal of Cancer, 2016, 139, 1994-2000.	5.1	18
201	A Large-Scale Genome-Wide Gene-Gene Interaction Study of Lung Cancer Susceptibility in Europeans With a Trans-Ethnic Validation in Asians. Journal of Thoracic Oncology, 2022, 17, 974-990.	1.1	18
202	Micronuclei assessment in the urothelial cells of women using hair dyes and its modulation by genetic polymorphisms. Cancer Letters, 2008, 263, 259-266.	7.2	17
203	Bladder cancer and reproductive factors among women in Spain. Cancer Causes and Control, 2009, 20, 1907-1913.	1.8	17
204	Biological and Statistical Approaches for Modeling Exposure to Specific Trihalomethanes and Bladder Cancer Risk. American Journal of Epidemiology, 2013, 178, 652-660.	3.4	17
205	LINE-1 methylation in leukocyte DNA, interaction with phosphatidylethanolamine N-methyltransferase variants and bladder cancer risk. British Journal of Cancer, 2014, 110, 2123-2130.	6.4	17
206	Risk of breast cancer and residential proximity to industrial installations: New findings from a multicase-control study (MCC-Spain). Environmental Pollution, 2018, 237, 559-568.	7.5	17
207	The Spanish Environment and Childhood Research Network (INMA study). International Journal of Hygiene and Environmental Health, 2007, 210, 491-493.	4.3	16
208	Association between pre/perinatal exposure to POPs and children's anogenital distance at age 4 years: A study from the INMA-Asturias cohort. International Journal of Hygiene and Environmental Health, 2020, 229, 113563.	4.3	16
209	Lung Cancer Among Firefighters. Journal of Occupational and Environmental Medicine, 2016, 58, 1137-1143.	1.7	15
210	Prenatal exposure to mixtures of xenoestrogens and genome-wide DNA methylation in human placenta. Epigenomics, 2016, 8, 43-54.	2.1	15
211	Helicobacter pylori seroprevalence in Spain: influence of adult and childhood sociodemographic factors. European Journal of Cancer Prevention, 2019, 28, 294-303.	1.3	15
212	A multilayered post-GWAS assessment on genetic susceptibility to pancreatic cancer. Genome Medicine, 2021, 13, 15.	8.2	15
213	Bulky DNA Adduct Formation and Risk of Bladder Cancer. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 2155-2159.	2.5	14
214	Levels of polychlorinated dibenzo-p-dioxins, dibenzofurans and dioxin-like polychlorinated biphenyls in placentas from the Spanish INMA birth cohort study. Science of the Total Environment, 2012, 441, 49-56.	8.0	14
215	Proatherogenic Lipid Profile in Early Childhood: Association with Weight Status at 4 Years and Parental Obesity. Journal of Pediatrics, 2017, 187, 153-157.e2.	1.8	14
216	Reproductive risk factors in breast cancer and genetic hormonal pathways: a gene-environment interaction in the MCC-Spain project. BMC Cancer, 2018, 18, 280.	2.6	14

#	Article	IF	CITATIONS
217	Maternal nut intake in pregnancy and child neuropsychological development up to 8Âyears old: a population-based cohort study in Spain. European Journal of Epidemiology, 2019, 34, 661-673.	5.7	14
218	Menstrual and Reproductive Factors and Risk of Gastric and Colorectal Cancer in Spain. PLoS ONE, 2016, 11, e0164620.	2.5	14
219	Exposure to extremely low frequency magnetic fields among primary school children in Spain. Journal of Epidemiology and Community Health, 2002, 56, 432-433.	3.7	13
220	Perinatal and childhood factors and risk of breast cancer subtypes in adulthood. Cancer Epidemiology, 2016, 40, 22-30.	1.9	13
221	High doses of folic acid in the periconceptional period and risk of low weight for gestational age at birth in a population based cohort study. European Journal of Nutrition, 2019, 58, 241-251.	3.9	13
222	Exposure to second-hand smoke and reproductive outcomes depending on maternal asthma. European Respiratory Journal, 2012, 40, 371-376.	6.7	12
223	Prevalence of exposure to occupational risks during pregnancy in Spain. International Journal of Public Health, 2012, 57, 817-826.	2.3	12
224	Relationship between area-level socioeconomic characteristics and outdoor NO2concentrations in rural and urban areas of northern Spain. BMC Public Health, 2013, 13, 71.	2.9	12
225	Lung cancer risk among bakers, pastry cooks and confectionary makers: the SYNERGY study. Occupational and Environmental Medicine, 2013, 70, 810-814.	2.8	12
226	The INMA—INfancia y Medio Ambiente—(Environment and Childhood) project: More than 10 years contributing to environmental and neuropsychological research. International Journal of Hygiene and Environmental Health, 2017, 220, 647-658.	4.3	12
227	The Association of Mediterranean Diet during Pregnancy with Longitudinal Body Mass Index Trajectories and Cardiometabolic Risk in Early Childhood. Journal of Pediatrics, 2019, 206, 119-127.e6.	1.8	12
228	Vitamin D, pregnancy and caries in children in the INMA-Asturias birth cohort. BMC Pediatrics, 2021, 21, 380.	1.7	12
229	Bladder Cancer, Disinfection Byproducts, and Markers of Genetic Susceptibility in a Case-control Study from Spain. Epidemiology, 2006, 17, S150.	2.7	12
230	Swimming pool attendance, respiratory symptoms and infections in the first year of life. European Journal of Pediatrics, 2013, 172, 977-985.	2.7	11
231	Whole Genome Prediction of Bladder Cancer Risk With the Bayesian LASSO. Genetic Epidemiology, 2014, 38, 467-476.	1.3	11
232	Fruit and vegetable intake and vitamin C transporter gene (SLC23A2) polymorphisms in chronic lymphocytic leukaemia. European Journal of Nutrition, 2017, 56, 1123-1133.	3.9	11
233	Efecto del alcohol y sus metabolitos en el cáncer de pulmón: estudio CAPUA. Medicina ClÃnica, 2017, 148, 531-538.	0.6	11
234	Pleiotropy of genetic variants on obesity and smoking phenotypes: Results from the Oncoarray Project of The International Lung Cancer Consortium. PLoS ONE, 2017, 12, e0185660.	2.5	11

#	Article	IF	CITATIONS
235	Investigation of Leukocyte Telomere Length and Genetic Variants in Chromosome 5p15.33 as Prognostic Markers in Lung Cancer. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 1228-1237.	2.5	11
236	Mendelian randomization analysis rules out disylipidaemia as colorectal cancer cause. Scientific Reports, 2019, 9, 13407.	3.3	11
237	Pancreatic cancer and autoimmune diseases: An association sustained by computational and epidemiological case–control approaches. International Journal of Cancer, 2019, 144, 1540-1549.	5.1	11
238	Lung cancer risk in painters: results from the SYNERGY pooled case–control study consortium. Occupational and Environmental Medicine, 2021, 78, 269-278.	2.8	11
239	Usefulness of the Codification of Multiple Causes of Death in Mortality Statistics. International Journal of Epidemiology, 1995, 24, 1132-1137.	1.9	10
240	Relationship between drugs affecting the renin-angiotensin system and colorectal cancer: The MCC-Spain study. Preventive Medicine, 2017, 99, 178-184.	3.4	10
241	Asthma status is associated with decreased risk of aggressive urothelial bladder cancer. International Journal of Cancer, 2018, 142, 470-476.	5.1	10
242	Mother-child transfer rates of organohalogen compounds up to four years of age. Environment International, 2019, 133, 105241.	10.0	10
243	Maternal seafood consumption during pregnancy and child attention outcomes: a cohort study with gene effect modification by PUFA-related genes. International Journal of Epidemiology, 2020, 49, 559-571.	1.9	10
244	Genetic Determinants of Lung Cancer Prognosis in Never Smokers: A Pooled Analysis in the International Lung Cancer Consortium. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 1983-1992.	2.5	10
245	The Use of Lower or Higher Than Recommended Doses of Folic Acid Supplements during Pregnancy Is Associated with Child Attentional Dysfunction at 4–5 Years of Age in the INMA Project. Nutrients, 2021, 13, 327.	4.1	10
246	Relationship between the Risk of Gastric Cancer and Adherence to the Mediterranean Diet According to Different Estimators. MCC—Spain Study. Cancers, 2021, 13, 5281.	3.7	10
247	Exposure to metal mixture and growth indicators at 4–5 years. A study in the INMA-Asturias cohort. Environmental Research, 2022, 204, 112375.	7.5	10
248	Occupational Exposure to Polycyclic Aromatic Hydrocarbons and Lung Cancer Risk: Results from a Pooled Analysis of Case–Control Studies (SYNERGY). Cancer Epidemiology Biomarkers and Prevention, 2022, 31, 1433-1441.	2.5	10
249	Determinants of Quality of Interview and Impact on Risk Estimates in a Case-Control Study of Bladder Cancer. American Journal of Epidemiology, 2009, 170, 237-243.	3.4	9
250	Annoyance Caused by Noise and Air Pollution during Pregnancy: Associated Factors and Correlation with Outdoor NO2 and Benzene Estimations. International Journal of Environmental Research and Public Health, 2015, 12, 7044-7058.	2.6	9
251	Seroreactivity against Merkel cell polyomavirus and other polyomaviruses in chronic lymphocytic leukaemia, the MCC-Spain study. Journal of General Virology, 2015, 96, 2286-2292.	2.9	9
252	Lung Cancer Risk Among Cooks When Accounting for Tobacco Smoking. Journal of Occupational and Environmental Medicine, 2015, 57, 202-209.	1.7	9

#	Article	IF	CITATIONS
253	Sugar-Containing Beverages Consumption and Obesity in Children Aged 4–5 Years in Spain: the INMA Study. Nutrients, 2019, 11, 1772.	4.1	9
254	A multi-omics study links TNS3 and SEPT7 to long-term former smoking NSCLC survival. Npj Precision Oncology, 2021, 5, 39.	5.4	9
255	Prenatal exposure to fluoride and neuropsychological development in early childhood: 1-to 4 years old children. Environmental Research, 2022, 207, 112181.	7.5	9
256	Effects of residential greenness on attention in a longitudinal study at 8 and 11–13 years. Environmental Research, 2022, 210, 112994.	7.5	9
257	Lung cancer risk associated with residential proximity to industrial installations: a spatial analysis. International Journal of Environmental Science and Technology, 2013, 10, 891-902.	3.5	8
258	Lung Cancer Risk Among Hairdressers: A Pooled Analysis of Case-Control Studies Conducted Between 1985 and 2010. American Journal of Epidemiology, 2013, 178, 1355-1365.	3.4	8
259	Prediction of non-muscle invasive bladder cancer outcomes assessed by innovative multimarker prognostic models. BMC Cancer, 2016, 16, 351.	2.6	8
260	Perinatal and childhood factors and risk of prostate cancer in adulthood: MCC-Spain case-control study. Cancer Epidemiology, 2016, 43, 49-55.	1.9	8
261	Inflammatory-Related Genetic Variants in Non–Muscle-Invasive Bladder Cancer Prognosis: A Multimarker Bayesian Assessment. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 1144-1150.	2.5	8
262	Association between trans fatty acid intake and overweight including obesity in 4 to 5â€yearâ€old children from the INMA study. Pediatric Obesity, 2019, 14, e12528.	2.8	8
263	Adherence to the Mediterranean Diet in a School Population in the Principality of Asturias (Spain): Relationship with Physical Activity and Body Weight. Nutrients, 2021, 13, 1507.	4.1	8
264	Omega-3 Fatty Acid Intake during Pregnancy and Child Neuropsychological Development: A Multi-Centre Population-Based Birth Cohort Study in Spain. Nutrients, 2022, 14, 518.	4.1	8
265	Dietary Intake of Trans Fatty Acids in Children Aged 4–5 in Spain: The INMA Cohort Study. Nutrients, 2016, 8, 625.	4.1	7
266	Effect of alcohol and its metabolites in lung cancer: CAPUA study. Medicina ClÃnica (English Edition), 2017, 148, 531-538.	0.2	7
267	Established and suggested exposures on CLL/SLL etiology: Results from the CLL-MCC-Spain study. Cancer Epidemiology, 2018, 52, 106-111.	1.9	7
268	Prostate cancer risk decreases following cessation of night shift work. International Journal of Cancer, 2019, 145, 2597-2599.	5.1	7
269	Genomeâ€wide association study of INDELs identified four novel susceptibility loci associated with lung cancer risk. International Journal of Cancer, 2020, 146, 2855-2864.	5.1	7
270	Integration of multiomic annotation data to prioritize and characterize inflammation and immuneâ€related risk variants in squamous cell lung cancer. Genetic Epidemiology, 2021, 45, 99-114.	1.3	7

#	Article	IF	CITATIONS
271	Prenatal Exposure to Cigarette Smoke and Anogenital Distance at 4 Years in the INMA-Asturias Cohort. International Journal of Environmental Research and Public Health, 2021, 18, 4774.	2.6	7
272	Pre and postnatal exposure to mercury and respiratory health in preschool children from the Spanish INMA Birth Cohort Study. Science of the Total Environment, 2021, 782, 146654.	8.0	7
273	Educational inequalities in quantity, duration and type of tobacco consumption among lung cancer patients in Asturias: epidemiological analyses. Psicothema, 2010, 22, 634-40.	0.9	7
274	Compliance of nutritional recommendations of Spanish pregnant women according to sociodemographic and lifestyle characteristics: a cohort study. Nutricion Hospitalaria, 2015, 31, 1803-12.	0.3	7
275	Common <i>TDP1</i> Polymorphisms in Relation to Survival among Small Cell Lung Cancer Patients: A Multicenter Study from the International Lung Cancer Consortium. Clinical Cancer Research, 2017, 23, 7550-7557.	7.0	6
276	Urinary cobalt and ferritin in four-years-old children. Environmental Research, 2020, 183, 109147.	7.5	6
277	Association Analysis of Driver Gene–Related Genetic Variants Identified Novel Lung Cancer Susceptibility Loci with 20,871 Lung Cancer Cases and 15,971 Controls. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 1423-1429.	2.5	6
278	Dietary inflammatory index of mothers during pregnancy and Attention Deficit-Hyperactivity Disorder symptoms in the child at preschool age: a prospective investigation in the INMA and RHEA cohorts. European Child and Adolescent Psychiatry, 2021, , 1.	4.7	6
279	BLADDER CANCER AND EXPOSURE TO DISINFECTION BYPRODUCTS IN WATER THROUGH INGESTION, BATHING, SHOWERING AND SWIMMING IN POOLS: FINDINGS FROM THE SPANISH BLADDER CANCER STUDY. Epidemiology, 2004, 15, S105.	2.7	5
280	Validating a breast cancer score in Spanish women. The MCC-Spain study. Scientific Reports, 2018, 8, 3036.	3.3	5
281	CD8+ Cytotoxic Immune Infiltrate in Non-Muscle Invasive Bladder Cancer: A Standardized Methodology to Study Association with Clinico-Pathological Features and Prognosis. Bladder Cancer, 2019, 5, 159-169.	0.4	5
282	Systematic analyses of regulatory variants in DNase I hypersensitive sites identified two novel lung cancer susceptibility loci. Carcinogenesis, 2019, 40, 432-440.	2.8	5
283	Occupational Exposure to Pesticides and Chronic Lymphocytic Leukaemia in the MCC-Spain Study. International Journal of Environmental Research and Public Health, 2020, 17, 5174.	2.6	5
284	Disinfection By-Products in Drinking Water and Bladder Cancer: Evaluation of Risk Modification by Common Genetic Polymorphisms in Two Case–Control Studies. Environmental Health Perspectives, 2022, 130, 57006.	6.0	5
285	Association of p21 Ser31Arg and p53 Arg72Pro polymorphisms with lung cancer risk in CAPUA study. Lung Cancer: Targets and Therapy, 2012, 3, 69.	2.7	4
286	Hypovitaminosis D and associated factors in 4-year old children in northern Spain. Anales De PediatrÃa (English Edition), 2017, 86, 188-196.	0.2	4
287	The RS4939827 polymorphism in the SMAD7 GENE and its association with Mediterranean diet in colorectal carcinogenesis. BMC Medical Genetics, 2017, 18, 122.	2.1	4
288	TP53 p.R72P genotype is a marker of poor prognosis in lung cancer. Cancer Biomarkers, 2018, 21, 747-754.	1.7	4

#	Article	IF	CITATIONS
289	Risk of gastric cancer in the environs of industrial facilities in the MCC-Spain study. Environmental Pollution, 2021, 278, 116854.	7.5	4
290	Genome-wide interaction analysis identified low-frequency variants with sex disparity in lung cancer risk. Human Molecular Genetics, 2022, 31, 2831-2843.	2.9	4
291	Levels and determinants of urinary cadmium in general population in Spain: Metal-MCC-Spain study. Environmental Research, 2022, 210, 112959.	7.5	4
292	Prenatal and postnatal residential usage of insecticides in a multicenter birth cohort in Spain. Science of the Total Environment, 2013, 445-446, 273-280.	8.0	3
293	Prenatal exposure to cooking gas and respiratory health in infants is modified by tobacco smoke exposure and diet in the INMA birth cohort study. Environmental Health, 2013, 12, 100.	4.0	3
294	Education and Lung Cancer Among Never Smokers. Epidemiology, 2014, 25, 934-935.	2.7	3
295	Association of Lifestyle Factors and Neuropsychological Development of 4-Year-Old Children. International Journal of Environmental Research and Public Health, 2020, 17, 5668.	2.6	3
296	Hybrid algorithm for the classification of prostate cancer patients of the MCC-Spain study based on support vector machines and genetic algorithms. Neurocomputing, 2021, 452, 386-394.	5.9	3
297	Serum concentrations of persistent organic pollutants mixture during pregnancy and anogenital distance in 8-year-old children from the INMA-Asturias cohort. Environmental Research, 2022, 213, 113607.	7.5	3
298	Environmental and dietary determinants of metal exposure in four-year-old children from a cohort located in an industrial area (Asturias, Northern Spain). Environmental Research, 2022, 214, 113862.	7.5	3
299	AIR POLLUTION AND BLADDER CANCER RISK IN SPAIN. Epidemiology, 2004, 15, S80.	2.7	2
300	P53 IN BLADDER CANCER PROGNOSIS. RESULTS FROM A PROSPECTIVE MULTICENTRIC STUDY IN SPAIN. European Urology Supplements, 2006, 5, 805.	0.1	2
301	Breast cancer incidence related with a population-based screening programme. Medicina ClÃnica (English Edition), 2015, 144, 156-160.	0.2	2
302	Aberrant Epstein-Barr virus antibody patterns and chronic lymphocytic leukemia in a Spanish multicentric case-control study. Infectious Agents and Cancer, 2015, 10, 5.	2.6	2
303	Poor mothers, unhealthy children: the transmission of health inequalities in the INMA study, Spain. European Journal of Public Health, 2019, 29, 568-574.	0.3	2
304	Differences in breast cancer-risk factors between screen-detected and non-screen-detected cases (MCC-Spain study). Cancer Causes and Control, 2021, , 1.	1.8	2
305	lam hiQ—a novel pair of accuracy indices for imputed genotypes. BMC Bioinformatics, 2022, 23, 50.	2.6	2
306	Smoking and Bladder Cancer in Spain: Effects of tobacco Type, Timing, Ets and Gender. American Journal of Epidemiology, 2006, 163, S110-S110.	3.4	1

#	Article	IF	CITATIONS
307	RISK OF BLADDER CANCER ASSOCIATED WITH FAMILY HISTORY OF CANCER: DO LOW-PENETRANCE POLYMORPHISMS ACCOUNT FOR THE INCRESE IN RISK?. Journal of Urology, 2008, 179, 322-323.	0.4	1
308	Trihalomethane Exposure at Pregnancy, Birth Weight, and Duration of Gestation: Results From a Cohort Study in Spain. Epidemiology, 2011, 22, S57-S58.	2.7	1
309	Alcohol Consumption and Lung Cancer According to Ile349Val Polymorphism in <i> ADH3</i> Gene: Beyond the Tobacco Smoking Effect. Journal of Cancer, 2017, 8, 2296-2302.	2.5	1
310	Classification of Prostate Cancer Patients and Healthy Individuals by Means of a Hybrid Algorithm Combing SVM and Evolutionary Algorithms. Lecture Notes in Computer Science, 2018, , 547-557.	1.3	1
311	Insulinâ€like growth factor levels and chronic lymphocytic leukaemia: results from the MCC â€5pain and EpiLymphâ€5pain studies. British Journal of Haematology, 2019, 185, 608-612.	2.5	1
312	A multivariate regression approach for identification of SNPs importance in prostate cancer. Journal of Experimental and Theoretical Artificial Intelligence, 2019, 31, 817-828.	2.8	1
313	Validation of self-reported perception of proximity to industrial facilities: MCC-Spain study. Environment International, 2020, 135, 105316.	10.0	1
314	Adapting Decision Rules to Estimate Occupational Metalworking Fluid Exposure in a Case–Control Study of Bladder Cancer in Spain. Annals of Work Exposures and Health, 2022, 66, 392-401.	1.4	1
315	Large-scale evaluation of candidate genes for cancer identifies common genetic variants in vascular endothelial growth factor associated with bladder cancer risk. PLoS Genetics, 2005, preprint, e29.	3.5	1
316	A Multiregressive Approach for SNPs Identification in Prostate Cancer. Advances in Intelligent Systems and Computing, 2018, , 400-409.	0.6	1
317	Accounting for <i>EGFR</i> Mutations in Epidemiologic Analyses of Non–Small Cell Lung Cancers: Examples Based on the International Lung Cancer Consortium Data. Cancer Epidemiology Biomarkers and Prevention, 2022, 31, 679-687.	2.5	1
318	Gene–gene interaction of AhRwith and within the Wntcascade affects susceptibility to lung cancer. European Journal of Medical Research, 2022, 27, 14.	2.2	1
319	Environment and Child's Health: the INMA Spanish Study. Epidemiology, 2006, 17, S21.	2.7	0
320	p53 IN BLADDER CANCER PROGNOSIS. RESULTS FROM A PROSPECTIVE MULTICENTRIC STUDY IN SPAIN. Journal of Urology, 2008, 179, 585-585.	0.4	0
321	88 Genetic polymorphisms in the MMP2 and MMP9 genes decreased lung cancer risk. European Journal of Cancer, Supplement, 2010, 8, 23.	2.2	0
322	106 Lung cancer risk and air pollution in an industrial region of Northern Spain: a hospital-based case-control study. European Journal of Cancer, Supplement, 2010, 8, 28.	2.2	0
323	An unusual suspect: an uncommon human-specific synonymous coding variant within the UGT1A6 gene explains a GWAS signal and protects against bladder cancer. Genome Biology, 2011, 12, .	8.8	0
324	Author's reply to: Air pollution and incident bladder cancer: A risk assessment. International Journal of Cancer, 2019, 145, 3178-3178.	5.1	0

#	Article	IF	CITATIONS
325	Reply to: Comment to: Helicobacter pylori seroprevalence in Spain: influence of adult and childhood sociodemographic factors. European Journal of Cancer Prevention, 2020, 29, 279-280.	1.3	Ο
326	A reply to "Lung cancer outcomes: Are BMI and race clinically relevant?― Lung Cancer, 2021, 154, 225-226.	2.0	0
327	Exposure to Air Pollution During Pregnancy and Foetal Development: Research Protocol in a Birth Cohort in Spain. Epidemiology, 2006, 17, S247-S248.	2.7	0
328	Measurement of Drinking Water Contaminants and Water Use Activities During Pregnancy in a Cohort Study in Spain. Epidemiology, 2006, 17, S326.	2.7	0
329	Air Pollution and Tp53 Mutations in Bladder Cancer In Spain. Epidemiology, 2006, 17, S366.	2.7	Ο
330	Prenatal Exposure to Mercury, Fish Consumption During Pregnancy and Associated Factors in Four Spanish Birth Cohorts (INMA Project). Epidemiology, 2009, 20, S178-S179.	2.7	0
331	Abstract LB-337: Synergistic effects of twelve common genetic polymorphisms and smoking habits on absolute risk of bladder cancer. , 2012, , .		Ο
332	Abstract 1274: Alcohol and lung cancer risk: a pooled analysis using International Lung Cancer Consortium studies. , 2014, , .		0
333	Abstract 817: Mendelian randomization and mediation analysis of 5p15.33, telomere length and lung cancer risk. , 2016, , .		Ο
334	Abstract 2248: CommonTDP1polymorphisms in relation to survival among small cell lung cancer patients in a multicenter study from the International Lung Cancer Consortium. , 2017, , .		0
335	Abstract 2292: Lung function and lung cancer risk: a Mendelian randomization study of UK Biobank cohort and the International Lung Cancer Consortium. , 2017, , .		ο
336	Does ethnicity affect the relationship between body mass index (BMI) and overall survival (OS) in non-small cell lung cancer (NSCLC)? A pooled analysis of 17,326 International Lung Cancer Consortium (ILCCO) patients (pts) Journal of Clinical Oncology, 2019, 37, 1562-1562.	1.6	0
337	Abstract 1583: Genetic interaction analysis among oncogenesis-related genes revealed novel genes and networks in lung cancer development. , 2019, , .		Ο
338	Dissemination of health technologies: Trends in the use of diagnostic test in breast cancer screening. Journal of Healthcare Quality Research, 2019, 34, 177-184.	0.6	0
339	Vitamin D status during pregnancy and wheezing and asthma during childhood. , 2019, , .		Ο