

Loïc Sentilhes

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7185563/publications.pdf>

Version: 2024-02-01

156
papers

8,042
citations

61984

43
h-index

58581

82
g-index

221
all docs

221
docs citations

221
times ranked

5918
citing authors

#	ARTICLE	IF	CITATIONS
1	Normal delivery: physiologic support and medical interventions. Guidelines of the French National Authority for Health (HAS) with the collaboration of the French College of Gynecologists and Obstetricians (CNGOF) and the French College of Midwives (CNSF). <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, 35, 6576-6585.	1.5	6
2	Geographic variation in management of patients with placenta accreta spectrum: An international survey of experts (GPASS). <i>International Journal of Gynecology and Obstetrics</i> , 2022, 158, 129-136.	2.3	8
3	Reply to: Prophylactic tranexamic acid at delivery: if not now, when?. <i>International Journal of Obstetric Anesthesia</i> , 2022, 49, 103234.	0.4	3
4	Conservative management or cesarean hysterectomy for placenta accreta spectrum? Local resources and organization of care matter. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 226, 872.	1.3	7
5	Conservative management or cesarean hysterectomy for placenta percreta? A subgroup analysis of the PACCRETA study is needed. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 227, 117-118.	1.3	1
6	Survival Without Severe Neonatal Morbidity in Very Preterm Twins According to Planned Mode of Delivery. <i>Obstetrics and Gynecology</i> , 2022, 139, 202-209.	2.4	5
7	Arabin pessary to prevent adverse perinatal outcomes in twin pregnancies with a short cervix: a multicenter randomized controlled trial (PESSARONE). <i>American Journal of Obstetrics and Gynecology</i> , 2022, 227, 271.e1-271.e13.	1.3	7
8	Conservative management or cesarean hysterectomy for placenta accreta spectrum: the PACCRETA prospective study. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 226, 839.e1-839.e24.	1.3	27
9	Assessing conservative management vs cesarean hysterectomy for placenta accreta spectrum: the importance of comparing data collected at the same study period. <i>American Journal of Obstetrics and Gynecology</i> , 2022, , .	1.3	1
10	How I manage pregnancy in women with Glanzmann thrombasthenia. <i>Blood</i> , 2022, 139, 2632-2641.	1.4	8
11	Tranexamic acid for the prevention of postpartum hemorrhage in women undergoing cesarean delivery. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 226, 755-756.	1.3	5
12	Diabetes mellitus, maternal adiposity, and insulin-dependent gestational diabetes are associated with COVID-19 in pregnancy: the INTERCOVID study. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 227, 74.e1-74.e16.	1.3	43
13	Posttraumatic Stress Disorder Symptoms 2 Months After Vaginal Delivery. <i>Obstetrics and Gynecology</i> , 2022, 139, 63-72.	2.4	20
14	Effects of prenatal exposure to maternal COVID-19 and perinatal care on neonatal outcome: results from the INTERCOVID Multinational Cohort Study. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 227, 488.e1-488.e17.	1.3	32
15	Maternal and Neonatal Morbidity After Attempted Operative Vaginal Delivery. <i>Obstetrics and Gynecology</i> , 2022, 139, 833-845.	2.4	1
16	Tranexamic acid for the prevention of blood loss after cesarean among women with twins: a secondary analysis of the TRANexamic Acid for Preventing Postpartum Hemorrhage Following a Cesarean Delivery randomized clinical trial. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 227, 889.e1-889.e17.	1.3	6
17	Postdischarge outcomes of readmitted women included in the PACCRETA study. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 227, 795-798.	1.3	1
18	An economic evaluation of tranexamic acid to prevent postpartum haemorrhage in women with vaginal delivery: the randomised controlled TRAAP trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 114-120.	2.3	7

#	ARTICLE	IF	CITATIONS
19	Conservative approach: Intentional retention of the placenta. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2021, 72, 52-66.	2.8	10
20	A multicenter observational survey of management strategies in 442 pregnancies with suspected placenta accreta spectrum. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 12-20.	2.8	22
21	Performance of antenatal imaging to predict placenta accreta spectrum degree of severity. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 21-28.	2.8	15
22	Tranexamic Acid for the Prevention of Blood Loss after Cesarean Delivery. <i>New England Journal of Medicine</i> , 2021, 384, 1623-1634.	27.0	123
23	Maternal and Neonatal Morbidity and Mortality Among Pregnant Women With and Without COVID-19 Infection. <i>JAMA Pediatrics</i> , 2021, 175, 817.	6.2	910
24	Coronavirus disease 2019 in pregnancy was associated with maternal morbidity and preterm birth. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 224, 551.	1.3	0
25	Intrauterine Vacuum-Induced Hemorrhage-Control Device for Rapid Treatment of Postpartum Hemorrhage. <i>Obstetrics and Gynecology</i> , 2021, 137, 1127-1127.	2.4	3
26	Cohort Profile: the Etude EpidÃ©miologique sur les Petits Ages Gestationnels-2 (EIPAGE-2) preterm birth cohort. <i>International Journal of Epidemiology</i> , 2021, 50, 1428-1429m.	1.9	24
27	Importance of the Assessment Time Window for Intravenous Tranexamic Acid and Thromboembolic Events. <i>JAMA Surgery</i> , 2021, , .	4.3	3
28	Tocolysis in the management of preterm prelabor rupture of membranes at 22â33âweeks of gestation: study protocol for a multicenter, double-blind, randomized controlled trial comparing nifedipine with placebo (TOCOPROM). <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 614.	2.4	6
29	Preeclampsia and COVID-19: results from the INTERCOVID prospective longitudinal study. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 225, 289.e1-289.e17.	1.3	172
30	Tranexamic acid and obstetric hemorrhage: give empirically or selectively?. <i>International Journal of Obstetric Anesthesia</i> , 2021, 48, 103206.	0.4	19
31	Clinical profiles of placenta accreta spectrum: the PACCRETA population-based study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 1646-1655.	2.3	24
32	Antifibrinolytic agents for the prevention of postpartum hemorrhage. <i>Thrombosis Update</i> , 2021, 5, 100089.	0.9	0
33	4: Conservative management versus cesarean hysterectomy for placenta accreta spectrum; the PACCRETA prospective population-based study. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 222, S3-S4.	1.3	3
34	Staffing needs for unscheduled activity in obstetrics and gynecology. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020, 245, 19-25.	1.1	4
35	Coronavirus disease 2019 in pregnancy was associated with maternal morbidity and preterm birth. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 223, 914.e1-914.e15.	1.3	147
36	Delayed hysterectomy: a laparotomy too far?. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 222, 101-102.	1.3	7

#	ARTICLE	IF	CITATIONS
37	TRAAP2 - TRAnexamic Acid for Preventing postpartum hemorrhage after cesarean delivery: a multicenter randomized, doubleblind, placebo- controlled trial â a study protocol. BMC Pregnancy and Childbirth, 2020, 20, 63.	2.4	29
38	Assessment of fresh and preserved amniotic membrane for guided bone regeneration in mice. Journal of Biomedical Materials Research - Part A, 2020, 108, 2044-2056.	4.0	26
39	Breech presentation: Clinical practice guidelines from the French College of Gynaecologists and Obstetricians (CNGOF). European Journal of Obstetrics, Gynecology and Reproductive Biology, 2020, 252, 599-604.	1.1	22
40	First Twin in Breech Presentation and Neonatal Mortality and Morbidity According to Planned Mode of Delivery. Obstetrics and Gynecology, 2020, 135, 1015-1023.	2.4	14
41	Compressions utÃ©rines. , 2020, , 123-137.		0
42	Ligatures vasculaires. , 2020, , 111-121.		0
43	Tranexamic acid for childbirth: why, when, and for whom. Expert Review of Hematology, 2019, 12, 753-761.	2.2	13
44	<scp>FIGO</scp> classification for the clinical diagnosis of placenta accreta spectrum disorders,. International Journal of Gynecology and Obstetrics, 2019, 146, 20-24.	2.3	312
45	Outcomes of operative vaginal delivery managed by residents under supervision and attending obstetricians: a prospective cross-sectional study. American Journal of Obstetrics and Gynecology, 2019, 221, 59.e1-59.e15.	1.3	17
46	Evidence-based guidelines for the management of abnormallyÂinvasive placenta: recommendations from theÂInternational Society for Abnormally InvasiveÂPlacenta. American Journal of Obstetrics and Gynecology, 2019, 220, 511-526.	1.3	207
47	Surgical treatment of postpartum haemorrhage: national survey of French residents of obstetrics and gynecology. BMC Pregnancy and Childbirth, 2019, 19, 91.	2.4	12
48	A French network for prevention and reduction of reproductive risk in couples and pregnant women. European Journal of Public Health, 2019, 29, .	0.3	0
49	Planned delivery route of preterm breech singletons, and neonatal and 2âyear outcomes: a populationâbased cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2019, 126, 73-82.	2.3	16
50	Planned Mode of Delivery of Preterm Twins and Neonatal and 2-Year Outcomes. Obstetrics and Gynecology, 2019, 133, 71-80.	2.4	10
51	Maternal occupational exposures to nanoscale particles and small for gestational age outcome in the French Longitudinal Study of Children. Environment International, 2019, 122, 322-329.	10.0	15
52	Protection of brain development by antenatal magnesium sulphate for infants born preterm. Developmental Medicine and Child Neurology, 2019, 61, 25-30.	2.1	18
53	Placenta Praevia and Placenta Accreta: Diagnosis and Management. BJOG: an International Journal of Obstetrics and Gynaecology, 2019, 126, e1-e48.	2.3	306
54	<scp>FIGO</scp> consensus guidelines on placenta accreta spectrum disorders: Conservative management,. International Journal of Gynecology and Obstetrics, 2018, 140, 291-298.	2.3	195

#	ARTICLE	IF	CITATIONS
55	Cervical pessary combined with vaginal progesterone for the prevention of spontaneous preterm birth: is the evidence sufficient?. <i>Journal of Perinatal Medicine</i> , 2018, 46, 691-691.	1.4	1
56	Effect of Glyburide vs Subcutaneous Insulin on Perinatal Complications Among Women With Gestational Diabetes. <i>JAMA - Journal of the American Medical Association</i> , 2018, 319, 1773.	7.4	75
57	Abnormally invasive placentation in a woman with congenital myotonic dystrophy. <i>International Journal of Gynecology and Obstetrics</i> , 2018, 140, 376-377.	2.3	2
58	Conservative Management of Placenta Accreta Spectrum. <i>Clinical Obstetrics and Gynecology</i> , 2018, 61, 783-794.	1.1	41
59	Association of Intraventricular Hemorrhage and Death With Tocolytic Exposure in Preterm Infants. <i>JAMA Network Open</i> , 2018, 1, e182355.	5.9	12
60	Preterm premature rupture of membranes at 22â€“25 weeksâ€™ gestation: perinatal and 2-year outcomes within a national population-based study (EPIPAGE-2). <i>American Journal of Obstetrics and Gynecology</i> , 2018, 219, 298.e1-298.e14.	1.3	62
61	Pregnancy outcome in Turner syndrome: A French multi-center study after the 2009 guidelines. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018, 229, 20-25.	1.1	25
62	570: Neonatal outcomes after management of non-cephalic second twin delivery by residents. <i>American Journal of Obstetrics and Gynecology</i> , 2018, 218, S341.	1.3	1
63	Effect of Cell-Free DNA Screening vs Direct Invasive Diagnosis on Miscarriage Rates in Women With Pregnancies at High Risk of Trisomy 21. <i>JAMA - Journal of the American Medical Association</i> , 2018, 320, 557.	7.4	51
64	Tranexamic Acid for the Prevention of Blood Loss after Vaginal Delivery. <i>New England Journal of Medicine</i> , 2018, 379, 731-742.	27.0	178
65	Impact of Latency Duration on the Prognosis of Preterm Infants after Preterm Premature Rupture of Membranes at 24 to 32 Weeks' Gestation: A National Population-Based Cohort Study. <i>Journal of Pediatrics</i> , 2017, 182, 47-52.e2.	1.8	57
66	Uterine Artery Embolization for Retained Products of Conception with Marked Vascularity: A Safe and Efficient First-Line Treatment. <i>CardioVascular and Interventional Radiology</i> , 2017, 40, 520-529.	2.0	26
67	Use of a Visual Aid in addition to a Collector Bag to Evaluate Postpartum Blood loss: A Prospective Simulation Study. <i>Scientific Reports</i> , 2017, 7, 46333.	3.3	13
68	Re: Does tranexamic acid prevent postpartum haemorrhage? A systematic review of randomised controlled trials. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017, 124, 982-982.	2.3	8
69	Risk of low birth weight and micronutrient deficiencies in neonates from mothers after gastric bypass: a case control study. <i>Surgery for Obesity and Related Diseases</i> , 2017, 13, 1384-1391.	1.2	51
70	Incidence and risk factors of caesarean section in preterm breech births: A population-based cohort study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 212, 37-43.	1.1	7
71	Prevention of spontaneous preterm birth: Guidelines for clinical practice from the French College of Gynaecologists and Obstetricians (CNGOF). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 210, 217-224.	1.1	105
72	Risk of Tranexamic Acid for Treatment of Postpartum Hemorrhage. <i>American Journal of Kidney Diseases</i> , 2017, 69, 160.	1.9	2

#	ARTICLE	IF	CITATIONS
73	Embarazo y Aterio cicatricial. EMC - GinecologAa-Obstetricia, 2017, 53, 1-16.	0.0	2
74	Risk factors for chronic post-traumatic stress disorder development one year after vaginal delivery: a prospective, observational study. Scientific Reports, 2017, 7, 8724.	3.3	40
75	Tranexamic Acid for the Management of Obstetric Hemorrhage. Obstetrics and Gynecology, 2017, 130, 1386-1386.	2.4	7
76	Providing active antenatal care depends on the place of birth for extremely preterm births: the EPIPAGE 2 cohort study. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2017, 102, F476-F482.	2.8	29
77	Magnetic resonance imaging for abnormally invasive placenta: the added value of intravenous gadolinium injection. BJOG: an International Journal of Obstetrics and Gynaecology, 2017, 124, 88-95.	2.3	30
78	Comparison of postpartum haemorrhage guidelines: discrepancies underline our lack of knowledge. BJOG: an International Journal of Obstetrics and Gynaecology, 2017, 124, 718-722.	2.3	47
79	Sexual function and postpartum depression 6 months after attempted operative vaginal delivery according to fetal head station: A prospective population-based cohort study. PLoS ONE, 2017, 12, e0178915.	2.5	16
80	Maternal outcome after abdominal packing for uncontrolled postpartum hemorrhage despite peripartum hysterectomy. PLoS ONE, 2017, 12, e0177092.	2.5	18
81	Preterm Breech Presentation. Obstetrics and Gynecology, 2016, 127, 1170.	2.4	5
82	Tranexamic acid for preventing postpartum blood loss at cesarean delivery: is evidence sufficient?. Acta Obstetrica Et Gynecologica Scandinavica, 2016, 95, 836-836.	2.8	8
83	Prophylactic tranexamic acid in addition to uterotonics may prevent blood loss for vaginal and caesarean deliveries. Evidence-Based Medicine, 2016, 21, 97-97.	0.6	7
84	Postpartum haemorrhage: prevention and treatment. Expert Review of Hematology, 2016, 9, 1043-1061.	2.2	91
85	Surgical management of postpartum haemorrhage: survey of French obstetricians. Scientific Reports, 2016, 6, 30342.	3.3	10
86	Control of Postpartum Hemorrhage Using Vacuum-Induced Uterine Tamponade. Obstetrics and Gynecology, 2016, 128, 909-910.	2.4	5
87	Shoulder dystocia: guidelines for clinical practice from the French College of Gynecologists and Obstetricians (CNGOF). European Journal of Obstetrics, Gynecology and Reproductive Biology, 2016, 203, 156-161.	1.1	40
88	Evaluation by Obstetric Care Providers of Simulated Postpartum Blood Loss using a Collector Bag: A French prospective study.. Journal of Maternal-Fetal and Neonatal Medicine, 2016, 29, 1-29.	1.5	8
89	Postpartum hemorrhage: guidelines for clinical practice from the French College of Gynaecologists and Obstetricians (CNGOF). European Journal of Obstetrics, Gynecology and Reproductive Biology, 2016, 198, 12-21.	1.1	211
90	Tranexamic Acid for Prevention PPH: a Promising Drug But Today Only a Promising Drug. Transfusion Medicine Reviews, 2016, 30, 100.	2.0	6

#	ARTICLE	IF	CITATIONS
91	Policy of high-dose tranexamic acid for treating postpartum hemorrhage after vaginal delivery. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 1617-1622.	1.5	7
92	Pelvic Floor Disorders 6 Months after Attempted Operative Vaginal Delivery According to the Fetal Head Station: A Prospective Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0168591.	2.5	5
93	Surveillance du travail pour les grossesses gÃ©mellaires. , 2016, , 103-112.		0
94	Maternal and Neonatal Morbidity After Attempted Operative Vaginal Delivery According to Fetal Head Station. <i>Obstetrics and Gynecology</i> , 2015, 126, 521-529.	2.4	38
95	Neonatal outcome of very preterm twins: policy of planned vaginal or cesarean delivery. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 213, 73.e1-73.e7.	1.3	30
96	High-dose tranexamic acid for treating postpartum haemorrhage after vaginal delivery. <i>British Journal of Anaesthesia</i> , 2015, 114, 339-341.	3.4	11
97	Maternal outcomes after uterine balloon tamponade for postpartum hemorrhage. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015, 94, 399-404.	2.8	18
98	Fetal growth restriction and intra-uterine growth restriction: guidelines for clinical practice from the French College of Gynaecologists and Obstetricians. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015, 193, 10-18.	1.1	177
99	Mortality and morbidity in early preterm breech singletons: impact of a policy of planned vaginal delivery. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015, 192, 61-65.	1.1	37
100	Tranexamic acid for the prevention and treatment of postpartum haemorrhage. <i>British Journal of Anaesthesia</i> , 2015, 114, 576-587.	3.4	97
101	Study protocol. TRAAP - TRANexamic Acid for Preventing postpartum hemorrhage after vaginal delivery: a multicenter randomized, double-blind, placebo-controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 135.	2.4	46
102	Management of Placenta Accreta. <i>Obstetric Anesthesia Digest</i> , 2014, 34, 133-135.	0.1	0
103	Management of placenta accreta. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 1125-1134.	2.8	95
104	Complications of pelvic organ prolapse surgery and methods of prevention. <i>International Urogynecology Journal</i> , 2013, 24, 1859-1872.	1.4	68
105	<scp>PACCRETA</scp>: Clinical situations at high risk of Placenta <scp>ACCRETA</scp>/Percreta: impact of diagnostic methods and management on maternal morbidity. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 476-482.	2.8	40
106	Effect of routine controlled cord traction as part of the active management of the third stage of labour on postpartum haemorrhage: multicentre randomised controlled trial (TRACOR). <i>BMJ</i> , The, 2013, 346, f1541-f1541.	6.0	73
107	Prolonged and post-term pregnancies: guidelines for clinical practice from the French College of Gynecologists and Obstetricians (CNGOF). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013, 169, 10-16.	1.1	81
108	Delivery for women with a previous cesarean: guidelines for clinical practice from the French College of Gynecologists and Obstetricians (CNGOF). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013, 170, 25-32.	1.1	155

#	ARTICLE	IF	CITATIONS
109	Efficacy of Ursodeoxycholic Acid in Treating Intrahepatic Cholestasis of Pregnancy: A Meta-analysis. <i>Gastroenterology</i> , 2012, 143, 1492-1501.	1.3	237
110	Prevention of complications related to the use of prosthetic meshes in prolapse surgery: guidelines for clinical practice. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 165, 170-180.	1.1	67
111	Planned caesarean in the interventional radiology cath lab to enable immediate uterine artery embolization for the conservative treatment of placenta accreta. <i>Clinical Radiology</i> , 2012, 67, 1089-1094.	1.1	60
112	Which surgery should be the first-line uterine-sparing procedure to control severe postpartum hemorrhage?. <i>Fertility and Sterility</i> , 2011, 95, e71.	1.0	9
113	Does uterine artery ligation, performed because of a severe postpartum hemorrhage, alter fertility?. <i>Fertility and Sterility</i> , 2011, 95, e76.	1.0	0
114	Twin pregnancies: guidelines for clinical practice from the French College of Gynaecologists and Obstetricians (CNGOF). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011, 156, 12-17.	1.1	161
115	Instrumental delivery: clinical practice guidelines from the French College of Gynaecologists and Obstetricians. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011, 159, 43-48.	1.1	79
116	Long-term psychological impact of severe postpartum hemorrhage. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2011, 90, 615-620.	2.8	76
117	Influence of Gestational Age on Fibrinolysis from Birth to Postnatal Day 10. <i>Journal of Pediatrics</i> , 2011, 158, 377-382.e1.	1.8	15
118	Arteriovenous malformation following conservative treatment of placenta percreta with uterine artery embolization but no adjunctive therapy. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 205, e13.	1.3	3
119	Maladie des brides amniotiques. , 2011, , 307-315.		0
120	Interruption mÃ©dicale de grossesse. , 2011, , 417-436.		0
121	Fertility and pregnancy following pelvic arterial embolisation for postpartum haemorrhage. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2010, 117, 84-93.	2.3	88
122	Maternal Outcome After Conservative Treatment of Placenta Accreta. <i>Obstetrics and Gynecology</i> , 2010, 115, 526-534.	2.4	386
123	Treatment of concomitant prolapse and stress urinary incontinence via a transobturator subvesical mesh without independent suburethral tape. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010, 89, 223-229.	2.8	14
124	Fertility and pregnancy outcomes following conservative treatment for placenta accreta. <i>Human Reproduction</i> , 2010, 25, 2803-2810.	0.9	155
125	Fertility after pelvic arterial embolization, stepwise uterine devascularization, hypogastric artery ligation, and BÃlynch suture to control postpartum hemorrhage. <i>International Journal of Gynecology and Obstetrics</i> , 2010, 108, 249-249.	2.3	24
126	Has B-Lynch suture hidden long-term effects?. <i>Fertility and Sterility</i> , 2010, 94, e62.	1.0	12

#	ARTICLE	IF	CITATIONS
127	Predictors of Failed Pelvic Arterial Embolization for Severe Postpartum Hemorrhage. <i>Obstetrics and Gynecology</i> , 2009, 113, 992-999.	2.4	123
128	Female sexual function following surgery for stress urinary incontinence: tension-free vaginal versus transobturator tape procedure. <i>International Urogynecology Journal</i> , 2009, 20, 393-399.	1.4	23
129	Management of placenta accreta. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2009, 116, 1536-1537.	2.3	13
130	Why stepwise uterine devascularization should be the first-line conservative surgical treatment to control severe postpartum hemorrhage?. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2009, 88, 490-492.	2.8	24
131	Successful expectant management for a cornual heterotopic pregnancy. <i>Fertility and Sterility</i> , 2009, 91, 934.e11-934.e13.	1.0	31
132	Fertility after B-Lynch suture and stepwise uterine devascularization. <i>Fertility and Sterility</i> , 2009, 91, 934.e5-934.e9.	1.0	51
133	Graft Use in Transvaginal Pelvic Organ Prolapse Repair: A Systematic Review. <i>Obstetrics and Gynecology</i> , 2009, 113, 952.	2.4	3
134	Factors Associated With Peripartum Hysterectomy. <i>Obstetrics and Gynecology</i> , 2009, 114, 927.	2.4	6
135	Sexual function in women before and after transvaginal mesh repair for pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2008, 19, 763-772.	1.4	80
136	B-Lynch suture for massive persistent postpartum hemorrhage following stepwise uterine devascularization. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2008, 87, 1020-1026.	2.8	61
137	Sexual function in women following the transvaginal tension-free tape procedure for incontinence. <i>International Journal of Gynecology and Obstetrics</i> , 2008, 102, 105-109.	2.3	21
138	Sexual Function After Transobturator Tape Procedure for Stress Urinary Incontinence. <i>Urology</i> , 2008, 71, 1074-1079.	1.0	38
139	Infracoccygeal sacropexy reinforced with posterior mesh interposition for apical and posterior compartment prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2008, 137, 108-113.	1.1	11
140	Incidental finding of an intrauterine device in the sigmoid colon. <i>European Journal of Contraception and Reproductive Health Care</i> , 2008, 13, 212-214.	1.5	15
141	Fertility and pregnancy outcomes following uterine devascularization for severe postpartum haemorrhage. <i>Human Reproduction</i> , 2008, 23, 1087-1092.	0.9	88
142	Amniotic Band Syndrome with Limb Amputation after Exposure to Mifepristone in Early Pregnancy. <i>Fetal Diagnosis and Therapy</i> , 2007, 22, 51-54.	1.4	10
143	Umbilical artery aneurysm in a severe growth-restricted fetus with normal karyotype. <i>Prenatal Diagnosis</i> , 2007, 27, 1059-1061.	2.3	11
144	Midterm Follow-up of High-Grade Genital Prolapse Repair by the Trans-obturator and Infracoccygeal Hammock Procedure after Hysterectomy. <i>European Urology</i> , 2007, 51, 1065-1072.	1.9	32

#	ARTICLE	IF	CITATIONS
145	Should intravaginal slingplasty (IVS) procedure be abandoned?. American Journal of Obstetrics and Gynecology, 2007, 196, e18.	1.3	3
146	Attempted vaginal versus planned cesarean delivery in 195 breech first twin pregnancies. Acta Obstetrica Et Gynecologica Scandinavica, 2007, 86, 55-60.	2.8	39
147	Fetal Death in a Patient With Intrahepatic Cholestasis of Pregnancy. Obstetrics and Gynecology, 2006, 107, 458-460.	2.4	62
148	Extirpative or conservative management for placenta percreta?. American Journal of Obstetrics and Gynecology, 2006, 195, 1875-1876.	1.3	13
149	Intrahepatic cholestasis of pregnancy and bile acid levels. Hepatology, 2005, 42, 737-738.	7.3	10
150	Uterine devascularization and subsequent major intrauterine synechiae and ovarian failure. Fertility and Sterility, 2005, 83, 755-757.	1.0	36
151	Late complications of operative hysteroscopy: predicting patients at risk of uterine rupture during subsequent pregnancy. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2005, 120, 134-138.	1.1	91
152	Favourable outcome of a tight constriction band secondary to amniotic band syndrome. Prenatal Diagnosis, 2004, 24, 198-201.	2.3	52
153	Maladie des brides amniotiques : Étiopathogénie, diagnostic anténatal et prise en charge néonatale. Revue Sage - Femme, 2004, 3, 67-78.	0.1	10
154	Management of Maternal Cor Triatriatum During Pregnancy. Obstetrics and Gynecology, 2004, 104, 1212-1215.	2.4	7
155	Laparoscopic myomectomy during pregnancy resulting in septic necrosis of the myometrium. BJOG: an International Journal of Obstetrics and Gynaecology, 2003, 110, 876-878.	2.3	43
156	Colouterine fistula complicating diverticulitis: a case report and review of the literature. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2003, 110, 107-110.	1.1	27