

Tsuneyo Mimori

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7188888/publications.pdf>

Version: 2024-02-01

155
papers

12,435
citations

57631

44
h-index

26548

107
g-index

160
all docs

160
docs citations

160
times ranked

12876
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | The International Consensus on ANA Patterns (ICAP) in 2021—The 6th Workshop and Current Perspectives. <i>Journal of Applied Laboratory Medicine</i> , 2022, 7, 322-330. | 0.6 | 31 |
| 2 | Selection of treatment regimens based on shared decision-making in patients with rheumatoid arthritis on remission in the FREE-J study. <i>Rheumatology</i> , 2022, 61, 4273-4285. | 0.9 | 3 |
| 3 | Severe joint deformity and patient global assessment of disease are associated with discrepancies between sonographic and clinical remission: A cross-sectional study of rheumatoid arthritis patients. <i>Modern Rheumatology</i> , 2021, 31, 334-342. | 0.9 | 8 |
| 4 | Long-term outcomes of refractory Takayasu arteritis patients treated with biologics including ustekinumab. <i>Modern Rheumatology</i> , 2021, 31, 678-683. | 0.9 | 23 |
| 5 | Aicardi—Goutières syndrome-like encephalitis in mutant mice with constitutively active MDA5. <i>International Immunology</i> , 2021, 33, 225-240. | 1.8 | 8 |
| 6 | Phenotyping of IgG4-related diseases based on affected organ pattern: A multicenter cohort study using cluster analysis. <i>Modern Rheumatology</i> , 2021, 31, 235-240. | 0.9 | 14 |
| 7 | A case of pulmonary arterial hypertension complicated by anti-neutrophil cytoplasmic antibody-associated vasculitis and systemic sclerosis. <i>Immunological Medicine</i> , 2021, 44, 263-269. | 1.4 | 1 |
| 8 | Dynamic landscape of immune cell-specific gene regulation in immune-mediated diseases. <i>Cell</i> , 2021, 184, 3006-3021.e17. | 13.5 | 147 |
| 9 | Anti-dsDNA antibodies recognize DNA presented on HLA class II molecules of systemic lupus erythematosus risk alleles. <i>Arthritis and Rheumatology</i> , 2021, , . | 2.9 | 8 |
| 10 | Clinical characteristics of four myositis-specific autoantibodies with regulatory-approved testing in Japan: A Japanese multi-centre adult myositis patients—cohort. <i>Journal of Dermatological Science</i> , 2021, 103, 53-56. | 1.0 | 1 |
| 11 | Dispensable roles of Gsdmd and Ripk3 in sustaining IL-1 β production and chronic inflammation in Th17-mediated autoimmune arthritis. <i>Scientific Reports</i> , 2021, 11, 18679. | 1.6 | 4 |
| 12 | How to report the antinuclear antibodies (anti-cell antibodies) test on HEp-2 cells: guidelines from the ICAP initiative. <i>Immunologic Research</i> , 2021, 69, 594-608. | 1.3 | 34 |
| 13 | ECG Changes Through Immunosuppressive Therapy Indicate Cardiac Abnormality in Anti-MDA5 Antibody-Positive Clinically Amyopathic Dermatomyositis. <i>Frontiers in Immunology</i> , 2021, 12, 765140. | 2.2 | 4 |
| 14 | Activated neutrophil carbamylates albumin via the release of myeloperoxidase and reactive oxygen species regardless of NETosis. <i>Modern Rheumatology</i> , 2020, 30, 345-349. | 0.9 | 15 |
| 15 | Predicting factors for disappearance of anti-mutated citrullinated vimentin antibodies in sera of patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2020, 30, 450-457. | 0.9 | 3 |
| 16 | Impaired expression of innate immunity-related genes in IgG4-related disease: A possible mechanism in the pathogenesis of IgG4-RD. <i>Modern Rheumatology</i> , 2020, 30, 551-557. | 0.9 | 5 |
| 17 | Prediction of recurrence and remission using superb microvascular imaging in rheumatoid arthritis. <i>Journal of Medical Ultrasonics (2001)</i> , 2020, 47, 131-138. | 0.6 | 6 |
| 18 | Feasibility of patient-oriented ultrasound joint selection: Cross-sectional observational study on rheumatoid arthritis. <i>Modern Rheumatology</i> , 2020, 30, 975-981. | 0.9 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | The family history of rheumatoid arthritis in anti-cyclic citrullinated peptide antibody-positive patient is not a predictor of poor clinical presentation and treatment response with modern classification criteria and treatment strategy: the ANSWER cohort study. <i>Rheumatology International</i> , 2020, 40, 217-225. | 1.5 | 3 |
| 20 | Effectiveness, safety, and methotrexate dose-tapering pattern over two years of treatment with adalimumab and 12 mg/week methotrexate for early rheumatoid arthritis: Results of the HAWK postmarketing surveillance study in Japan. <i>Modern Rheumatology</i> , 2020, 30, 424-433. | 0.9 | 1 |
| 21 | First external validation of sensitivity and specificity of the European League Against Rheumatism (EULAR)/American College of Rheumatology (ACR) classification criteria for idiopathic inflammatory myopathies with a Japanese cohort. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 387-392. | 0.5 | 17 |
| 22 | Thigh muscle MRI findings in myopathy associated with anti-mitochondrial antibody. <i>Muscle and Nerve</i> , 2020, 61, 81-87. | 1.0 | 13 |
| 23 | Long-term follow-up of patients with anti-cyclic citrullinated peptide antibody-positive connective tissue disease: a retrospective observational study including information on the HLA-DRB1 allele and citrullination dependency. <i>Arthritis Research and Therapy</i> , 2020, 22, 248. | 1.6 | 2 |
| 24 | Association of anti-NR2 and U1RNP antibodies with neurotoxic inflammatory mediators in cerebrospinal fluid from patients with neuropsychiatric systemic lupus erythematosus. <i>Lupus</i> , 2020, 29, 1673-1682. | 0.8 | 2 |
| 25 | Intake frequency of vegetables or seafoods negatively correlates with disease activity of rheumatoid arthritis. <i>PLoS ONE</i> , 2020, 15, e0228852. | 1.1 | 7 |
| 26 | Predictive factors for structural remission using abatacept: Results from the ABROAD study. <i>Modern Rheumatology</i> , 2019, 29, 406-412. | 0.9 | 7 |
| 27 | Prevalence and factors associated with sarcopenia in patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2019, 29, 589-595. | 0.9 | 96 |
| 28 | Effectiveness and safety of initiating adalimumab plus 12 mg/week methotrexate with adjustable dosing in biologic-naïve patients with early rheumatoid arthritis: HAWK study postmarketing surveillance in Japan. <i>Modern Rheumatology</i> , 2019, 29, 572-580. | 0.9 | 7 |
| 29 | PLD4 is a genetic determinant to systemic lupus erythematosus and involved in murine autoimmune phenotypes. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 509-518. | 0.5 | 36 |
| 30 | IgG4-related disease – A new disease entity developed in the twenty-first century. <i>Modern Rheumatology</i> , 2019, 29, 213-213. | 0.9 | 1 |
| 31 | Efficacy of Glucocorticoids and Calcineurin Inhibitors for Anti-aminoacyl-tRNA Synthetase Antibody-positive Polymyositis/dermatomyositis-associated Interstitial Lung Disease: A Propensity Score-matched Analysis. <i>Journal of Rheumatology</i> , 2019, 46, 509-517. | 1.0 | 18 |
| 32 | Evaluation of risk factors for atherosclerosis using carotid ultrasonography in Japanese patients with rheumatoid arthritis. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 1312-1318. | 0.9 | 3 |
| 33 | Strain-Specific Manifestation of Lupus-like Systemic Autoimmunity Caused by <i>Zap70</i> Mutation. <i>Journal of Immunology</i> , 2019, 202, 3161-3172. | 0.4 | 15 |
| 34 | Serum matrix metalloproteinase levels in polymyositis/dermatomyositis patients with interstitial lung disease. <i>Rheumatology</i> , 2019, 58, 1465-1473. | 0.9 | 12 |
| 35 | Novel susceptibility alleles in HLA region for myositis and myositis specific autoantibodies in Korean patients. <i>Seminars in Arthritis and Rheumatism</i> , 2019, 49, 283-287. | 1.6 | 28 |
| 36 | Anti-nuclear antibody development is associated with poor treatment response to biological disease-modifying anti-rheumatic drugs in patients with rheumatoid arthritis. <i>Seminars in Arthritis and Rheumatism</i> , 2019, 49, 204-210. | 1.6 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Recent Advances in Research Regarding Autoantibodies in Connective Tissue Diseases and Related Disorders. <i>Internal Medicine</i> , 2019, 58, 5-14. | 0.3 | 5 |
| 38 | Treatment consensus for management of polymyositis and dermatomyositis among rheumatologists, neurologists and dermatologists. <i>Modern Rheumatology</i> , 2019, 29, 1-19. | 0.9 | 28 |
| 39 | Treatment consensus for management of polymyositis and dermatomyositis among rheumatologists, neurologists and dermatologists. <i>Journal of Dermatology</i> , 2019, 46, e1-e18. | 0.6 | 13 |
| 40 | Elderly onset of early rheumatoid arthritis is a risk factor for bone erosions, refractory to treatment: KURAMA cohort. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 1084-1093. | 0.9 | 37 |
| 41 | Serum neopterin as well as ferritin, soluble interleukin-2 receptor, KL-6 and anti-MDA5 antibody titer provide markers of the response to therapy in patients with interstitial lung disease complicating anti-MDA5 antibody-positive dermatomyositis. <i>Modern Rheumatology</i> , 2019, 29, 814-820. | 0.9 | 32 |
| 42 | Treatment consensus for management of polymyositis and dermatomyositis among rheumatologists, neurologists and dermatologists. <i>Neurology and Clinical Neuroscience</i> , 2019, 7, 3-21. | 0.2 | 6 |
| 43 | Safety and effectiveness of iguratimod in patients with rheumatoid arthritis: Final report of a 52-week, multicenter postmarketing surveillance study. <i>Modern Rheumatology</i> , 2019, 29, 314-323. | 0.9 | 34 |
| 44 | Two cases of autoimmune and secondary pulmonary alveolar proteinosis during immunosuppressive therapy in dermatomyositis with interstitial lung disease. <i>Modern Rheumatology</i> , 2018, 28, 724-729. | 0.9 | 7 |
| 45 | Splicing variant of <i>WDFY4</i> augments MDA5 signalling and the risk of clinically amyopathic dermatomyositis. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 602-611. | 0.5 | 51 |
| 46 | A concomitant case of pathologically proven IgG4-related disease and ANCA-associated vasculitis: case report. <i>Modern Rheumatology Case Reports</i> , 2018, 2, 84-91. | 0.3 | 2 |
| 47 | <i>HLA-DRB1</i> Analysis Identified a Genetically Unique Subset within Rheumatoid Arthritis and Distinct Genetic Background of Rheumatoid Factor Levels from Anticyclic Citrullinated Peptide Antibodies. <i>Journal of Rheumatology</i> , 2018, 45, 470-480. | 1.0 | 6 |
| 48 | Serum soluble interleukin-2 receptor as a biomarker in immunoglobulin G4-related disease. <i>Modern Rheumatology</i> , 2018, 28, 838-844. | 0.9 | 24 |
| 49 | Suppressor of TCR signaling-2 (STS-2) suppresses arthritis development in mice. <i>Modern Rheumatology</i> , 2018, 28, 626-636. | 0.9 | 5 |
| 50 | Factors influencing spinal sagittal balance, bone mineral density, and Oswestry Disability Index outcome measures in patients with rheumatoid arthritis. <i>European Spine Journal</i> , 2018, 27, 406-415. | 1.0 | 10 |
| 51 | Evaluation of the alternative classification criteria of systemic lupus erythematosus established by Systemic Lupus International Collaborating Clinics (SLICC). <i>Modern Rheumatology</i> , 2018, 28, 642-648. | 0.9 | 16 |
| 52 | Recurrence of anti-MDA5 antibody-positive clinically amyopathic dermatomyositis after long-term remission. <i>Medicine (United States)</i> , 2018, 97, e11024. | 0.4 | 12 |
| 53 | Publishing <i>Immunological Medicine</i> -changing from <i>Japanese Journal of Clinical Immunology</i> . <i>Immunological Medicine</i> , 2018, 41, 1-1. | 1.4 | 0 |
| 54 | TAFRO syndrome complicated with occlusion of multiple cerebral arteries. <i>Modern Rheumatology Case Reports</i> , 2018, 2, 214-220. | 0.3 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Effect of medication adherence on disease activity among Japanese patients with rheumatoid arthritis. PLoS ONE, 2018, 13, e0206943. | 1.1 | 15 |
| 56 | Anti-EJ, anti-MDA5 double-positive chronic clinically amyopathic dermatomyositis: a case report. Rheumatology Advances in Practice, 2018, 2, rky022. | 0.3 | 7 |
| 57 | Factors associated with the achievement of biological disease-modifying antirheumatic drug-free remission in rheumatoid arthritis: the ANSWER cohort study. Arthritis Research and Therapy, 2018, 20, 165. | 1.6 | 33 |
| 58 | Factors in glucocorticoid regimens associated with treatment response and relapses of IgG4-related disease: a multicentre study. Scientific Reports, 2018, 8, 10262. | 1.6 | 54 |
| 59 | Laminin 511 is a target antigen in autoimmune pancreatitis. Science Translational Medicine, 2018, 10, . | 5.8 | 151 |
| 60 | Non-obese visceral adiposity is associated with the risk of atherosclerosis in Japanese patients with rheumatoid arthritis: a cross-sectional study. Rheumatology International, 2018, 38, 1679-1689. | 1.5 | 12 |
| 61 | 5. Recent Progress of Diagnosis and Treatment in Connective Tissue Diseases. The Journal of the Japanese Society of Internal Medicine, 2018, 107, 1677-1687. | 0.0 | 0 |
| 62 | Visceral disseminated varicella zoster virus infection after rituximab treatment for granulomatosis with polyangiitis. Modern Rheumatology, 2017, 27, 155-161. | 0.9 | 21 |
| 63 | Juvenile polymyositis associated with anti-OJ (anti-iso-leucyl-tRNA synthetase) autoantibody in a 13-year-old girl. Modern Rheumatology, 2017, 27, 541-544. | 0.9 | 8 |
| 64 | Splicing factor proline/glutamine-rich is a novel autoantigen of dermatomyositis and associated with anti-melanoma differentiation-associated gene 5 antibody. Journal of Autoimmunity, 2017, 77, 116-122. | 3.0 | 18 |
| 65 | Only rheumatoid factor-positive subset of anti-citrullinated peptide/protein antibody-negative rheumatoid arthritis may seroconvert to anti-citrullinated peptide/protein antibody-positive. International Journal of Rheumatic Diseases, 2017, 20, 731-736. | 0.9 | 3 |
| 66 | Predictive factors for long-term outcome in polymyositis/dermatomyositis-associated interstitial lung diseases. Respiratory Investigation, 2017, 55, 130-137. | 0.9 | 37 |
| 67 | How to diagnose IgG4-related disease. Annals of the Rheumatic Diseases, 2017, 76, e46-e46. | 0.5 | 33 |
| 68 | Current approach to the diagnosis of IgG4-related disease “Combination of comprehensive diagnostic and organ-specific criteria. Modern Rheumatology, 2017, 27, 381-391. | 0.9 | 175 |
| 69 | The long-term outcome of interstitial lung disease with anti-aminoacyl-tRNA synthetase antibodies. Respiratory Medicine, 2017, 127, 57-64. | 1.3 | 37 |
| 70 | Anti-carbamylated Protein Antibodies Are Detectable in Various Connective Tissue Diseases. Journal of Rheumatology, 2017, 44, 1384-1388. | 1.0 | 16 |
| 71 | Safety and effectiveness of 24-week treatment with iguratimod, a new oral disease-modifying antirheumatic drug, for patients with rheumatoid arthritis: interim analysis of a post-marketing surveillance study of 2679 patients in Japan. Modern Rheumatology, 2017, 27, 755-765. | 0.9 | 28 |
| 72 | Genetic landscape of interactive effects of HLA-DRB1 alleles on susceptibility to ACPA(+) rheumatoid arthritis and ACPA levels in Japanese population. Journal of Medical Genetics, 2017, 54, 853-858. | 1.5 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Remission induction by Raising the dose of Remicade in RA (RRRR) study: Rationale and study protocol for a randomized controlled trial comparing for sustained clinical remission after discontinuation of infliximab in patients with rheumatoid arthritis. <i>Contemporary Clinical Trials Communications</i> , 2017, 8, 49-54. | 0.5 | 4 |
| 74 | Clinical Utility of YKL-40 in Polymyositis/dermatomyositis-associated Interstitial Lung Disease. <i>Journal of Rheumatology</i> , 2017, 44, 1394-1401. | 1.0 | 37 |
| 75 | Association of anti-aminoacyl-transfer RNA synthetase antibody and anti-melanoma differentiation-associated gene 5 antibody with the therapeutic response of polymyositis/dermatomyositis-associated interstitial lung disease. <i>Respiratory Investigation</i> , 2017, 55, 24-32. | 0.9 | 24 |
| 76 | Effectiveness and safety of tocilizumab in achieving clinical and functional remission, and sustaining efficacy in biologics-naïve patients with rheumatoid arthritis: The FIRST Bio study. <i>Modern Rheumatology</i> , 2017, 27, 217-226. | 0.9 | 26 |
| 77 | A novel susceptibility locus in the IL12B region is associated with the pathophysiology of Takayasu arteritis through IL-12p40 and IL-12p70 production. <i>Arthritis Research and Therapy</i> , 2017, 19, 197. | 1.6 | 29 |
| 78 | Clinical Utility of an Enzyme-Linked Immunosorbent Assay for Detecting Anti-Melanoma Differentiation-Associated Gene 5 Autoantibodies. <i>PLoS ONE</i> , 2016, 11, e0154285. | 1.1 | 102 |
| 79 | Immunogenicity and Lupus-Like Autoantibody Production Can Be Linked to Each Other along With Type I Interferon Production in Patients with Rheumatoid Arthritis Treated With Infliximab: A Retrospective Study of a Single Center Cohort. <i>PLoS ONE</i> , 2016, 11, e0162896. | 1.1 | 11 |
| 80 | Cleaved Form of Osteopontin in Urine as a Clinical Marker of Lupus Nephritis. <i>PLoS ONE</i> , 2016, 11, e0167141. | 1.1 | 24 |
| 81 | Differences in Predictive Factors for Sustained Clinical Remission with Abatacept Between Younger and Elderly Patients with Biologic-naïve Rheumatoid Arthritis: Results from the ABROAD Study. <i>Journal of Rheumatology</i> , 2016, 43, 1974-1983. | 1.0 | 23 |
| 82 | Enzyme-linked immunosorbent assays for detection of anti-transcriptional intermediary factor-1 gamma and anti-Mi-2 autoantibodies in dermatomyositis. <i>Journal of Dermatological Science</i> , 2016, 84, 272-281. | 1.0 | 69 |
| 83 | Contribution of a Non-classical HLA Gene, HLA-DOA, to the Risk of Rheumatoid Arthritis. <i>American Journal of Human Genetics</i> , 2016, 99, 366-374. | 2.6 | 68 |
| 84 | Comprehensive assessment of myositis-specific autoantibodies in polymyositis/dermatomyositis-associated interstitial lung disease. <i>Respiratory Medicine</i> , 2016, 121, 91-99. | 1.3 | 121 |
| 85 | GM-CSF as a therapeutic target in autoimmune diseases. <i>Inflammation and Regeneration</i> , 2016, 36, 8. | 1.5 | 44 |
| 86 | Effect of Methotrexate Plus Adalimumab on the Achievement of Rheumatoid Arthritis Therapeutic Goals: Post Hoc Analysis of Japanese Patients (MELODY Study). <i>Rheumatology and Therapy</i> , 2016, 3, 129-141. | 1.1 | 3 |
| 87 | The association between serious infection and disease outcome in patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2016, 35, 213-218. | 1.0 | 10 |
| 88 | International consensus on ANA patterns (ICAP): the bumpy road towards a consensus on reporting ANA results. <i>Autoimmunity Highlights</i> , 2016, 7, 1. | 3.9 | 116 |
| 89 | Efficacy and safety of rituximab in Japanese patients with systemic lupus erythematosus and lupus nephritis who are refractory to conventional therapy. <i>Modern Rheumatology</i> , 2016, 26, 80-86. | 0.9 | 40 |
| 90 | Rheumatoid Factor Is Associated With the Distribution of Hand Joint Destruction in Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2015, 67, 3113-3123. | 2.9 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Report of the First International Consensus on Standardized Nomenclature of Antinuclear Antibody HEp-2 Cell Patterns 2014–2015. <i>Frontiers in Immunology</i> , 2015, 6, 412. | 2.2 | 270 |
| 92 | Prognostic Significance of Anti-Aminoacyl-tRNA Synthetase Antibodies in Polymyositis/Dermatomyositis-Associated Interstitial Lung Disease: A Retrospective Case Control Study. <i>PLoS ONE</i> , 2015, 10, e0120313. | 1.1 | 74 |
| 93 | Periodontitis and <i>Porphyromonas gingivalis</i> in Preclinical Stage of Arthritis Patients. <i>PLoS ONE</i> , 2015, 10, e0122121. | 1.1 | 48 |
| 94 | Anti-PM/Scl antibodies are found in Japanese patients with various systemic autoimmune conditions besides myositis and scleroderma. <i>Arthritis Research and Therapy</i> , 2015, 17, 57. | 1.6 | 48 |
| 95 | Proteomic identification of heterogeneous nuclear ribonucleoprotein K as a novel cold-associated autoantigen in patients with secondary Raynaud's phenomenon. <i>Rheumatology</i> , 2015, 54, 349-358. | 0.9 | 14 |
| 96 | Anti-citrullinated peptide/protein antibody (ACPA)-negative RA shares a large proportion of susceptibility loci with ACPA-positive RA: a meta-analysis of genome-wide association study in a Japanese population. <i>Arthritis Research and Therapy</i> , 2015, 17, 104. | 1.6 | 23 |
| 97 | Screening for IgG4-type anti-nuclear antibodies in IgG4-related disease. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 129. | 0.8 | 39 |
| 98 | Prescription patterns and trends in anti-rheumatic drug use based on a large-scale claims database in Japan. <i>Clinical Rheumatology</i> , 2015, 34, 949-956. | 1.0 | 21 |
| 99 | Personal Authentication Analysis Using Finger-Vein Patterns in Patients with Connective Tissue Diseases—Possible Association with Vascular Disease and Seasonal Change. <i>PLoS ONE</i> , 2015, 10, e0144952. | 1.1 | 3 |
| 100 | The Multicenter Study of a New Assay for Simultaneous Detection of Multiple Anti-Aminoacyl-tRNA Synthetases in Myositis and Interstitial Pneumonia. <i>PLoS ONE</i> , 2014, 9, e85062. | 1.1 | 104 |
| 101 | Increase of Hemoglobin Levels by Anti-IL-6 Receptor Antibody (Tocilizumab) in Rheumatoid Arthritis. <i>PLoS ONE</i> , 2014, 9, e98202. | 1.1 | 39 |
| 102 | Brief Report: Autoantibodies to DNA Mismatch Repair Enzymes in Polymyositis/Dermatomyositis and Other Autoimmune Diseases: A Possible Marker of Favorable Prognosis. <i>Arthritis and Rheumatology</i> , 2014, 66, 3457-3462. | 2.9 | 18 |
| 103 | Human T cells expressing BEND3 on their surface represent a novel subpopulation that preferentially produces IL-6 and IL-8. <i>Immunity, Inflammation and Disease</i> , 2014, 2, 35-43. | 1.3 | 2 |
| 104 | Deficient Leptin Signaling Ameliorates Systemic Lupus Erythematosus Lesions in MRL/Mp-Faslpr Mice. <i>Journal of Immunology</i> , 2014, 192, 979-984. | 0.4 | 45 |
| 105 | Genetics of rheumatoid arthritis contributes to biology and drug discovery. <i>Nature</i> , 2014, 506, 376-381. | 13.7 | 1,974 |
| 106 | Detection of T cell responses to a ubiquitous cellular protein in autoimmune disease. <i>Science</i> , 2014, 346, 363-368. | 6.0 | 86 |
| 107 | GM-CSF but Not IL-17 Is Critical for the Development of Severe Interstitial Lung Disease in SKG Mice. <i>Journal of Immunology</i> , 2014, 193, 849-859. | 0.4 | 53 |
| 108 | Concomitant iguratimod therapy in patients with active rheumatoid arthritis despite stable doses of methotrexate: a randomized, double-blind, placebo-controlled trial. <i>Modern Rheumatology</i> , 2013, 23, 430-439. | 0.9 | 56 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | The prognostic value of HRCT in myositis-associated interstitial lung disease. <i>Respiratory Medicine</i> , 2013, 107, 745-752. | 1.3 | 95 |
| 110 | Serum IgG levels demonstrate seasonal change in connective tissue diseases: a large-scale, 4-year analysis in Japanese. <i>Modern Rheumatology</i> , 2012, 22, 426-430. | 0.9 | 4 |
| 111 | Comprehensive diagnostic criteria for IgG4-related disease (IgG4-RD), 2011. <i>Modern Rheumatology</i> , 2012, 22, 21-30. | 0.9 | 1,294 |
| 112 | A novel clinical entity, IgG4-related disease (IgG4RD): general concept and details. <i>Modern Rheumatology</i> , 2012, 22, 1-14. | 0.9 | 662 |
| 113 | NEFA/nucleobindin-2 is a target autoantigen of the anti-Wa antibody and is associated with transfer RNA. <i>Modern Rheumatology</i> , 2012, 22, 685-694. | 0.9 | 2 |
| 114 | Meta-analysis identifies nine new loci associated with rheumatoid arthritis in the Japanese population. <i>Nature Genetics</i> , 2012, 44, 511-516. | 9.4 | 285 |
| 115 | Serum BAFF and APRIL levels in patients with IgG4-related disease and their clinical significance. <i>Arthritis Research and Therapy</i> , 2012, 14, R86. | 1.6 | 58 |
| 116 | ACPA-Negative RA Consists of Two Genetically Distinct Subsets Based on RF Positivity in Japanese. <i>PLoS ONE</i> , 2012, 7, e40067. | 1.1 | 33 |
| 117 | Interstitial Lung Disease in Myositis: Clinical Subsets, Biomarkers, and Treatment. <i>Current Rheumatology Reports</i> , 2012, 14, 264-274. | 2.1 | 139 |
| 118 | A novel clinical entity, IgG4-related disease (IgG4RD): general concept and details. <i>Modern Rheumatology</i> , 2012, 22, 1-14. | 0.9 | 453 |
| 119 | Comprehensive diagnostic criteria for IgG4-related disease (IgG4-RD), 2011. <i>Modern Rheumatology</i> , 2012, 22, 21-30. | 0.9 | 947 |
| 120 | A large-scale association study identified multiple HLA-DRB1 alleles associated with ACPA-negative rheumatoid arthritis in Japanese subjects. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 2134-2139. | 0.5 | 42 |
| 121 | Detection of antisynthetase syndrome in patients with idiopathic interstitial pneumonias. <i>Respiratory Medicine</i> , 2011, 105, 1238-1247. | 1.3 | 100 |
| 122 | HRCT features of interstitial lung disease in dermatomyositis with anti-CADM-140 antibody. <i>Respiratory Medicine</i> , 2011, 105, 1380-1387. | 1.3 | 118 |
| 123 | Myelin Basic Protein as a Novel Genetic Risk Factor in Rheumatoid Arthritis—A Genome-Wide Study Combined with Immunological Analyses. <i>PLoS ONE</i> , 2011, 6, e20457. | 1.1 | 29 |
| 124 | The human AIRE gene at chromosome 21q22 is a genetic determinant for the predisposition to rheumatoid arthritis in Japanese population. <i>Human Molecular Genetics</i> , 2011, 20, 2680-2685. | 1.4 | 90 |
| 125 | Myositis autoantibodies in Korean patients with inflammatory myositis: Anti-140-kDa polypeptide antibody is primarily associated with rapidly progressive interstitial lung disease independent of clinically amyopathic dermatomyositis. <i>BMC Musculoskeletal Disorders</i> , 2010, 11, 223. | 0.8 | 69 |
| 126 | A regulatory variant in CCR6 is associated with rheumatoid arthritis susceptibility. <i>Nature Genetics</i> , 2010, 42, 515-519. | 9.4 | 241 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Clinical and pathophysiological significance of myositis-specific and myositis-associated autoantibodies. <i>International Journal of Clinical Rheumatology</i> , 2010, 5, 523-536. | 0.3 | 18 |
| 128 | Anti-citrullinated peptide antibody-negative RA is a genetically distinct subset: a definitive study using only bone-erosive ACPA-negative rheumatoid arthritis. <i>Rheumatology</i> , 2010, 49, 2298-2304. | 0.9 | 61 |
| 129 | The RIG-I-like receptor IFIH1/MDA5 is a dermatomyositis-specific autoantigen identified by the anti-CADM-140 antibody. <i>Rheumatology</i> , 2010, 49, 433-440. | 0.9 | 284 |
| 130 | Anti-MDA5 and anti-TIF1- β antibodies have clinical significance for patients with dermatomyositis. <i>Rheumatology</i> , 2010, 49, 1726-1733. | 0.9 | 237 |
| 131 | Two cases of late-onset drug-induced lupus erythematosus caused by ticlopidine in elderly men. <i>Modern Rheumatology</i> , 2010, 20, 405-409. | 0.9 | 20 |
| 132 | Vaccination with autoreactive CD4+Th1 clones in lupus-prone MRL/Mp-Fas ^{lpr} /lpr mice. <i>Journal of Autoimmunity</i> , 2009, 33, 125-134. | 3.0 | 12 |
| 133 | Aseptic meningitis in mixed connective tissue disease: cytokine and anti-U1RNP antibodies in cerebrospinal fluids from two different cases. <i>Modern Rheumatology</i> , 2008, 18, 184-188. | 0.9 | 20 |
| 134 | Online First publication of <i>Modern Rheumatology</i> . <i>Modern Rheumatology</i> , 2008, 18, 1-1. | 0.9 | 2 |
| 135 | Online First publication of <i>Modern Rheumatology</i> . <i>Modern Rheumatology</i> , 2008, 18, 1-1. | 0.9 | 1 |
| 136 | Severe subcutaneous generalized edema in a patient with dermatomyositis. <i>Modern Rheumatology</i> , 2007, 17, 171-173. | 0.9 | 16 |
| 137 | Autoantibodies in idiopathic inflammatory myopathy: an update on clinical and pathophysiological significance. <i>Current Opinion in Rheumatology</i> , 2007, 19, 523-529. | 2.0 | 143 |
| 138 | Successful treatment of a patient with refractory adult Still's disease by tacrolimus. <i>Modern Rheumatology</i> , 2007, 17, 167-170. | 0.9 | 11 |
| 139 | Clinical and immunogenetic features of patients with autoantibodies to asparaginyl-tRNA synthetase. <i>Arthritis and Rheumatism</i> , 2007, 56, 1295-1303. | 6.7 | 101 |
| 140 | Autoantibodies in Rheumatoid Arthritis. , 2006, , 277-290. | | 0 |
| 141 | Anti-aminoacyl-tRNA synthetase antibodies in clinical course prediction of interstitial lung disease complicated with idiopathic inflammatory myopathies. <i>Autoimmunity</i> , 2006, 39, 233-241. | 1.2 | 174 |
| 142 | <i>Modern Rheumatology</i> indexed in MEDLINE. <i>Modern Rheumatology</i> , 2006, 16, 123-123. | 0.9 | 0 |
| 143 | Therapeutic effects of the combination of methotrexate and bucillamine in early rheumatoid arthritis: a multicenter, double-blind, randomized controlled study. <i>Modern Rheumatology</i> , 2005, 15, 323-328. | 0.9 | 43 |
| 144 | Autoantibodies to a 140-kd polypeptide, CADM-140, in Japanese patients with clinically amyopathic dermatomyositis. <i>Arthritis and Rheumatism</i> , 2005, 52, 1571-1576. | 6.7 | 627 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Immunogenetic features in 120 Japanese patients with idiopathic inflammatory myopathy. <i>Journal of Rheumatology</i> , 2004, 31, 1768-74. | 1.0 | 44 |
| 146 | Characterization of anticytoplasmic antibodies in patients with systemic autoimmune diseases. <i>Modern Rheumatology</i> , 2003, 13, 333-338. | 0.9 | 0 |
| 147 | Autoantibodies in Connective Tissue Diseases. Clinical Significance and Analysis of Target Autoantigens.. <i>Internal Medicine</i> , 1999, 38, 523-532. | 0.3 | 25 |
| 148 | Structures targeted by the immune system in myositis. <i>Current Opinion in Rheumatology</i> , 1996, 8, 521-527. | 2.0 | 26 |
| 149 | Interrelationship of major histocompatibility complex class II alleles and autoantibodies in four ethnic groups with various forms of myositis. <i>Arthritis and Rheumatism</i> , 1996, 39, 1507-1518. | 6.7 | 161 |
| 150 | Clinical Significance of Antibodies to Native or Denatured 60-kd or 52-kd Ro/SS-A Proteins in Sjögren's Syndrome. <i>Arthritis and Rheumatism</i> , 1994, 37, 88-92. | 6.7 | 31 |
| 151 | Autoantibodies to small nuclear and cytoplasmic ribonucleoproteins in japanese patients with inflammatory muscle disease. <i>Arthritis and Rheumatism</i> , 1992, 35, 449-456. | 6.7 | 127 |
| 152 | Autoantigenic epitopes of the b polypeptide of SM small nuclear RNP particles. <i>Arthritis and Rheumatism</i> , 1992, 35, 960-966. | 6.7 | 15 |
| 153 | Detection of antibodies to small nuclear ribonucleoproteins and small cytoplasmic ribonucleoproteins using unlabeled cell extracts. <i>Arthritis and Rheumatism</i> , 1985, 28, 1356-1361. | 6.7 | 118 |
| 154 | Large cystic lesions of the upper lobes of the lungs in two patients with crest syndrome. <i>Arthritis and Rheumatism</i> , 1984, 27, 935-938. | 6.7 | 3 |
| 155 | The Precipitating Antibody to an Acidic Nuclear Protein Antigen, the Jo-1, in Connective Tissue Diseases. <i>Arthritis and Rheumatism</i> , 1983, 26, 604-611. | 6.7 | 225 |