

# Gareth T Jones

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7189151/publications.pdf>

Version: 2024-02-01

153  
papers

5,723  
citations

87888

38  
h-index

88630

70  
g-index

155  
all docs

155  
docs citations

155  
times ranked

7118  
citing authors

#	ARTICLE	IF	CITATIONS
1	Global prevalence of ankylosing spondylitis. <i>Rheumatology</i> , 2014, 53, 650-657.	1.9	490
2	The Prevalence of Fibromyalgia in the General Population: A Comparison of the American College of Rheumatology 1990, 2010, and Modified 2010 Classification Criteria. <i>Arthritis and Rheumatology</i> , 2015, 67, 568-575.	5.6	323
3	Low back pain in schoolchildren: occurrence and characteristics. <i>Pain</i> , 2002, 97, 87-92.	4.2	275
4	Predictors of Low Back Pain in British Schoolchildren: A Population-Based Prospective Cohort Study. <i>Pediatrics</i> , 2003, 111, 822-828.	2.1	239
5	Adverse events in childhood and chronic widespread pain in adult life: Results from the 1958 British Birth Cohort Study. <i>Pain</i> , 2009, 143, 92-96.	4.2	229
6	Active Exercise, Education, and Cognitive Behavioral Therapy for Persistent Disabling Low Back Pain. <i>Spine</i> , 2007, 32, 1578-1585.	2.0	169
7	HLA-DQA1 and HLA-DRB1 variants confer susceptibility to pancreatitis induced by thiopurine immunosuppressants. <i>Nature Genetics</i> , 2014, 46, 1131-1134.	21.4	165
8	Risk of recurrent stillbirth: systematic review and meta-analysis. <i>BMJ</i> , The, 2015, 350, h3080-h3080.	6.0	153
9	Normative data for the Hospital Anxiety and Depression Scale. <i>Quality of Life Research</i> , 2015, 24, 391-398.	3.1	135
10	Epidemiology of back pain in older adults: prevalence and risk factors for back pain onset. <i>Rheumatology</i> , 2011, 50, 1645-1653.	1.9	129
11	The prevalence and management of low back pain across adulthood: Results from a population-based cross-sectional study (the MUSICIAN study). <i>Pain</i> , 2012, 153, 27-32.	4.2	122
12	Current evidence of methotrexate efficacy in childhood chronic uveitis: a systematic review and meta-analysis approach. <i>Rheumatology</i> , 2013, 52, 825-831.	1.9	116
13	Persons with chronic widespread pain experience excess mortality: longitudinal results from UK Biobank and meta-analysis. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1815-1822.	0.9	116
14	Genome-wide association study meta-analysis of chronic widespread pain: evidence for involvement of the 5p15.2 region. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 427-436.	0.9	112
15	Current Evidence of Anti-Tumor Necrosis Factor Treatment Efficacy in Childhood Chronic Uveitis: A Systematic Review and Meta-Analysis Approach of Individual Drugs. <i>Arthritis Care and Research</i> , 2014, 66, 1073-1084.	3.4	98
16	Genetic variation in the beta2-adrenergic receptor but not catecholamine-O-methyltransferase predisposes to chronic pain: Results from the 1958 British Birth Cohort Study. <i>Pain</i> , 2010, 149, 143-151.	4.2	88
17	Are common symptoms in childhood associated with chronic widespread body pain in adulthood?: Results from the 1958 british birth cohort study. <i>Arthritis and Rheumatism</i> , 2007, 56, 1669-1675.	6.7	78
18	Physical activity and emotional problems amongst adolescents. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 765-772.	3.1	74

#	ARTICLE	IF	CITATIONS
19	The characterisation and determinants of quality of life in ANCA associated vasculitis. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 207-211.	0.9	74
20	Most patients who reach disease remission following anti-TNF therapy continue to report fatigue: results from the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis. <i>Rheumatology</i> , 2016, 55, 1786-1790.	1.9	74
21	Predicting the onset of widespread body pain among children. <i>Arthritis and Rheumatism</i> , 2003, 48, 2615-2621.	6.7	72
22	Genetic and environmental influences on non-specific low back pain in children: a twin study. <i>European Spine Journal</i> , 2008, 17, 502-508.	2.2	67
23	Diet, Lifestyle and Chronic Widespread Pain: Results from the 1958 British Birth Cohort Study. <i>Pain Research and Management</i> , 2011, 16, 87-92.	1.8	63
24	Predicting persistent low back pain in schoolchildren: A prospective cohort study. <i>Arthritis and Rheumatism</i> , 2009, 61, 1359-1366.	6.7	62
25	Fatigue: a principal contributor to impaired quality of life in ANCA-associated vasculitis. <i>Rheumatology</i> , 2010, 49, 1383-1390.	1.9	61
26	Co-Occurrence and Characteristics of Patients With Axial Spondyloarthritis Who Meet Criteria for Fibromyalgia. <i>Arthritis and Rheumatology</i> , 2017, 69, 2144-2150.	5.6	59
27	Epidemiology of pain., 2006, , 1199-1214.		59
28	Patients receiving anti-TNF therapies experience clinically important improvements in RA-related fatigue: results from the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis. <i>Rheumatology</i> , 2015, 54, 964-971.	1.9	58
29	Treatment response and drug retention rates in 24 195 biologic-naïve patients with axial spondyloarthritis initiating TNFi treatment: routine care data from 12 registries in the EuroSpA collaboration. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1536-1544.	0.9	58
30	Predicting persistent disabling low back pain in general practice: a prospective cohort study. <i>British Journal of General Practice</i> , 2006, 56, 334-41.	1.4	54
31	Can large surveys conducted on highly selected populations provide valid information on the epidemiology of common health conditions? An analysis of UK Biobank data on musculoskeletal pain. <i>British Journal of Pain</i> , 2015, 9, 203-212.	1.5	53
32	A systematic review of evidence for the effectiveness of practitioner-based complementary and alternative therapies in the management of rheumatic diseases: rheumatoid arthritis. <i>Rheumatology</i> , 2012, 51, 1707-1713.	1.9	50
33	Explaining fatigue in ANCA-associated vasculitis. <i>Rheumatology</i> , 2013, 52, 1680-1685.	1.9	50
34	Polygenic Risk Scores have high diagnostic capacity in ankylosing spondylitis. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 1168-1174.	0.9	49
35	Predicting new onset of widespread pain following a motor vehicle collision. <i>Journal of Rheumatology</i> , 2006, 33, 968-74.	2.0	49
36	Managing low back pain presenting to primary care: Where do we go from here?. <i>Pain</i> , 2006, 122, 219-222.	4.2	48

#	ARTICLE	IF	CITATIONS
37	Role of road traffic accidents and other traumatic events in the onset of chronic widespread pain: Results from a population-based prospective study. <i>Arthritis Care and Research</i> , 2011, 63, 696-701.	3.4	46
38	Determining Pathways to Improvements in Fatigue in Rheumatoid Arthritis: Results From the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2015, 67, 2303-2310.	5.6	46
39	Genomewide Association Study of Acute Anterior Uveitis Identifies New Susceptibility Loci. , 2020, 61, 3.		43
40	Determining factors related to poor quality of life in patients with axial spondyloarthritis: results from the British Society for Rheumatology Biologics Register (BSRBR-AS). <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 202-208.	0.9	42
41	BSR and BHPR guideline for the treatment of axial spondyloarthritis (including ankylosing) <a href="#">Tj ETQq1 1 0.784314 rgBTJ /Overlock 10 Tf 50</a>	1.5	41
42	Occurrence of Raynaud's phenomenon in children ages 12-15 years: Prevalence and association with other common symptoms. <i>Arthritis and Rheumatism</i> , 2003, 48, 3518-3521.	6.7	39
43	The British Society for Rheumatology Biologics Registers in Ankylosing Spondylitis (BSRBR-AS) study: Protocol for a prospective cohort study of the long-term safety and quality of life outcomes of biologic treatment. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 347.	1.9	39
44	Impact of biological therapy on work outcomes in patients with axial spondyloarthritis: results from the British Society for Rheumatology Biologics Register (BSRBR-AS) and meta-analysis. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 1578-1584.	0.9	39
45	The relationship between body mass index across the life course and knee pain in adulthood: results from the 1958 birth cohort study. <i>Rheumatology</i> , 2011, 50, 2251-2256.	1.9	38
46	Markers for work disability in anti-neutrophil cytoplasmic antibody-associated vasculitis. <i>Rheumatology</i> , 2014, 53, 953-956.	1.9	38
47	What Characterizes Persons Who Do Not Report Musculoskeletal Pain? Results from a 4-year Population-based Longitudinal Study (The Epifund Study). <i>Journal of Rheumatology</i> , 2009, 36, 1071-1077.	2.0	35
48	Environmental risk factors in systemic sclerosis. <i>Current Opinion in Rheumatology</i> , 2013, 25, 179-183.	4.3	35
49	The Longitudinal Course of Fatigue in Rheumatoid Arthritis: Results from the Norfolk Arthritis Register. <i>Journal of Rheumatology</i> , 2015, 42, 2059-2065.	2.0	35
50	EULAR recommendations for management of fibromyalgia. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, e54-e54.	0.9	33
51	Psychosocial Vulnerability and Early Life Adversity as Risk Factors for Central Sensitivity Syndromes. <i>Current Rheumatology Reviews</i> , 2016, 12, 140-153.	0.8	33
52	Influence of childhood behaviour on the reporting of chronic widespread pain in adulthood: results from the 1958 British Birth Cohort Study. <i>Rheumatology</i> , 2010, 49, 1882-1888.	1.9	32
53	A systematic review of evidence for the effectiveness of practitioner-based complementary and alternative therapies in the management of rheumatic diseases: osteoarthritis. <i>Rheumatology</i> , 2012, 51, 2224-2233.	1.9	32
54	Predicting the onset of knee pain: results from a 2-year prospective study of new workers. <i>Annals of the Rheumatic Diseases</i> , 2007, 66, 400-406.	0.9	31

#	ARTICLE	IF	CITATIONS
55	Identifying Persons with Axial Spondyloarthritis At Risk of Poor Work Outcome: Results from the British Society for Rheumatology Biologics Register. <i>Journal of Rheumatology</i> , 2019, 46, 145-152.	2.0	31
56	The epidemiology of regular opioid use and its association with mortality: Prospective cohort study of 466 486 UK biobank participants. <i>EClinicalMedicine</i> , 2020, 21, 100321.	7.1	29
57	The prevalence of fibromyalgia in axial spondyloarthritis. <i>Rheumatology International</i> , 2020, 40, 1581-1591.	3.0	28
58	Effectiveness and treatment retention of TNF inhibitors when used as monotherapy versus comedication with csDMARDs in 15 332 patients with psoriatic arthritis. Data from the EuroSpA collaboration. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 1410-1418.	0.9	28
59	Does switching anti-TNF $\pm$ biologic agents represent an effective option in childhood chronic uveitis: The evidence from a systematic review and meta-analysis approach. <i>Seminars in Arthritis and Rheumatism</i> , 2014, 44, 39-46.	3.4	27
60	Establishing the characteristics for patients with chronic Complex Regional Pain Syndrome: the value of the CRPS-UK Registry. <i>British Journal of Pain</i> , 2015, 9, 122-128.	1.5	27
61	Five Potentially Modifiable Factors Predict Poor Quality of Life in Ankylosing Spondylitis: Results from the Scotland Registry for Ankylosing Spondylitis. <i>Journal of Rheumatology</i> , 2018, 45, 62-69.	2.0	27
62	Non-anti-TNF biologic modifier drugs in non-infectious refractory chronic uveitis: The current evidence from a systematic review. <i>Seminars in Arthritis and Rheumatism</i> , 2015, 45, 238-250.	3.4	26
63	Chronic widespread bodily pain is increased among individuals with history of fracture: findings from UK Biobank. <i>Archives of Osteoporosis</i> , 2016, 11, 1.	2.4	26
64	Disease Severity in Never Smokers, Ex-Smokers, and Current Smokers With Axial Spondyloarthritis: Results From the Scotland Registry for Ankylosing Spondylitis. <i>Arthritis Care and Research</i> , 2017, 69, 1407-1413.	3.4	26
65	Influence of co-morbid fibromyalgia on disease activity measures and response to tumour necrosis factor inhibitors in axial spondyloarthritis: results from a UK national register. <i>Rheumatology</i> , 2018, 57, 1982-1990.	1.9	26
66	Whether the weather influences pain? Results from the EpiFunD study in North West England. <i>Rheumatology</i> , 2010, 49, 1513-1520.	1.9	25
67	Is there an association between preterm birth or low birthweight and chronic widespread pain? Results from the 1958 Birth Cohort Study. <i>European Journal of Pain</i> , 2012, 16, 134-139.	2.8	24
68	Predicting response to anti-TNF $\pm$ therapy among patients with axial spondyloarthritis (axSpA): results from BSRBR-AS. <i>Rheumatology</i> , 2020, 59, 2481-2490.	1.9	24
69	Associations between smoking and extra-axial manifestations and disease severity in axial spondyloarthritis: results from the BSR Biologics Register for Ankylosing Spondylitis (BSRBR-AS). <i>Rheumatology</i> , 2019, 58, 811-819.	1.9	21
70	Real-World Six- and Twelve-Month Drug Retention, Remission, and Response Rates of Secukinumab in 2,017 Patients With Psoriatic Arthritis in Thirteen European Countries. <i>Arthritis Care and Research</i> , 2022, 74, 1205-1218.	3.4	20
71	Neural correlates of fatigue in granulomatosis with polyangiitis: a functional magnetic resonance imaging study. <i>Rheumatology</i> , 2014, 53, 2080-2087.	1.9	19
72	Differences in the prevalence of ankylosing spondylitis in primary and secondary care: only one-third of patients are managed in rheumatology. <i>Rheumatology</i> , 2016, 55, 1820-1825.	1.9	18

#	ARTICLE	IF	CITATIONS
73	Real-world effectiveness and safety of ustekinumab for the treatment of Crohn's disease: the Scottish ustekinumab cohort. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021, 36, 2067-2075.	2.8	17
74	Does physical trauma lead to an increase in the risk of new onset widespread pain?. <i>Annals of the Rheumatic Diseases</i> , 2006, 65, 391-393.	0.9	16
75	The epidemiology of regional and widespread musculoskeletal pain in rural versus urban settings in those >=55 years. <i>British Journal of Pain</i> , 2015, 9, 86-95.	1.5	16
76	Impact of Smoking in Response to Tumor Necrosis Factor Inhibitors in Axial Spondyloarthritis: Methodologic Considerations for Longitudinal Observational Studies. <i>Arthritis Care and Research</i> , 2020, 72, 591-599.	3.4	14
77	Epidemiology of chronic pain in children and adolescents: a protocol for a systematic review update. <i>BMJ Open</i> , 2021, 11, e043675.	1.9	13
78	Identification and Validation of Clinically Relevant Clusters of Severe Fatigue in Rheumatoid Arthritis. <i>Psychosomatic Medicine</i> , 2017, 79, 1051-1058.	2.0	13
79	Examining Changes in Central and Peripheral Pain as Mediators of Fatigue Improvement: Results From the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis. <i>Arthritis Care and Research</i> , 2016, 68, 922-926.	3.4	12
80	Impact of Moving From a Widespread to Multisite Pain Definition on Other Fibromyalgia Symptoms. <i>Arthritis Care and Research</i> , 2017, 69, 1878-1886.	3.4	12
81	Investigating generalizability of results from a randomized controlled trial of the management of chronic widespread pain: the MUSICIAN study. <i>Pain</i> , 2017, 158, 96-102.	4.2	12
82	Psychological therapies for chronic widespread pain and fibromyalgia syndrome. <i>Best Practice and Research in Clinical Rheumatology</i> , 2019, 33, 101416.	3.3	12
83	Association between comorbidities and disease activity in axial spondyloarthritis: results from the BSRBR-AS. <i>Rheumatology</i> , 2021, 60, 3189-3198.	1.9	12
84	Predictors of extra-articular manifestations in axial spondyloarthritis and their influence on TNF-inhibitor prescribing patterns: results from the British Society for Rheumatology Biologics Register in Ankylosing Spondylitis. <i>RMD Open</i> , 2020, 6, e001206.	3.8	11
85	Musculoskeletal health--how early does it start?. <i>Rheumatology</i> , 2009, 48, 1181-1182.	1.9	10
86	A systematic review of prognostic factors for distal upper limb pain. <i>British Journal of Pain</i> , 2015, 9, 241-255.	1.5	10
87	The Maintaining Musculoskeletal Health (MAMMOTH) Study: Protocol for a randomised trial of cognitive behavioural therapy versus usual care for the prevention of chronic widespread pain. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 179.	1.9	10
88	AxSpA patients who also meet criteria for fibromyalgia: identifying distinct patient clusters using data from a UK national register (BSRBR-AS). <i>BMC Rheumatology</i> , 2019, 3, 19.	1.6	10
89	Real-world evidence of TNF inhibition in axial spondyloarthritis: can we generalise the results from clinical trials?. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 914-919.	0.9	10
90	Maintaining musculoskeletal health using a behavioural therapy approach: a population-based randomised controlled trial (the MAMMOTH Study). <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 903-911.	0.9	10

#	ARTICLE	IF	CITATIONS
91	The effect of COVID-19 public health restrictions on the health of people with musculoskeletal conditions and symptoms: the CONTAIN study. <i>Rheumatology</i> , 2021, 60, S113-S124.	1.9	10
92	Similar biologic drug response regardless of radiographic status in axial spondyloarthritis: data from the British Society for Rheumatology Biologics Register in Ankylosing Spondylitis registry. <i>Rheumatology</i> , 2021, 60, 5795-5800.	1.9	10
93	Depression and anxiety symptoms at TNF inhibitor initiation are associated with impaired treatment response in axial spondyloarthritis. <i>Rheumatology</i> , 2021, 60, 5734-5742.	1.9	9
94	Pain in children – a call for more longitudinal research. <i>Pain</i> , 2011, 152, 2202-2203.	4.2	8
95	The evidence base for managing older persons with low back pain. <i>British Journal of Pain</i> , 2012, 6, 166-169.	1.5	8
96	Fatigue-related brain white matter changes in granulomatosis with polyangiitis. <i>Rheumatology</i> , 2013, 52, 1429-1434.	1.9	8
97	The effect of an internet option and single-sided printing format to increase the response rate to a population-based study: a randomized controlled trial. <i>BMC Medical Research Methodology</i> , 2014, 14, 104.	3.1	8
98	Comorbidity and response to TNF inhibitors in axial spondyloarthritis: longitudinal analysis of the BSRBR-AS. <i>Rheumatology</i> , 2021, 60, 4158-4165.	1.9	8
99	Onset of neck pain after a motor vehicle accident: a case-control study. <i>Journal of Rheumatology</i> , 2005, 32, 1576-83.	2.0	8
100	Pain reporting in older adults: the influence of cognitive impairment – results from the Cambridge City &gt;75 Cohort study. <i>British Journal of Pain</i> , 2014, 8, 119-124.	1.5	7
101	Impact of discordance between patient’s and evaluator’s global assessment on treatment outcomes in 14,868 patients with spondyloarthritis. <i>Rheumatology</i> , 2020, 59, 2455-2461.	1.9	7
102	The changing states of fibromyalgia in patients with axial spondyloarthritis: results from the British Society of Rheumatology Biologics Register for Ankylosing Spondylitis. <i>Rheumatology</i> , 2021, 60, 4121-4129.	1.9	7
103	European bio-naïve spondyloarthritis patients initiating TNF inhibitor: time trends in baseline characteristics, treatment retention and response. <i>Rheumatology</i> , 2022, 61, 3799-3807.	1.9	7
104	Maintained physical activity and physiotherapy in the management of distal upper limb pain – a protocol for a randomised controlled trial (the arm pain trial). <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 71.	1.9	6
105	The re-evaluation of the measurement of pain in population-based epidemiological studies: The SHAMA study. <i>British Journal of Pain</i> , 2015, 9, 134-141.	1.5	6
106	Maintained physical activity and physiotherapy in the management of distal arm pain: a randomised controlled trial. <i>RMD Open</i> , 2019, 5, e000810.	3.8	6
107	What is the incidence of complex regional pain syndrome (CRPS) Type I within four months of a wrist fracture in the adult population? A systematic review. <i>Hand Therapy</i> , 2020, 25, 45-55.	1.4	6
108	Quantifying and predicting the effect of anti-TNF therapy on axSpA-related fatigue: results from the BSRBR-AS registry and meta-analysis. <i>Rheumatology</i> , 2020, 59, 3408-3414.	1.9	6



#	ARTICLE	IF	CITATIONS
109	Simplified bedside assessment of pulmonary gas exchange in very preterm infants at 36 weeksâ€™ postmenstrual age. <i>Thorax</i> , 2021, 76, 689-695.	5.6	6
110	The 2022 British Society for Rheumatology guideline for the treatment of psoriatic arthritis with biologic and targeted synthetic DMARDs. <i>Rheumatology</i> , 2022, 61, e255-e266.	1.9	6
111	Reproducibility of pain manikins: a comparison of paper versus online questionnaires. <i>British Journal of Pain</i> , 2013, 7, 130-137.	1.5	5
112	Smoking status and cause-specific discontinuation of tumour necrosis factor inhibitors in axial spondyloarthritis. <i>Arthritis Research and Therapy</i> , 2019, 21, 177.	3.5	5
113	Investigating the role of beliefs about emotions, emotional suppression and distress within a pain management programme for fibromyalgia. <i>British Journal of Pain</i> , 2019, 13, 112-120.	1.5	5
114	Smoking does not protect patients with axial spondyloarthritis from attacks of uveitis. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1287-1288.	0.9	5
115	Comment on Hendriks et al.: Prognostic factors for poor recovery in acute whiplash patients. <i>Pain</i> 2005;114:408â€“416. <i>Pain</i> , 2005, 119, 247-248.	4.2	4
116	Treatment of psoriatic arthritis with biologic and targeted synthetic DMARDs: British Society for Rheumatology guideline scope. <i>Rheumatology</i> , 2021, 60, 1588-1592.	1.9	4
117	Alternative population sampling frames produced important differences in estimates of association: a caseâ€“control study of vasculitis. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 675-680.	5.0	3
118	Trauma and Fibromyalgia â€“ Black and White? Or 50 Shades of Grey?. <i>Journal of Rheumatology</i> , 2014, 41, 1732-1733.	2.0	3
119	Cost-utility of maintained physical activity and physiotherapy in the management of distal arm pain: an economic evaluation of data from a randomized controlled trial. <i>Family Practice</i> , 2019, 36, 179-186.	1.9	3
120	The role of metrology in axSpA: does it provide unique information in assessing patients and predicting outcome? Results from the BSRBRâ€“CAS registry. <i>Arthritis Care and Research</i> , 2020, , .	3.4	3
121	Driving difficulties in patients with axial spondyloarthritis: Results from the Scotland Registry for Ankylosing Spondylitis. <i>Arthritis Care and Research</i> , 2021, , .	3.4	3
122	The psychological and psychosocial impact of the Pakistan Kashmir earthquake after 8 months: a preliminary evaluation by PACTT. <i>International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists</i> , 2008, 5, 43-46.	0.1	3
123	224.â€fThe Natural History of Ankylosing Spondylitis: Results from the Scotland and Ireland Registry for Ankylosing Spondylitis. <i>Rheumatology</i> , 2014, 53, i143-i144.	1.9	2
124	Constructs of health belief and disabling distal upper limb pain. <i>Scandinavian Journal of Pain</i> , 2016, 13, 91-97.	1.3	2
125	The BSR-PsA: study protocol for the British Society for Rheumatology psoriatic arthritis register. <i>BMC Rheumatology</i> , 2021, 5, 19.	1.6	2
126	Challenges in the management of distal arm pain. <i>Pain Management</i> , 2012, 2, 97-100.	1.5	1



#	ARTICLE	IF	CITATIONS
127	OP0262â€¦FACTORS ASSOCIATED WITH ACUTE ANTERIOR IVEITIS IN PATIENTS WITH AXIAL SPONDYLOARTHRITIS: ANALYSIS OF THE BSRBR-AS REGISTER DATABASE. , 2019, , .		1
128	Generating EQ-5D-5L health utility scores from BASDAI and BASFI: a mapping study in patients with axial spondyloarthritis using longitudinal UK registry data. European Journal of Health Economics, 2022, 23, 1357-1369.	2.8	1
129	Enabling work participation for people with musculoskeletal conditions: lessons from work changes imposed by COVID-19: a mixed-method study. BMJ Open, 2022, 12, e057919.	1.9	1
130	Risk factors for the onset of abdominal pain in children: A prospective population based study. Gastroenterology, 2003, 124, A18.	1.3	0
131	230.â€¦Predictors of Driving Disability in Ankylosing Spondylitis: Results from the Scotland and Ireland Registry for Ankylosing Spondylitis. Rheumatology, 2014, 53, i145-i146.	1.9	0
132	225.â€¦Determinants of As-Related Fatigue and the Risks of its Persistence: Results from the Scotland and Ireland Registry for Ankylosing Spondylitis. Rheumatology, 2014, 53, i144-i144.	1.9	0
133	SPONDYLARTHROPATHIES (INCLUDING PSORIATIC ARTHRITIS)099.â€¦SMOKING EXPOSURE IS ASSOCIATED WITH INCREASED DISEASE SEVERITY IN AXIAL SPONDYLOARTHRITIS: RESULTS FROM THE BRITISH SOCIETY FOR RHEUMATOLOGY BIOLOGICS REGISTER FOR ANKYLOSING SPONDYLITIS. Rheumatology, 2017, 56, .	1.9	0
134	Dimension of pain-related quality of life and self-reported mental health in men and women of the European Prospective Investigation into Cancerâ€”Norfolk cohort: a population-based cross-sectional study. British Journal of Pain, 2018, 12, 35-46.	1.5	0
135	O01â€¦Do patients with axial spondyloarthritis who meet research criteria for fibromyalgia benefit from biologic therapy?. Rheumatology, 2018, 57, .	1.9	0
136	PTU-002â€¦Achieving biochemical remission in crohnâ€™s disease with adalimumab therapy utilising therapeutic drug monitoring. , 2018, , .		0
137	i084â€¦The BSRBR-PsA: plans and progress. Rheumatology, 2018, 57, .	1.9	0
138	186â€¦Quality of life estimation in economic evaluations and healthcare decision making: different approaches, different results. Results from the British Society for Rheumatology Biologics Register in Ankylosing Spondylitis (BSRBR-AS). Rheumatology, 2018, 57, .	1.9	0
139	K2â€¦Impact of biologic therapy on work in patients with axial spondyloarthritis: results from the British Society for Rheumatology Biologics Register in Ankylosing Spondylitis (BSRBR-AS) and meta-analysis. Rheumatology, 2018, 57, .	1.9	0
140	O20â€¦The impact of axial spondyloarthritis on work productivity in individuals living in rural areas: results from the British Society for Rheumatology Biologics Register for Ankylosing Spondylitis (BSRBR-AS). Rheumatology, 2019, 58, .	1.9	0
141	OP0233â€¦...THE IMPACT OF EXTRA-ARTICULAR MANIFESTATIONS ON THE CHOICE OF TNF INHIBITOR IN PATIENTS WITH AXIAL SPONDYLOARTHRITIS IN THE BSRBR-AS REGISTER. , 2019, , .		0
142	BRITSpA at five. Rheumatology, 2020, 59, 699-701.	1.9	0
143	P244â€¦Determining factors related to poor quality of life in patients with axSpA: results from the British Society for Rheumatology Biologics Register. Rheumatology, 2020, 59, .	1.9	0
144	P246â€¦Predicting non-response to biologic therapy amongst patients with axSpA: results from the British Society for Rheumatology Biologics Register. Rheumatology, 2020, 59, .	1.9	0

#	ARTICLE	IF	CITATIONS
145	P257â€fReal-world evidence of TNF inhibition in axial spondyloarthritis: can we generalise the results from clinical trials?. Rheumatology, 2020, 59, .	1.9	0
146	P155â€f...88000 faecal calprotectin measurements over 15 years: insights gained from the edinburgh faecal calprotectin register. , 2021, , .		0
147	EpidemiologÃa del dolor. , 2007, , 1231-1246.		0
148	The psychological and psychosocial impact of the Pakistan Kashmir earthquake after 8 months: a preliminary evaluation by PACTT. International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists, 2008, 5, 43-46.	0.1	0
149	Lessons from experiences of accessing healthcare during the pandemic for remobilizing rheumatology services: a national mixed methods study. Rheumatology Advances in Practice, 2022, 6, rkac013.	0.7	0
150	P178â€fAdvising workers with distal arm pain to remain active: a secondary analysis of the ARM trial, a multicentre randomised controlled trial. Rheumatology, 2022, 61, .	1.9	0
151	P272â€fPregnancy outcomes in women receiving biological therapy for axial spondyloarthritis. Rheumatology, 2022, 61, .	1.9	0
152	P262â€fThe occurrence and characteristics of severe pain in patients with axial spondyloarthritis. Rheumatology, 2022, 61, .	1.9	0
153	OA17â€fThe risk of inflammatory bowel disease in patients with axial spondyloarthritis treated with biologic agents: data from the BSR registry in axial spondyloarthritis (BSRBR-AS) and meta-analysis. Rheumatology, 2022, 61, .	1.9	0