

# Antje Wick

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7190968/publications.pdf>

Version: 2024-02-01

53  
papers

4,716  
citations

159585

30  
h-index

214800

47  
g-index

53  
all docs

53  
docs citations

53  
times ranked

6589  
citing authors

#	ARTICLE	IF	CITATIONS
1	Dabrafenib plus trametinib in patients with BRAFV600E-mutant low-grade and high-grade glioma (ROAR): a multicentre, open-label, single-arm, phase 2, basket trial. <i>Lancet Oncology</i> , The, 2022, 23, 53-64.	10.7	165
2	Prognostic Significance of DNA Methylation Profiles at MRI Enhancing Tumor Recurrence: a Report from the EORTC 26091 TAVAREC Trial. <i>Clinical Cancer Research</i> , 2022, 28, 2440-2448.	7.0	3
3	Phase III trial of chemoradiotherapy with temozolomide plus nivolumab or placebo for newly diagnosed glioblastoma with methylated <i>MGMT</i> promoter. <i>Neuro-Oncology</i> , 2022, 24, 1935-1949.	1.2	165
4	Phase I Assessment of Safety and Therapeutic Activity of BAY1436032 in Patients with IDH1-Mutant Solid Tumors. <i>Clinical Cancer Research</i> , 2021, 27, 2723-2733.	7.0	33
5	A vaccine targeting mutant IDH1 in newly diagnosed glioma. <i>Nature</i> , 2021, 592, 463-468.	27.8	232
6	Prophylactic anticoagulation in patients with glioblastoma or brain metastases and atrial fibrillation: an increased risk for intracranial hemorrhage?. <i>Journal of Neuro-Oncology</i> , 2021, 152, 483-490.	2.9	13
7	Abstract CT025: Dabrafenib plus trametinib in BRAF V600E-mutant high-grade (HGG) and low-grade glioma (LGG). , 2021, , .		5
8	Tryptophan metabolism is inversely regulated in the tumor and blood of patients with glioblastoma. <i>Theranostics</i> , 2021, 11, 9217-9233.	10.0	16
9	Deep-learning-based synthesis of post-contrast T1-weighted MRI for tumour response assessment in neuro-oncology: a multicentre, retrospective cohort study. <i>The Lancet Digital Health</i> , 2021, 3, e784-e794.	12.3	52
10	Assessment of CAR T Cell Frequencies in Axicabtagene Ciloleucel and Tisagenlecleucel Patients Using Duplex Quantitative PCR. <i>Cancers</i> , 2020, 12, 2820.	3.7	13
11	Methylome analyses of three glioblastoma cohorts reveal chemotherapy sensitivity markers within DDR genes. <i>Cancer Medicine</i> , 2020, 9, 8373-8385.	2.8	19
12	Noninvasive Characterization of Tumor Angiogenesis and Oxygenation in Bevacizumab-treated Recurrent Glioblastoma by Using Dynamic Susceptibility MRI: Secondary Analysis of the European Organization for Research and Treatment of Cancer 26101 Trial. <i>Radiology</i> , 2020, 297, 164-175.	7.3	19
13	Effect of Nivolumab vs Bevacizumab in Patients With Recurrent Glioblastoma. <i>JAMA Oncology</i> , 2020, 6, 1003.	7.1	805
14	Validation of diffusion MRI phenotypes for predicting response to bevacizumab in recurrent glioblastoma: post-hoc analysis of the EORTC-26101 trial. <i>Neuro-Oncology</i> , 2020, 22, 1667-1676.	1.2	9
15	Phase 1b/2a study of galunisertib, a small molecule inhibitor of transforming growth factor-beta receptor I, in combination with standard temozolomide-based radiochemotherapy in patients with newly diagnosed malignant glioma. <i>Investigational New Drugs</i> , 2020, 38, 1570-1579.	2.6	70
16	Superiority of temozolomide over radiotherapy for elderly patients with RTK II methylation class, <i>MGMT</i> promoter methylated malignant astrocytoma. <i>Neuro-Oncology</i> , 2020, 22, 1162-1172.	1.2	42
17	Quantitative Dynamic Oxygen 17 MRI at 7.0 T for the Cerebral Oxygen Metabolism in Glioma. <i>Radiology</i> , 2020, 295, 181-189.	7.3	37
18	Oral DNA vaccination targeting VEGFR2 combined with anti-PDL1 avelumab in patients with progressive glioblastoma: Safety run-in resultsâ€”NCT03750071.. <i>Journal of Clinical Oncology</i> , 2020, 38, 3001-3001.	1.6	2

#	ARTICLE	IF	CITATIONS
19	Automated brain extraction of multisequence MRI using artificial neural networks. <i>Human Brain Mapping</i> , 2019, 40, 4952-4964.	3.6	284
20	Automated quantitative tumour response assessment of MRI in neuro-oncology with artificial neural networks: a multicentre, retrospective study. <i>Lancet Oncology</i> , The, 2019, 20, 728-740.	10.7	271
21	Location and Volume of MRI Artifacts in Patients With Implanted Sphenopalatine Ganglion Neurostimulators for Treatment of Chronic Cluster Headache. <i>Neuromodulation</i> , 2019, 22, 978-985.	0.8	2
22	N2M2 (NOA-20) phase I/II trial of molecularly matched targeted therapies plus radiotherapy in patients with newly diagnosed non-MGMT hypermethylated glioblastoma. <i>Neuro-Oncology</i> , 2019, 21, 95-105.	1.2	100
23	Molecular genetic, host-derived and clinical determinants of long-term survival in glioblastoma: First results from the ETERNITY study (EORTC 1419).. <i>Journal of Clinical Oncology</i> , 2019, 37, 2056-2056.	1.6	3
24	Oral DNA vaccination targeting VEGFR-2 combined with anti-PD-L1 avelumab in patients with progressive glioblastoma, a phase I/II study: NCT03750071.. <i>Journal of Clinical Oncology</i> , 2019, 37, TPS2076-TPS2076.	1.6	0
25	Impact of predictive impact of MGMT promoter methylation in malignant astrocytomas depends on the methylation subgroup.. <i>Journal of Clinical Oncology</i> , 2019, 37, 2013-2013.	1.6	0
26	Novel, improved grading system(s) for IDH-mutant astrocytic gliomas. <i>Acta Neuropathologica</i> , 2018, 136, 153-166.	7.7	298
27	Feasibility of real-time molecular profiling for patients with newly diagnosed glioblastoma without MGMT promoter hypermethylationâ€”the NCT Neuro Master Match (N2M2) pilot study. <i>Neuro-Oncology</i> , 2018, 20, 826-837.	1.2	32
28	Nonmeasurable Speckled Contrast-Enhancing Lesions Appearing During Course of Disease Are Associated With IDH Mutation in High-Grade Astrocytoma Patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018, 102, 1472-1480.	0.8	5
29	Bevacizumab and temozolomide in patients with first recurrence of WHO grade II and III glioma, without 1p/19q co-deletion (TAVAREC): a randomised controlled phase 2 EORTC trial. <i>Lancet Oncology</i> , The, 2018, 19, 1170-1179.	10.7	80
30	Treatment of glioblastoma in adults. <i>Therapeutic Advances in Neurological Disorders</i> , 2018, 11, 175628641879045.	3.5	117
31	A mutation-specific peptide vaccine targeting IDH1R132H in patients with newly diagnosed malignant astrocytomas: A first-in-man multicenter phase I clinical trial of the German Neurooncology Working Group (NOA-16).. <i>Journal of Clinical Oncology</i> , 2018, 36, 2001-2001.	1.6	21
32	VXM01 phase I study in patients with progressive glioblastoma: Final results.. <i>Journal of Clinical Oncology</i> , 2018, 36, 2017-2017.	1.6	87
33	Towards a molecular algorithm predicting glioma treatment response and resistance: A biomarker analysis and path to real time profiling in N2M2.. <i>Journal of Clinical Oncology</i> , 2018, 36, 12090-12090.	1.6	0
34	Assessment of tumor oxygenation and its impact on treatment response in bevacizumab-treated recurrent glioblastoma. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017, 37, 485-494.	4.3	32
35	ID(H)entifying checkpoint inhibitor candidates among diffuse glioma. <i>Neuro-Oncology</i> , 2017, 19, 1427-1428.	1.2	1
36	ACTR-23. MOLECULAR GENETIC, HOST-DERIVED AND CLINICAL DETERMINANTS OF LONG-TERM SURVIVAL IN GLIOBLASTOMA: FIRST RESULTS FROM THE BRAIN TUMOR FUNDERSâ€™™ COLLABORATIVE CONSORTIUM. <i>Neuro-Oncology</i> , 2017, 19, vi5-vi6.	1.2	0

#	ARTICLE	IF	CITATIONS
37	VXM01 phase I study in patients with resectable progression of a glioblastoma.. Journal of Clinical Oncology, 2017, 35, 2061-2061.	1.6	4
38	Long-term analysis of the NOA-04 randomized phase III trial of sequential radiochemotherapy of anaplastic glioma with PCV or temozolomide. Neuro-Oncology, 2016, 18, now133.	1.2	130
39	Phase II Study of Radiotherapy and Temozolimus versus Radiochemotherapy with Temozolomide in Patients with Newly Diagnosed Glioblastoma without <i>MGMT</i> Promoter Hypermethylation (EORTC 26082). Clinical Cancer Research, 2016, 22, 4797-4806.	7.0	105
40	Radiogenomics of Glioblastoma: Machine Learning–based Classification of Molecular Characteristics by Using Multiparametric and Multiregional MR Imaging Features. Radiology, 2016, 281, 907-918.	7.3	236
41	Impact of tapering and discontinuation of bevacizumab in patients with progressive glioblastoma. Journal of Neuro-Oncology, 2016, 129, 533-539.	2.9	5
42	Radiomic Profiling of Glioblastoma: Identifying an Imaging Predictor of Patient Survival with Improved Performance over Established Clinical and Radiologic Risk Models. Radiology, 2016, 280, 880-889.	7.3	345
43	Clinical parameters outweigh diffusion- and perfusion-derived MRI parameters in predicting survival in newly diagnosed glioblastoma. Neuro-Oncology, 2016, 18, 1673-1679.	1.2	36
44	Next-generation sequencing in routine brain tumor diagnostics enables an integrated diagnosis and identifies actionable targets. Acta Neuropathologica, 2016, 131, 903-910.	7.7	203
45	MR Perfusion–derived Hemodynamic Parametric Response Mapping of Bevacizumab Efficacy in Recurrent Glioblastoma. Radiology, 2016, 279, 542-552.	7.3	51
46	Current status and future directions of anti-angiogenic therapy for gliomas. Neuro-Oncology, 2016, 18, 315-328.	1.2	61
47	Umbrella protocol for phase I/IIa trials of molecularly matched targeted therapies plus radiotherapy in patients with newly diagnosed glioblastoma without <i>MGMT</i> promoter methylation Neuro Master Match (N <sup>2</sup> M <sup>2</sup> ).. Journal of Clinical Oncology, 2016, 34, TPS2084-TPS2084.	1.6	4
48	Pseudoprogression in patients with glioblastoma: clinical relevance despite low incidence. Neuro-Oncology, 2015, 17, 151-159.	1.2	90
49	Relative cerebral blood volume is a potential predictive imaging biomarker of bevacizumab efficacy in recurrent glioblastoma. Neuro-Oncology, 2015, 17, 1139-1147.	1.2	89
50	<i>MGMT</i> Promoter Methylation Is a Strong Prognostic Biomarker for Benefit from Dose-Intensified Temozolomide Rechallenge in Progressive Glioblastoma: The DIRECTOR Trial. Clinical Cancer Research, 2015, 21, 2057-2064.	7.0	264
51	Glioma cell VEGFR-2 confers resistance to chemotherapeutic and antiangiogenic treatments in PTEN-deficient glioblastoma. Oncotarget, 2015, 6, 31050-31068.	1.8	52
52	<i>MGMT</i> promoter methylation as a prognostic biomarker for benefit from dose-intensified temozolomide rechallenge in progressive glioblastoma: First results from the randomized phase II DIRECTOR trial.. Journal of Clinical Oncology, 2014, 32, 2015-2015.	1.6	6
53	Lung toxicity of CCNU in the treatment of progressive gliomas. Neuro-Oncology Advances, 0, , .	0.7	2