Baozhan Zheng

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7196693/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	One-dimensional conductive metal–organic framework nanorods: a highly selective electrocatalyst for the oxygen reduction to hydrogen peroxide. Journal of Materials Chemistry A, 2021, 9, 20345-20349.	10.3	36
2	Dual-readout performance of Eu ³⁺ -doped nanoceria as a phosphatase mimic for degradation and detection of organophosphate. Analytical Methods, 2021, 13, 4747-4755.	2.7	10
3	In Situ Derived Bi Nanoparticles Confined in Carbon Rods as an Efficient Electrocatalyst for Ambient N ₂ Reduction to NH ₃ . Inorganic Chemistry, 2021, 60, 7584-7589.	4.0	15
4	Silicon nanoparticles-based ratiometric fluorescence platform: Real-time visual sensing to ciprofloxacin and Cu2+. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2021, 253, 119599.	3.9	14
5	A NiCo LDH nanosheet array on graphite felt: an efficient 3D electrocatalyst for the oxygen evolution reaction in alkaline media. Inorganic Chemistry Frontiers, 2021, 8, 3162-3166.	6.0	181
6	FeOOH quantum dots decorated graphene sheet: An efficient electrocatalyst for ambient N2 reduction. Nano Research, 2020, 13, 209-214.	10.4	48
7	P-Doped graphene toward enhanced electrocatalytic N ₂ reduction. Chemical Communications, 2020, 56, 1831-1834.	4.1	67
8	Magnetron sputtering enabled synthesis of nanostructured materials for electrochemical energy storage. Journal of Materials Chemistry A, 2020, 8, 20260-20285.	10.3	25
9	Simulation and Experimental Study on Doubled-Input Capacitively Coupled Contactless Conductivity Detection of Capillary Electrophoresis. Scientific Reports, 2020, 10, 7944.	3.3	6
10	The synthesis of highly active carbon dot-coated gold nanoparticles <i>via</i> the room-temperature <i>in situ</i> carbonization of organic ligands for 4-nitrophenol reduction. RSC Advances, 2020, 10, 19419-19424.	3.6	10
11	Sn dendrites for electrocatalytic N ₂ reduction to NH ₃ under ambient conditions. Sustainable Energy and Fuels, 2020, 4, 4469-4472.	4.9	54
12	Bi nanodendrites for efficient electrocatalytic N ₂ fixation to NH ₃ under ambient conditions. Chemical Communications, 2020, 56, 2107-2110.	4.1	71
13	Hydrophobic AgNPs: one-step synthesis in aqueous solution and their greatly enhanced performance for SERS detection. Journal of Materials Chemistry C, 2019, 7, 10465-10470.	5.5	18
14	Construction of a ratiometric phosphorescent assay with long-lived carbon quantum dots and inorganic nanoparticles for its application in environmental and biological systems. New Journal of Chemistry, 2019, 43, 12410-12416.	2.8	7
15	Metal–organic framework-derived shuttle-like V ₂ O ₃ /C for electrocatalytic N ₂ reduction under ambient conditions. Inorganic Chemistry Frontiers, 2019, 6, 391-395.	6.0	79
16	Improved Electrochemiluminescence Behavior of Glassy Carbon Electrode Through Inâ€Situ Chemical Bonding Modification. ChemElectroChem, 2019, 6, 1878-1883.	3.4	1
17	A rapid room-temperature DNA amplification and detection strategy based on nicking endonuclease and catalyzed hairpin assembly. Analytical Methods, 2019, 11, 2537-2541.	2.7	15
18	Simultaneous Determination of Isoflavones and Equol in Egg Yolk Using UPLC-MS/MS. Food Analytical Methods, 2019, 12, 859-868.	2.6	2

#	Article	IF	CITATIONS
19	Construction of hydrophobic interface on natural biomaterials for higher efficient and reversible radioactive iodine adsorption in water. Journal of Hazardous Materials, 2019, 368, 81-89.	12.4	22
20	A fluorescent "on-off-on―probe for sensitive detection of ATP based on ATP displacing DNA from nanoceria. Talanta, 2018, 179, 285-291.	5.5	27
21	Self-assembly of DNA nanoparticles through multiple catalyzed hairpin assembly for enzyme-free nucleic acid amplified detection. Talanta, 2018, 179, 641-645.	5.5	28
22	Synthesis of water-soluble fluorescent carbon dots from <i>Setcreasea purpurea boom</i> and its application for Br ₂ detection. Analytical Methods, 2018, 10, 151-157.	2.7	18
23	Nanostructured Bromide-Derived Ag Film: An Efficient Electrocatalyst for N2Reduction to NH3under Ambient Conditions. Inorganic Chemistry, 2018, 57, 14692-14697.	4.0	27
24	High-Efficiency Electrosynthesis of Ammonia with High Selectivity under Ambient Conditions Enabled by VN Nanosheet Array. ACS Sustainable Chemistry and Engineering, 2018, 6, 9545-9549.	6.7	170
25	Efficient Electrochemical N ₂ Reduction to NH ₃ on MoN Nanosheets Array under Ambient Conditions. ACS Sustainable Chemistry and Engineering, 2018, 6, 9550-9554.	6.7	210
26	Enabling Effective Electrocatalytic N ₂ Conversion to NH ₃ by the TiO ₂ Nanosheets Array under Ambient Conditions. ACS Applied Materials & Interfaces, 2018, 10, 28251-28255.	8.0	222
27	A selective and sensitive fluorescent probe for the determination of HSA and trypsin. Talanta, 2017, 170, 562-568.	5.5	35
28	Surfactant-free gold nanoparticles: rapid and green synthesis and their greatly improved catalytic activities for 4-nitrophenol reduction. Inorganic Chemistry Frontiers, 2017, 4, 1268-1272.	6.0	30
29	A NiCo ₂ O ₄ @Ni–Co–Ci core–shell nanowire array as an efficient electrocatalyst for water oxidation at near-neutral pH. Chemical Communications, 2017, 53, 7812-7815.	4.1	49
30	N-Doped carbon dots: a metal-free co-catalyst on hematite nanorod arrays toward efficient photoelectrochemical water oxidation. Inorganic Chemistry Frontiers, 2017, 4, 537-540.	6.0	86
31	Surface Amorphization: A Simple and Effective Strategy toward Boosting the Electrocatalytic Activity for Alkaline Water Oxidation. ACS Sustainable Chemistry and Engineering, 2017, 5, 8518-8522.	6.7	51
32	Facilitating Active Species Generation by Amorphous NiFeâ€B _i Layer Formation on NiFeâ€LDH Nanoarray for Efficient Electrocatalytic Oxygen Evolution at Alkaline pH. Chemistry - A European Journal, 2017, 23, 11499-11503.	3.3	69
33	N-Doped carbon dots: green and efficient synthesis on a large-scale and their application in fluorescent pH sensing. New Journal of Chemistry, 2017, 41, 10607-10612.	2.8	63
34	Surface Modification of a NiS ₂ Nanoarray with Ni(OH) ₂ toward Superior Water Reduction Electrocatalysis in Alkaline Media. Inorganic Chemistry, 2017, 56, 13651-13654.	4.0	84
35	Self-driven mercury motor via redox reaction in acid solution. RSC Advances, 2017, 7, 32552-32558.	3.6	1
36	Ultrastrong Chemiluminescence Activity of Nanocarbon Materials after Ozonation and Their Effects on Different Chemiluminescent Systems. Chemistry - A European Journal, 2016, 22, 8966-8971.	3.3	1

#	Article	IF	CITATIONS
37	A selective fluorescent probe based on bis-Schiff base for "turn-on―detection of Al ³⁺ and cysteine by different mechanisms. RSC Advances, 2016, 6, 25420-25426.	3.6	37
38	A specific and biocompatible fluorescent sensor based on the hybrid of GFP chromophore and peptide for HSA detection. Biosensors and Bioelectronics, 2016, 86, 489-495.	10.1	40
39	Target-catalyzed autonomous assembly of dendrimer-like DNA nanostructures for enzyme-free and signal amplified colorimetric nucleic acids detection. Biosensors and Bioelectronics, 2016, 86, 985-989.	10.1	51
40	Unusual sequence length-dependent gold nanoparticles aggregation of the ssDNA sticky end and its application for enzyme-free and signal amplified colorimetric DNA detection. Scientific Reports, 2016, 6, 30878.	3.3	31
41	Target-triggered autonomous assembly of DNA polymer chains and its application in colorimetric nucleic acid detection. Journal of Materials Chemistry B, 2016, 4, 3191-3194.	5.8	32
42	Synthesis of "amphiphilic―carbon dots and their application for the analysis of iodine species (I ₂ , I ^{â^'} and IO ₃ ^{â^'}) in highly saline water. Analyst, The, 2016, 141, 2508-2514.	3.5	20
43	Self-assembled hybrids with xanthate functionalized carbon nanotubes and electro-exfoliating graphene sheets for electrochemical sensing of copper ions. Journal of Electroanalytical Chemistry, 2016, 767, 100-107.	3.8	20
44	N-doped carbon dots with high sensitivity and selectivity for hypochlorous acid detection and its application in water. Analytical Methods, 2015, 7, 5311-5317.	2.7	31
45	One pot selective synthesis of water and organic soluble carbon dots with green fluorescence emission. RSC Advances, 2015, 5, 11667-11675.	3.6	68
46	Solvothermal synthesis of oxygen/nitrogen functionalized graphene-like materials with diversified morphology from different carbon sources and their fluorescence properties. Journal of Materials Science, 2015, 50, 1300-1308.	3.7	6
47	Fast microwave-assisted synthesis of AuAg bimetallic nanoclusters with strong yellow emission and their response to mercury(II) ions. Sensors and Actuators B: Chemical, 2015, 221, 386-392.	7.8	46
48	Facile Fabrication of Mn ₂ O ₃ Nanoparticle-Assembled Hierarchical Hollow Spheres and Their Sensing for Hydrogen Peroxide. ACS Applied Materials & Interfaces, 2015, 7, 9526-9533.	8.0	88
49	A FRET chemsensor based on graphene quantum dots for detecting and intracellular imaging of Hg 2+. Talanta, 2015, 143, 442-449.	5.5	41
50	Rapid microwave-assisted fabrication of 3D cauliflower-like NiCo ₂ S ₄ architectures for asymmetric supercapacitors. RSC Advances, 2015, 5, 21604-21613.	3.6	91
51	Highly selective and sensitive fluorescence probe based on thymine-modified carbon dots for Hg ²⁺ and <scp>l</scp> -cysteine detection. RSC Advances, 2015, 5, 89121-89127.	3.6	25
52	Small molecular neutral microcrystalline iridium(<scp>iii</scp>) complexes as promising molecular oxygen sensors. Chemical Communications, 2015, 51, 1926-1929.	4.1	23
53	A sensitive and selective chemosensor for ascorbic acid based on a fluorescent nitroxide switch. Talanta, 2015, 132, 191-196.	5.5	30
54	A sensitive AgNPs/CuO nanofibers non-enzymatic glucose sensor based on electrospinning technology. Sensors and Actuators B: Chemical, 2014, 195, 431-438.	7.8	148

#	Article	IF	CITATIONS
55	The role of ozone in the ozonation process of graphene oxide: oxidation or decomposition?. RSC Advances, 2014, 4, 58325-58328.	3.6	37
56	Three-dimensional amorphous tungsten-doped nickel phosphide microsphere as an efficient electrocatalyst for hydrogen evolution. Journal of Materials Chemistry A, 2014, 2, 18593-18599.	10.3	109
57	A self-assembled net structured film for the immobilization of tris(2,2′-bipyridyl)ruthenium(<scp>ii</scp>) and its ultrasensitive electrogenerated chemiluminescent sensing for phenol. RSC Advances, 2014, 4, 467-473.	3.6	6
58	A novel dual-switch fluorescent probe for Cr(<scp>iii</scp>) ion based on PET–FRET processes. Analyst, The, 2014, 139, 3607-3613.	3.5	53
59	Microwave-Assisted Synthesis of Red-Light Emitting Au Nanoclusters with the Use of Egg White. Journal of Chemical Education, 2014, 91, 1715-1719.	2.3	19
60	CuO–Ag2O nanoparticles grown on a AgCuZn alloy substrate in situ for use as a highly sensitive non-enzymatic glucose sensor. Analytical Methods, 2014, 6, 2215.	2.7	17
61	A facile large-scale microwave synthesis of highly fluorescent carbon dots from benzenediol isomers. Journal of Materials Chemistry C, 2014, 2, 5028-5035.	5.5	80
62	Molten-salt synthesis of lamellar Ni(OH)2/NiOOH composite and its application for pseudocapacitor. Journal of Alloys and Compounds, 2014, 610, 549-554.	5.5	19
63	Large enhancement of oscillating chemiluminescence with [Ru(bpy) ₃] ²⁺ â€catalyzed Belousov–Zhabotinsky reaction in the presence of triâ€ <i>n</i> â€propylamine. Luminescence, 2013, 28, 760-764.	2.9	2
64	Anodic Electrogenerated Chemiluminescence Behavior of Graphite-Like Carbon Nitride and Its Sensing for Rutin. Analytical Chemistry, 2013, 85, 2601-2605.	6.5	199
65	Electrophoresis deposition of Ag nanoparticles on TiO2 nanotube arrays electrode for hydrogen peroxide sensing. Talanta, 2013, 112, 129-135.	5.5	54
66	A highly sensitive and selective turn-on fluorogenic and colorimetric sensor based on pyrene-functionalized magnetic nanoparticles for Hg2+ detection and cell imaging. Talanta, 2013, 117, 338-344.	5.5	24
67	Hierarchical graphite oxide fabricated from graphite via electrochemical cleavage as an anode material for lithium ion batteries. RSC Advances, 2013, 3, 12758.	3.6	5
68	Enhancing catalytic formaldehyde oxidation on CuO–Ag2O nanowires for gas sensing and hydrogen evolution. Journal of Materials Chemistry A, 2013, 1, 14736.	10.3	52
69	Low-potential amperometric detection of dopamine based on MnO2 nanowires/chitosan modified gold electrode. Electrochimica Acta, 2013, 89, 832-839.	5.2	42
70	Electrochemical fabrication of lanthanum-doped TiO2 nanotube array electrode and investigation of its photoelectrochemical capability. Electrochimica Acta, 2013, 90, 589-596.	5.2	59
71	A sensitive and selective chemosensor for GSSG detection based on the recovered fluorescence of NDPA-Fe3O4@SiO2-Cu(II) nanomaterial. Biosensors and Bioelectronics, 2013, 48, 138-144.	10.1	20
72	Facile synthesis of functionalizated carbon nanospheres for determination of Cu2+. Analyst, The, 2013, 138, 2073.	3.5	19

#	Article	IF	CITATIONS
73	Improving the performance of a LiFePO4 cathode based on electrochemically cleaved graphite oxides with high hydrophilicity and good conductivity. Journal of Materials Chemistry A, 2013, 1, 7933.	10.3	31
74	Microwave-assisted non-aqueous homogenous precipitation of nanoball-like mesoporous α-Ni(OH)2 as a precursor for NiOx and its application as a pseudocapacitor. Journal of Materials Chemistry, 2012, 22, 8029.	6.7	117
75	Flower-shaped gold crystals grown on anodic etched porous silicon. Materials Letters, 2012, 86, 100-103.	2.6	1
76	Ultrahigh performance liquid chromatographic analysis and magnetic preconcentration of polycyclic aromatic hydrocarbons by Fe3O4-doped polymeric nanoparticles. Journal of Chromatography A, 2012, 1247, 1-9.	3.7	37
77	Enhancement of Electrochemiluminescence of Porous Silicon with Triâ€nâ€propylamine as Coâ€reactant. Electroanalysis, 2012, 24, 1887-1894.	2.9	6
78	Improvement of sensitive CuO NFs–ITO nonenzymatic glucose sensor based on in situ electrospun fiber. Talanta, 2012, 101, 24-31.	5.5	77
79	Influence of pH on the fluorescence properties of graphene quantum dots using ozonation pre-oxide hydrothermal synthesis. Journal of Materials Chemistry, 2012, 22, 25471.	6.7	196
80	Microwave-assisted synthesis of BSA-stabilized and HSA-protected gold nanoclusters with red emission. Journal of Materials Chemistry, 2012, 22, 1000-1005.	6.7	146
81	Electrogenerated Chemiluminescence Behavior of Graphite-like Carbon Nitride and Its Application in Selective Sensing Cu ²⁺ . Analytical Chemistry, 2012, 84, 4754-4759.	6.5	344
82	A Hg2+ selective fluorescent chemosensor based on rhodamine B thiohydrazide and its application in bioimaging. Analytical Methods, 2012, 4, 2369.	2.7	14
83	Cadmium sulfide nanotubes thin films: Characterization and photoelectrochemical behavior. Thin Solid Films, 2012, 520, 2520-2525.	1.8	5
84	In situ synthesis of gold nanoparticles on porous polyacrylonitrile nanofibers for sensing applications. Analyst, The, 2011, 136, 4545.	3.5	29
85	A fluorescent "turn-on―probe for the dual-channel detection of Hg(II) and Mg(II) and its application of imaging in living cells. Talanta, 2011, 85, 2194-2201.	5.5	83
86	Gold nanoparticles-coated eggshell membrane with immobilized glucose oxidase for fabrication of glucose biosensor. Sensors and Actuators B: Chemical, 2011, 152, 49-55.	7.8	87
87	Fast microwave synthesis of Fe3O4 and Fe3O4/Ag magnetic nanoparticles using Fe2+ as precursor. Inorganic Materials, 2010, 46, 1106-1111.	0.8	53
88	A spectrofluorimetric sensor based on grape skin tissue for determination of iron(III) . Bulletin of the Chemical Society of Ethiopia, 2010, 24, .	1.1	6
89	Preparation of gold nanoparticles on eggshell membrane and their biosensing application. Talanta, 2010, 82, 177-183.	5.5	100
90	Fabrication of Cu(OH) ₂ One Dimensional Nanostructures: Application to Humidity Sensing. Sensor Letters, 2007, 5, 559-564.	0.4	9

#	Article	IF	CITATIONS
91	Coexisting Chloride Ion for Boosting the Photoelectrocatalytic Degradation Efficiency of Organic Dyes. Catalysis Letters, 0, , 1.	2.6	0