## Lyubov Bulusheva

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7199865/publications.pdf Version: 2024-02-01



LYUROV RULLISHEVA

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Fluorographene: A Twoâ€Dimensional Counterpart of Teflon. Small, 2010, 6, 2877-2884.   | 10.0 | 1,146     |
| 2  | Electrochemical properties of nitrogen-doped carbon nanotube anode in Li-ion batteries. Carbon, 2011, 49, 4013-4023.   | 10.3 | 322       |
| 3  | Single Atoms of Pt-Group Metals Stabilized by N-Doped Carbon Nanofibers for Efficient Hydrogen<br>Production from Formic Acid. ACS Catalysis, 2016, 6, 3442-3451.                    | 11.2 | 270       |
| 4  | Charge Transfer in the MoS <sub>2</sub> /Carbon Nanotube Composite. Journal of Physical Chemistry C, 2011, 115, 21199-21204.   | 3.1  | 255       |
| 5  | Single Isolated Pd <sup>2+</sup> Cations Supported on N-Doped Carbon as Active Sites for Hydrogen Production from Formic Acid Decomposition. ACS Catalysis, 2016, 6, 681-691.        | 11.2 | 252       |
| 6  | Effect of nitrogen doping on Raman spectra of multiâ€walled carbon nanotubes. Physica Status Solidi<br>(B): Basic Research, 2008, 245, 1971-1974.                                    | 1.5  | 169       |
| 7  | Influence of Niâ^'Co Catalyst Composition on Nitrogen Content in Carbon Nanotubes. Journal of<br>Physical Chemistry B, 2004, 108, 9048-9053.   | 2.6  | 114       |
| 8  | Copper on carbon materials: stabilization by nitrogen doping. Journal of Materials Chemistry A, 2017, 5, 10574-10583.  | 10.3 | 103       |
| 9  | Double layer supercapacitor properties of onionâ€like carbon materials. Physica Status Solidi (B): Basic<br>Research, 2008, 245, 2296-2299.  | 1.5  | 100       |
| 10 | Electrochemical performance of arc-produced carbon nanotubes as anode material for lithium-ion batteries. Electrochimica Acta, 2007, 52, 5286-5293.                                  | 5.2  | 79        |
| 11 | Ni–Mo and Co–Mo alloy nanoparticles for catalytic chemical vapor deposition synthesis of carbon<br>nanotubes. Journal of Alloys and Compounds, 2015, 621, 351-356.                   | 5.5  | 77        |
| 12 | Bromination of Double-Walled Carbon Nanotubes. Chemistry of Materials, 2012, 24, 2708-2715.  | 6.7  | 76        |
| 13 | Factors Influencing the Performance of Pd/C Catalysts in the Green Production of Hydrogen from Formic Acid. ChemSusChem, 2017, 10, 720-730.  | 6.8  | 76        |
| 14 | <i>Ab initio</i> study of dielectric response of rippled graphene. Journal of Chemical Physics, 2011, 134, 244707.   | 3.0  | 72        |
| 15 | Fluorination of Arc-Produced Carbon Material Containing Multiwall Nanotubes. Chemistry of Materials, 2002, 14, 1472-1476.  | 6.7  | 70        |
| 16 | Modulating the defects of graphene blocks by ball-milling for ultrahigh gravimetric and volumetric performance and fast sodium storage. Energy Storage Materials, 2020, 30, 287-295. | 18.0 | 66        |
| 17 | Structure and supercapacitor performance of graphene materials obtained from brominated and fluorinated graphites. Carbon, 2014, 78, 137-146.  | 10.3 | 62        |
| 18 | Anisotropy of Chemical Bonding in Semifluorinated Graphite C <sub>2</sub> F Revealed with Angle-Resolved X-ray Absorption Spectroscopy. ACS Nano, 2013, 7, 65-74.                    | 14.6 | 61        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Controlling pyridinic, pyrrolic, graphitic, and molecular nitrogen in multi-wall carbon nanotubes<br>using precursors with different N/C ratios in aerosol assisted chemical vapor deposition. Physical<br>Chemistry Chemical Physics, 2015, 17, 23741-23747. | 2.8  | 61        |
| 20 | Graphene nanochains and nanoislands in the layers of room-temperature fluorinated graphite.<br>Carbon, 2013, 59, 518-529.   | 10.3 | 57        |
| 21 | Effect of nitrogen doping on the electromagnetic properties of carbon nanotube-based composites.<br>Journal of Applied Physics, 2013, 113, .  | 2.5  | 56        |
| 22 | Effect of substrate temperature on the structure of amorphous oxygenated hydrocarbon films grown with a pulsed supersonic methane plasma flow. Applied Surface Science, 2016, 385, 464-471.   | 6.1  | 54        |
| 23 | Field emission luminescence of nanodiamonds deposited on the aligned carbon nanotube array.<br>Scientific Reports, 2015, 5, 9379.   | 3.3  | 52        |
| 24 | Fluorine Patterning in Room-Temperature Fluorinated Graphite Determined by Solid-State NMR and DFT. Journal of Physical Chemistry C, 2013, 117, 7940-7948.  | 3.1  | 51        |
| 25 | Stability of Fluorinated Double-Walled Carbon Nanotubes Produced by Different Fluorination<br>Techniques. Chemistry of Materials, 2010, 22, 4197-4203.  | 6.7  | 49        |
| 26 | Nanometer-Sized MoS <sub>2</sub> Clusters on Graphene Flakes for Catalytic Formic Acid<br>Decomposition. ACS Catalysis, 2014, 4, 3950-3956.   | 11.2 | 49        |
| 27 | Supercapacitor performance of vertically aligned multiwall carbon nanotubes produced by aerosol-assisted CCVD method. Electrochimica Acta, 2014, 139, 165-172.  | 5.2  | 49        |
| 28 | Fluorinated cage multiwall carbon nanoparticles. Chemical Physics Letters, 2000, 322, 231-236.  | 2.6  | 46        |
| 29 | Anisotropic electromagnetic properties of polymer composites containing oriented multiwall carbon nanotubes in respect to terahertz polarizer applications. Journal of Applied Physics, 2013, 114, .  | 2.5  | 42        |
| 30 | A backside fluorine-functionalized graphene layer for ammonia detection. Physical Chemistry Chemical Physics, 2015, 17, 444-450.  | 2.8  | 42        |
| 31 | Pd Clusters Supported on Amorphous, Low-Porosity Carbon Spheres for Hydrogen Production from Formic Acid. ACS Applied Materials & Interfaces, 2015, 7, 8719-8726.   | 8.0  | 41        |
| 32 | Hydrothermal Activation of Porous Nitrogen-Doped Carbon Materials for Electrochemical Capacitors and Sodium-Ion Batteries. Nanomaterials, 2020, 10, 2163.   | 4.1  | 41        |
| 33 | Ni-N4 sites in a single-atom Ni catalyst on N-doped carbon for hydrogen production from formic acid.<br>Journal of Catalysis, 2021, 402, 264-274.   | 6.2  | 41        |
| 34 | Creation of nanosized holes in graphene planes for improvement of rate capability of lithium-ion batteries. Nanotechnology, 2018, 29, 134001.   | 2.6  | 40        |
| 35 | Comparative study of fluorinated single- and few-wall carbon nanotubes by X-ray photoelectron and X-ray absorption spectroscopy. Carbon, 2009, 47, 1629-1636.   | 10.3 | 39        |
| 36 | Edge state magnetism in zigzag-interfaced graphene via spin susceptibility measurements. Scientific Reports, 2015, 5, 13382.  | 3.3  | 39        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Single-Walled Carbon Nanotube Reactor for Redox Transformation of Mercury Dichloride. ACS Nano, 2017, 11, 8643-8649.  | 14.6 | 38        |
| 38 | Supercapacitor performance of nitrogen-doped carbon nanotube arrays. Physica Status Solidi (B):<br>Basic Research, 2013, 250, 2586-2591.  | 1.5  | 36        |
| 39 | Synthesis of nitrogenâ€containing porous carbon using calcium oxide nanoparticles. Physica Status<br>Solidi (B): Basic Research, 2014, 251, 2607-2612.  | 1.5  | 36        |
| 40 | Effect of Fe/Ni catalyst composition on nitrogen doping and field emission properties of carbon nanotubes. Carbon, 2008, 46, 864-869.   | 10.3 | 35        |
| 41 | Effect of the fluorination technique on the surface-fluorination patterning of double-walled carbon nanotubes. Beilstein Journal of Nanotechnology, 2017, 8, 1688-1698.   | 2.8  | 35        |
| 42 | Synthesis and structure of films consisting of carbon nanotubes oriented normally to the substrate.<br>Technical Physics, 2007, 52, 1627-1631.  | 0.7  | 34        |
| 43 | In Situ X-ray Photoelectron Spectroscopy Study of Lithium Interaction with Graphene and<br>Nitrogen-Doped Graphene Films Produced by Chemical Vapor Deposition. Journal of Physical Chemistry<br>C, 2017, 121, 5108-5114. | 3.1  | 34        |
| 44 | Field emission from products of nanodiamond annealing. Carbon, 2004, 42, 1099-1102.   | 10.3 | 33        |
| 45 | Advantage of graphene fluorination instead of oxygenation for restorable adsorption of gaseous ammonia and nitrogen dioxide. Carbon, 2017, 118, 225-232.  | 10.3 | 33        |
| 46 | Chlorinated holey double-walled carbon nanotubes for relative humidity sensors. Carbon, 2019, 148, 413-420.   | 10.3 | 33        |
| 47 | Catalysts with single metal atoms for the hydrogen production from formic acid. Catalysis Reviews -<br>Science and Engineering, 2022, 64, 835-874.  | 12.9 | 33        |
| 48 | Arrays of carbon nanotubes aligned perpendicular to the substrate surface: Anisotropy of structure and properties. Nanotechnologies in Russia, 2008, 3, 191-200.  | 0.7  | 32        |
| 49 | Formation of MoS <sub>2</sub> nanoparticles on the surface of reduced graphite oxide. Physica<br>Status Solidi (B): Basic Research, 2011, 248, 2740-2743.   | 1.5  | 32        |
| 50 | Iron nanoparticles in aligned arrays of pure and nitrogen-doped carbon nanotubes. Carbon, 2012, 50,<br>2628-2634.   | 10.3 | 31        |
| 51 | One-step chemical vapor deposition synthesis and supercapacitor performance of nitrogen-doped<br>porous carbon–carbon nanotube hybrids. Beilstein Journal of Nanotechnology, 2017, 8, 2669-2679.                          | 2.8  | 30        |
| 52 | Comparative Study on the Electronic Structure of Arc-Discharge and Catalytic Carbon Nanotubes.<br>Journal of Physical Chemistry B, 2001, 105, 4853-4859.  | 2.6  | 29        |
| 53 | Gas-phase synthesis of nitrogen-containing carbon nanotubes and their electronic properties. Physics of the Solid State, 2002, 44, 652-655.   | 0.6  | 29        |
| 54 | Fabrication of free-standing aligned multiwalled carbon nanotube array for Li-ion batteries. Journal of Power Sources, 2016, 311, 42-48.  | 7.8  | 29        |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Soft X-ray spectroscopy and quantum chemistry characterization of defects in onion-like carbon produced by nanodiamond annealing. Diamond and Related Materials, 2007, 16, 1222-1226.                          | 3.9  | 28        |
| 56 | Catalytic synthesis of carbon nanotubes using Ni- and Co-doped calcium tartrates. Carbon, 2009, 47, 1701-1707.   | 10.3 | 26        |
| 57 | Dielectric properties of polystyrene/onion-like carbon composites in frequency range of 0.5–500kHz.<br>Composites Science and Technology, 2010, 70, 719-724.   | 7.8  | 26        |
| 58 | Correlation between manufacturing processes and anisotropic magnetic and electromagnetic<br>properties of carbon nanotube/polystyrene composites. Composites Part B: Engineering, 2016, 91,<br>505-512.        | 12.0 | 26        |
| 59 | X-ray Spectroscopic and Quantum-Chemical Characterization of Hydrofullerene C60H36. Journal of Physical Chemistry A, 1999, 103, 716-720.   | 2.5  | 25        |
| 60 | Anisotropic properties of carbonaceous material produced in arc discharge. Applied Physics A:<br>Materials Science and Processing, 2001, 72, 481-486.  | 2.3  | 25        |
| 61 | Orientation ordering of N2 molecules in vertically aligned CN x nanotubes. Applied Physics A:<br>Materials Science and Processing, 2009, 94, 437-443.  | 2.3  | 25        |
| 62 | Growth of CdS nanoparticles on the aligned carbon nanotubes. Physical Chemistry Chemical Physics, 2010, 12, 10871.   | 2.8  | 25        |
| 63 | Charge-induced formation of thin conducting layers on fluorinated graphite surface. Carbon, 2015, 82, 446-458.   | 10.3 | 25        |
| 64 | Nanoscale coupling of MoS2 and graphene via rapid thermal decomposition of ammonium<br>tetrathiomolybdate and graphite oxide for boosting capacity of Li-ion batteries. Carbon, 2021, 173,<br>194-204.         | 10.3 | 25        |
| 65 | Development of graphene layers by reduction of graphite fluoride C <sub>2</sub> F surface. Physica<br>Status Solidi (B): Basic Research, 2009, 246, 2545-2548.   | 1.5  | 24        |
| 66 | Electronic state of polyaniline deposited on carbon nanotube or ordered mesoporous carbon<br>templates. Physica Status Solidi (B): Basic Research, 2011, 248, 2484-2487.                                       | 1.5  | 24        |
| 67 | Hydrogen Production from Formic Acid over Au Catalysts Supported on Carbon: Comparison with Au<br>Catalysts Supported on SiO2 and Al2O3. Catalysts, 2019, 9, 376.  | 3.5  | 24        |
| 68 | Graphitization of 13C enriched fine-grained graphitic material under high-pressure annealing. Carbon, 2019, 141, 323-330.  | 10.3 | 24        |
| 69 | Transmission of terahertz radiation by anisotropic MWCNT/polystyrene composite films. Physica<br>Status Solidi (B): Basic Research, 2011, 248, 2568-2571.  | 1.5  | 23        |
| 70 | NEXAFS spectroscopy study of lithium interaction with nitrogen incorporated in porous graphitic material. Journal of Materials Science, 2019, 54, 11168-11178.   | 3.7  | 23        |
| 71 | Growth of MoS2 layers on the surface of multiwalled carbon nanotubes. Inorganic Materials, 2007, 43, 236-239.  | 0.8  | 22        |
| 72 | Effect of fabrication method on the structure and electromagnetic response of carbon<br>nanotube/polystyrene composites in low-frequency and Ka bands. Composites Science and Technology,<br>2014, 102, 59-64. | 7.8  | 22        |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 73 | Encapsulation of molecular nitrogen in multiwall CNx nanotubes. Physica Status Solidi (B): Basic<br>Research, 2007, 244, 4078-4081.  | 1.5  | 21        |
| 74 | Leaky graphene oxide with high quantum yield and dual-wavelength photoluminescence. Carbon, 2016,<br>108, 461-470.   | 10.3 | 21        |
| 75 | Electronic Structure of Nitrogen- and Phosphorus-Doped Graphenes Grown by Chemical Vapor<br>Deposition Method. Materials, 2020, 13, 1173.  | 2.9  | 21        |
| 76 | A study of the influence of structural imperfection on the electronic structure of carbon nanotubes by x-ray spectroscopy and quantum-chemical methods. Physics of the Solid State, 2002, 44, 663-665. | 0.6  | 20        |
| 77 | Effect of oxidation and heat treatment on the morphology and electronic structure of carbon-encapsulated iron carbide nanoparticles. Materials Chemistry and Physics, 2012, 135, 235-240.              | 4.0  | 20        |
| 78 | Effects of the Carbon Support Doping with Nitrogen for the Hydrogen Production from Formic Acid over Ni Catalysts. Energies, 2019, 12, 4111.   | 3.1  | 20        |
| 79 | Electronic state of nitrogen incorporated into CNx nanotubes. European Physical Journal D, 2005, 34, 271-274.  | 1.3  | 19        |
| 80 | Orientational effect of the texture of a carbon-nanotube film on $CK\hat{I}\pm$ a radiation intensity. JETP Letters, 2005, 81, 34-38.  | 1.4  | 19        |
| 81 | Nitrogen inserting in fluorinated graphene via annealing of acetonitrile intercalated graphite<br>fluoride. Physica Status Solidi (B): Basic Research, 2014, 251, 2530-2535.                           | 1.5  | 19        |
| 82 | <i>In situ</i> XPS Observation of Selective NO <sub>x</sub> Adsorption on the Oxygenated Graphene Films. Physica Status Solidi (B): Basic Research, 2018, 255, 1700267.                                | 1.5  | 19        |
| 83 | Single Au Atoms on the Surface of N-Free and N-Doped Carbon: Interaction with Formic Acid and Methanol Molecules. Topics in Catalysis, 2019, 62, 508-517.  | 2.8  | 19        |
| 84 | Preferred attachment of fluorine near oxygen-containing groups on the surface of double-walled carbon nanotubes. Applied Surface Science, 2020, 504, 144357.   | 6.1  | 19        |
| 85 | Electronic Structure of the Fluorinated Fullerene C60F48. Journal of Physical Chemistry A, 1999, 103, 9921-9924.   | 2.5  | 18        |
| 86 | Manyâ€body effects in optical response of grapheneâ€based structures. International Journal of Quantum<br>Chemistry, 2016, 116, 270-281.   | 2.0  | 18        |
| 87 | Supercapacitor performance of binderâ€free buckypapers from multiwall carbon nanotubes synthesized<br>at different temperatures. Physica Status Solidi (B): Basic Research, 2016, 253, 2406-2412.      | 1.5  | 18        |
| 88 | Highâ€Pressure Highâ€Temperature Synthesis of MoS <sub>2</sub> /Holey Graphene Hybrids and Their<br>Performance in Liâ€Ion Batteries. Physica Status Solidi (B): Basic Research, 2018, 255, 1700262.   | 1.5  | 18        |
| 89 | Structure and supercapacitor properties of few-layer low-fluorinated graphene materials. Journal of Materials Science, 2018, 53, 13053-13066.  | 3.7  | 18        |
| 90 | Effect of boron and nitrogen additives on structure and transport properties of arc-produced carbon. Carbon, 2019, 143, 660-668.   | 10.3 | 18        |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 91  | NATURE OF CHEMICAL BONDING IN THE FLUORINATED CARBON COMPOUNDS. Reviews in Inorganic Chemistry, 1999, 19, 79-116.  | 4.1  | 17        |
| 92  | Electronic structure of C60F36 studied by quantum-chemical modeling of experimental photoemission and x-ray absorption spectra. Journal of Chemical Physics, 2009, 130, 014704.          | 3.0  | 17        |
| 93  | Functional composition and super-capacitor properties of graphite oxide reduced with hot sulfuric acid. Physica Status Solidi (B): Basic Research, 2013, 250, 2747-2752.                 | 1.5  | 17        |
| 94  | Insight into effect of water additive on carbon remaining in metal alloys after high-pressure high-temperature diamond synthesis. Diamond and Related Materials, 2016, 70, 46-51.        | 3.9  | 17        |
| 95  | Effect of oxidative treatment on the electrochemical properties of aligned multi-walled carbon nanotubes. Russian Journal of Electrochemistry, 2016, 52, 441-448.                        | 0.9  | 17        |
| 96  | Assessing carbon nanotube arrangement in polystyrene matrix byÂmagnetic susceptibility<br>measurements. Carbon, 2016, 96, 1077-1083.   | 10.3 | 17        |
| 97  | Effect of in-plane size of MoS2 nanoparticles grown over multilayer graphene on the electrochemical performance of anodes in Li-ion batteries. Electrochimica Acta, 2018, 283, 45-53.    | 5.2  | 17        |
| 98  | Role of interface interactions in the sensitivity of sulfur-modified single-walled carbon nanotubes for nitrogen dioxide gas sensing. Carbon, 2022, 186, 539-549.                        | 10.3 | 17        |
| 99  | Perforation of graphite in boiling mineral acid. Physica Status Solidi (B): Basic Research, 2012, 249, 2620-2624.  | 1.5  | 16        |
| 100 | Optical absorption of boron nitride nanomaterials. Physica Status Solidi (B): Basic Research, 2008, 245, 2107-2110.  | 1.5  | 15        |
| 101 | Modulation of electronic density in waved graphite layers. Synthetic Metals, 2010, 160, 1848-1855.   | 3.9  | 15        |
| 102 | Energy shift of collective electron excitations in highly corrugated graphitic nanostructures:<br>Experimental and theoretical investigation. Applied Physics Letters, 2014, 104, .      | 3.3  | 15        |
| 103 | Phosphorus incorporation into graphitic material via hot pressing of graphite oxide and triphenylphosphine. Synthetic Metals, 2019, 248, 53-58.  | 3.9  | 15        |
| 104 | Light-Induced Sulfur Transport inside Single-Walled Carbon Nanotubes. Nanomaterials, 2020, 10, 818.  | 4.1  | 15        |
| 105 | Determining misorientation of graphite grains from the angular dependence of X-ray emission spectra.<br>Journal of Experimental and Theoretical Physics, 2006, 103, 604-610.             | 0.9  | 14        |
| 106 | Substitutional sites of nitrogen atoms in carbon nanotubes and their influence on fieldâ€emission characteristics. International Journal of Quantum Chemistry, 2011, 111, 2696-2704.     | 2.0  | 14        |
| 107 | Nitrogen species in few-layer graphene produced by thermal exfoliation of fluorinated graphite intercalation compounds. Physica Status Solidi (B): Basic Research, 2015, 252, 2444-2450. | 1.5  | 14        |
| 108 | Thermally exfoliated fluorinated graphite for NO <sub>2</sub> gas sensing. Physica Status Solidi (B):<br>Basic Research, 2016, 253, 2492-2498.   | 1.5  | 14        |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 109 | Bromine polycondensation in pristine and fluorinated graphitic carbons. Nanoscale, 2019, 11, 15298-15306.   | 5.6  | 14        |
| 110 | Balanced kinetics between electrodes by carbon cloth@ZIF-8 for high rate performance zinc-ion hybrid capacitors. Chemical Communications, 2021, 57, 8778-8781.  | 4.1  | 14        |
| 111 | "Missing―One-Dimensional Red-Phosphorus Chains Encapsulated within Single-Walled Carbon<br>Nanotubes. ACS Nano, 2022, 16, 6002-6012.  | 14.6 | 14        |
| 112 | Transport and magnetic properties of multiwall carbon nanotubes before and after bromination.<br>Physics of the Solid State, 2002, 44, 659-662.   | 0.6  | 13        |
| 113 | Interaction of NH <sub>3</sub> with the reduced surface of graphite fluoride C <sub>2</sub> F.<br>Physica Status Solidi (B): Basic Research, 2010, 247, 3039-3042.  | 1.5  | 13        |
| 114 | Multiscale characterization of 13C-enriched fine-grained graphitic materials for chemical and electrochemical applications. Carbon, 2017, 124, 161-169.   | 10.3 | 13        |
| 115 | Tabby graphene: Dimensional magnetic crossover in fluorinated graphite. Scientific Reports, 2017, 7,<br>16544.  | 3.3  | 13        |
| 116 | Charge polarization in partially lithiated single-walled carbon nanotubes. Physical Chemistry<br>Chemical Physics, 2018, 20, 22592-22599.   | 2.8  | 13        |
| 117 | Electronic Structure and Fieldâ€Emission Properties of Nitrogenâ€Doped Carbon Nanotubes. Fullerenes<br>Nanotubes and Carbon Nanostructures, 2006, 14, 151-164.  | 2.1  | 12        |
| 118 | Chlorination of perforated graphite via interaction with thionylchloride. Physica Status Solidi (B):<br>Basic Research, 2014, 251, 2613-2619.   | 1.5  | 12        |
| 119 | X-ray spectroscopy study of lithiated graphite obtained by thermal deposition of lithium. Journal of Structural Chemistry, 2017, 58, 1173-1179.   | 1.0  | 12        |
| 120 | Effect of purification on the electron structure and field emission characteristics of a carbonaceous material containing single-wall carbon nanotubes. Journal of Experimental and Theoretical Physics, 2004, 99, 1244-1252. | 0.9  | 11        |
| 121 | A comparative study of argon ion irradiated pristine and fluorinated single-wall carbon nanotubes.<br>Journal of Chemical Physics, 2010, 133, 224706.   | 3.0  | 11        |
| 122 | XANES Investigation of Pristine and Fluorinated Single-Walled Carbon Nanotubes Before and After<br>Annealing. Fullerenes Nanotubes and Carbon Nanostructures, 2010, 18, 595-599.  | 2.1  | 11        |
| 123 | Layered compounds based on perforated graphene. Journal of Structural Chemistry, 2011, 52, 903-909.   | 1.0  | 11        |
| 124 | Supercapacitor Performance of Aligned Carbon Nanotube/Polyaniline Composite Depending on the<br>Duration of Aniline Polycondensation. Fullerenes Nanotubes and Carbon Nanostructures, 2012, 20,<br>519-522.                   | 2.1  | 11        |
| 125 | Structural Evolution and Magnetic Properties of Underfluorinated C2F. Journal of Superconductivity and Novel Magnetism, 2012, 25, 79-83.  | 1.8  | 11        |
| 126 | Enhanced supercapacitance of vertically aligned multiâ€wall carbon nanotube array covered by<br>MoS <sub>2</sub> nanoparticles. Physica Status Solidi (B): Basic Research, 2016, 253, 2451-2456.                              | 1.5  | 11        |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 127 | Fluorinated Surface of Carbon Nanotube Buckypaper for Uniform Growth of CdS Nanoparticles.<br>Journal of Physical Chemistry C, 2017, 121, 19182-19190.   | 3.1  | 11        |
| 128 | Effect of the graphite oxide composition on the structure of products obtained by sulfuric acid treatment at elevated temperatures. Journal of Structural Chemistry, 2017, 58, 1180-1186.                                      | 1.0  | 11        |
| 129 | Iron-filled multi-walled carbon nanotubes for terahertz applications: effects of interfacial polarization, screening and anisotropy. Nanotechnology, 2018, 29, 174003.   | 2.6  | 11        |
| 130 | Electrical Transport in Devices Based on Edgeâ€Fluorinated Graphene. Advanced Electronic Materials,<br>2018, 4, 1800073.   | 5.1  | 11        |
| 131 | Effect of Charge Transfer upon Li- and Na-Ion Insertion in Fine-Grained Graphitic Material as Probed by NMR. ACS Applied Materials & Interfaces, 2019, 11, 9291-9300.  | 8.0  | 11        |
| 132 | Chemiresistive Properties of Imprinted Fluorinated Graphene Films. Materials, 2020, 13, 3538.  | 2.9  | 11        |
| 133 | Porosity and composition of nitrogen-doped carbon materials templated by the thermolysis products of calcium tartrate and their performance in electrochemical capacitors. Journal of Alloys and Compounds, 2021, 858, 158259. | 5.5  | 11        |
| 134 | Fluorine patterning of graphene: effects of fluorine content and temperature. Nanoscale, 2021, 13, 1206-1212.  | 5.6  | 11        |
| 135 | Electronic structure and arrangement of purified HiPco carbon nanotubes. Carbon, 2004, 42, 1095-1098.  | 10.3 | 10        |
| 136 | Surface electronic structure of detonation nanodiamonds after oxidative treatment. Diamond and Related Materials, 2007, 16, 2090-2092.   | 3.9  | 10        |
| 137 | Anisotropic Permittivity of Multi-Walled Carbon Nanotube/Polystyrene Composites. Fullerenes<br>Nanotubes and Carbon Nanostructures, 2012, 20, 523-526.   | 2.1  | 10        |
| 138 | Sensor properties of electron beam irradiated fluorinated graphite. Journal of Nanophotonics, 2015, 10, 012512.  | 1.0  | 10        |
| 139 | Role of Defects in Carbon Nanotube Walls in Deposition of CdS Nanoparticles from a Chemical Bath.<br>Journal of Physical Chemistry C, 2015, 119, 25898-25906.  | 3.1  | 10        |
| 140 | Carbon Nanotube Synthesis Using Feâ€Mo/MgO Catalyst with Different Ratios of CH <sub>4</sub> and<br>H <sub>2</sub> Gases. Physica Status Solidi (B): Basic Research, 2018, 255, 1700274.                                       | 1.5  | 10        |
| 141 | Pressureâ€Assisted Interface Engineering in MoS <sub>2</sub> /Holey Graphene Hybrids for Improved<br>Performance in Liâ€ion Batteries. Energy Technology, 2019, 7, 1900659.  | 3.8  | 10        |
| 142 | Effect of ultrasound pretreatment on bromination of double-walled carbon nanotubes. Synthetic<br>Metals, 2020, 259, 116233.  | 3.9  | 10        |
| 143 | The temperature dependence of the electrical resistivity and the negative magnetoresistance of carbon nanoparticles. Physics of the Solid State, 2002, 44, 487-489.  | 0.6  | 9         |
| 144 | Optical Absorption and Raman Spectroscopy Study of the Fluorinated Doubleâ€Wall Carbon Nanotubes.<br>Fullerenes Nanotubes and Carbon Nanostructures, 2006, 14, 233-238.  | 2.1  | 9         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Low-frequency (10–50 kHz) impedance of polystyrene-onion-like-carbon composites. Technical Physics<br>Letters, 2009, 35, 85-88.  | 0.7 | 9         |
| 146 | High reactivity of carbon nanotubes and fluorinated carbon nanotubes irradiated by Ar <sup>+</sup><br>ions. Physica Status Solidi (B): Basic Research, 2010, 247, 2691-2694.   | 1.5 | 9         |
| 147 | Curvature-Induced Optical Transitions in Graphene. Fullerenes Nanotubes and Carbon<br>Nanostructures, 2012, 20, 558-562.   | 2.1 | 9         |
| 148 | Field emission properties of aligned CN <sub>x</sub> nanotube arrays synthesized by pyrolysis of a ferrocene/acetonitrile aerosol at different temperatures. Physica Status Solidi (B): Basic Research, 2015, 252, 2524-2529.  | 1.5 | 9         |
| 149 | Light polarizer in visible and THz range based on single-wall carbon nanotubes embedded into poly(methyl methacrylate) film. Laser Physics Letters, 2016, 13, 065901.  | 1.4 | 9         |
| 150 | Electronic Structure of Fluorinated Graphene. , 2017, , 177-213.   |     | 9         |
| 151 | Optimization of Parameters of Graphene Synthesis on Copper Foil at Low Methan Pressure. Journal of Structural Chemistry, 2018, 59, 759-765.  | 1.0 | 9         |
| 152 | Holey graphene with enhanced near-infrared absorption: Experimental and DFT study. Applied Physics<br>Letters, 2019, 114, .  | 3.3 | 9         |
| 153 | Structure of Diamond Films Grown Using High-Speed Flow of a Thermally Activated CH4-H2 Gas<br>Mixture. Materials, 2020, 13, 219.   | 2.9 | 9         |
| 154 | Creation of metasurface from vertically aligned carbon nanotubes as versatile platform for ultra-light THz components. Nanotechnology, 2020, 31, 255703.   | 2.6 | 9         |
| 155 | Electronic state of nanodiamond/graphite interfaces. Applied Physics A: Materials Science and Processing, 2005, 81, 393-398.   | 2.3 | 8         |
| 156 | The field emission properties of carbon nanotubes and SiC whiskers synthesized over Ni particles deposited in ion tracks in SiO2. Nanotechnologies in Russia, 2009, 4, 627-633.  | 0.7 | 8         |
| 157 | Composites based on polyaniline and aligned carbon nanotubes. Polymer Science - Series B, 2010, 52, 101-108.   | 0.8 | 8         |
| 158 | Synthesis of a hybrid material from CdS nanoparticles and carbon nanotubes. Russian Chemical<br>Bulletin, 2010, 59, 1720-1723.   | 1.5 | 8         |
| 159 | Electronic state of carbon in nanostructured composites produced by co-carbonization of aromatic heavy oil and ferrocene. Materials Chemistry and Physics, 2010, 122, 146-150.   | 4.0 | 8         |
| 160 | X-Ray Absorption Spectra of N <sub>2</sub> Molecules Embedded into CN <sub>x</sub> Nanotubes as a<br>Marker of Orientation Ordering of Array. Fullerenes Nanotubes and Carbon Nanostructures, 2010, 18,<br>551-557.  | 2.1 | 8         |
| 161 | Electronic structure of the chlorinated fullerene C <sub>60</sub> Cl <sub>30</sub> studied by quantum chemical modeling of Xâ€ray absorption spectra. International Journal of Quantum Chemistry, 2011, 111, 2688-2695.  | 2.0 | 8         |
| 162 | Crystal structures of 1,1,1-trifluoro-4-hydroxy-4-phenyl-but-3-en-2-one,<br>2,2,6,6-tetramethyl-3-hydroxy-hept-3-en-5-one, 2,2,6,6-tetramethyl-3-methylamino-hept-3-en-5-one and a<br>study of the ability of these ligands to complex formation with metals. Journal of Structural<br>Chemistry, 2012, 53, 740-747. | 1.0 | 8         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Thermal Decomposition of Co-Doped Calcium Tartrate and Use of the Products for Catalytic Chemical<br>Vapor Deposition Synthesis of Carbon Nanotubes. Journal of Physical Chemistry C, 2012, 116, 343-351.  | 3.1 | 8         |
| 164 | Polymer-assisted forge-rolling disaggregation of detonation nanodiamonds and onion-like carbon.<br>International Journal of Nanotechnology, 2015, 12, 182.   | 0.2 | 8         |
| 165 | Synthesis of Porous Nanostructured MoS2 Materials in Thermal Shock Conditions and Their<br>Performance in Lithium-Ion Batteries. ACS Applied Energy Materials, 2020, 3, 10802-10813.   | 5.1 | 8         |
| 166 | Anode materials from MoS <sub>2</sub> and multilayered holey graphene for Li-ion batteries.<br>Fullerenes Nanotubes and Carbon Nanostructures, 2020, 28, 328-334.  | 2.1 | 8         |
| 167 | Room temperature synthesis of fluorinated graphite intercalation compounds with low fluorine loading of host matrix. Journal of Fluorine Chemistry, 2020, 232, 109482.   | 1.7 | 8         |
| 168 | Redox reactions between acetonitrile and nitrogen dioxide in the interlayer space of fluorinated graphite matrices. Physical Chemistry Chemical Physics, 2021, 23, 10580-10590.  | 2.8 | 8         |
| 169 | Electro- and Photoluminescence of CdS Nanoparticles Deposited on Carbon Nanotubes. Journal of Nanoelectronics and Optoelectronics, 2013, 8, 36-41.   | 0.5 | 8         |
| 170 | Effect of annealing on the optical absorption spectra of single-walled carbon nanotubes. Physics of the Solid State, 2006, 48, 1007-1011.  | 0.6 | 7         |
| 171 | Study of thermal and mechanical properties of composites based on arc-grown carbon nanotubes and heat-resistant cyanoether binder. Polymer Science - Series A, 2007, 49, 702-707.  | 1.0 | 7         |
| 172 | Determination of the texture of arrays of aligned carbon nanotubes from the angular dependence of<br>the X-ray emission and X-ray absorption spectra. Journal of Experimental and Theoretical Physics, 2008,<br>107, 517-525.                              | 0.9 | 7         |
| 173 | NEXAFS detection of graphitic layers formed in the process of carbon nanotube arrays synthesis.<br>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers,<br>Detectors and Associated Equipment, 2009, 603, 115-118. | 1.6 | 7         |
| 174 | Phase states and magnetic properties of iron nanoparticles in carbon nanotube channels. Journal of<br>Experimental and Theoretical Physics, 2009, 109, 254-261.  | 0.9 | 7         |
| 175 | Electromagnetic properties of phosphate composite materials with boron-containing carbon nanotubes. Physics of the Solid State, 2014, 56, 2537-2542.   | 0.6 | 7         |
| 176 | Functional composition and electrochemical characteristics of oxidized nanosized carbon. Journal of Structural Chemistry, 2017, 58, 1187-1195.   | 1.0 | 7         |
| 177 | Fluorination as Effective Method for Tuning the Electromagnetic Response of Graphene. Physica<br>Status Solidi (B): Basic Research, 2018, 255, 1700226.  | 1.5 | 7         |
| 178 | Structure and Electrochemical Properties of Carbon Nanotubes Synthesized with Catalysts Obtained<br>by Decomposition of Co, Ni, and Fe Polyoxomolybdates Supported by MgO. Journal of Structural<br>Chemistry, 2018, 59, 786-792.                          | 1.0 | 7         |
| 179 | Percolative Composites with Carbon Nanohorns: Low-Frequency and Ultra-High Frequency Response.<br>Materials, 2019, 12, 1848.   | 2.9 | 7         |
| 180 | The synthesis of biphenyl through C–H bond activation in benzene over a Pd catalyst supported on graphene oxide. New Journal of Chemistry, 2020, 44, 12178-12184.  | 2.8 | 7         |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 181 | Field Emission Characteristics of Periodically Structured Carbon Nanotube Arrays. Journal of<br>Nanoelectronics and Optoelectronics, 2013, 8, 52-57.   | 0.5  | 7         |
| 182 | Optical absorption and photoluminescence of partially fluorinated graphite crystallites. Carbon, 2022, 193, 98-106.  | 10.3 | 7         |
| 183 | Study of the electronic structure and properties of 13C-isotope-based composites. Journal of Surface<br>Investigation, 2007, 1, 645-650.   | 0.5  | 6         |
| 184 | Influence of defects in the carbon network on the static polarizability of fullerenes. Physics of the Solid State, 2009, 51, 863-869.  | 0.6  | 6         |
| 185 | Modification of the electronic structure in singleâ€walled carbon nanotubes with aromatic amines.<br>Physica Status Solidi (B): Basic Research, 2011, 248, 2458-2461.  | 1.5  | 6         |
| 186 | Crystallinity and electroluminescence efficiency of CdS nanoparticles grown on the aligned carbon nanotube array. Physica Status Solidi (B): Basic Research, 2012, 249, 2572-2575.   | 1.5  | 6         |
| 187 | Structure of carbon nanoparticles synthesized by adiabatic compression of acetylene and their application in supercapacitors. Journal of Structural Chemistry, 2017, 58, 1196-1204.  | 1.0  | 6         |
| 188 | Effect of Hot Pressing on the Electrochemical Performance of Multilayer Holey Graphene Materials in<br>Liâ€ion Batteries. Physica Status Solidi (B): Basic Research, 2018, 255, 1800202.                                       | 1.5  | 6         |
| 189 | Optical Properties of CdS Quantum Dots on Graphene. Journal of Structural Chemistry, 2018, 59, 870-876.  | 1.0  | 6         |
| 190 | Structure, functional composition and electrochemical properties of nitrogen-doped multi-walled<br>carbon nanotubes synthesized using Co–Mo, Ni–Mo and Fe–Mo catalysts. Materials Chemistry and<br>Physics, 2020, 255, 123563. | 4.0  | 6         |
| 191 | Modification of structure and conductivity of nanohorns by toluene addition in carbon arc.<br>Fullerenes Nanotubes and Carbon Nanostructures, 2020, 28, 342-347.   | 2.1  | 6         |
| 192 | Enhancement of Volumetric Capacitance of Binder-Free Single-Walled Carbon Nanotube Film via<br>Fluorination. Nanomaterials, 2021, 11, 1135.  | 4.1  | 6         |
| 193 | Maxwell-Garnett Description of Permittivity of Onion-Like Carbon–Polystyrene Composites. Journal of Nanoelectronics and Optoelectronics, 2009, 4, 267-270.   | 0.5  | 6         |
| 194 | Doping of Carbon Nanotubes with Encapsulated Phosphorus Chains. Inorganic Chemistry, 2022, 61,<br>9605-9614.   | 4.0  | 6         |
| 195 | Fluorination of CN x Nanotubes. Fullerenes Nanotubes and Carbon Nanostructures, 2005, 12, 99-104.  | 2.1  | 5         |
| 196 | Growth of carbon nanotubes via chemical vapor deposition on Co catalyst nanoparticles dispersed in<br>CaO. Inorganic Materials, 2008, 44, 213-218.   | 0.8  | 5         |
| 197 | Multiscale characterization of synthetic diamonds obtained by gas-jet deposition. Journal of Physics:<br>Conference Series, 2018, 1105, 012132.  | 0.4  | 5         |
| 198 | Laser beam patterning of carbon nanotube arrays for the work of electron field emitters in technical vacuum. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2020, 262, 114691.            | 3.5  | 5         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Hydrogen Plasma Treatment of Aligned Multi-Walled Carbon Nanotube Arrays for Improvement of<br>Field Emission Properties. Materials, 2020, 13, 4420.   | 2.9 | 5         |
| 200 | Bromination of carbon nanohorns to improve sodium-ion storage performance. Applied Surface Science, 2022, 580, 152238.   | 6.1 | 5         |
| 201 | Lithium-induced intralayer rearrangement of molybdenum disulfide: Effect of graphene coating.<br>Applied Surface Science, 2022, 598, 153846.   | 6.1 | 5         |
| 202 | Electronic structure of diamond/graphite composite nanoparticles. European Physical Journal D, 2005, 34, 157-160.  | 1.3 | 4         |
| 203 | X-ray emission and X-ray photoelectron spectroscopic studies of fullerene fluoride C60F24. Physics of the Solid State, 2007, 49, 1195-1200.  | 0.6 | 4         |
| 204 | Comparative NEXAFS examination of singleâ€wall carbon nanotubes produced by different methods.<br>Physica Status Solidi (B): Basic Research, 2009, 246, 2637-2640.   | 1.5 | 4         |
| 205 | Magnetic Properties of Carbon Nanotubes with Low Content of Fe. Fullerenes Nanotubes and Carbon<br>Nanostructures, 2010, 18, 569-573.  | 2.1 | 4         |
| 206 | X-ray spectroscopic study of the electronic structure of boron carbonitride films obtained by<br>chemical vapor deposition on Co/Si and CoO x /Si substrates. Journal of Structural Chemistry, 2012, 53,<br>690-698.       | 1.0 | 4         |
| 207 | Spontaneous symmetry breaking during the switching of a buckled graphene membrane. JETP Letters, 2016, 103, 244-247.   | 1.4 | 4         |
| 208 | Magnetic studies of polystyrene/iron-filled multi-wall carbon nanotube composite films. Journal of<br>Magnetism and Magnetic Materials, 2016, 415, 51-56.  | 2.3 | 4         |
| 209 | Electromagnetic Properties of Reduced Graphene Oxide Buckypapers Obtained by Different Reduction<br>Procedures. Physica Status Solidi (B): Basic Research, 2018, 255, 1700271.   | 1.5 | 4         |
| 210 | Effect of Hydrogen Fluoride Addition and Synthesis Temperature on the Structure of Doubleâ€Walled<br>Carbon Nanotubes Fluorinated by Molecular Fluorine. Physica Status Solidi (B): Basic Research, 2018,<br>255, 1700261. | 1.5 | 4         |
| 211 | Continuous synthesis of aligned carbon nanotube arrays on copper substrates using laser-activated gas jet. Applied Physics Letters, 2018, 113, .   | 3.3 | 4         |
| 212 | Sodium storage properties of thin phosphorus-doped graphene layers developed on the surface of nanodiamonds under hot pressing conditions. Fullerenes Nanotubes and Carbon Nanostructures, 2020, 28, 335-341.              | 2.1 | 4         |
| 213 | X-ray photoelectron study of electrical double layer at graphene/phosphoric acid interface. Applied Surface Science, 2020, 515, 146007.  | 6.1 | 4         |
| 214 | Effect of Toluene Addition in an Electric Arc on Morphology, Surface Modification, and Oxidation<br>Behavior of Carbon Nanohorns and Their Sedimentation in Water. Nanomaterials, 2021, 11, 992.                           | 4.1 | 4         |
| 215 | Photolysis of Fluorinated Graphites with Embedded Acetonitrile Using a White-Beam Synchrotron Radiation. Nanomaterials, 2022, 12, 231.   | 4.1 | 4         |
| 216 | Cucurbit[6]uril as a co-catalyst forÂhydrogen production from formic acid. Materials Today Energy,<br>2022, 26, 100998.  | 4.7 | 4         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | X-ray spectroscopic study of graphite fluoride (C2F) n intercalated with benzene. Russian Chemical<br>Bulletin, 2000, 49, 709-712.   | 1.5 | 3         |
| 218 | XAES study of carbon fluoride and carbon materials. Journal of Electron Spectroscopy and Related Phenomena, 2001, 114-116, 243-249.  | 1.7 | 3         |
| 219 | Fluorination of multiwall nitrogen-doped carbon nanotubes. Russian Journal of Inorganic Chemistry, 2006, 51, 613-618.  | 1.3 | 3         |
| 220 | X-ray spectral study of a material containing BN nanostructures. Journal of Structural Chemistry, 2008, 49, 40-46.   | 1.0 | 3         |
| 221 | Photoluminescence of CdS nanoparticles grown on carbon nanotubes covered by a dielectric polymer<br>layer. Physica Status Solidi (B): Basic Research, 2013, 250, 2759-2764.  | 1.5 | 3         |
| 222 | Crystal and molecular structures of bis(2,2,6,6-tetramethyl-3-methylaminoheptan-5-onate) copper(II)<br>and nickel(II). Journal of Structural Chemistry, 2014, 55, 488-492.   | 1.0 | 3         |
| 223 | Revealing distortion of carbon nanotube walls via angle-resolved X-ray spectroscopy. Current Applied Physics, 2015, 15, 1111-1116.   | 2.4 | 3         |
| 224 | An X-ray spectroscopy study of CdS nanoparticles formed by the Langmuir–Blodgett technique on the<br>surface of carbon nanotube arrays. Journal of Structural Chemistry, 2017, 58, 876-884.  | 1.0 | 3         |
| 225 | Magnetic Properties of 1D Iron–Sulfur Compounds Formed Inside Singleâ€Walled Carbon Nanotubes.<br>Physica Status Solidi - Rapid Research Letters, 2020, 14, 2000291.   | 2.4 | 3         |
| 226 | Iron induced porosity of the templated carbon for enhancement of electrochemical capacitance.<br>Applied Surface Science, 2021, 543, 148565.   | 6.1 | 3         |
| 227 | Synthesis of CNx nanotubes using catalysts prepared from zinc and nickel bimaleates. Inorganic<br>Materials, 2007, 43, 945-950.  | 0.8 | 2         |
| 228 | Formation of Mo3S4Nanoparticles on the Graphitic Substrate. Fullerenes Nanotubes and Carbon Nanostructures, 2010, 19, 39-43.   | 2.1 | 2         |
| 229 | Graphitic and pyridinic nitrogen in carbon nanotubes: energetic and polarization aspects. Journal of Nanophotonics, 2015, 10, 012510.  | 1.0 | 2         |
| 230 | The influence of water–organic solvent composition on the morphology and luminescent properties of CdS nanoparticles obtained by chemical precipitation. Colloid Journal, 2016, 78, 30-36.   | 1.3 | 2         |
| 231 | Localization of Ï€â€electron density in twisted bilayer graphene. Physica Status Solidi - Rapid Research<br>Letters, 2017, 11, 1600367.  | 2.4 | 2         |
| 232 | Electrically activated chemical bath deposition of CdS on carbon nanotube arrays. Synthetic Metals, 2021, 273, 116671.   | 3.9 | 2         |
| 233 | Laser Patterning of Aligned Carbon Nanotubes Arrays: Morphology, Surface Structure, and Interaction with Terahertz Radiation. Materials, 2021, 14, 3275.   | 2.9 | 2         |
| 234 | X-ray fluorescent spectroscopy and quantum chemistry investigation of electronic structure of the palladium[60]fullerene complex with bidentate ligand 1,1′-bis(diphenylphosphino)ferrocene. Journal of Molecular Structure, 2005, 749, 193-199. | 3.6 | 1         |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 235 | Electronic interactions in two-dimensional polymers of the C60 fullerene. Physics of the Solid State, 2006, 48, 185-191.   | 0.6  | 1         |
| 236 | Electrochemical Properties of the Ultrasonically Activated Thermally Expanded Graphite–Polyaniline<br>Hybrid Material. Physica Status Solidi (B): Basic Research, 2018, 255, 1700516.                          | 1.5  | 1         |
| 237 | On the stability of Li intercalated fine-grained graphitic material. Carbon, 2021, 173, 792-799.   | 10.3 | 1         |
| 238 | Comment on "On the Difficulties and Pitfalls with the Analysis of Solid‑State 13C NMR Spectra in<br>Graphitic Materials― Applied Magnetic Resonance, 2021, 52, 81-90.  | 1.2  | 1         |
| 239 | Investigation of electronic interactions in solid hydrogen fluoride. Journal of Structural Chemistry, 1997, 38, 570-577.   | 1.0  | 0         |
| 240 | Joint X-ray spectroscopic and quantum-chemical study of the electronic structure of pentafluorophenylalkyl ethers. Russian Chemical Bulletin, 1998, 47, 2362-2370.   | 1.5  | 0         |
| 241 | Spatial structure of carbon nanotubes produced in arc discharge. , 1998, , .   |      | 0         |
| 242 | Structure of chemical bonding in polymerized fullerene C/sub 60/. , 1998, , .  |      | 0         |
| 243 | Electron interactions in the (η2-C60)Pd[P(Ph2)C5H4]2Fe complex. Russian Chemical Bulletin, 2005, 54, 2730-2734.  | 1.5  | Ο         |
| 244 | Optical Absorption of Singleâ€Wall Carbon Nanotubes Produced by Arcâ€Discharge Method with<br>Different Concentration of Ni/Co Catalyst. Fullerenes Nanotubes and Carbon Nanostructures, 2005,<br>12, 287-292. | 2.1  | 0         |
| 245 | Electronic state of carbon in carbonaceous chondrite meteorites. Physica Status Solidi (B): Basic<br>Research, 2007, 244, 3955-3959.   | 1.5  | 0         |
| 246 | Effect of iron nanoparticles in the films of composite materials and carbon nanotubes on the angular dependence of X-ray emission. Journal of Structural Chemistry, 2011, 52, 50-54.                           | 1.0  | 0         |
| 247 | 5. Characterization methods. , 2018, , 261-408.  |      | 0         |
| 248 | X-ray photoelectron spectroscopy study of the interaction of lithium with graphene. Physical Sciences Reviews, 2018, 3, .  | 0.8  | 0         |