

Wulf RÃ¶ssler

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7204655/publications.pdf>

Version: 2024-02-01

283
papers

13,778
citations

28274

55
h-index

28297

105
g-index

311
all docs

311
docs citations

311
times ranked

14607
citing authors

#	ARTICLE	IF	CITATIONS
1	Cortical and subcortical neuroanatomical signatures of schizotypy in 3004 individuals assessed in a worldwide ENIGMA study. <i>Molecular Psychiatry</i> , 2022, 27, 1167-1176.	7.9	22
2	Exacerbation of psychosis risk during the COVID-19 pandemic: The disproportionate impact on the lower income population. <i>Psychiatry Research</i> , 2022, 307, 114319.	3.3	11
3	Longitudinal reciprocal associations between depression, anxiety, and substance use disorders over three decades of life. <i>Journal of Affective Disorders</i> , 2022, 302, 315-323.	4.1	6
4	White matter microstructure and the clinical risk for psychosis: A diffusion tensor imaging study of individuals with basic symptoms and at ultra-high risk. <i>NeuroImage: Clinical</i> , 2022, 35, 103067.	2.7	7
5	Impact of clinical decision-making participation and satisfaction on outcomes in mental health practice: results from the CEDAR European longitudinal study. <i>International Review of Psychiatry</i> , 2022, 34, 848-860.	2.8	5
6	Multimodal Machine Learning Workflows for Prediction of Psychosis in Patients With Clinical High-Risk Syndromes and Recent-Onset Depression. <i>JAMA Psychiatry</i> , 2021, 78, 195.	11.0	125
7	The Interplay Between Postsynaptic Striatal D2/3 Receptor Availability, Adversity Exposure and Odd Beliefs: A [11C]-Raclopride PET Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 1495-1508.	4.3	3
8	Cortical and Subcortical Neuroanatomical Signatures of Schizotypy in 2,952 Individuals Assessed in a Worldwide ENIGMA Study. <i>Biological Psychiatry</i> , 2021, 89, S182.	1.3	0
9	Influence of migration on the thought process of individuals at ultra-high risk for psychosis. <i>Revista Brasileira De Psiquiatria</i> , 2021, 43, 285-288.	1.7	3
10	Association of Structural Magnetic Resonance Imaging Measures With Psychosis Onset in Individuals at Clinical High Risk for Developing Psychosis. <i>JAMA Psychiatry</i> , 2021, 78, 753.	11.0	74
11	Mental Health Consequences for Healthcare Workers During the COVID-19 Pandemic: A Scoping Review to Draw Lessons for LMICs. <i>Frontiers in Psychiatry</i> , 2021, 12, 602614.	2.6	85
12	Translation and validation of the Structured Interview for Prodromal Syndromes (SIPS) to Portuguese. <i>Revista Brasileira De Psiquiatria</i> , 2021, 43, 560-562.	1.7	5
13	Cognitive Patterns and Conversion in a Representative Sample of Individuals at Risk for Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2021, Publish Ahead of Print, .	1.0	2
14	Polygenic risk scores across the extended psychosis spectrum. <i>Translational Psychiatry</i> , 2021, 11, 600.	4.8	11
15	Use of a Bayesian Network Model to predict psychiatric illness in individuals with "at risk mental states"™ from a general population cohort. <i>Neuroscience Letters</i> , 2021, 770, 136358.	2.1	0
16	Continental European experience: Germany. , 2021, , 29-44.		0
17	When does shared decision making is adopted in psychiatric clinical practice? Results from a European multicentric study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 645-653.	3.2	8
18	"Placement budgets"™ for supported employment: impact on employment rates in a multicentre randomised controlled trial. <i>British Journal of Psychiatry</i> , 2020, 216, 308-313.	2.8	7

#	ARTICLE	IF	CITATIONS
19	Epigenetic mechanisms in schizophrenia and other psychotic disorders: a systematic review of empirical human findings. <i>Molecular Psychiatry</i> , 2020, 25, 1718-1748.	7.9	97
20	Subtypes of alcohol use disorder in the general population: A latent class analysis. <i>Psychiatry Research</i> , 2020, 285, 112712.	3.3	12
21	Rare copy number variants in individuals at clinical high risk for psychosis: Enrichment of synaptic/brain-related functional pathways. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2020, 183, 140-151.	1.7	0
22	Dopamine-Induced Dysconnectivity Between Salience Network and Auditory Cortex in Subjects With Psychotic-like Experiences: A Randomized Double-Blind Placebo-Controlled Study. <i>Schizophrenia Bulletin</i> , 2020, 46, 732-740.	4.3	10
23	T162. THICKER PREFRONTAL CORTEX IS ASSOCIATED WITH SUBCLINICAL NEGATIVE SYMPTOMS IN SCHIZOTYPY - AN ENIGMA CONSORTIUM META-ANALYSIS. <i>Schizophrenia Bulletin</i> , 2020, 46, S292-S293.	4.3	2
24	M156. CORTICAL NEUROANATOMICAL SIGNATURE OF SCHIZOTYPY IN 2,695 INDIVIDUALS ASSESSED IN A WORLDWIDE ENIGMA STUDY. <i>Schizophrenia Bulletin</i> , 2020, 46, S195-S195.	4.3	0
25	Neuroanatomical Correlates of Psychotic-Like Experiences Assessed in 2,695 Individuals via the ENIGMA Consortium. <i>Biological Psychiatry</i> , 2020, 87, S313-S314.	1.3	0
26	Cortical Volume Differences in Subjects at Risk for Psychosis Are Driven by Surface Area. <i>Schizophrenia Bulletin</i> , 2020, 46, 1511-1519.	4.3	16
27	Childhood maltreatment in individuals at risk of psychosis: Results from the Brazilian SSAPP cohort. <i>International Journal of Social Psychiatry</i> , 2020, 66, 566-575.	3.1	3
28	Psychiatric Acute Day Hospital as an Alternative to Inpatient Treatment. <i>Frontiers in Psychiatry</i> , 2020, 11, 471.	2.6	10
29	Triple Network Model Dynamically Revisited: Lower Salience Network State Switching in Pre-psychosis. <i>Frontiers in Physiology</i> , 2020, 11, 66.	2.8	49
30	Bank Account Ownership and Access Among In-Patients in Psychiatric Care in Berlin, Germany – A Cross-Sectional Patient Survey. <i>Frontiers in Psychiatry</i> , 2020, 11, 508.	2.6	6
31	Frontal brain activity in individuals at risk for schizophrenic psychosis and bipolar disorder during the emotional Stroop task – an fNIRS study. <i>NeuroImage: Clinical</i> , 2020, 26, 102232.	2.7	9
32	Bipolar disorders in ICD-11: current status and strengths. <i>International Journal of Bipolar Disorders</i> , 2020, 8, 3.	2.2	22
33	Addressing Mood Disorder Diagnosis' Stigma With an Honest, Open, Proud (HOP)-Based Intervention: A Randomized Controlled Trial. <i>Frontiers in Psychiatry</i> , 2020, 11, 582180.	2.6	5
34	Cannabis use during adolescence and the occurrence of depression, suicidality and anxiety disorder across adulthood: Findings from a longitudinal cohort study over 30 years. <i>Journal of Affective Disorders</i> , 2020, 272, 98-103.	4.1	36
35	Psychosocial rehabilitation. , 2020, , 229-242.		0
36	Relationship Between Symptomatic Dimensions and Global Functioning of Non-Help-Seeking Individuals at Risk for Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2020, 208, 953-957.	1.0	3

#	ARTICLE	IF	CITATIONS
37	Prevalence of seasonal depression in a prospective cohort study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 833-839.	3.2	27
38	Predictors of Employment for People With Mental Illness: Results of a Multicenter Randomized Trial on the Effectiveness of Placement Budgets for Supported Employment. <i>Frontiers in Psychiatry</i> , 2019, 10, 518.	2.6	8
39	Evaluation of the Combined Treatment Approach "Robin" (Standardized Manual and Smartphone App) for Adolescents at Clinical High Risk for Psychosis. <i>Frontiers in Psychiatry</i> , 2019, 10, 384.	2.6	11
40	Factors facilitating or preventing compulsory admission in psychiatry. <i>World Psychiatry</i> , 2019, 18, 355-356.	10.4	11
41	F42. COGNITIVE PATTERNS ASSOCIATED WITH CHILDHOOD TRAUMA AND RISK FOR PSYCHOSIS IN A POPULATIONAL SAMPLE—A LATENT PROFILE ANALYSIS. <i>Schizophrenia Bulletin</i> , 2019, 45, S271-S271.	4.3	0
42	O11.8. RELATIONSHIP BETWEEN SCHIZOTYPY AND SUBCORTICAL BRAIN VOLUMES IN 1084 INDIVIDUALS VIA THE ENIGMA CONSORTIUM. <i>Schizophrenia Bulletin</i> , 2019, 45, S196-S197.	4.3	1
43	Measuring anger in patients experiencing chronic pain - A systematic review. <i>Journal of Psychosomatic Research</i> , 2019, 125, 109778.	2.6	17
44	Predictors of Compulsory Re-admission to Psychiatric Inpatient Care. <i>Frontiers in Psychiatry</i> , 2019, 10, 120.	2.6	17
45	Early Somatosensory Processing Over Time in Individuals at Risk to Develop Psychosis. <i>Frontiers in Psychiatry</i> , 2019, 10, 47.	2.6	2
46	Schizotypal Traits are Linked to Dopamine-Induced Striato-Cortical Decoupling: A Randomized Double-Blind Placebo-Controlled Study. <i>Schizophrenia Bulletin</i> , 2019, 45, 680-688.	4.3	12
47	Disclosing the diagnosis of schizophrenia: A pilot study of the "Coming Out Proud"™ intervention. <i>International Journal of Social Psychiatry</i> , 2019, 65, 244-251.	3.1	8
48	Stigma as a Barrier to Mental Health Service Use Among Female Sex Workers in Switzerland. <i>Frontiers in Psychiatry</i> , 2019, 10, 32.	2.6	18
49	Antidepressant Use During Acute Inpatient Care Is Associated With an Increased Risk of Psychiatric Rehospitalisation Over a 12-Month Follow-Up After Discharge. <i>Frontiers in Psychiatry</i> , 2019, 10, 79.	2.6	9
50	Housing situation and healthcare for patients in a psychiatric centre in Berlin, Germany: a cross-sectional patient survey. <i>BMJ Open</i> , 2019, 9, e032576.	1.9	20
51	Borderline Personality Pathology in an At Risk Mental State Sample. <i>Frontiers in Psychiatry</i> , 2019, 10, 838.	2.6	7
52	Differences between unipolar mania and bipolar disorder: Evidence from nine epidemiological studies. <i>Bipolar Disorders</i> , 2019, 21, 437-448.	1.9	20
53	Hearing spirits? Religiosity in individuals at risk for psychosis—Results from the Brazilian SSAPP cohort. <i>Schizophrenia Research</i> , 2019, 204, 353-359.	2.0	20
54	Involuntary psychiatric hospitalisation, stigma stress and recovery: a 2-year study. <i>Epidemiology and Psychiatric Sciences</i> , 2019, 28, 458-465.	3.9	27

#	ARTICLE	IF	CITATIONS
55	Influence of demographic characteristics on attenuated positive psychotic symptoms in a young, help-seeking, at-risk population. <i>Microbial Biotechnology</i> , 2019, 13, 53-56.	1.7	8
56	T203. ILLICIT DRUGS USE AND ULTRA-HIGH RISK (UHR) FOR PSYCHOSIS STATUS IN A LATIN-AMERICAN SAMPLE. <i>Schizophrenia Bulletin</i> , 2018, 44, S195-S195.	4.3	2
57	Antidepressant Use Prospectively Relates to a Poorer Long-Term Outcome of Depression: Results from a Prospective Community Cohort Study over 30 Years. <i>Psychotherapy and Psychosomatics</i> , 2018, 87, 181-183.	8.8	34
58	Involuntary hospitalization, stigma stress and suicidality: a longitudinal study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 309-312.	3.1	22
59	A cross-continental analysis of weight gain, psychiatric diagnoses and medication use during inpatient psychiatric treatment. The international study on physical illness in mentally ill. <i>European Psychiatry</i> , 2018, 48, 65-70.	0.2	5
60	Predictors of remission from PTSD symptoms after sexual and non-sexual trauma in the community: A mediated survival-analytic approach. <i>Psychiatry Research</i> , 2018, 260, 262-271.	3.3	22
61	Status quo of German-speaking medical students' attitudes toward and knowledge about central aspects of forensic psychiatry across four European countries. <i>International Journal of Law and Psychiatry</i> , 2018, 58, 9-16.	0.9	3
62	Articulation and testing of a personality-centred model of psychopathology: evidence from a longitudinal community study over 30 years. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018, 268, 443-454.	3.2	11
63	Outcomes of a psycho-education and monitoring programme to prevent compulsory admission to psychiatric inpatient care: a randomised controlled trial. <i>Psychological Medicine</i> , 2018, 48, 849-860.	4.5	46
64	Online Survey of Medical and Psychological Professionals on Structured Instruments for the Assessment of Work Ability in Psychiatric Patients. <i>Frontiers in Psychiatry</i> , 2018, 9, 453.	2.6	2
65	“Placement Budgets” for Supported Employment: Impact on Quality of Life in a Multicenter Randomized Controlled Trial. <i>Frontiers in Psychiatry</i> , 2018, 9, 462.	2.6	4
66	S131. PERCEPTUAL ABNORMALITIES AND RELIGIOSITY IN ULTRA HIGH-RISK FOR PSYCHOSIS (UHR) INDIVIDUALS IN A LATIN AMERICAN POPULATIONAL SAMPLE RESULTS FROM THE SAO PAULO SSAPP COHORT. <i>Schizophrenia Bulletin</i> , 2018, 44, S376-S376.	4.3	0
67	Sleep Disturbances and Suicidality—A Longitudinal Analysis From a Representative Community Study Over 30 Years. <i>Frontiers in Psychiatry</i> , 2018, 9, 320.	2.6	11
68	Predicting Medical Students' Current Attitudes Toward Psychiatry, Interest in Psychiatry, and Estimated Likelihood of Working in Psychiatry: A Cross-Sectional Study in Four European Countries. <i>Frontiers in Psychiatry</i> , 2018, 9, 49.	2.6	24
69	Bipolar spectrum in major depressive disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018, 268, 741-748.	3.2	25
70	Epidemiology of gastrointestinal symptoms in young and middle-aged Swiss adults: prevalences and comorbidities in a longitudinal population cohort over 28 years. <i>BMC Gastroenterology</i> , 2018, 18, 21.	2.0	42
71	Subtypes of stuttering determined by latent class analysis in two Swiss epidemiological surveys. <i>PLoS ONE</i> , 2018, 13, e0198450.	2.5	10
72	Neuregulin 1 (NRG1) gene expression predicts functional outcomes in individuals at clinical high-risk for psychosis. <i>Psychiatry Research</i> , 2018, 266, 143-146.	3.3	4

#	ARTICLE	IF	CITATIONS
73	In Reply. Deutsches Ärzteblatt International, 2018, 115, 68-69.	0.9	0
74	Effectiveness of Medical Rehabilitation on Return-to-Work Depends on the Interplay of Occupation Characteristics and Disease. Journal of Occupational Rehabilitation, 2017, 27, 59-69.	2.2	7
75	Introduction of a Psychosocial Post-Discharge Intervention Program Aimed at Reducing Psychiatric Rehospitalization Rates and at Improving Mental Health and Functioning. Perspectives in Psychiatric Care, 2017, 53, 10-15.	1.9	17
76	The gender difference in depressive prevalence is due to high prevalence of somatic depression among women who do not have depressed relatives. Journal of Affective Disorders, 2017, 210, 269-272.	4.1	19
77	Course of psychotic symptoms, depression and global functioning in persons at clinical high risk of psychosis: Results of a longitudinal observation study over three years focusing on both converters and non-converters. Schizophrenia Research, 2017, 189, 19-26.	2.0	18
78	Stability and change in reported age of onset of depression, back pain, and smoking over 29 years in a prospective cohort study. Journal of Psychiatric Research, 2017, 88, 105-112.	3.1	6
79	Clinical Decision Making and Mental Health Service Use Among Persons With Severe Mental Illness Across Europe. Psychiatric Services, 2017, 68, 970-974.	2.0	11
80	Epidemiology of Back Pain in Young and Middle-Aged Adults: A Longitudinal Population Cohort Survey From Age 27â€“50 Years. Psychosomatics, 2017, 58, 604-613.	2.5	21
81	Helping Alliance and Unmet Needs in Routine Care of People With Severe Mental Illness Across Europe. Journal of Nervous and Mental Disease, 2017, 205, 329-333.	1.0	2
82	Poverty, low education, and the expression of psychotic-like experiences in the general population of SÃ£o Paulo, Brazil. Psychiatry Research, 2017, 253, 182-188.	3.3	35
83	The role of perceived social support after psychiatric hospitalisation: Post hoc analysis of a randomised controlled trial testing the effectiveness of a transitional intervention. International Journal of Social Psychiatry, 2017, 63, 297-306.	3.1	12
84	Predictors of repeat visits to hospital psychiatric emergency departments in Malaga (Spain) and in Lisbon (Portugal). Emergency Medicine Journal, 2017, 34, 665-671.	1.0	3
85	Sleep disturbances in young and middle-aged adults - Empirical patterns and related factors from an epidemiological survey. Comprehensive Psychiatry, 2017, 78, 83-90.	3.1	11
86	Low emotion-oriented coping and informal help-seeking behaviour as major predictive factors for improvement in major depression at 5-year follow-up in the adult community. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 1169-1182.	3.1	9
87	Checking the predictive accuracy of basic symptoms against ultra high-risk criteria and testing of a multivariable prediction model: Evidence from a prospective three-year observational study of persons at clinical high-risk for psychosis. European Psychiatry, 2017, 45, 27-35.	0.2	21
88	Recovery and decision-making involvement in people with severe mental illness from six countries: a prospective observational study. BMC Psychiatry, 2017, 17, 38.	2.6	21
89	Psychotic-Like Experiences at the Healthy End of the Psychosis Continuum. Frontiers in Psychology, 2017, 8, 775.	2.1	44
90	The Intricate Relationship between Psychotic-Like Experiences and Associated Subclinical Symptoms in Healthy Individuals. Frontiers in Psychology, 2017, 8, 1537.	2.1	21

#	ARTICLE	IF	CITATIONS
91	Duration of Absence from Work Is Related to Psychopathology, Personality, and Sociodemographic Variables in a Longitudinal Cohort. <i>Frontiers in Psychiatry</i> , 2017, 8, 252.	2.6	1
92	Prediction Analysis for Transition to Schizophrenia in Individuals at Clinical High Risk for Psychosis: The Relationship of DAO, DAOA, and NRG1 Variants with Negative Symptoms and Cognitive Deficits. <i>Frontiers in Psychiatry</i> , 2017, 8, 292.	2.6	16
93	Supportive Mental Health Self-Monitoring among Smartphone Users with Psychological Distress: Protocol for a Fully Mobile Randomized Controlled Trial. <i>Frontiers in Public Health</i> , 2017, 5, 249.	2.7	10
94	Two types of expectancies concerning competitive employment among people with mental illness in supported employment. <i>Journal of Vocational Rehabilitation</i> , 2017, 46, 195-202.	0.9	2
95	Conclusion and Recommendations for Future Action. , 2017, , 641-650.		2
96	Effectiveness of a Web-Based Intervention in Reducing Depression and Sickness Absence: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2017, 19, e213.	4.3	47
97	The Prevalence of Mental Illness in Homeless People in Germany. <i>Deutsches A&#x0308;rzteblatt International</i> , 2017, 114, 665-672.	0.9	56
98	Sozialpsychiatrische Aspekte psychischer Erkrankungen. , 2017, , 371-383.		0
99	Distribution of Response Time, Cortical, and Cardiac Correlates during Emotional Interference in Persons with Subclinical Psychotic Symptoms. <i>Frontiers in Behavioral Neuroscience</i> , 2016, 10, 172.	2.0	2
100	The Post-Discharge Network Coordination Programme: A Randomized Controlled Trial to Evaluate the Efficacy of an Intervention Aimed at Reducing Rehospitalizations and Improving Mental Health. <i>Frontiers in Psychiatry</i> , 2016, 7, 27.	2.6	25
101	Social Phobia Is Associated with Delayed Onset of Chickenpox, Measles, and Mumps Infections. <i>Frontiers in Psychiatry</i> , 2016, 7, 203.	2.6	4
102	Job Maintenance through Supported Employment PLUS: A Randomized Controlled Trial. <i>Frontiers in Public Health</i> , 2016, 4, 194.	2.7	6
103	Mental healthcare in South America with a focus on Brazil. <i>Current Opinion in Psychiatry</i> , 2016, 29, 264-269.	6.3	17
104	Mental Health Literacy, Attitudes to Help Seeking, and Perceived Need as Predictors of Mental Health Service Use. <i>Journal of Nervous and Mental Disease</i> , 2016, 204, 321-324.	1.0	184
105	Alterations in the hippocampus and thalamus in individuals at high risk for psychosis. <i>NPJ Schizophrenia</i> , 2016, 2, 16033.	3.6	42
106	The stigma of mental disorders. <i>EMBO Reports</i> , 2016, 17, 1250-1253.	4.5	133
107	Pure animal phobia is more specific than other specific phobias: epidemiological evidence from the Zurich Study, the ZInEP and the PsyCoLaus. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 567-577.	3.2	9
108	Big Five personality traits may inform public health policy and preventive medicine: Evidence from a cross-sectional and a prospective longitudinal epidemiologic study in a Swiss community. <i>Journal of Psychosomatic Research</i> , 2016, 84, 44-51.	2.6	49

#	ARTICLE	IF	CITATIONS
109	Latent Trajectories of Common Mental Health Disorder Risk Across 3 Decades of Adulthood in a Population-Based Cohort. <i>JAMA Psychiatry</i> , 2016, 73, 1023.	11.0	22
110	Factors influencing patientsâ€™ recovery and the efficacy of a psychosocial post-discharge intervention: post hoc analysis of a randomized controlled trial. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 1667-1677.	3.1	5
111	Does menopausal transition really influence mental health? Findings from the prospective long-term <sc>urich study. <i>World Psychiatry</i> , 2016, 15, 146-154.	10.4	32
112	Neurocognition in help-seeking individuals at risk for psychosis: Prediction of outcome after 24 months. <i>Psychiatry Research</i> , 2016, 246, 188-194.	3.3	16
113	Stigma and suicidal ideation among young people at risk of psychosis after one year. <i>Psychiatry Research</i> , 2016, 243, 219-224.	3.3	20
114	Association of Supported Employment With Cognitive Functioning and Employment Outcomes. <i>Psychiatric Services</i> , 2016, 67, 1257-1261.	2.0	6
115	Two-week neurasthenic major depression. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 737-741.	3.2	1
116	The Loudness Dependence of Auditory Evoked Potentials (LDAEP) in individuals at risk for developing bipolar disorders and schizophrenia. <i>Clinical Neurophysiology</i> , 2016, 127, 1342-1350.	1.5	12
117	Model-based testing for space-time interaction using point processes: An application to psychiatric hospital admissions in an urban area. <i>Spatial and Spatio-temporal Epidemiology</i> , 2016, 17, 15-25.	1.7	11
118	Hospital utilization outcome of an assertive outreach model for schizophrenic patients - results of a quasi-experimental study. <i>Psychiatry Research</i> , 2016, 241, 249-255.	3.3	5
119	Self-labelling and stigma as predictors of attitudes towards help-seeking among people at risk of psychosis: 1-year follow-up. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 79-82.	3.2	21
120	Age- and gender-specific mortality risk profiles for depressive outpatients with major chronic medical diseases. <i>Journal of Affective Disorders</i> , 2016, 193, 295-304.	4.1	2
121	Tracing the associations between sex, the atypical and the combined atypical-melancholic depression subtypes: A path analysis. <i>Journal of Affective Disorders</i> , 2016, 190, 807-818.	4.1	14
122	Effects of Clinical Decision Topic on Patientsâ€™ Involvement in and Satisfaction With Decisions and Their Subsequent Implementation. <i>Psychiatric Services</i> , 2016, 67, 658-663.	2.0	12
123	European Psychiatric Association (EPA) guidance on the quality of eMental health interventions in the treatment of psychotic disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 125-137.	3.2	47
124	Childhood trauma as a risk factor for the onset of subclinical psychotic experiences: Exploring the mediating effect of stress sensitivity in a cross-sectional epidemiological community study. <i>Schizophrenia Research</i> , 2016, 172, 46-53.	2.0	28
125	A Matter of Psychological Safety. <i>Journal of Cross-Cultural Psychology</i> , 2016, 47, 626-645.	1.6	11
126	Pathways between stigma and suicidal ideation among people at risk of psychosis. <i>Schizophrenia Research</i> , 2016, 172, 184-188.	2.0	37

#	ARTICLE	IF	CITATIONS
127	Predictors of discontinuation of antipsychotic medication and subsequent outcomes in the European First Episode Schizophrenia Trial (EUFEST). <i>Schizophrenia Research</i> , 2016, 172, 145-151.	2.0	28
128	Heterogeneity of Psychosis Risk Within Individuals at Clinical High Risk. <i>JAMA Psychiatry</i> , 2016, 73, 113.	11.0	354
129	Treated versus non-treated subjects with depression from a 30-year cohort study: prevalence and clinical covariates. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 173-180.	3.2	7
130	Identification and treatment of depression of older adults in primary care: findings from the São Paulo Ageing and Health Study. <i>Family Practice</i> , 2016, 33, 233-237.	1.9	12
131	Using Smartphones to Monitor Bipolar Disorder Symptoms: A Pilot Study. <i>JMIR Mental Health</i> , 2016, 3, e2.	3.3	144
132	Home-Based Psychiatric Outpatient Care Through Videoconferencing for Depression: A Randomized Controlled Follow-Up Trial. <i>JMIR Mental Health</i> , 2016, 3, e36.	3.3	34
133	Infectious, atopic and inflammatory diseases, childhood adversities and familial aggregation are independently associated with the risk for mental disorders: Results from a large Swiss epidemiological study. <i>World Journal of Psychiatry</i> , 2016, 6, 419.	2.7	12
134	Monitoring Mental Stressors at Work with the Work Health Audit Instrument Factors: Results of Validation Studies. , 2016, , 283-298.		0
135	Discrepancies between clinical needs and helpseeking behaviors in co-occurring posttraumatic stress and alcohol use disorders. <i>Comprehensive Psychiatry</i> , 2015, 62, 209-217.	3.1	4
136	Social Intervention in Psychiatric Disorders. , 2015, , 380-385.		0
137	Serum Testosterone Levels and Symptom-Based Depression Subtypes in Men. <i>Frontiers in Psychiatry</i> , 2015, 6, 61.	2.6	18
138	Preventing Compulsory Admission to Psychiatric Inpatient Care: Perceived Coercion, Empowerment, and Self-Reported Mental Health Functioning after 12 Months of Preventive Monitoring. <i>Frontiers in Psychiatry</i> , 2015, 6, 161.	2.6	17
139	Mental Health and Functioning of Female Sex Workers in Chittagong, Bangladesh. <i>Frontiers in Psychiatry</i> , 2015, 6, 176.	2.6	68
140	Aspects of Sustainability: Cooperation, Job Satisfaction, and Burnout among Swiss Psychiatrists. <i>Frontiers in Public Health</i> , 2015, 3, 25.	2.7	19
141	Job Maintenance by Supported Employment: An Overview of the “Supported Employment Plus” Trial. <i>Frontiers in Public Health</i> , 2015, 3, 140.	2.7	3
142	Does “Individual Placement and Support” Satisfy the Users’ Needs?. <i>Frontiers in Public Health</i> , 2015, 3, 160.	2.7	2
143	Supported Employment for the Reintegration of Disability Pensioners with Mental Illnesses: A Randomized Controlled Trial. <i>Frontiers in Public Health</i> , 2015, 3, 237.	2.7	22
144	Where are patients who have co-occurring mental and physical diseases located?. <i>International Journal of Social Psychiatry</i> , 2015, 61, 456-464.	3.1	7

#	ARTICLE	IF	CITATIONS
145	Childhood adversities as specific contributors to the co-occurrence of posttraumatic stress and alcohol use disorders. <i>Psychiatry Research</i> , 2015, 228, 251-256.	3.3	20
146	Dyspareunia in the Context of Psychopathology, Personality Traits, and Coping Resources: Results From a Prospective Longitudinal Cohort Study From Age 30 to 50. <i>Archives of Sexual Behavior</i> , 2015, 44, 1551-1560.	1.9	18
147	Preventing compulsory admission to psychiatric inpatient care using psycho-education and monitoring: feasibility and outcomes after 12 months. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015, 265, 209-217.	3.2	7
148	Courses of helping alliance in the treatment of people with severe mental illness in Europe: a latent class analytic approach. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 363-370.	3.1	6
149	Association between processing speed and subclinical psychotic symptoms in the general population: Focusing on sex differences. <i>Schizophrenia Research</i> , 2015, 166, 316-321.	2.0	10
150	Stigma as a stressor and transition to schizophrenia after one year among young people at risk of psychosis. <i>Schizophrenia Research</i> , 2015, 166, 43-48.	2.0	65
151	Content and implementation of clinical decisions in the routine care of people with severe mental illness. <i>Journal of Mental Health</i> , 2015, 24, 15-19.	1.9	6
152	Evaluation of a New Person-Centered Integrated Care Model in Psychiatry. <i>Psychiatric Quarterly</i> , 2015, 86, 153-168.	2.1	9
153	Association Between Childhood Maltreatment and Normal Adult Personality Traits: Exploration of an Understudied Field. <i>Journal of Personality Disorders</i> , 2015, 29, 1-14.	1.4	76
154	Comparing two basic subtypes in OCD across three large community samples: a pure compulsive versus a mixed obsessive-compulsive subtype. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015, 265, 719-734.	3.2	9
155	Predicting perceived need for mental health care in a community sample: an application of the self-regulatory model. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1593-1600.	3.1	7
156	Posttraumatic stress avoidance symptoms as mediators in the development of alcohol use disorders after exposure to childhood sexual abuse in a Swiss community sample. <i>Child Abuse and Neglect</i> , 2015, 46, 8-15.	2.6	15
157	A Swiss Longitudinal Study of the Prevalence of, and Overlap Between, Sexual Problems in Men and Women Aged 20 to 50 Years Old. <i>Journal of Sex Research</i> , 2015, 52, 949-959.	2.5	11
158	Assessing sub-clinical psychosis phenotypes in the general population – A multidimensional approach. <i>Schizophrenia Research</i> , 2015, 161, 194-201.	2.0	29
159	Externalizing disorders and substance use: empirically derived subtypes in a population-based sample of adults. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 7-17.	3.1	10
160	Predictors of burnout: results from a prospective community study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015, 265, 19-25.	3.2	46
161	Classification of mood disorders. <i>Psychiatria Polska</i> , 2015, 49, 663-671.	0.5	14
162	Sozialpsychiatrische Aspekte psychischer Erkrankungen. , 2015, , 1-13.		0

#	ARTICLE	IF	CITATIONS
163	Hell Is Other People? Gender and Interactions with Strangers in the Workplace Influence a Person's Risk of Depression. PLoS ONE, 2014, 9, e103501.	2.5	4
164	Antidepressants: Relationship to the Time to Psychiatric Readmission and Probability of Being in Hospital in Depressive Patients. Frontiers in Public Health, 2014, 2, 40.	2.7	5
165	Help-Seeking in People with Exceptional Experiences: Results from a General Population Sample. Frontiers in Public Health, 2014, 2, 51.	2.7	14
166	Early Recognition of High Risk of Bipolar Disorder and Psychosis: An Overview of the ZInEP "Early Recognition" Study. Frontiers in Public Health, 2014, 2, 166.	2.7	32
167	Symptom dimensions are associated with reward processing in unmedicated persons at risk for psychosis. Frontiers in Behavioral Neuroscience, 2014, 8, 382.	2.0	56
168	An integrative examination of general personality dysfunction in a large community sample. Personality and Mental Health, 2014, 8, 276-289.	1.2	15
169	Well-Being Among Persons at Risk of Psychosis: The Role of Self-Labeling, Shame, and Stigma Stress. Psychiatric Services, 2014, 65, 483-489.	2.0	94
170	The ZInEP Epidemiology Survey: background, design and methods. International Journal of Methods in Psychiatric Research, 2014, 23, 451-468.	2.1	21
171	Supported employment "improving competitive employment for people with mental illness: The role of motivation and social network. Journal of Vocational Rehabilitation, 2014, 40, 41-47.	0.9	7
172	Work-Related Discrimination and Change in Self-Stigma Among People With Mental Illness During Supported Employment. Psychiatric Services, 2014, 65, 1496-1498.	2.0	24
173	Cost of illness for bipolar disorder: a systematic review of the economic burden. Bipolar Disorders, 2014, 16, 337-353.	1.9	94
174	The Role of Psychopathological and Personality Covariates in Orgasmic Difficulties: A Prospective Longitudinal Evaluation in a Cohort of Women from Age 30 to 50. Journal of Sexual Medicine, 2014, 11, 2928-2937.	0.6	17
175	Cancer comorbidity patterns in schizophrenia and psychotic disorders: a new methodological approach for unique databases. International Journal of Methods in Psychiatric Research, 2014, 23, 19-24.	2.1	8
176	Patterns of stigma toward schizophrenia among the general population: A latent profile analysis. International Journal of Social Psychiatry, 2014, 60, 595-605.	3.1	17
177	Occupational functioning and work impairment in association with personality disorder trait-scores. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 327-335.	3.1	37
178	Interpersonal functioning deficits in association with DSM-IV personality disorder dimensions. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 317-325.	3.1	41
179	Emotional reactions to involuntary psychiatric hospitalization and stigma-related stress among people with mental illness. European Archives of Psychiatry and Clinical Neuroscience, 2014, 264, 35-43.	3.2	96
180	The role of sex on stability and change of depression symptom subtypes over 20 years: a latent transition analysis. European Archives of Psychiatry and Clinical Neuroscience, 2014, 264, 577-588.	3.2	31

#	ARTICLE	IF	CITATIONS
181	Associations with quality of life and the effect of psychopathology in a community study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1467-1473.	3.1	9
182	Symptom-based subtypes of depression and their psychosocial correlates: A person-centered approach focusing on the influence of sex. <i>Journal of Affective Disorders</i> , 2014, 156, 92-103.	4.1	54
183	Empathic resonance in Asperger syndrome. <i>Research in Autism Spectrum Disorders</i> , 2014, 8, 851-859.	1.5	7
184	Aberrant Coupling Within and Across the Default Mode, Task-Positive, and Salience Network in Subjects at Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2014, 40, 1095-1104.	4.3	149
185	Longitudinal course of self-labeling, stigma stress and well-being among young people at risk of psychosis. <i>Schizophrenia Research</i> , 2014, 158, 82-84.	2.0	38
186	The development and evaluation of a five-language multi-perspective standardised measure: clinical decision-making involvement and satisfaction (CDIS). <i>BMC Health Services Research</i> , 2014, 14, 323.	2.2	24
187	Desire for information of people with severe mental illness. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1883-1891.	3.1	17
188	Fluid intelligence and empathy in association with personality disorder trait-scores: exploring the link. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 441-448.	3.2	24
189	Suicidality in the prospective Zurich study: prevalence, risk factors and gender. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 557-565.	3.2	35
190	Efficacy of Coming Out Proud to reduce stigma's impact among people with mental illness: pilot randomised controlled trial. <i>British Journal of Psychiatry</i> , 2014, 204, 391-397.	2.8	157
191	Impact of childhood adversity on the onset and course of subclinical psychosis symptoms – Results from a 30-year prospective community study. <i>Schizophrenia Research</i> , 2014, 153, 189-195.	2.0	30
192	The joint structure of normal and pathological personality: Further evidence for a dimensional model. <i>Comprehensive Psychiatry</i> , 2014, 55, 667-674.	3.1	25
193	Factors associated with comorbidity patterns in full and partial PTSD: Findings from the PsyCoLaus study. <i>Comprehensive Psychiatry</i> , 2014, 55, 837-848.	3.1	34
194	Juicy lemons for measuring basic empathic resonance. <i>Psychiatry Research</i> , 2014, 219, 391-396.	3.3	1
195	Early somatosensory processing in individuals at risk for developing psychoses. <i>Frontiers in Behavioral Neuroscience</i> , 2014, 8, 308.	2.0	10
196	Assessing a financial incentive for reducing length of stay of psychiatric inpatients: Implications for financing psychiatric services. <i>Swiss Medical Weekly</i> , 2014, 144, w13991.	1.6	5
197	Stigma toward schizophrenia: do all psychiatrists behave the same? Latent profile analysis of a national sample of psychiatrists in Brazil. <i>BMC Psychiatry</i> , 2013, 13, 92.	2.6	33
198	Effectiveness and efficiency of assertive outreach for Schizophrenia in Germany: study protocol on a pragmatic quasi-experimental controlled trial. <i>BMC Psychiatry</i> , 2013, 13, 56.	2.6	7

#	ARTICLE	IF	CITATIONS
199	Mirror neuron activity during contagious yawning – an fMRI study. <i>Brain Imaging and Behavior</i> , 2013, 7, 28-34.	2.1	52
200	Deconstructing sub-clinical psychosis into latent-state and trait variables over a 30-year time span. <i>Schizophrenia Research</i> , 2013, 150, 197-204.	2.0	23
201	Network coordination following discharge from psychiatric inpatient treatment: a study protocol. <i>BMC Psychiatry</i> , 2013, 13, 220.	2.6	9
202	The effectiveness of individual placement and support for people with mental illness new on social benefits: a study protocol. <i>BMC Psychiatry</i> , 2013, 13, 195.	2.6	16
203	Functional Social Support within a Medical Supervised Outpatient Treatment Program. <i>American Journal of Drug and Alcohol Abuse</i> , 2013, 39, 44-49.	2.1	16
204	Can protective factors moderate the detrimental effects of child maltreatment on personality functioning?. <i>Journal of Psychiatric Research</i> , 2013, 47, 1180-1186.	3.1	20
205	The more information, the more negative stigma towards schizophrenia: Brazilian general population and psychiatrists compared. <i>Psychiatry Research</i> , 2013, 205, 185-191.	3.3	41
206	Attitudes towards help-seeking and stigma among young people at risk for psychosis. <i>Psychiatry Research</i> , 2013, 210, 1313-1315.	3.3	34
207	The cost of depression – A cost analysis from a large database. <i>Journal of Affective Disorders</i> , 2013, 147, 137-143.	4.1	63
208	Precursors of cognitive impairments in psychotic disorders: A population-based study. <i>Psychiatry Research</i> , 2013, 210, 329-337.	3.3	7
209	Lifetime comorbidity of obsessive-compulsive disorder and sub-threshold obsessive-compulsive symptomatology in the community: impact, prevalence, socio-demographic and clinical characteristics. <i>International Journal of Psychiatry in Clinical Practice</i> , 2013, 17, 188-196.	2.4	67
210	Remission of obsessive-compulsive disorders and syndromes; evidence from a prospective community cohort study over 30 years. <i>International Journal of Psychiatry in Clinical Practice</i> , 2013, 17, 179-187.	2.4	44
211	A prospective population-based cohort study of the prevalence, incidence and impact of obsessive-compulsive symptomatology. <i>International Journal of Psychiatry in Clinical Practice</i> , 2013, 17, 170-178.	2.4	64
212	Cultural diversity in physical diseases among patients with mental illnesses. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 250-258.	2.3	11
213	Supported employment: cost-effectiveness across six European sites. <i>World Psychiatry</i> , 2013, 12, 60-68.	10.4	81
214	What is Normal? The Impact of Psychiatric Classification on Mental Health Practice and Research. <i>Frontiers in Public Health</i> , 2013, 1, 68.	2.7	19
215	The relationships between employment, clinical status, and psychiatric hospitalisation in patients with schizophrenia receiving either IPS or a conventional vocational rehabilitation programme. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 1381-1389.	3.1	39
216	A new rating scale for adult ADHD based on the Symptom Checklist 90 (SCL-90-R). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 519-528.	3.2	11

#	ARTICLE	IF	CITATIONS
217	Self-reported empathic abilities in schizophrenia: A longitudinal perspective. <i>Psychiatry Research</i> , 2012, 200, 1028-1031.	3.3	15
218	Therapeutic relationship in the context of perceived coercion in a psychiatric population. <i>Psychiatry Research</i> , 2012, 200, 939-944.	3.3	107
219	Stress, burnout, and job dissatisfaction in mental health workers. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 65-69.	3.2	172
220	Death has a preference for birthdaysâ€”an analysis of death time series. <i>Annals of Epidemiology</i> , 2012, 22, 603-606.	1.9	17
221	Sex differences in sub-clinical psychosisâ€”Results from a community study over 30years. <i>Schizophrenia Research</i> , 2012, 139, 176-182.	2.0	14
222	â€œPlacement budgetsâ€™ for supported employment â€œ improving competitive employment for people with mental illness: study protocol of a multicentre randomized controlled trial. <i>BMC Psychiatry</i> , 2012, 12, 165.	2.6	16
223	Preventing compulsory admission to psychiatric inpatient care through psycho-education and crisis focused monitoring. <i>BMC Psychiatry</i> , 2012, 12, 136.	2.6	30
224	Atitudes de profissionais de saÃºde mental em relaÃ§Ã£o a indivÃduos com esquizofrenia: uma comparaÃ§Ã£o transcultural entre SuÃ¡a e Brasil. <i>Revista De Psiquiatria Clinica</i> , 2012, 39, 115-121.	0.6	10
225	The interrelation of needs and quality of life in first-episode schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 207-216.	3.2	15
226	Linking substance use with symptoms of subclinical psychosis in a community cohort over 30 years. <i>Addiction</i> , 2012, 107, 1174-1184.	3.3	55
227	Agomelatine for Depression in Schizophrenia: A Case-Series. <i>Psychopharmacology Bulletin</i> , 2012, 45, 35-43.	0.0	3
228	Sub-clinical psychosis symptoms in young adults are risk factors for subsequent common mental disorders. <i>Schizophrenia Research</i> , 2011, 131, 18-23.	2.0	85
229	Risk factors at the low end of the psychosis continuum: Much the same as at the upper end?. <i>Psychiatry Research</i> , 2011, 189, 77-81.	3.3	22
230	Childhood adversity and chronicity of mood disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011, 261, 21-27.	3.2	64
231	Reappraisal of the interplay between psychosis and depression symptoms in the pathogenesis of psychotic syndromes: results from a twenty-year prospective community study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011, 261, 11-19.	3.2	14
232	The psychosis continuum in the general population: findings from the SÃ£o Paulo Epidemiologic Catchment Area Study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011, 261, 519-527.	3.2	28
233	Does psychopathology at admission predict the length of inpatient stay in psychiatry? Implications for financing psychiatric services. <i>BMC Psychiatry</i> , 2011, 11, 120.	2.6	38
234	O estigma atribuÃdo pelos psiquiatras aos indivÃduos com esquizofrenia. <i>Revista De Psiquiatria Clinica</i> , 2011, 38, 173-177.	0.6	21

#	ARTICLE	IF	CITATIONS
235	Risk factors for stuttering: a secondary analysis of a large data base. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010, 260, 279-286.	3.2	36
236	Clinical Decision Making and Outcome in Routine Care for People with Severe Mental Illness (CEDAR): Study protocol. <i>BMC Psychiatry</i> , 2010, 10, 90.	2.6	38
237	Towards integrated care in Europe. <i>The Psychiatrist</i> , 2010, 34, 539-539.	0.3	1
238	Are Empathic Abilities Impaired in Posttraumatic Stress Disorder?. <i>Psychological Reports</i> , 2010, 106, 832-844.	1.7	76
239	Enhancement of outpatient treatment adherence: Patients' perceptions of coercion, fairness and effectiveness. <i>Psychiatry Research</i> , 2010, 180, 48-53.	3.3	56
240	Sense of agency and mentalizing: Dissociation of subdomains of social cognition in patients with schizophrenia. <i>Psychiatry Research</i> , 2010, 178, 39-45.	3.3	29
241	The Impact of Supported Employment and Working on Clinical and Social Functioning: Results of an International Study of Individual Placement and Support. <i>Schizophrenia Bulletin</i> , 2009, 35, 949-958.	4.3	198
242	Long-term depression versus episodic major depression: Results from the prospective Zurich study of a community sample. <i>Journal of Affective Disorders</i> , 2009, 115, 112-121.	4.1	130
243	Empathy in schizophrenia: impaired resonance. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009, 259, 352-361.	3.2	98
244	Working with mental health problems: clients' experiences of IPS, vocational rehabilitation and employment. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 961-970.	3.1	76
245	Cost of treatment of schizophrenia in six European countries. <i>Schizophrenia Research</i> , 2009, 111, 70-77.	2.0	58
246	Methods of suicide: international suicide patterns derived from the WHO mortality database. <i>Bulletin of the World Health Organization</i> , 2008, 86, 726-732.	3.3	402
247	Prevalence, Course, and Comorbidity of Insomnia and Depression in Young Adults. <i>Sleep</i> , 2008, 31, 473-480.	1.1	662
248	Predictors of employment for people with severe mental illness: results of an international six-centre randomised controlled trial. <i>British Journal of Psychiatry</i> , 2008, 192, 224-231.	2.8	187
249	Changes in Social Network Diversity and Perceived Social Support After Psychiatric Hospitalization: Results From a Longitudinal Study. <i>International Journal of Social Psychiatry</i> , 2007, 53, 564-575.	3.1	25
250	The effectiveness of supported employment for people with severe mental illness: a randomised controlled trial. <i>Lancet</i> , The, 2007, 370, 1146-1152.	13.7	524
251	Stigma towards people with mental illness in developing countries in Asia. <i>International Review of Psychiatry</i> , 2007, 19, 157-178.	2.8	354
252	Psychotic experiences in the general population: A twenty-year prospective community study. <i>Schizophrenia Research</i> , 2007, 92, 1-14.	2.0	265

#	ARTICLE	IF	CITATIONS
253	Predictors and course of vocational status, income, and quality of life in people with severe mental illness: A naturalistic study. <i>Social Science and Medicine</i> , 2007, 65, 1420-1429.	3.8	79
254	Mental health care in Germany. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007, 257, 92-103.	3.2	94
255	The spectra of neurasthenia and depression: course, stability and transitions. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007, 257, 120-127.	3.2	15
256	Atypical depressive syndromes in varying definitions. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2006, 256, 44-54.	3.2	104
257	Prevalence of exposure to potentially traumatic events and PTSD. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2006, 256, 151-158.	3.2	69
258	Is the association of alcohol use disorders with major depressive disorder a consequence of undiagnosed bipolar-II disorder?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2006, 256, 452-457.	3.2	49
259	How ubiquitous are physical and psychological complaints in young and middle adulthood?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 881-888.	3.1	7
260	Length of first admission and treatment outcome in patients with unipolar depression. <i>Journal of Affective Disorders</i> , 2006, 93, 43-51.	4.1	17
261	Community Psychiatry: Results of a Public Opinion Survey. <i>International Journal of Social Psychiatry</i> , 2006, 52, 234-242.	3.1	14
262	Psychiatric rehabilitation today: an overview. <i>World Psychiatry</i> , 2006, 5, 151-7.	10.4	67
263	Recommendations of mental health professionals and the general population on how to treat mental disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 835-843.	3.1	77
264	Obsessive-compulsive syndromes and disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2005, 255, 65-71.	3.2	125
265	Family Burden During Exacerbation of Schizophrenia: Quantification and Determinants of Additional Costs. <i>International Journal of Social Psychiatry</i> , 2005, 51, 259-264.	3.1	21
266	Prevalence of mental disorders in the Zurich Cohort Study: a twenty year prospective study. <i>Epidemiologia E Psichiatria Sociale</i> , 2005, 14, 68-76.	0.9	110
267	Attitudes of Mental Health Professionals Toward People With Schizophrenia and Major Depression. <i>Schizophrenia Bulletin</i> , 2005, 32, 709-714.	4.3	387
268	Size of burden of schizophrenia and psychotic disorders. <i>European Neuropsychopharmacology</i> , 2005, 15, 399-409.	0.7	516
269	Excessive Daytime Sleepiness in Young Adults. <i>Journal of Clinical Psychiatry</i> , 2005, 66, 521-529.	2.2	89
270	Factors Influencing Social Distance Toward People with Mental Illness. <i>Community Mental Health Journal</i> , 2004, 40, 265-274.	2.0	220

#	ARTICLE	IF	CITATIONS
271	Obsessive-compulsive severity spectrum in the community: prevalence, comorbidity, and course. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2004, 254, 156-64.	3.2	212
272	What about psychiatrists' attitude to mentally ill people?. <i>European Psychiatry</i> , 2004, 19, 423-427.	0.2	163
273	The Association Between Short Sleep Duration and Obesity in Young Adults: a 13-Year Prospective Study. <i>Sleep</i> , 2004, 27, 661-666.	1.1	563
274	Toward a re-definition of subthreshold bipolarity: epidemiology and proposed criteria for bipolar-II, minor bipolar disorders and hypomania. <i>Journal of Affective Disorders</i> , 2003, 73, 133-146.	4.1	781
275	Diagnostic issues in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2003, 13, 43-50.	0.7	102
276	Do people recognise mental illness?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2003, 253, 248-251.	3.2	184
277	Determinants of burden in caregivers of patients with exacerbating schizophrenia. <i>European Psychiatry</i> , 2003, 18, 285-289.	0.2	111
278	Alcoholism and somatic comorbidity among homeless people in Mannheim, Germany. <i>Addiction</i> , 2002, 97, 1593-1600.	3.3	26
279	Closure of an open drug scene - a case register-based analysis of the impact on the demand for methadone maintenance treatment. <i>Addiction</i> , 2001, 96, 623-628.	3.3	12
280	Comparison of Self-Ratings and Therapist Ratings of Outpatients' Psychosocial Status. <i>Journal of Nervous and Mental Disease</i> , 2000, 188, 297-300.	1.0	18
281	The course of schizophrenic psychoses: what do we really know? A selective review from an epidemiological perspective. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1998, 248, 189-202.	3.2	53
282	Wilhelm Griesinger and the Concept of Community Care in 19th-Century Germany. <i>Psychiatric Services</i> , 1994, 45, 818-822.	2.0	9
283	Cognitive disorders in schizophrenics viewed from the attribution theory. <i>European Archives of Psychiatry and Neurological Sciences</i> , 1986, 235, 382-387.	0.9	14