

# Raoul Daoust

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/721092/publications.pdf>

Version: 2024-02-01

85  
papers

1,747  
citations

236925

25  
h-index

330143

37  
g-index

86  
all docs

86  
docs citations

86  
times ranked

2433  
citing authors

#	ARTICLE	IF	CITATIONS
1	Validation and properties of the verbal numeric scale in children with acute pain. <i>Pain</i> , 2010, 149, 216-221.	4.2	137
2	Cumulative Incidence of Functional Decline After Minor Injuries in Previously Independent Older Canadian Individuals in the Emergency Department. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 1661-1668.	2.6	80
3	Recent opioid use and fall-related injury among older patients with trauma. <i>Cmaj</i> , 2018, 190, E500-E506.	2.0	72
4	Basic concepts in the use of thoracic and lung ultrasound. <i>Current Opinion in Anaesthesiology</i> , 2013, 26, 20-30.	2.0	67
5	Reliability of the visual analog scale in children with acute pain in the emergency department. <i>Pain</i> , 2012, 153, 839-842.	4.2	66
6	Comparison of Four Pain Scales in Children With Acute Abdominal Pain in a Pediatric Emergency Department. <i>Annals of Emergency Medicine</i> , 2007, 50, 379-383.e2.	0.6	64
7	Risk of Delayed Intracranial Hemorrhage in Anticoagulated Patients with Mild Traumatic Brain Injury: Systematic Review and Meta-Analysis. <i>Journal of Emergency Medicine</i> , 2016, 51, 519-528.	0.7	64
8	Incidence of delirium in the Canadian emergency department and its consequences on hospital length of stay: a prospective observational multicentre cohort study. <i>BMJ Open</i> , 2018, 8, e018190.	1.9	50
9	Impact of the direct transfer to percutaneous coronary intervention-capable hospitals on survival to hospital discharge for patients with out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2018, 125, 28-33.	3.0	47
10	A Systematic Review of the Relative Frequency and Risk Factors for Prolonged Opioid Prescription Following Surgery and Trauma Among Adults. <i>Annals of Surgery</i> , 2020, 271, 845-854.	4.2	47
11	Estimation of pain intensity in emergency medicine: A validation study. <i>Pain</i> , 2008, 138, 565-570.	4.2	43
12	Measuring Frailty Can Help Emergency Departments Identify Independent Seniors at Risk of Functional Decline After Minor Injuries. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017, 72, 68-74.	3.6	42
13	Is adequate pain relief and time to analgesia associated with emergency department length of stay? A retrospective study. <i>BMJ Open</i> , 2014, 4, e004288.	1.9	39
14	β-Blockers for the treatment of cardiac arrest from ventricular fibrillation?. <i>Resuscitation</i> , 2007, 75, 434-444.	3.0	36
15	Incidence and Risk Factors of Long-term Opioid Use in Elderly Trauma Patients. <i>Annals of Surgery</i> , 2018, 268, 985-991.	4.2	36
16	Side effects from opioids used for acute pain after emergency department discharge. <i>American Journal of Emergency Medicine</i> , 2020, 38, 695-701.	1.6	35
17	Current views on acute to chronic pain transition in post-traumatic patients. <i>Journal of Trauma and Acute Care Surgery</i> , 2014, 76, 1142-1150.	2.1	31
18	Unrecognized Incident Delirium in Older Emergency Department Patients. <i>Journal of Emergency Medicine</i> , 2019, 57, 535-542.	0.7	31

#	ARTICLE	IF	CITATIONS
19	Performance of the French version of the 4AT for screening the elderly for delirium in the emergency department. <i>Canadian Journal of Emergency Medicine</i> , 2018, 20, 903-910.	1.1	30
20	Medium Increased Risk for Central Sleep Apnea but Not Obstructive Sleep Apnea in Long-Term Opioid Users: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Sleep Medicine</i> , 2016, 12, 617-625.	2.6	29
21	Feasibility, Acceptability and Effects of a Home-Based Exercise Program Using a Gerontechnology on Physical Capacities After a Minor Injury in Community-Living Older Adults: A Pilot Study. <i>Journal of Nutrition, Health and Aging</i> , 2018, 22, 16-25.	3.3	29
22	Quantity of opioids consumed following an emergency department visit for acute pain: a Canadian prospective cohort study. <i>BMJ Open</i> , 2018, 8, e022649.	1.9	29
23	Impact of Age, Sex and Route of Administration on Adverse Events after Opioid Treatment in the Emergency Department: A Retrospective Study. <i>Pain Research and Management</i> , 2015, 20, 23-28.	1.8	28
24	Emergency Department-initiated Interventions for Patients With Opioid Use Disorder: A Systematic Review. <i>Academic Emergency Medicine</i> , 2020, 27, 1173-1182.	1.8	28
25	Functional Impact of a Minor Thoracic Injury. <i>Annals of Surgery</i> , 2015, 262, 1115-1122.	4.2	25
26	Frail older adults with minor fractures show lower health-related quality of life (SF-12) scores up to six months following emergency department discharge. <i>Health and Quality of Life Outcomes</i> , 2016, 14, 40.	2.4	25
27	Timed Up and Go predicts functional decline in older patients presenting to the emergency department following minor trauma. <i>Age and Ageing</i> , 2017, 46, 214-218.	1.6	24
28	Painful Memories: Reliability of Pain Intensity Recall at 3 Months in Senior Patients. <i>Pain Research and Management</i> , 2017, 2017, 1-7.	1.8	23
29	Development of the Canadian COVID-19 Emergency Department Rapid Response Network population-based registry: a methodology study. <i>CMAJ Open</i> , 2021, 9, E261-E270.	2.4	23
30	Comparing the effects of a home-based exercise program using a gerontechnology to a community-based group exercise program on functional capacities in older adults after a minor injury. <i>Experimental Gerontology</i> , 2018, 108, 41-47.	2.8	22
31	Prognostic impact of the conversion to a shockable rhythm from a non-shockable rhythm for patients suffering from out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2019, 140, 43-49.	3.0	22
32	Prehospital Advanced Cardiac Life Support for Out-of-hospital Cardiac Arrest: A Cohort Study. <i>Academic Emergency Medicine</i> , 2017, 24, 1100-1109.	1.8	21
33	Risk Factors of Significant Pain Syndrome 90 Days After Minor Thoracic Injury: Trajectory Analysis. <i>Academic Emergency Medicine</i> , 2013, 20, 1139-1145.	1.8	19
34	Return to the ED and hospitalisation following minor injuries among older persons treated in the emergency department: predictors among independent seniors within 6 months. <i>Age and Ageing</i> , 2015, 44, 624-629.	1.6	19
35	Impact of Age on Pain Perception for Typical Painful Diagnoses in the Emergency Department. <i>Journal of Emergency Medicine</i> , 2016, 50, 14-20.	0.7	19
36	Early Factors Associated with the Development of Chronic Pain in Trauma Patients. <i>Pain Research and Management</i> , 2018, 2018, 1-8.	1.8	19

#	ARTICLE	IF	CITATIONS
37	Relationship Between Pain, Opioid Treatment, and Delirium in Older Emergency Department Patients. <i>Academic Emergency Medicine</i> , 2020, 27, 708-716.	1.8	19
38	Is Cognitive Function a Concern in Independent Elderly Adults Discharged Home from the Emergency Department in Canada After a Minor Injury?. <i>Journal of the American Geriatrics Society</i> , 2014, 62, 2130-2135.	2.6	13
39	Evaluating acute pain intensity relief. <i>Pain</i> , 2016, 157, 355-360.	4.2	13
40	Frailty Assessment to Help Predict Patients at Risk of Delirium When Consulting the Emergency Department. <i>Journal of Emergency Medicine</i> , 2018, 55, 157-164.	0.7	13
41	Opioid Use and Misuse Three Months After Emergency Department Visit for Acute Pain. <i>Academic Emergency Medicine</i> , 2019, 26, 847-855.	1.8	13
42	Evaluation of Interventions to Reduce Opioid Prescribing for Patients Discharged From the Emergency Department. <i>JAMA Network Open</i> , 2022, 5, e2143425.	5.9	13
43	Relative frequency and risk factors for long-term opioid therapy following surgery and trauma among adults: a systematic review protocol. <i>Systematic Reviews</i> , 2018, 7, 97.	5.3	12
44	Pain during exacerbation of chronic obstructive pulmonary disease: A prospective cohort study. <i>PLoS ONE</i> , 2019, 14, e0217370.	2.5	12
45	Electrical rhythm degeneration in adults with out-of-hospital cardiac arrest according to the no-flow and bystander low-flow time. <i>Resuscitation</i> , 2021, 167, 355-361.	3.0	12
46	Senior patients with moderate to severe pain wait longer for analgesic medication in EDs. <i>American Journal of Emergency Medicine</i> , 2014, 32, 315-319.	1.6	11
47	Predictors of delirium in older patients at the emergency department: a prospective multicentre derivation study. <i>Canadian Journal of Emergency Medicine</i> , 2021, 23, 330-336.	1.1	11
48	Vital Signs Are Not Associated with Self-Reported Acute Pain Intensity in the Emergency Department. <i>Canadian Journal of Emergency Medicine</i> , 2016, 18, 19-27.	1.1	10
49	Acute Pain Resolution After an Emergency Department Visit: A 14-Day Trajectory Analysis. <i>Annals of Emergency Medicine</i> , 2019, 74, 224-232.	0.6	10
50	Can a Shockable Initial Rhythm Identify Out-of-Hospital Cardiac Arrest Patients with a Short No-flow Time?. <i>Resuscitation</i> , 2021, 158, 57-63.	3.0	10
51	Functional and cognitive decline in older delirious adults after an emergency department visit. <i>Age and Ageing</i> , 2021, 50, 135-140.	1.6	10
52	Oxygen Therapy and Risk of Infection for Health Care Workers Caring for Patients With Viral Severe Acute Respiratory Infection: A Systematic Review and Meta-analysis. <i>Annals of Emergency Medicine</i> , 2021, 77, 19-31.	0.6	10
53	Clinical prediction rule for delayed hemothorax after minor thoracic injury: a multicentre derivation and validation study. <i>CMAJ Open</i> , 2017, 5, E444-E453.	2.4	8
54	Potential impact of a prehospital redirection system for refractory cardiac arrest. <i>Resuscitation</i> , 2017, 119, 37-42.	3.0	8

#	ARTICLE	IF	CITATIONS
55	Correlates of cognitive functioning in independent elderly patients discharged home from the emergency department after a minor injury. <i>International Psychogeriatrics</i> , 2016, 28, 1313-1322.	1.0	7
56	Reproducibility, interchangeability of measures, time to measure stabilization, and reference values of two tissue oximeters in healthy volunteers. <i>Journal of Biomedical Optics</i> , 2016, 21, 097003.	2.6	7
57	Validation of the O3DY French Version (O3DY-F) for the Screening of Cognitive Impairment in Community Seniors in the Emergency Department. <i>Journal of Emergency Medicine</i> , 2019, 57, 59-65.	0.7	7
58	Relationship between acute pain trajectories after an emergency department visit and chronic pain: a Canadian prospective cohort study. <i>BMJ Open</i> , 2020, 10, e040390.	1.9	7
59	Buprenorphine–naloxone practice and attitudes in 22 Canadian emergency physician groups: a cross-sectional survey. <i>CMAJ Open</i> , 2021, 9, E864-E873.	2.4	7
60	Percentage of pain intensity difference on an 11–point numerical rating scale underestimates acute pain resolution. <i>European Journal of Pain</i> , 2014, 18, 1103-1111.	2.8	6
61	Comparison of functional outcomes in elderly who have sustained a minor trauma with or without head injury: a prospective multicenter cohort study. <i>Canadian Journal of Emergency Medicine</i> , 2017, 19, 329-337.	1.1	6
62	Subjective sleep quality and its etiology in the emergency department. <i>Canadian Journal of Emergency Medicine</i> , 2019, 21, 249-252.	1.1	6
63	Functional Decline After Nonhospitalized Injuries in Older Patients: Results From the Canadian Emergency Team Initiative Cohort in Elders. <i>Annals of Emergency Medicine</i> , 2022, 80, 154-164.	0.6	6
64	The simple query “Do you want more pain medication?” is not a reliable way to assess acute pain relief in patients in the emergency department. <i>Canadian Journal of Emergency Medicine</i> , 2018, 20, 21-27.	1.1	5
65	Using the Bergman-Paris Question to screen seniors in the emergency department. <i>Canadian Journal of Emergency Medicine</i> , 2018, 20, 753-761.	1.1	4
66	Serial Ottawa 3DY assessments to detect delirium in older emergency department community dwellers. <i>Age and Ageing</i> , 2020, 49, 130-134.	1.6	4
67	Opioid Poisoning and Opioid Use Disorder in Older Trauma Patients. <i>Clinical Interventions in Aging</i> , 2020, Volume 15, 763-770.	2.9	4
68	Opioid and non-opioid pain relief after an emergency department acute pain visit. <i>Canadian Journal of Emergency Medicine</i> , 2021, 23, 342-350.	1.1	4
69	Limiting Opioid Prescribing. <i>JAMA - Journal of the American Medical Association</i> , 2019, 322, 170.	7.4	3
70	Association Between the Quantity of Subcutaneous Fat and the Inter-Device Agreement of 2 Tissue Oximeters. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2019, 33, 2989-2994.	1.3	3
71	Can the “important brain injury criteria” predict neurosurgical intervention in mild traumatic brain injury? A validation study. <i>American Journal of Emergency Medicine</i> , 2020, 38, 521-525.	1.6	3
72	Exercise Interventions for Community-Dwelling Older Adults Following an Emergency Department Consultation for a Minor Injury. <i>Journal of Aging and Physical Activity</i> , 2021, 29, 267-279.	1.0	3

#	ARTICLE	IF	CITATIONS
73	Theoretical Repeatability Coefficient of a 100 mm Visual Analog Scale in Children. <i>Clinical Journal of Pain</i> , 2014, 30, 515-520.	1.9	2
74	Lung Sliding Identification Is Less Accurate in the Left Hemithorax. <i>Journal of Ultrasound in Medicine</i> , 2017, 36, 327-333.	1.7	2
75	The prognostic significance of repeated prehospital shocks for out-of-hospital cardiac arrest survival. <i>Canadian Journal of Emergency Medicine</i> , 2019, 21, 330-338.	1.1	2
76	Another alternative to opioids for acute pain?. <i>Canadian Journal of Emergency Medicine</i> , 2020, 22, 273-274.	1.1	2
77	Opioid drug use in emergency and adverse outcomes among patients with chronic obstructive pulmonary disease: a multicenter observational study. <i>Scientific Reports</i> , 2020, 10, 5038.	3.3	2
78	Thoughts on the 2019 American Academy of Sleep Medicine position statement on chronic opioid therapy and sleep. <i>Journal of Clinical Sleep Medicine</i> , 2020, 16, 831-833.	2.6	2
79	Fear of falling in community-dwelling older adults presenting to the emergency department for minor injuries: Impact on return to the ED and future falls. <i>Canadian Journal of Emergency Medicine</i> , 2020, 22, 692-700.	1.1	1
80	Association between fentanyl treatment for acute pain in the emergency department and opioid use two weeks after discharge. <i>American Journal of Emergency Medicine</i> , 2022, 52, 137-142.	1.6	1
81	Pain, and Not Opioids, Is Associated With Delirium in Older Emergency Department Patients. <i>Academic Emergency Medicine</i> , 2021, 28, 145-145.	1.8	0
82	Reply to: Pseudo-PEA: An easily overlooked player in cardiac arrest. <i>Resuscitation</i> , 2021, 168, 242-243.	3.0	0
83	Relative Frequency and Risk Factors for Prolonged Opioid Therapy after Surgery and Trauma: A Systematic Review and Meta-Analysis. <i>Canadian Journal of Pain</i> , 0, , .	1.7	0
84	Association of Initial Pulseless Electrical Activity Heart Rate and Clinical Outcomes following Adult Non-Traumatic Out-of-Hospital Cardiac Arrest. <i>Prehospital Emergency Care</i> , 2023, 27, 728-735.	1.8	0
85	Accuracy of the Initial Rhythm to Predict a Short No-Flow Time in Out-of-Hospital Cardiac Arrest. <i>Critical Care Medicine</i> , 2022, 50, 1494-1502.	0.9	0