

# Rafael F Castañeda-Ruiz

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7211264/publications.pdf>

Version: 2024-02-01

142

papers

1,782

citations

759233

12

h-index

330143

37

g-index

144

all docs

144

docs citations

144

times ranked

1616

citing authors

#	ARTICLE	IF	CITATIONS
1	Outline of Fungi and fungus-like taxa. <i>Mycosphere</i> , 2020, 11, 1060-1456.	6.1	405
2	Notes for genera: Ascomycota. <i>Fungal Diversity</i> , 2017, 86, 1-594.	12.3	213
3	Fungal diversity notes 603–708: taxonomic and phylogenetic notes on genera and species. <i>Fungal Diversity</i> , 2017, 87, 1-235.	12.3	165
4	Fungal Planet description sheets: 716–784. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2018, 40, 239-392.	4.4	142
5	<i>Fusarium</i> : more than a node or a foot-shaped basal cell. <i>Studies in Mycology</i> , 2021, 98, 100116.	7.2	134
6	Phylogeny of saprobic microfungi from Southern Europe. <i>Studies in Mycology</i> , 2017, 86, 53-97.	7.2	126
7	Considerations and consequences of allowing DNA sequence data as types of fungal taxa. <i>IMA Fungus</i> , 2018, 9, 167-175.	3.8	45
8	Fungal Biodiversity Profiles 21–30. <i>Cryptogamie, Mycologie</i> , 2017, 38, 101-146.	1.0	31
9	Three new species of <i>Neosporidesmium</i> from Hainan, China. <i>Mycological Progress</i> , 2011, 10, 157-162.	1.4	24
10	Three new species of <i>Sporidesmiella</i> from southern China. <i>Mycoscience</i> , 2012, 53, 187-193.	0.8	16
11	New species and record of <i>Pseudoacrodictys</i> from southern China. <i>Mycological Progress</i> , 2011, 10, 261-265.	1.4	15
12	New species of <i>Cordana</i> and epitypification of the genus. <i>Mycologia</i> , 2014, 106, 723-734.	1.9	15
13	<i>Pleurothecium bicoloratum</i> & <i>Sporidesmiopsis pluriseptata</i> spp. nov. from Brazil. <i>Mycotaxon</i> , 2016, 131, 145-152.	0.3	13
14	<i>Phialolunulospora vermispora</i> (Chaetosphaeriaceae, Sordariomycetes), a novel asexual genus and species from freshwater in southern China. <i>MycoKeys</i> , 2020, 76, 17-30.	1.9	13
15	Comparison of aquatic hyphomycetes communities between lotic and lentic environments in the Atlantic rain forest of Pernambuco, Northeast Brazil. <i>Fungal Biology</i> , 2019, 123, 660-668.	2.5	12
16	Forecasting the number of species of asexually reproducing fungi (Ascomycota and Basidiomycota). <i>Fungal Diversity</i> , 2022, 114, 463-490.	12.3	12
17	<i>Neodendryphiella</i> , a novel genus of the Dictyosporiaceae (Pleosporales). <i>MycoKeys</i> , 2018, 37, 19-38.	1.9	10
18	New species of microfungi from Brazilian Amazon rainforests. <i>Mycotaxon</i> , 2014, 127, 81-87.	0.3	9

#	ARTICLE	IF	CITATIONS
19	< i>Helicodochium</i>, a new microfungus from submerged wood in Brazil. Mycotaxon, 2014, 127, 5-9.	0.3	9
20	Ramichloridium endophyticum sp. nov., a novel species of endophytic fungus from Potamogeton pectinatus. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 3433-3439.	1.7	9
21	< i>Corynesporopsis curvularioides</i> sp. nov. and New Records of Microfungi from Southern China. Cryptogamie, Mycologie, 2013, 34, 281-288.	1.0	8
22	Two new species of Spadicoides and Gangliostilbe from southern China. Mycological Progress, 2014, 13, 547-552.	1.4	8
23	Conidial fungi from the semiarid Caatinga biome of Brazil: a new species of Pseudoacrodictys. Mycotaxon, 2014, 127, 33-37.	0.3	8
24	< i>Dictyoaquaphila appendiculata</i> gen. & sp. nov. from submerged wood from Brazil. Mycotaxon, 2016, 131, 177-183.	0.3	8
25	&lt; i>Thozetella coronata</i> and &lt; i>T. ypsiloidea</i> spp. nov. from the Brazilian Amazon forest. Mycotaxon, 2016, 131, 605-611.	0.3	8
26	Two new species of Verruconis from Hainan, China. MycoKeys, 2019, 48, 41-53.	1.9	8
27	< i>Zelodactylaria,</i> an interesting new genus from semi-arid northeast Brazil. Mycotaxon, 2012, 119, 241-248.	0.3	7
28	&lt; i>Anabahusakala</i>, a new genus from the Brazilian Amazon rainforest. Mycotaxon, 2014, 127, 11-15.	0.3	7
29	Microfungi from Portugal: < i>Minimelanolocus manifestus</i> sp. nov. and < i>Vermiculariopsiella pediculata</i> comb. nov.. Mycotaxon, 2013, 122, 135-143.	0.3	6
30	< i>Diplococcum variegatum</i>, a new conidial fungus from the semi-arid Caatinga biome of Brazil. Mycotaxon, 2014, 127, 59-62.	0.3	6
31	A new species of &lt; i>Matsushimiella</i> from submerged leaves in the Brazilian Amazon Forest. Mycotaxon, 2015, 130, 311-314.	0.3	6
32	< i>Cryptocoryneum parvulum</i>, a new species on < i>Araucaria angustifolia</i> (Brazilian pine). Mycotaxon, 2015, 130, 465-469.	0.3	6
33	New species of &lt; i>Phaeomonilia</i> and &lt; i>Mirandina</i> from dead branches in China. Mycotaxon, 2015, 130, 775-781.	0.3	6
34	Conidial fungi from the semiarid Caatinga biome of Brazil: a new species of &lt; i>Selenosporella</i> from submerged leaves. Mycotaxon, 2015, 130, 601-605.	0.3	6
35	< i>Mirandina uncinata</i> sp. nov. from submerged leaves from Brazil. Mycotaxon, 2016, 131, 141-144.	0.3	6
36	Two new species of < i>Bactrodesmium</i> and < i>Dictyoaquaphila</i> from Mexico. Mycotaxon, 2016, 131, 291-295.	0.3	6

#	ARTICLE	IF	CITATIONS
37	< i>Linkosia aquatica</i> sp. nov. from submerged plant debris from Brazil. Mycotaxon, 2016, 131, 297-304.	0.3	6
38	A new species and a new combination in < i>Codinaea</i> from Brazil. Mycotaxon, 2016, 130, 1045-1049.	0.3	6
39	Conidial fungi on < i>Araucaria angustifolia</i>; < i>Trichoconis foliicola</i> sp. nov. and two new records from Brazil. Mycotaxon, 2016, 130, 1051-1059.	0.3	6
40	< i>Dictyosporium amoenum</i> sp. nov. from Chapada Diamantina, Bahia, Brazil. Mycotaxon, 2016, 130, 1125-1133.	0.3	6
41	Two new species of Dictyosporium and Helminthosporium (Ascomycota) from the Brazilian Atlantic Forest. Nova Hedwigia, 2017, 105, 65-73.	0.4	6
42	Spadicoides matsuhashimae sp. nov., and Anisospadicoides gen. nov. for two atypical Spadicoides species. Mycotaxon, 2019, 134, 161-167.	0.3	6
43	< i>Cacumisporium fusiforme</i> sp. nov. from Jiangxi, China. Mycotaxon, 2019, 134, 275-279.	0.3	6
44	Natonodosa speciosa gen. et sp. nov. and rediscovery of Poroisariopsis inornata: neotropical anamorphic fungi in Xylariales. Mycological Progress, 2020, 19, 15-30.	1.4	6
45	Two new asexual genera and six new asexual species in the family Microthyriaceae (Dothideomycetes,) Tj ETQq1 1 0.784314 6gBT /Over		
46	Two new fungi from Mexico: Anaseptoidium gen. nov. and < i>Cylindrosympodium sosae</i> sp. nov.. Mycotaxon, 2012, 119, 141-148.	0.3	5
47	New Species or Records of < i>Endophragmiella</i> and < i>Heteroconium</i> from Southern China. Cryptogamie, Mycologie, 2012, 33, 127-135.	1.0	5
48	Two new microfungi from Brazilian Amazon Forest: < i>Atrogeniculata submersa</i> and < i>Nigrolentilocus amazonicus</i>. Mycotaxon, 2014, 127, 39-45.	0.3	5
49	< i>Anacraspedodidymum</i>; a new genus from submerged wood in Brazil. Mycotaxon, 2014, 128, 11-15.	0.3	5
50	A new species of < i>Corynesporopsis</i> from Spain. Mycotaxon, 2014, 127, 155-160.	0.3	5
51	Three new species of Spadicoides from Lushan Mountain, China. Mycological Progress, 2016, 15, 1.	1.4	5
52	Morphology and phylogeny of < i>Cladosporium subuliforme</i>, causing yellow leaf spot of pepper in Cuba. Mycotaxon, 2016, 131, 693-702.	0.3	5
53	Notes on Vamsapriya and V. camagueyensis comb. nov.. Mycotaxon, 2017, 132, 553-557.	0.3	5
54	New species and record of Corynesporopsis and Hemicorynespora from southern China. Nova Hedwigia, 2012, 95, 233-241.	0.4	4

#	ARTICLE	IF	CITATIONS
55	Three new species of <i>Solicorynespora</i> from Hainan, China. <i>Mycological Progress</i> , 2012, 11, 639-645.	1.4	4
56	Two new microfungi from Portugal: <i>Magnohelicospora iberica</i> gen. & sp. nov. and <i>Phaeodactylium stadleri</i> sp. nov.. <i>Mycotaxon</i> , 2013, 121, 171-179.	0.3	4
57	Microfungi from Costa Rica. A new species and a new combination in <i>Codinaea</i>. <i>Mycotaxon</i> , 2014, 127, 115-120.	0.3	4
58	New species of &lt;I&gt;Acrodictys&lt;/I&gt; and &lt;I&gt;Repetophragma&lt;/I&gt; from dead branches in China. <i>Mycotaxon</i> , 2014, 127, 129-134.	0.3	4
59	Two new species of <i>Solicorynespora</i> from Spain. <i>Mycological Progress</i> , 2014, 13, 157-164.	1.4	4
60	<I>Anaexserticlava caatingae</I>, a new conidial fungus from the semi-arid Caatinga biome of Brazil. <i>Mycotaxon</i> , 2015, 130, 445-449.	0.3	4
61	A new species of <i>Diplococcium</i> from the Brazilian semi-arid region. <i>Mycotaxon</i> , 2015, 130, 495-498.	0.3	4
62	Two new species of &lt;I&gt;Spadicoides&lt;/I&gt; and &lt;I&gt;Sporidesmiella&lt;/I&gt; from Yucatán, Mexico. <i>Mycotaxon</i> , 2015, 130, 511-516.	0.3	4
63	<I>Xylomyces acerosisporus</I> sp. nov. from submerged leaves from Brazil. <i>Mycotaxon</i> , 2015, 130, 875-878.	0.3	4
64	Taxonomic re-evaluation and phylogenetic position of <i>Hemibeltrania</i> <i>cinnamomi</i> within <i>Xylariales</i>. <i>Mycotaxon</i> , 2016, 131, 87-94.	0.3	4
65	<i>Codinaea leomaiae</i> sp. nov. from the Brazilian Atlantic Forest. <i>Mycotaxon</i> , 2016, 131, 423-428.	0.3	4
66	&lt;I&gt;Anaverticicladus uncinatus&lt;/I&gt; gen. & sp. nov. from decaying leaves from Brazil. <i>Mycotaxon</i> , 2016, 131, 687-691.	0.3	4
67	<i>Dictyotrichocladium</i> <i>aquaticum</i> gen. & sp. nov. and <i>Minimelanolocus</i> <i>aquatilis</i> sp. nov. from freshwater in Brazil's semiarid region. <i>Mycotaxon</i> , 2017, 132, 433-440.	0.3	4
68	A new species of <i>Quadracea</i> and new records of other dematiaceous hyphomycetes from southern China. <i>Nova Hedwigia</i> , 2012, 94, 405-411.	0.4	3
69	<i>Alveariospora</i>, a new anamorphic genus from trichomes of <i>Dimorphandra</i> <i>mollis</i> in Brazil. <i>Mycotaxon</i> , 2012, 119, 109-116.	0.3	3
70	New species of <i>Hughesinia</i> and <i>Stachybotryna</i> and new records of anamorphic fungi from the Yucatan Peninsula, Mexico. <i>Mycological Progress</i> , 2012, 11, 927-935.	1.4	3
71	A new species of <i>Bahusutrabeeja</i> from Guangxi, China. <i>Mycotaxon</i> , 2014, 126, 227-230.	0.3	3
72	&lt;I&gt;Xiuguo Zhangia&lt;/I&gt;, a new genus of microfungi to accommodate five &lt;I&gt;Piricaudiopsis&lt;/I&gt; species. <i>Mycotaxon</i> , 2014, 128, 131-135.	0.3	3

#	ARTICLE	IF	CITATIONS
73	&lt; i &gt; <i>Distophragmia</i> &lt; /i &gt;, a new genus of microfungi to accommodate &lt; i &gt; <i>Endophragmiella</i> &lt; /i &gt; &lt; i &gt; <i>rigidiuscula</i> &lt; /i &gt;. <i>Mycotaxon</i> , 2015, 130, 499-503.	0.3	3
74	< i > <i>Anacoronospora diversiseptata</i> < /i > gen. &amp; sp. nov. from Brazil. <i>Mycotaxon</i> , 2016, 131, 185-192.	0.3	3
75	< i > <i>Pyramidospora quadricellularis</i> < /i > sp. nov. on submerged leaves from Brazil. <i>Mycotaxon</i> , 2016, 130, 971-976.	0.3	3
76	< i > <i>Tretohelioccephala compacta</i> < /i > gen. &amp; sp. nov. from the Brazilian semi-arid region. <i>Mycotaxon</i> , 2017, 132, 453-458.	0.3	3
77	< i > <i>Corynespora sinensis</i> < /i > sp. nov. from Jiangxi, China. <i>Mycotaxon</i> , 2020, 135, 803-809.	0.3	3
78	Hypomycetes from Nigerian rain forests. <i>Mycologia</i> , 2002, 94, 127-35.	1.9	3
79	Two new species of < i > <i>Repetophragma</i> < /i > from the Iberian Peninsula. <i>Mycotaxon</i> , 2013, 125, 209-215.	0.3	2
80	A new species of < i > <i>Heliocephala</i> < /i > from Vietnam. <i>Mycotaxon</i> , 2013, 123, 281-284.	0.3	2
81	Two new conidial fungi from Chapada Diamantina, Brazil. <i>Mycotaxon</i> , 2015, 130, 437-443.	0.3	2
82	&lt; i &gt; <i>Digicatenosporium polyramosum</i> &lt; /i &gt;, a new hyphomycete from Brazil. <i>Mycotaxon</i> , 2015, 130, 479-482.	0.3	2
83	< i > <i>Stachybotryna longispiralis</i> < /i > sp. nov. from the Brazilian Atlantic Forest. <i>Mycotaxon</i> , 2016, 131, 429-433.	0.3	2
84	&lt; i &gt; <i>Synchaetomella aquatica</i> &lt; /i &gt; sp. nov. from submerged leaves from Brazil. <i>Mycotaxon</i> , 2016, 130, 1135-1139.	0.3	2
85	< i > <i>Arthrotauenolella aquatica</i> < /i > gen. &amp; sp. nov. and < i > <i>Pseudospiropes piatanensis</i> < /i > sp. nov. from Brazil. <i>Mycotaxon</i> , 2017, 132, 373-379.	0.3	2
86	< i > <i>Distoceratosporella digitiformis</i> < /i > gen. &amp; sp. nov. from Brazil, < i > <i>Alcornia sessilispora</i> < /i > gen. &amp; comb. nov., and three new < i > <i>Distoceratosporella</i> < /i > combinations. <i>Mycotaxon</i> , 2017, 132, 485-493.	0.3	2
87	<i>Zelotetraploa aquatica</i> gen. & sp. nov. and <i>Blastoheterospora catenata</i> gen. & sp. nov., on submerged wood from Brazil. <i>Mycotaxon</i> , 2017, 132, 695-703.	0.3	2
88	<i>Ellismarsporium</i> gen. nov. and <i>Stanughesiella</i> gen. nov. to accommodate atypical <i>Helminthosporium</i> and <i>Corynesporella</i> species. <i>Mycotaxon</i> , 2018, 132, 759-766.	0.3	2
89	< i > <i>Craspedodidymum guatemalense</i> < /i > sp. nov. < i > < /i > from Guatemala. <i>Mycotaxon</i> , 2018, 133, 315-322.	0.3	2
90	< i > <i>Castanediella diversispora</i> < /i > sp. nov. from the Brazilian Atlantic Forest. <i>Mycotaxon</i> , 2018, 133, 63-69.	0.3	2

#	ARTICLE	IF	CITATIONS
91	< i>Cordana meilingensis</i> and < i>C. lushanensis</i> spp. nov. from Jiangxi, China. Mycotaxon, 2019, 134, 329-334.	0.3	2
92	< i>Guayaquila</i> gen. nov., typified by < i>Idriella cubensis</i>. Mycotaxon, 2020, 135, 501-512.	0.3	2
93	Neomyrmecridium asymmetricum sp. nov. from Ecuador. Mycotaxon, 2020, 135, 151-165.	0.3	2
94	Assessing the predatory activity of Arthrobotrys oligosporus strain C-2197 as biocontrol of the root-knot nematode Meloidogyne spp.. Revista Bionatura, 2021, 6, 1586-1592.	0.4	2
95	< i>Zanclospora bicolorata</i> sp. nov. from Ecuador. Mycotaxon, 2020, 135, 895-900.	0.3	2
96	Blastosporium persicolor gen. et sp. nov., a new helotialean fungus. MycoKeys, 2019, 51, 55-64.	1.9	2
97	Morganjonesia gen. nov. for two atypical Corynespora and Teratosperma species. Mycotaxon, 2019, 134, 457-461.	0.3	2
98	< i>Vanakripa chinensis</i> sp. nov. from China and notes on the genus. Mycotaxon, 2021, 136, 545-551.	0.3	2
99	< i>Ramiphialis ronuroensis</i> gen. and sp. nov., a hyphomycete from the Amazonian rainforest. Mycotaxon, 2020, 135, 293-298.	0.3	2
100	< i>Mesocorynespora sinensis</i> gen. & sp. nov. from southern China. Mycotaxon, 2020, 135, 617-622.	0.3	2
101	< i>Mirohelminthosporium</i> gen. nov.< i></i> for an atypical < i>Helminthosporium</i> species and < i>H. matsushimaee</i> nom. nov.. Mycotaxon, 2020, 135, 777-783.	0.3	2
102	< i>Bactrodesmium chinense</i> and < i>B. lushanense</i> spp. nov. and < i>B. novageronense</i> newly recorded from China. Mycotaxon, 2020, 135, 861-868.	0.3	2
103	&lt; i>Scolecobeltrania&lt; i>&gt; an interesting new microfungus from Venezuela. Mycotaxon, 2013, 124, 143-148.	0.3	1
104	< i>Brachycephala exotica</i>, a new hyphomycete from Brazil. Mycotaxon, 2015, 130, 489-493.	0.3	1
105	< i>Phaeodactylium cymbisporum</i> sp. nov. from the Brazilian Atlantic Forest. Mycotaxon, 2016, 131, 435-438.	0.3	1
106	< i>Solicorynespora</i> Species Associated with Dead Branches of Subtropical Forests in Southern China. Cryptogamie, Mycologie, 2016, 37, 37-44.	1.0	1
107	< i>Tretolylea,</i> a new genus from the Brazilian semiarid region. Mycotaxon, 2016, 130, 977-981.	0.3	1
108	Two new species of Pseudoacrodiclys from Hainan, China. Nova Hedwigia, 2016, 102, 69-75.	0.4	1

#	ARTICLE	IF	CITATIONS
109	< i>Anisogenispora insignissima gen. & sp. nov. from the Brazilian semi-arid region. Mycotaxon, 2018, 132, 977-983.	0.3	1
110	Paliphora bicolorata sp. nov. from the Brazilian Atlantic Forest. Mycotaxon, 2018, 132, 903-907.	0.3	1
111	< i>Minimelanolocus atlanticus sp. nov. and < i> M< /i>. < i> navicularis< /i> from the Brazilian Atlantic Forest. Mycotaxon, 2018, 132, 925-931.	0.3	1
112	Coronosporidium ecuadorianum gen. & sp. nov. from submerged decaying leaf from Ecuador. Mycotaxon, 2019, 134, 111-117.	0.3	1
113	< i>Bactrodesmium pulcherrimum< /i> sp. nov. from Ecuador. Mycotaxon, 2020, 134, 627-632.	0.3	1
114	< i>Distobactrodesmium< /i> gen. nov. to accommodate < i> Bactrodesmium rahmii< /i> and notes on < i> Bactrodesmium< /i>. Mycotaxon, 2021, 136, 141-158.	0.3	1
115	< i>Teratospermopsis< /i> gen. nov. for < i> Chaetendophragmia protuberata< /i>, with a taxonomic review of < i>Teratosperma< /i>. Mycotaxon, 2021, 136, 85-95.	0.3	1
116	< i>Endophragmiella< /i> spp. nov. and new records from southern China. Mycotaxon, 2021, 136, 169-182.	0.3	1
117	< i>Kirschsteiniothelia shimlaensis< /i> sp. nov. from Himachal Pradesh, India. Mycotaxon, 2021, 136, 401-407.	0.3	1
118	A microfungus from Costa Rica: < i>Ticosynnema< /i> gen. nov.. Mycotaxon, 2013, 122, 255-259.	0.3	1
119	Cordana sinensis sp. nov. from southern China. Mycotaxon, 2021, 136, 553-562.	0.3	1
120	< i>Neosporidesmium himachalense< /i> sp. nov. from India and < i>Neosporidesmina< /i> gen. nov. to accommodate < i>N. micheliae< /i>. Mycotaxon, 2021, 136, 587-595.	0.3	1
121	< i>Anasporidesmiella< /i> gen. nov.< i> < /i> for an atypical < i> Sporidesmiella< /i> species and for < i> A. manifesta< /i> sp. nov.. Mycotaxon, 2020, 135, 719-727.	0.3	1
122	< i>Varioseptispora chinensis< /i> gen. & sp. nov., < i> V. apicalis< /i> nom. nov., < i> V. hodgkissii< /i> comb. nov., and < i> V. versiseptatis< /i> comb. nov.. Mycotaxon, 2020, 135, 753-759.	0.3	1
123	< i>Beltrania nodulosa< /i> sp. nov. from Ecuador. Mycotaxon, 2020, 135, 853-860.	0.3	1
124	Blodgettia chinensis and Nigrolentilocus saprophyticus spp. nov., and a first record of Anaplectrothecium botulisporum from southern China. Nova Hedwigia, 2020, 111, 449-458.	0.4	1
125	Keqinzhangia aquatica gen. et sp. nov. and Pseudocoronospora hainanense gen. et sp. nov., isolated from freshwater in southern China. Antonie Van Leeuwenhoek, 2022, 115, 203-213.	1.7	1
126	Two new records of microfungi from the Brazilian Atlantic Forest. Mycotaxon, 2016, 130, 967-970.	0.3	0

#	ARTICLE	IF	CITATIONS
127	< i>Bharatheeya coronata</i> sp. nov., a conidial fungus from Brazil. Mycotaxon, 2017, 132, 357-360.	0.3	0
128	Gonatophragmiopsis verrucosa gen. & sp. nov. and Pithomyces dimorphosporus sp. nov. from Brazil. Mycotaxon, 2017, 132, 565-572.	0.3	0
129	< i>Acumispora delicata</i> sp. nov. from the Brazilian Atlantic Forest. Mycotaxon, 2018, 132, 971-975.	0.3	0
130	A new anamorphic fungus of Nakataea from China. Nova Hedwigia, 2018, 107, 189-193.	0.4	0
131	Phylogeny and morphology of < i>Ellismarsporium parvum</i> and the new combination < i>E. varium</i>. Mycotaxon, 2020, 135, 443-452.	0.3	0
132	< i>Blastophragmia plurisetulosa</i> gen. & sp. nov. from China. Mycotaxon, 2021, 136, 163-167.	0.3	0
133	< i>Camposporium chinense</i> sp. nov. from Jiangxi, China. Mycotaxon, 2021, 136, 73-78.	0.3	0
134	Stratiobotrys neoeucylindrosporus sp. nov., a Stachybotrys-like fungus from North America. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	1.7	0
135	< i>Brykendrickia catenata</i> gen. & sp. nov. from India. Mycotaxon, 2021, 136, 131-140.	0.3	0
136	Two new species of Solicorynespora from Jinggangshan Mountain, China. Nova Hedwigia, 2016, 103, 117-124.	0.4	0
137	< i>Globoramichloridium delicatum</i> and < i>Heteroconium simile</i> spp. nov. from southern China. Mycotaxon, 2021, 136, 579-586.	0.3	0
138	Phylogenetic placement of Acrospeira. Mycotaxon, 2020, 135, 299-308.	0.3	0
139	< i>Lylea obclavata</i> sp. nov. from Lushan Mountain, China. Mycotaxon, 2020, 135, 785-790.	0.3	0
140	< i>Similitrichoconis wongii</i> gen. & sp. nov. from Ecuador. Mycotaxon, 2020, 135, 829-838.	0.3	0
141	< i>Blodgettia sinensis</i> sp. nov. from Lushan Mountain, China. Mycotaxon, 2020, 135, 825-828.	0.3	0
142	< i>Corynesporopsis hainanensis</i> sp. nov., a bambusicolous fungus from southern China. Mycotaxon, 2020, 135, 623-630.	0.3	0