

Edna Maria Vissoci Reiche

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/721208/publications.pdf>

Version: 2024-02-01

131
papers

4,178
citations

172457

29
h-index

138484

58
g-index

141
all docs

141
docs citations

141
times ranked

6701
citing authors

#	ARTICLE	IF	CITATIONS
1	TGFB1 (rs1800470 and rs1800469) variants are independently associated with disease activity and autoantibodies in rheumatoid arthritis patients. <i>Clinical and Experimental Medicine</i> , 2022, 22, 37-45.	3.6	4
2	Immune-inflammatory, coagulation, adhesion, and imaging biomarkers combined in machine learning models improve the prediction of death 1 year after ischemic stroke. <i>Clinical and Experimental Medicine</i> , 2022, 22, 111-123.	3.6	15
3	In COVID-19, NLRP3 inflammasome genetic variants are associated with critical disease and these effects are partly mediated by the sickness symptom complex: a nomothetic network approach. <i>Molecular Psychiatry</i> , 2022, 27, 1945-1955.	7.9	36
4	IL6 genetic variants haplotype is associated with susceptibility and disease activity but not with therapy response in patients with inflammatory bowel disease. <i>International Journal of Colorectal Disease</i> , 2021, 36, 383-393.	2.2	1
5	Cytokines in psoriasis. <i>Advances in Clinical Chemistry</i> , 2021, 100, 171-204.	3.7	45
6	Haplotypes of FOXP3 genetic variants are associated with susceptibility, autoantibodies, and TGF- β 1 in patients with systemic lupus erythematosus. <i>Scientific Reports</i> , 2021, 11, 5406.	3.3	4
7	Carotid intima media thickness measurements coupled with stroke severity strongly predict short-term outcome in patients with acute ischemic stroke: a machine learning study. <i>Metabolic Brain Disease</i> , 2021, 36, 1747-1761.	2.9	9
8	TGFB1 (rs1800470) variant is independently associated with susceptibility, laboratory activity, and TGF- β 1 in patients with systemic lupus erythematosus. <i>Autoimmunity</i> , 2021, 54, 569-575.	2.6	6
9	Mixture of probiotics reduces inflammatory biomarkers and improves the oxidative/nitrosative profile in people with rheumatoid arthritis. <i>Nutrition</i> , 2021, 89, 111282.	2.4	34
10	New Drug Targets to Prevent Death Due to Stroke: A Review Based on Results of Protein-Protein Interaction Network, Enrichment, and Annotation Analyses. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12108.	4.1	11
11	Prolactin is Not Associated with Disability and Clinical Forms in Patients with Multiple Sclerosis. <i>NeuroMolecular Medicine</i> , 2020, 22, 73-80.	3.4	5
12	Immune-inflammatory, metabolic and hormonal biomarkers are associated with the clinical forms and disability progression in patients with multiple sclerosis: A follow-up study. <i>Journal of the Neurological Sciences</i> , 2020, 410, 116630.	0.6	10
13	Cell adhesion molecules, plasminogen activator inhibitor type 1, and metabolic syndrome in patients with psoriasis. <i>Clinical and Experimental Medicine</i> , 2020, 20, 39-48.	3.6	15
14	Lower thiol, glutathione, and glutathione peroxidase levels in prostate cancer: a meta-analysis study. <i>Aging Male</i> , 2020, 23, 1533-1544.	1.9	8
15	Immune-Inflammatory, Metabolic, Oxidative, and Nitrosative Stress Biomarkers Predict Acute Ischemic Stroke and Short-Term Outcome. <i>Neurotoxicity Research</i> , 2020, 38, 330-343.	2.7	20
16	Thiol Groups as a Biomarker for the Diagnosis and Prognosis of Prostate Cancer. <i>Scientific Reports</i> , 2020, 10, 9093.	3.3	9
17	Antioxidant and Anti-inflammatory Diagnostic Biomarkers in Multiple Sclerosis: A Machine Learning Study. <i>Molecular Neurobiology</i> , 2020, 57, 2167-2178.	4.0	25
18	Association of Lower Adiponectin Plasma Levels, Increased Age and Smoking with Subclinical Atherosclerosis in Patients with HIV-1 Infection. <i>Current HIV Research</i> , 2020, 18, 292-306.	0.5	2

#	ARTICLE	IF	CITATIONS
19	The rs3761548 FOXP3 variant is associated with multiple sclerosis and transforming growth factor β 21 levels in female patients. <i>Inflammation Research</i> , 2019, 68, 933-943.	4.0	10
20	The role of zinc, copper, manganese and iron in neurodegenerative diseases. <i>NeuroToxicology</i> , 2019, 74, 230-241.	3.0	275
21	Disability in multiple sclerosis is associated with age and inflammatory, metabolic and oxidative/nitrosative stress biomarkers: results of multivariate and machine learning procedures. <i>Metabolic Brain Disease</i> , 2019, 34, 1401-1413.	2.9	26
22	Tumor necrosis factor alpha (TNF- α) and its soluble receptors are associated with disability, disability progression and clinical forms of multiple sclerosis. <i>Inflammation Research</i> , 2019, 68, 1049-1059.	4.0	30
23	Proinflammatory and anti-inflammatory cytokine profiles in psoriasis: use as laboratory biomarkers and disease predictors. <i>Inflammation Research</i> , 2019, 68, 557-567.	4.0	44
24	TNF- β +252 A>G (rs909253) polymorphism is independently associated with presence of autoantibodies in rheumatoid arthritis patients. <i>Clinical and Experimental Medicine</i> , 2019, 19, 347-356.	3.6	4
25	Immune-inflammatory, oxidative stress and biochemical biomarkers predict short-term acute ischemic stroke death. <i>Metabolic Brain Disease</i> , 2019, 34, 789-804.	2.9	31
26	Moderate prevalence of HIV-1 transmitted drug resistance mutations in southern Brazil. <i>AIDS Research and Therapy</i> , 2019, 16, 4.	1.7	6
27	Trace Elements Associated with Systemic Lupus Erythematosus and Insulin Resistance. <i>Biological Trace Element Research</i> , 2019, 191, 34-44.	3.5	17
28	Fatores sociodemográficos de pacientes HIV em uso de terapia antiretroviral e sua associação ao Índice de desenvolvimento humano municipal. <i>Revista De Saúde Pública Do Paraná</i> , 2019, 2, 39-48.	0.1	0
29	Metabolic syndrome and the decreased levels of uric acid by leflunomide favor redox imbalance in patients with rheumatoid arthritis. <i>Clinical and Experimental Medicine</i> , 2018, 18, 363-372.	3.6	11
30	Increased adhesion molecule levels in systemic lupus erythematosus: relationships with severity of illness, autoimmunity, metabolic syndrome and cortisol levels. <i>Lupus</i> , 2018, 27, 380-388.	1.6	21
31	Multiple Immune-Inflammatory and Oxidative and Nitrosative Stress Pathways Explain the Frequent Presence of Depression in Multiple Sclerosis. <i>Molecular Neurobiology</i> , 2018, 55, 6282-6306.	4.0	51
32	Increased lipid and protein oxidation and lowered anti-oxidant defenses in systemic lupus erythematosus are associated with severity of illness, autoimmunity, increased adhesion molecules, and Th1 and Th17 immune shift. <i>Immunologic Research</i> , 2018, 66, 158-171.	2.9	22
33	Cascade of care for people living with HIV infection in Southern Brazil: results from a public health network. <i>Cadernos De Saude Publica</i> , 2018, 34, e00009718.	1.0	5
34	Safety of monitoring antiretroviral therapy response in HIV-1 infection using CD4+ T cell count at long-term intervals. <i>Cadernos De Saude Publica</i> , 2018, 34, e00009618.	1.0	1
35	Ficolin-1 and Ficolin-3 Plasma Levels Are Altered in HIV and HIV/HCV Coinfected Patients From Southern Brazil. <i>Frontiers in Immunology</i> , 2018, 9, 2292.	4.8	15
36	Elevated plasma homocysteine levels are associated with disability progression in patients with multiple sclerosis. <i>Metabolic Brain Disease</i> , 2018, 33, 1393-1399.	2.9	31

#	ARTICLE	IF	CITATIONS
37	CXCL12 chemokine and CXCR4 receptor: association with susceptibility and prognostic markers in triple negative breast cancer. <i>Molecular Biology Reports</i> , 2018, 45, 741-750.	2.3	14
38	Cell adhesion molecules and plasminogen activator inhibitor type-1 (PAI-1) in patients with rheumatoid arthritis: influence of metabolic syndrome. <i>Clinical and Experimental Medicine</i> , 2018, 18, 495-504.	3.6	5
39	Genetic, Immune-Inflammatory, and Oxidative Stress Biomarkers as Predictors for Disability and Disease Progression in Multiple Sclerosis. <i>Molecular Neurobiology</i> , 2017, 54, 31-44.	4.0	50
40	Cytokine Profile in Patients with Progressive Multiple Sclerosis and Its Association with Disease Progression and Disability. <i>Molecular Neurobiology</i> , 2017, 54, 2950-2960.	4.0	45
41	Albumin and Protein Oxidation are Predictors that Differentiate Relapsing-Remitting from Progressive Clinical Forms of Multiple Sclerosis. <i>Molecular Neurobiology</i> , 2017, 54, 2961-2968.	4.0	23
42	Reduction of nitric oxide and DNA/RNA oxidation products are associated with active disease in systemic lupus erythematosus patients. <i>Lupus</i> , 2017, 26, 1106-1111.	1.6	8
43	C-reactive protein +1444CT (rs1130864) genetic polymorphism is associated with the susceptibility to systemic lupus erythematosus and C-reactive protein levels. <i>Clinical Rheumatology</i> , 2017, 36, 1779-1788.	2.2	9
44	Insulin resistance, atherogenicity, and iron metabolism in multiple sclerosis with and without depression: Associations with inflammatory and oxidative stress biomarkers and uric acid. <i>Psychiatry Research</i> , 2017, 250, 113-120.	3.3	20
45	Disease progression and oxidative stress are associated with higher serum ferritin levels in patients with multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 2017, 373, 236-241.	0.6	21
46	Frequency of autoimmune disorders and autoantibodies in patients with neuromyelitis optica. <i>Acta Neuropsychiatrica</i> , 2017, 29, 170-178.	2.1	28
47	Vitamin D deficiency is associated with acute ischemic stroke, C-reactive protein, and short-term outcome. <i>Metabolic Brain Disease</i> , 2017, 32, 493-502.	2.9	55
48	Association of HLA-G 3'UTR polymorphisms and haplotypes with severe sepsis in a Brazilian population. <i>Human Immunology</i> , 2017, 78, 718-723.	2.4	6
49	Cytokines in systemic lupus erythematosus: far beyond Th1/Th2 dualism lupus: cytokine profiles. <i>Immunology and Cell Biology</i> , 2017, 95, 824-831.	2.3	89
50	Vitamin D deficiency is associated with disability and disease progression in multiple sclerosis patients independently of oxidative and nitrosative stress. <i>Journal of the Neurological Sciences</i> , 2017, 381, 213-219.	0.6	31
51	Human Leukocyte Antigen Class I and Class II Polymorphisms and Serum Cytokine Profiles in Cervical Cancer. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1478.	4.1	12
52	Association between Vitamin D Status, Oxidative Stress Biomarkers and Viral Load in Human Immunodeficiency Virus Type 1 Infection. <i>Current HIV Research</i> , 2017, 15, 336-344.	0.5	9
53	Evaluation of the Western blotting method for the diagnosis of congenital toxoplasmosis. <i>Jornal De Pediatria (Versão Em Português)</i> , 2016, 92, 616-623.	0.2	1
54	Evaluation of the Western blotting method for the diagnosis of congenital toxoplasmosis. <i>Jornal De Pediatria</i> , 2016, 92, 616-623.	2.0	23

#	ARTICLE	IF	CITATIONS
55	Profile of oxidative stress markers is dependent on vitamin D levels in patients with chronic hepatitis C. <i>Nutrition</i> , 2016, 32, 362-367.	2.4	27
56	CCR5 δ 32 (rs333) polymorphism is associated with the susceptibility to systemic lupus erythematosus in female Brazilian patients. <i>Rheumatology International</i> , 2016, 36, 7-15.	3.0	13
57	Immune-Inflammatory and Oxidative and Nitrosative Stress Biomarkers of Depression Symptoms in Subjects with Multiple Sclerosis: Increased Peripheral Inflammation but Less Acute Neuroinflammation. <i>Molecular Neurobiology</i> , 2016, 53, 5191-5202.	4.0	63
58	Fish Oil N-3 Fatty Acids Increase Adiponectin and Decrease Leptin Levels in Patients with Systemic Lupus Erythematosus. <i>Marine Drugs</i> , 2015, 13, 1071-1083.	4.6	26
59	ACUTE TOXOPLASMOSIS IN A BREASTFED INFANT WITH POSSIBLE TRANSMISSION BY WATER. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2015, 57, 523-526.	1.1	11
60	Avaliaç�o do polimorfismo gen�tico p�vull do receptor de lipoprote�na de baixa densidade (RLDL) em pacientes com l�pus eritematoso sist�mico. <i>Semina: Ci�ncias Biol�gicas E Da Sa�de</i> , 2015, 36, 109.	0.2	0
61	CCp5A Protein from <i>Toxoplasma gondii</i> as a Serological Marker of Oocyst-driven Infections in Humans and Domestic Animals. <i>Frontiers in Microbiology</i> , 2015, 6, 1305.	3.5	27
62	Evaluation of a recombinant rhoptry protein 2 enzyme-linked immunoassay for the diagnosis of toxoplasmosis acquired during pregnancy. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2015, 110, 732-738.	1.6	4
63	Epidemiological, clinical, and immunological characteristics of neuromyelitis optica: A review. <i>Journal of the Neurological Sciences</i> , 2015, 355, 7-17.	0.6	49
64	Tumor necrosis factor beta Ncol polymorphism (rs909253) is associated with inflammatory and metabolic markers in acute ischemic stroke. <i>Metabolic Brain Disease</i> , 2015, 30, 159-167.	2.9	13
65	Inflammatory and metabolic markers and short-time outcome in patients with acute ischemic stroke in relation to TOAST subtypes. <i>Metabolic Brain Disease</i> , 2015, 30, 1417-1428.	2.9	22
66	Analysis of Immunological, Viral, Genetic, and Environmental Factors That Might Be Associated with Decreased Susceptibility to HIV Infection in Serodiscordant Couples in Florian�polis, Southern Brazil. <i>AIDS Research and Human Retroviruses</i> , 2015, 31, 1116-1125.	1.1	6
67	Metabolic syndrome increases oxidative stress but does not influence disability and short-time outcome in acute ischemic stroke patients. <i>Metabolic Brain Disease</i> , 2015, 30, 1409-1416.	2.9	16
68	Redox-Driven Events in the Human Immunodeficiency Virus Type 1 (HIV-1) Infection and their Clinical Implications. <i>Current HIV Research</i> , 2015, 13, 143-150.	0.5	16
69	SLC6A4STin2 VNTR genetic polymorphism is associated with tobacco use disorder, but not with successful smoking cessation or smoking characteristics: a case control study. <i>BMC Genetics</i> , 2014, 15, 78.	2.7	13
70	Hypertension is associated with serologically active disease in patients with systemic lupus erythematosus: role of increased Th1/Th2 ratio and oxidative stress. <i>Scandinavian Journal of Rheumatology</i> , 2014, 43, 59-62.	1.1	24
71	Genetic polymorphisms in glutathione-S-transferases are associated with anxiety and mood disorders in nicotine dependence. <i>Psychiatric Genetics</i> , 2014, 24, 87-93.	1.1	18
72	Congenital toxoplasmosis in a reference center of Paran�j, Southern Brazil. <i>Brazilian Journal of Infectious Diseases</i> , 2014, 18, 364-371.	0.6	30

#	ARTICLE	IF	CITATIONS
73	Disability in patients with multiple sclerosis: Influence of insulin resistance, adiposity, and oxidative stress. <i>Nutrition</i> , 2014, 30, 268-273.	2.4	82
74	Tumor necrosis factor beta Nco1 polymorphism is associated with inflammatory and metabolic markers in multiple sclerosis patients. <i>Journal of the Neurological Sciences</i> , 2014, 346, 156-163.	0.6	11
75	Tumor necrosis factor beta (TNF- β) Nco1 polymorphism is associated with multiple sclerosis in Caucasian patients from Southern Brazil independently from HLA-DRB1. <i>Journal of Molecular Neuroscience</i> , 2014, 53, 211-221.	2.3	4
76	Role of metabolic syndrome and antiretroviral therapy in adiponectin levels and oxidative stress in HIV-1 infected patients. <i>Nutrition</i> , 2014, 30, 1324-1330.	2.4	18
77	Seroprevalence for Human Cytomegalovirus in samples from dialysis and kidney transplanted patients. <i>Revista Da Rede De Enfermagem Do Nordeste</i> , 2014, 15, .	0.2	1
78	Gestational toxoplasmosis in Paran State, Brazil: prevalence of IgG antibodies and associated risk factors. <i>Brazilian Journal of Infectious Diseases</i> , 2013, 17, 405-409.	0.6	23
79	The Roles of Genetic Polymorphisms and Human Immunodeficiency Virus Infection in Lipid Metabolism. <i>BioMed Research International</i> , 2013, 2013, 1-15.	1.9	12
80	Serum Levels of High Sensitive C Reactive Protein in Healthy Adults From Southern Brazil. <i>Journal of Clinical Laboratory Analysis</i> , 2013, 27, 207-210.	2.1	11
81	Cytokine profile in relapsing-remitting multiple sclerosis patients and the association between progression and activity of the disease. <i>Molecular Medicine Reports</i> , 2013, 7, 1010-1020.	2.4	102
82	Nveis de protena C reativa no soro e lquido cefaloraquidiano para o diagnstico de meningite bacteriana neonatal. <i>Revista De Cincias Mdicas E Biolgicas</i> , 2013, 12, 60.	0.1	0
83	Oxidative stress in multiple sclerosis patients in clinical remission: Association with the expanded disability status scale. <i>Journal of the Neurological Sciences</i> , 2012, 321, 49-53.	0.6	84
84	Analysis of peripheral T cells and the CC chemokine receptor (CCR5) delta32 polymorphism in prostate cancer patients treated with carboxymethyl-glucan (CM-G). <i>Natural Product Research</i> , 2012, 26, 945-951.	1.8	6
85	Programas de controle da toxoplasmose congnita. <i>Revista Da Associao Mdica Brasileira</i> , 2011, 57, 594-599.	0.7	39
86	CXCL12 rs1801157 polymorphism and expression in peripheral blood from breast cancer patients. <i>Cytokine</i> , 2011, 55, 260-265.	3.2	29
87	Inflammatory biomarkers and oxidative stress measurements in patients with systemic lupus erythematosus with or without metabolic syndrome. <i>Lupus</i> , 2011, 20, 1356-1364.	1.6	34
88	Higher than normal plasma interleukin-6 concentrations in brazilian patients with mood disorders. <i>Brazilian Archives of Biology and Technology</i> , 2011, 54, 717-722.	0.5	2
89	Human endogenous RNAs: Implications for the immunomodulation of Toll-like receptor 3. <i>Experimental and Therapeutic Medicine</i> , 2011, 2, 925-929.	1.8	4
90	Factors associated to infection by <i>Toxoplasma gondii</i> in pregnant women attended in Basic Health Units in the city of Rolndia, Paran, Brazil. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2011, 53, 185-191.	1.1	18

#	ARTICLE	IF	CITATIONS
91	Association of tumor necrosis factor \hat{I}^2 genetic polymorphism and sepsis susceptibility. <i>Experimental and Therapeutic Medicine</i> , 2011, 2, 349-356.	1.8	14
92	Genetic polymorphisms associated with the development and clinical course of multiple sclerosis (Review). <i>International Journal of Molecular Medicine</i> , 2011, 28, 467-79.	4.0	36
93	Oxidative stress is associated with liver damage, inflammatory status, and corticosteroid therapy in patients with systemic lupus erythematosus. <i>Lupus</i> , 2011, 20, 1250-1259.	1.6	52
94	Programs for control of congenital toxoplasmosis. <i>Revista Da Associação Médica Brasileira</i> , 2011, 57, 581-586.	0.7	9
95	Effectiveness of confidential unit exclusion in screening blood donors of the regional blood bank in Londrina, Paraná State. <i>Revista Brasileira De Hematologia E Hemoterapia</i> , 2011, 33, 347-352.	0.7	9
96	The impact of childhood sexual abuse on activation of immunological and neuroendocrine response. <i>Aggression and Violent Behavior</i> , 2010, 15, 440-445.	2.1	18
97	Frequency and diversity of human immunodeficiency virus type 1 mutations associated with antiretroviral resistance among patients from Southern Brazil failing highly active antiretroviral therapy (HAART). <i>International Journal of Molecular Medicine</i> , 2010, 26, 585-93.	4.0	4
98	Factors associated with seropositivity for anti-Toxoplasma gondii antibodies in pregnant women of Londrina, Paraná, Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2009, 104, 378-382.	1.6	38
99	Nosocomial infections in human immunodeficiency virus type 1 (HIV-1) infected and AIDS patients: major microorganisms and immunological profile. <i>Brazilian Journal of Microbiology</i> , 2009, 40, 155-162.	2.0	6
100	201-P: Association study of HLA-DRB1 and CCR5 delta32 polymorphism and EDSS correlation with multiple sclerosis in Brazilian patients. <i>Human Immunology</i> , 2009, 70, S112.	2.4	0
101	Detection of TT virus in HIV-1 exposed but uninfected individuals and in HIV-1 infected patients and its influence on CD4+ lymphocytes and viral load. <i>Microbial Pathogenesis</i> , 2009, 47, 33-37.	2.9	16
102	HLA-DRB1* allele-associated genetic susceptibility and protection against multiple sclerosis in Brazilian patients. <i>Molecular Medicine Reports</i> , 2009, 02, 993-8.	2.4	30
103	RNA from Borna disease virus in patients with schizophrenia, schizoaffective patients, and in their biological relatives. <i>Journal of Clinical Laboratory Analysis</i> , 2008, 22, 314-320.	2.1	32
104	Epidemiological, immunological and virological characteristics, and disease progression of HIV-1/HCV-co-infected patients from a southern Brazilian population. <i>International Journal of Molecular Medicine</i> , 2008, 21, 387-95.	4.0	14
105	Detection of TTV in peripheral blood cells from patients with altered ALT and AST levels. <i>New Microbiologica</i> , 2008, 31, 195-201.	0.1	13
106	Frequency of CCR5-Delta32 deletion in human immunodeficiency virus type 1 (HIV-1) in healthy blood donors, HIV-1-exposed seronegative and HIV-1-seropositive individuals of southern Brazilian population. <i>International Journal of Molecular Medicine</i> , 2008, 22, 669-75.	4.0	12
107	Genetic Polymorphisms in the Chemokine and Chemokine Receptors: Impact on Clinical Course and Therapy of the Human Immunodeficiency Virus Type 1 Infection (HIV-1). <i>Current Medicinal Chemistry</i> , 2007, 14, 1325-1334.	2.4	65
108	Difficulties in the diagnosis of HTLV-2 infection in HIV/AIDS patients from Brazil: comparative performances of serologic and molecular assays, and detection of HTLV-2b subtype. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2007, 49, 225-230.	1.1	32

#	ARTICLE	IF	CITATIONS
109	Analysis of the CC chemokine receptor 5 delta32 polymorphism in a Brazilian population with cutaneous leishmaniasis. <i>Journal of Cutaneous Pathology</i> , 2007, 34, 27-32.	1.3	21
110	Freqüência das alterações dos níveis séricos de imunoglobulinas dos pacientes atendidos no Hospital Universitário, Londrina, Paraná. <i>Semina: Ciências Biológicas E Da Saúde</i> , 2007, 28, 23.	0.2	2
111	CCR5-Delta32 genetic polymorphism associated with benign clinical course and magnetic resonance imaging findings in Brazilian patients with multiple sclerosis. <i>International Journal of Molecular Medicine</i> , 2007, 20, 337-44.	4.0	16
112	An autoimmune or an inflammatory process in patients with schizophrenia, schizoaffective disorder, and in their biological relatives. <i>Schizophrenia Research</i> , 2006, 84, 180-182.	2.0	40
113	Stromal cell-derived factor 1 (SDF1) genetic polymorphism in a sample of healthy individuals, seronegative individuals exposed to human immunodeficiency virus type 1 (HIV-1) and patients infected with HIV-1 from the Brazilian population. <i>International Journal of Immunogenetics</i> , 2006, 33, 127-133.	1.8	17
114	Seroprevalence for hepatitis E virus (HEV) infection among volunteer blood donors of the Regional Blood Bank of Londrina, State of Paraná, Brazil. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2006, 48, 87-92.	1.1	43
115	The effect of stromal cell-derived factor 1 (SDF1/CXCL12) genetic polymorphism on HIV-1 disease progression. <i>International Journal of Molecular Medicine</i> , 2006, 18, 785-93.	4.0	5
116	Seroprevalence and Risk Factors for Human T Cell Lymphotropic Virus Type 1 and 2 Infection in Human Immunodeficiency Virus-Infected Patients Attending AIDS Referral Center Health Units in Londrina and Other Communities in Paraná, Brazil. <i>AIDS Research and Human Retroviruses</i> , 2005, 21, 256-262.	1.1	42
117	Expression of noncoding mRNA in human blood cells activated with synthetic peptide of HIV. <i>Blood Cells, Molecules, and Diseases</i> , 2005, 35, 286-290.	1.4	19
118	Stress and depression-induced immune dysfunction: Implications for the development and progression of cancer. <i>International Review of Psychiatry</i> , 2005, 17, 515-527.	2.8	152
119	Socio-demographic and epidemiological characteristics associated with human immunodeficiency virus type I (HIV-1) infection in HIV-1-exposed but uninfected individuals, and in HIV-1-infected patients from a southern Brazilian population. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2005, 47, 239-246.	1.1	7
120	Immunogenicity of three recombinant hepatitis B vaccines administered to students in three doses containing half the antigen amount routinely used for adult vaccination. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2004, 46, 103-107.	1.1	11
121	Stress, depression, the immune system, and cancer. <i>Lancet Oncology, The</i> , 2004, 5, 617-625.	10.7	1,009
122	Serological, epidemiological and molecular aspects of hepatitis C virus infection in a population from Londrina, PR, Brazil, 2001-2002. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2004, 46, 303-308.	1.1	8
123	Intradermal vaccination of adults with three low doses (2 µg) of recombinant hepatitis B vaccine. I. Seroconversion rate and adverse effects. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2003, 98, 1101-1107.	1.6	9
124	Intradermal vaccination of adults with three low doses (2 µg) of recombinant hepatitis B vaccine. II. Persistence of immunity and induction of immunologic memory. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2003, 98, 1109-1113.	1.6	4
125	Evaluation of surrogate markers for human immunodeficiency virus infection among blood donors at the blood bank of "Hospital Universitário Regional Norte do Paraná", Londrina, PR, Brazil. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2003, 45, 23-27.	1.1	4
126	Immune and hormonal activity in adults suffering from depression. <i>Brazilian Journal of Medical and Biological Research</i> , 2002, 35, 581-587.	1.5	66

#	ARTICLE	IF	CITATIONS
127	Evaluation of antigens from various Leishmania species in a Western blot for diagnosis of American tegumentary leishmaniasis.. American Journal of Tropical Medicine and Hygiene, 2002, 66, 91-102.	1.4	28
128	Frequency of CCR5-Δ32 deletion in human immunodeficiency virus type 1 (HIV-1) in healthy blood donors, HIV-1-exposed seronegative and HIV-1-seropositive individuals of southern Brazilian population. International Journal of Molecular Medicine, 1998, 22, 669.	4.0	7
129	Evaluation of the western blot in the confirmatory serologic diagnosis of Chagas' disease.. American Journal of Tropical Medicine and Hygiene, 1998, 59, 750-756.	1.4	23
130	Seropositivity for anti-Trypanosoma cruzi antibodies among blood donors of the "Hospital Universitário Regional do Norte do Paraná", Londrina, Brazil. Revista Do Instituto De Medicina Tropical De Sao Paulo, 1996, 38, 233-240.	1.1	10
131	Avaliação da determinação de anticorpos anti-tireóideanos no diagnóstico de doenças auto-imunes da tireóide. Semina: Ciências Biológicas E Da Saúde, 1992, 13, 115.	0.2	0